DAILY RAINFALL SHROPSHIRE 1911-1920

ASHFORD HSE	1911 - 1920
BASCHURCH THE MOUNT	1911 - 1913
BETTWS-Y-CRYWN	1917 - 1920
BISHOP'S CASTLE VICARAGE	1911 - 1919
BISHOP'S CASTLE MORE RECTORY	1911 - 1920
BISHOP'S CASTLE TOTTERTON	1911 - 1912
BISHOP'S CASTLE CASTLE ST	1911 - 1920
BISHOP'S CASTLE CLAREMOUNT	1920
BITTERLEY CLEE HILL QUARRY	1912 - 1914
BITTERLEY RECTORY	1911 - 1920
BRIDGNORTH ALDENHAM PK	1911 - 1920
BRIDGNORTH HOOKFIELD HSE	1911
BRIDGNORTH CANTREYN	1911 - 1920
BROMFIELD OAKLEY PK	1911 - 1920
BROMFIELD WARWICK HSE	1911 - 1920
BROSLEY BENTHALL HALL	1920
CHURCH STRETTON WEST LEIGH	1915 - 1920
CHURCH STRETTON WATLING ST	1918 - 1920
CHURCH PREEN PREEN MANOR	1911 - 1920
CHURCH STRETTON S. W.	1911 - 1920
CHURCH STRETTON WOLSTANTON	1911 - 1920

CLUN	1913 - 1915
CLUNBURY VICARAGE	1911 - 1912
CRAVEN ARMS NEWINGTON ARMS	1917 - 1920
CRAVEN ARMS STOKESAY COURT GDNS	1911, 1913-14
DORRINGTON NETLEY HALL	1913
ELLESMORE THE GRANGE	1911 - 1919
ELLESMORE	1914 - 1920
HOPESAY RECTORY	1911 - 1913
LUDLOW SPRINGFIELD	1919
LUDLOW HILL CREST	1920
LYDBURY NTH	1912, 1915-17
MINSTERLEY WALLOP	1911 - 1915
MUCK WENLOCK WILLEY PK.	1911 - 1920
MUNSLOW	1914 - 1917
NEWPORT EDGMOND	1911 - 1920
NEWPORT CHETWYND PK GDNS	1911 - 1920
NEWPORT CHETWYND PK	1911 - 1920
NEWPORT AGRICULTURAL COLL	1911 - 1920
NEWPORT ASTON HALL	1911 - 1920
NORTON IN HALE SCHOOL	1915.

OSWESTRY	BRON-Y-GARTH	1912
OSWESTRY	BOYS SCHOOL	1916 - 1920
OSWESTRY	PARK HALL CAMP	1917
OSWESTRY	MOUNT RES	1911 - 1920
OSWESTRY	KNIGHTON RES	1911 - 1920
PONTESBURY		1911 - 1913
SHIFNAL	HAUGHTON HALL	1911 - 1915
SHIFNAL	NEACHLEY	1911 - 1913
SHIFNAL	NATIONAL SCHOOLS	1911 - 1920
SHIFNAL	HATTON GRANGE	1911 - 1920
SHREWSBURY	MILL MEAD	1911
SHREWSBURY	ST MICHAEL'S SCH	1918 - 1920
SHREWSBURY	SEDGEFORD HSE.	1916 - 1920
SHREWSBURY	HIGHFIELD	1911, 1913 - 1920
SHREWSBURY	THE ABBEY HSE	1911 - 1920
SHREWSBURY	FITZ. RECTORY	1911 - 1920
SHREWSBURY	M. O.	1911
SHREWSBURY	RADBROOK HALL	1917 - 1919
SHREWSBURY	RODEN	1911 - 1920
WELLINGTON	COUNCIL OFFICES	1914 - 1915

P.T.O

WHITCHURCH FENNS BANK	1911 - 1920
WHITTON	1920.
WISTANSTOW RECTORY	1911 - 1920
WORFIELD	1912 - 1920

REG 1911

SHROPSHIRE.

ASHFORD HOUSE

1911 – 1920

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Ashford

in the County of Sal

by W. D. Hall

of top 5 in.
p above Ground ft. 5 in.
„ Sea Level 315 ft.
9 a.m
ation Name Woofferton
Distance 2 m. Direction S W

IMPORTANT NOTE.- and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·08	·01	·02			·06		·02	·06	·01	1
2	·04				·18		·03			·08	·12	·11	2
3			·04		·58			·02	·12		·12	·19	3
4			·20	·01	·02			·12	·06	·03	·14	·37	4
5	·24		·06	·02				·09		·08	·08		5
6	·19		·05					·07			·08	·29	6
7	·03										·28	·03	7
8	·12		·17								·28	·40	8
9	·05		·07								·38	·09	9
10	·02	·07	·16						·01			·37	10
11	·18	·04	·02						·01		·57	·10	11
12		·02	·31						·46	·01	·25	·10	12
13			·05		·04				·06		·03	·48	13
14		·04	·05									·73	14
15		·04				·02					·17	·28	15
16			·04			·07					·14	·08	16
17		·02	·03		·38	1·81					·29	·81	17
18	·17	·37	·03	·12		·34				·03	·02	·26	18
19	·04	·06		·15		·27		·03	·32	·27	·03	·34	19
20		·06		·10					·08	·05		·44	20
21		·18	·04					·33	·02	·17		·05	21
22	·04	·17	·01			·08				·15		·40	22
23		·28	·08	·07		·53	·02		·25	·20		·26	23
24		·07				·36		·07		·05		·25	24
25		·06		·10		·02		·02				·18	25
26		·20		·30	1·27	·01		·26	·04	·16	·22	·10	26
27		·13	·26	·12	·04			·28	·15		·11	·12	27
28		·26	·01	·24							·20		28
29				·06		·14	·47	·04	·29	·32	·03		29
30			·07	·07		·06	·08	·20	·02	·31	·05	·02	30
31			·02		·23					·11		·02	31
Total	1·15	×2·07	1·82	1·31	2·76	3·73	·60	1·59	1·89	2·04	3·59	6·88	TOTAL for year 29·43
No. of Rain Days.	12	17	22	13	9	12	4	13	14	16	22	28	182

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

REG 1911

Kept at Ashford House

in the County of Salop 3

by W. D. Hall.

RAIN GAUGE	Diameter of top 5 in.
	Height of top above Ground ft. 5 in.
	,, ,, ,, Sea Level 315 ft.
Time of Observation	9 a.m.
Nearest Railway Station	Name Woofferton
	Distance 2m Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·08	·01	·02			·06		·02	·06	·01	1
2	·04				·18		·03			·08	·12	·11	2
3			·04		·58			·02	·12		·12	·19	3
4			·20	·01	·02			·12	·06	·03	·14	·37	4
5	·24		·06	·02				·09		·08	·08		5
6	·19		·05					·07			·08	·29	6
7	·03										·28	·03	7
8	·12		·17								·28	·40	8
9	·05		·07								·38	·09	9
10	·02	·07	·16						·01			·37	10
11	·18	·04	·02						·01		·57	·10	11
12		·02	·31						·46	·01	·25	·10	12
13			·05		·04				·06		·03	·48	13
14		·04	·05									·73	14
15		·04				·02					·17	·28	15
16			·04			·07					·14	·08	16
17		·02	·03		·38	1·81					·29	·81	17
18	·17	·37	·03	·12		·34				·03	·02	·26	18
19	·04	·06		·15		·27		·03	·32	·27	·03	·34	19
20		·06		·10					·08	·05		·44	20
21		·18	·04					·33	·02	·17		·05	21
22	·04	·17	·01			·08				·15		·40	22
23		·28	·08	·07		·55	·02		·25	·20		·26	23
24		·07				·36		·07		·05		·25	24
25		·06		·10		·02		·02				·18	25
26		·20		·30	1·27	·01		·26	·04	·16	·22	·10	26
27		·13	·26	·12	·04			·28	·15		·11	·12	27
28		·26	·01	·24							·20		28
29				·06		·14	·47	·04	·29	·32	·03		29
30			·07	·07		·06	·08	·20	·02	·31	·05	·02	30
31			·02		·23					·11		·02	31
Total	1·15	×2·07	1·82	1·31	2·76	3·73	·60	1·59	1·89	2·04	3·59	6·88	TOTAL for year 29·43
No. of Rain Days.	12	17	22	13	9	12	4	13	14	16	22	28	182

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.
16 JAN 1913

Kept at Ashford House nr. Ludlow
in the County of Salop. 3
by W. D. Hall.

Rain Gauge: Pattern
Diameter of top 5 in.
Height of top above Ground ft. 5 in.
" " " Sea Level 315 ft.

Time of Observation 9 a.m

Nearest Railway Station: Name Woofferton
Distance 3 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·22			·30	·10		·04			·14	1
2		·04	·12		·05	·34	·17						2
3	·02		·13		·05	·19	·03	·75	·03		·02	·02	3
4	·23		·60		·17	·04		·17			·25	·04	4
5	·32	·10	·28		·08	·05		·32			·02		5
6	·19	·16	·02		·07	·35		·70					6
7		·16	·06		·06	·50	·03	·07				·01	7
8	·49	·16	·28	·02		·28			·02			·03	8
9	·07	·02	·76	·05		·19		·27			·03	·42	9
10	·24	·03	·02			·20	·01	·32	·01		·17	·02	10
11	·03	·06	·03	·04						·03		·80	11
12	·03	·11	·15	·03	·05	·27		·02				·05	12
13	·03		·02					·09	·04	·04	·01		13
14	·12	·11	·55			·09		·08		·02		·08	14
15	·07	·12	·04		·78	·28							15
16	·75		·27		·02	·02		·04		·05		·04	16
17	·74	·02	·12			·08		·37			·09	·57	17
18	·13		·07					·06		·02	·02	·05	18
19	·16	·04	·05		·02		·22	1·12		·07			19
20	·06		·40	[illegible]			·05	·02		·20			20
21	·02	·05	·12		·49			·43		·02			21
22	·22	·11	·07		·13	·02	·30	·37		·31	·02	·13	22
23	·22	·05	·43			·12	·47	·18		·01	·08	·03	23
24	·05		·03			·24	·03	·03			·04	·27	24
25						·15		1·00		·01	·29	·41	25
26	·07	·23	·07			·02	·32	1·01		1·02	·22	·20	26
27		·05	·03			·34	·49			·82		·25	27
28		·14				·03	·41	·57	·12	·32	·66	·32	28
29		·06	·06			·04	·25	·07	·60	·08	·03	·10	29
30			·05			·29	·13	·03	·01	·31			30
31			·52		·23		·20	·07		·03		·15	31
Total	4·26	1·82	5·57	·14	2·20	4·43	3·21	8·16	·87	3·36	1·95	4·13.	TOTAL for year 40·10. ✓ 40·10
No. of Rain Days.	22	20	29	4	13	24	16	25	8	17	15	22	215

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
27 JAN 1914

Kept at Ashford House
in the County of Salop
by W. D. Hall.

3

Lat. 52° 20' N Long. 2° 40' W
Time of Observation 9 a.m
Nearest Railway Station Woofferton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 5 in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·03	·16	·10	·08				·10		·15		1
2		·17	·07	·13					·05	·37	·23		2
3	·03	·05	·07		·47				·02	·04	·03	·15	3
4	·90	·06	·02		·23	·07			·45	·56	·10	·27	4
5	·13	·10			·11	·16	·14		·05	·98	·09	·04	5
6	·04	·10	·25		·28	·15	·10			·40		·45	6
7		·67	·02		·17	·10	·05			·37	·23	·03	7
8	·02	·16			·15	·21	·09	·15		·13	·02		8
9		·57		·02	·08		·04	·35	·23		·12	·01	9
10	·19	·03	·03	·21	·07			·05		·09	·05		10
11	·44			·48	·06			·08		·05	·55		11
12	·02	·03		·02	·12	·02		·03	·07		·40		12
13	·03	·02	·24	·02				·02	·27	·10	·23		13
14	·15		·71	·08					·05		·02		14
15	·05		·72	1·30					·15		·19		15
16			·61	·08				·03			·02		16
17	·02		·08	·15			·20		·02		·03		17
18	·08		·29	·23	·02		·11		·05		·03		18
19	·18		·08	·02	·02	·04	·09		·08	·07	·64	·01	19
20	·06		·50	·12						·16			20
21			·10	·12	·08		·20	·03			·25		21
22	·80		·81			·12		·95	·60		·02		22
23	·03		·05					·03	·05		·05		23
24	·17	·02	[illegible]	·08							·04	·02	24
25				·18					·12	·03		·01	25
26		·06		·24				·15	·04			·19	26
27	·05	·01	·12	·20				·03		·13			27
28	·24		·11	·67	·13					·21	·02	·07	28
29	·02		·55	·46				·07		·18		·03	29
30	·24									·68	·18		30
31	·03		·40		·07			·02		·02			31
Total	3·95	2·08	5·99	4·91	2·14	·87	1·02	1·99	2·40	4·57	3·69	1·28	YEAR'S TOTAL 34·89
Rain Days.	24	15	22	21	16	8	9	14	17	18	24	12	200

W.7,000, XI. 13

cmd fr anth 1.IV.15 W D L

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 5 - JAN 1915

Kept at *Ashford House nr Ludlow*

in the County of *Salop.* 3

by *W. D. Hall.*

Lat. 52° 20′ Long. 2° 40′ W

Time of Observation 9. a. m

Nearest Railway Station Woofferton G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 5 in.

" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·02	·02		·06	·89	·31			·03	·06	1
2			·01	·01	·02		·41	·45			·49	·30	2
3			·01	·11	·26		·02	·11			·03	·22	3
4	·16		·05	·14	·08		·32	·10			·54	·81	4
5	·15		·06	·23	·05		·06			·02	·18	·03	5
6	·10	·12	·03	·04	·08		·05	·03			·05	·11	6
7		·09	·42	·02	·06	·07	·33	·16	·16		·02	·40	7
8	·02	·01	·03	·01	·06	·74	·02	·22	·03			·07	8
9	·11	·05	·07	·22	·15	·97		·16	·33			·02	9
10		·20	·02	·28	·03	·17			·28				10
11		·22	·32	·02	·10	·03	·04		·03		·16	·66	11
12	·02	·46	·16	·01		·01	·13		·30		·06	·26	12
13		·22	·20		·01		·10		·07	·60	·24	·27	13
14	·01	·43	·15	·01			·08		·03	·07	·18	·02	14
15	·04	·02	·23					·04		·04	·03		15
16	·01	·01	·03						·16		·02		16
17		·20	·26				·04		·04		·02	·75	17
18		·01	·31				·02			·01		·36	18
19		·04	·05				·83		·04	·02	·14	·18	19
20		·26	·06			·02						·19	20
21		·36	·02			·17	·25	·10		·17	·02	·06	21
22		·13	·02	·01	·34	·06	·04	·18		·42			22
23		·16	·06		·07		·02	·02		·25		·02	23
24	·01	·01	·08	·01			·12	·28	·02	·07	·02		24
25	·08		·04				·14	·36	·01	·56	·03	·21	25
26		·01	·01					·03		·16	·30	·28	26
27	·07		·01							·25	·99	1·18	27
28	·03	·06	·08		·05		·08			·01		·61	28
29	·04		·11		·18					·26	·35	·03	29
30		×	·14		·01					·03	·50	·33	30
31	·23	×	·01	×		×	·20		×	·08	×	·05	31
Total	1·08	3·10	3·07	1·14	1·55	2·30	4·19	2·55	1·50	3·02 3·04	4·40	7·48	YEAR'S TOTAL 35·38 35·38
Rain Days.	15	22	31	15	16	10	22	15	13	17	22	26	224

W. 8,000. X. 14.

2387

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
3 JAN 1916

Kept at Ashford House nr Ludlow
in the County of Salop
by W. D. Hall.

Lat. 52° 20′ N Long. 2° 40′ W
Time of Observation 9 am
Nearest Railway Station Woofferton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 5 in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·08	·02		·28		·20	·05	·30	·30	·04	·06	1
2	·13	·20	·21	·26	·02	·13	·01	1·38	·02	·25		·15	2
3	·68	·05	·02	·07	·05	·02	·40	·07		·02		·20	3
4	·03	·04			·34		·15	·05				·92	4
5	·07	·44		·02	·01	·05	·02	·03	·01			·64	5
6	·11	·04	·01	·18			·48	·07		·01		·11	6
7	·17	·39		·17	·03		·06	·10				·30	7
8	·20	·37		·11			·02	·03			·09	·02	8
9	·29	·26		·13			·03	·01			·31	·52	9
10	·41	·02	·03	·11			·03			·10	·05	·02	10
11	·05		·01		·17			·03		·01	1·12	·04	11
12	·11	·19		·14	·32			·02	·03	·08	·89	·03	12
13	·02	·72			·36			·02	·03			·07	13
14	·02	·04		·01			·12	·94	·12	·02	·03	·40	14
15	·31				·14		·08	·04	·01	·03	·15	·15	15
16	·05	·42			·36		1·86	·09		·04		·03	16
17		·38	·03		·60		·02			·04	·02	·02	17
18		·53	·03		·01					·05			18
19		·02	·01	·01	·16		·26					·02	19
20	·13		·01	·03	·01		·02					·08	20
21	·20	·03		·01	·02		·29			·16		·04	21
22	·03	·03	·17	·05			·37		·01			·23	22
23	·03	·06	·06	·01		·02	·04		·01	·86		·36	23
24	·02	·02	·02	·06			·35		·40	·65		·43	24
25	·01					·33	·07		·07	·04	·02	·32	25
26		·10				·02	·10		·04			·42	26
27		·08				·04	·32			·41	·01	·18	27
28		·19	·03			·07	·03	·10	·08	·07		·02	28
29						·26	·07	·02	·03	·02	·22	·07	29
30	·07	╳		·04		·15	·11	·01		·34	·07	·16	30
31	·01	╳		╳		╳	·07	·03	╳	·60	╳	·54	31
Total	3·55	4·70	·66	1·41	2·88	1·09	5·58	3·09	1·16	4·10	3·02	6·55	YEAR'S TOTAL 37·79 ✓
Rain Days.	24	24	14	17	16	10	27	19	14	21	13	30	229 ✓

W. 8,000. X. 15.

231

REGISTER OF RAINFALL IN 1916

cord pr month

FORM A.
BRITISH RAINFALL.
30. JAN 1917

Kept at Ashford House

in the County of Salop

by W. D. Hall.

Lat. 52° 20′ N Long. 2° 40′ W

Time of Observation 9 a.m

Nearest Railway Station Woofferton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 5 in.

" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·02	·06		·05	·08	·18			·24	·26		1
2	·33	·13	·33		·13		·30		·15	·89	·12	·01	2
3		·80	·02	·03	·07	·04	·01		·04	·26	·27	·02	3
4	·06	·38			·46	·34			·03	·12	·36		4
5	·03	·04	·02		·36	·04				·13	·13		5
6	·04	·25	·08		·17	·04	·55		·02	·26	·32		6
7	·02	·02	·10		·14	·01	·32		·02	·11	·23	·27	7
8	·01		·09		·22					·04	·04	·15	8
9		·02	·01		·17	·13			·01	·02	·04	·02	9
10		·44	·04	·03	·03	·03	·02		·03	·02	·01	·01	10
11	·03	·02	·06	·05	·03	·05	·02					·06	11
12	·05	·09	·05		·34		·14	·04		·04	·01		12
13		·23	·32	·06	·02		·03	·27			·01	·03	13
14		·56	·03	·04	·04			·08		·02		·02	14
15		·43	·23	·20	·19		·02	·11		·03	·02		15
16		·11	·02	·21	·02		·05	·47		·07			16
17	·04	·17		·13			·02	·02	·29	·39		·03	17
18	·01	·04	·06	·08		·01		·03	·24	·03	·31	·18	18
19	·06	·01	·42	·16				·03		·02	·21	·01	19
20	·12		·60	·04					·01		·09	·23	20
21	·01		·25	·06	·13		·56				·03	·18	21
22	·02			·04		·08	·01			·11	·02	·39	22
23	·03	·32	·02					·12	·01	·04	·08	·22	23
24		·36	·20		·05	·05	·01	·13	·01	·24		·17	24
25		·11	·11		·02	·02		·09		·05	·27	·02	25
26	·05	·17	·06		·02	·19		·14	·03	·47	·05		26
27	·04	·14	1·21					·05	·24	·70		·03	27
28		·37	·05		·04	·06			·02	·14	·06	·16	28
29		·16	·02			·23		·44		·12		·13	29
30		X				·06		·05		·10		·02	30
31		X		X		X		·08	X	·37	X	·03	31
Total	1·22 1·17	5·39	4·46	1·13	3·30	1·46	2·24	2·15	1·15	5·03	2·94	2·39	YEAR'S TOTAL 32·84 32·81
Rain Days.	19	25	26	13	21	17	15	16	15	27	22	23	238

W. 8,000, VIII. 16

2204

7. JAN. 1918
BRITISH RAINFALL
FOR B.R.A.

REGISTER OF RAINFALL IN 1917

Kept at Ashford House nr Ludlow

in the County of Salop

by W. Downes Hall.

Lat. 52° 20′ Long. 2° 40′ W

Time of Observation 9 a.m.

Nearest Railway Station Woofferton 3 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 5 in.

" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March. ~~·78~~	April. ~~·32~~	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·32		·30		·55	·27		·01	·05	1
2			·04	~~·40~~		·03					·20		2
3	·05	·02		·40				·08	·02	·03			3
4			·29					·02		·30			4
5	·04		·21							·26	·03		5
6	·02		·32			·25				·10	·20		6
7	·40		·04				·28			·14	·05		7
8	·75		·06	·25				·70		·28	·14	·14	8
9	·02		·25	·12	·25			·26	·13	·04	·08		9
10	·30		·41	·09	·07			·13		·34			10
11	·07		·10	·12				·12		·26	·04		11
12	·03		·02	·25	·98			·02	·17			·03	12
13	·01		·15	·10				·93					13
14	·06		·17	·06	·05			·44					14
15	·03			·04			·14	·46		·07		·12	15
16	·03	·06		·16		·53	·14			·02	·03		16
17	·02	·02			·38	·37	·41	1·12	·33				17
18	·03	·03			·06	·30	·75	·35	·83				18
19	·03	·46	·32			·17	·12		·02	·05			19
20		·20	·02		·50			·03	·09	·05		·01	20
21		·02	·20		·21	·21		·02					21
22	·01		·02		·10			·18	·03	·09	·03	·35	22
23		·27	·01					·02		·10		·05	23
24		·02	·02			·38		·03		·23		·04	24
25		·13	·12					·15		·23	·20		25
26		·02				·10		·63	·15	·12			26
27		·02	·02		·40	·25	·63	·71		·03			27
28			·04		1·10			·10		·30			28
29			·04		·03			·02		·18		·29	29
30		✕	·10		·05			·43				·02	30
31		✕	·12	✕	·15	✕		·25	✕	·02	✕		31
Total	1·90	1·27	3·19	1·91	4·33	2·89	2·47	7·75	2·04	3·24	1·01	1·10	YEAR'S TOTAL 33·10
Rain Days.	17	12	25	11	14	11	7	25	10	22	11	10	175

·63

~~W~~ E.F.E. and for aulls

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 2.1.18

Kept at Ashford House
in the County of Salop.
by W. Downes Hall.

Lat. 52° 20′ Long. 2° 40′ W
Time of Observation 9 a.m
Nearest Railway Station Woofferton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 5 in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·10		·06				·11		·06	·68		1
2		·10						·06			·04	·24	2
3		·10			·21			·05	·60	·07	·17		3
4		·07			·50			·04	·78	·25	·66	·62	4
5		·03						·05	·44	·11		·04	5
6		·10		·40		·35			·09	·33			6
7	·07	·05			·36	·03			·43	·07	·31	·02	7
8	·08	·27				·05			·12	·12		·02	8
9		·35		·21			·08		·42	·09	·03	·03	9
10		·04		·06	·12		·57		·04	·05			10
11		·01			·08		1·00		·10				11
12		·03	·20				·15		·12	·01			12
13		·02							·28	·06			13
14	·47						·12		·36	·06		·50	14
15	·78						·57		·04			·35	15
16	·23			·81			·17	·01	·58	·02		·13	16
17	·50	·03			·07		·21	·01	·18	·14		·20	17
18	·47	·07				·48	·07		·70	·05		·37	18
19	·05					·06	·03		·05	·05			19
20	·23		·26	·64		·04	·03		·38			·06	20
21				·50			·12		·33			·12	21
22					1·63		·13		·03			·37	22
23					·37		·07		·07		·15		23
24							·03	·12	·05	·02	·08		24
25							·10	·57	·07	·01			25
26							·20	·01	·07	·03	·07		26
27			·12					·29	·26		·06	·10	27
28		·10	·33						·02		·06	·16	28
29			·45						·73	·02		·07	29
30		✕	·52						·01		·08	·13	30
31	·10	✕		✕		✕			✕		✕	·02	31
Total	2·98 ✓	1·47 ✓	1·88 ✓	2·68 ✓	3·34	1·01 ✓	3·59 ✓	1·32 ✓	7·17 ✓	1·62 ✓	2·39 ✓	3·55	YEAR'S TOTAL 33·00 ~~32·93~~
Rain Days.	10. ✓	16 ✓	6 ✓	7 ✓	8 ✓	6 ✓	17 ✓	11 ✓	28 ✓	20 ✓	12 ✓	19 ✓	160

W. 8,000, IX. 17.

Ey Rl

1063

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Ashford House
in the County of Salop.
by W. Downes Hall.

Lat. 52°20′ Long. 2°40′ W.
Time of Observation 9 am
Nearest Railway Station Woofferton G W R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 5 in.
" " " " Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st. January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30		·15		·04		·30			·19		·31	1
2	·27		·18				·07		·15		·10	·04	2
3			·13		·05						·08	·04	3
4			·30			·10	·33	·10	·20			·20	4
5		snow ·48										·23	5
6	·10		·12						·08			·30	6
7											·08	·05	7
8	·31		·14	·08	·06	·03				·04			8
9	·25									·05			9
10	·07		·61							·11		·29	10
11			1·00				·55				·04		11
12			1·12	·14	·16	·08				·04	·03	·06	12
13	·16			·14					·50	·06		·05	13
14	·34	·03		·38			·20		·31	·04		·06	14
15	·55	·16	·04	·10								·14	15
16	·11	·74				·10					·03	·12	16
17	·05	snow ·67						·15				·06	17
18			snow ·65		·20		·01			·02	·14	·02	18
19	·22	·41	snow 1·12			·18	·77	·30	snow ·11		·14		19
20	·31		snow ·52					·27	·04		·10	·14	20
21		·46	·01				·37	·19			·03		21
22		·07					·07		·48			·18	22
23								·04		·83	·08	·10	23
24	·06				·08	·06				·46	·08	·10	24
25	·04			·18	·09			1·20		·02	·02		25
26			·09	snow ·17				·09				·33	26
27	·17		·02	snow ·56				·27					27
28	·07		·10					·83		·30		·46	28
29				·21		·03					snow ·10	·26	29
30		X		·09		·10		·09			·22	·26	30
31		X		X		X	·01		X		X	·02	31
TOTAL	3·38	3·02	6·30	2·05	·68	·68	2·68	3·53	1·87	2·16	1·27	3·82	YEAR'S TOTAL 31·44
Days with ·01 in. or more	17	8	17	10	7	8	10	11	8.	12	15	24	147

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

CX 918

1979

8 JAN 192

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Ashford House, nr Ludlow
in the County of Salop
by W. Downes Hall

Lat. 52° 20′ Long. 2° 40′ W
Time of Observation 9 am
Nearest Railway Station Woofferton G W R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 5 in.
„ „ „ „ Sea Level 315 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19	·28	·01	·44		·05	·15		·32	1
2			·07	·18			thunder ·55		·11	·21		·23	2
3	·16	·03		·16		·03	thunder ·55	·02	·13	·37		·06	3
4				·01			·02	·47	·01	·19			4
5			·10	·26	·05		·33	·04	·03	·12			5
6			·37	·04	·12		·17	·01		·41		·02	6
7			·07	·06	·02		·10			·01			7
8	·39	·11		·71	·16		·33	·15					8
9	·44	·02		·49			·04	·02				·04	9
10	·50	·06	·09	·07		·18	·07				·05		10
11	·13		·13	·42	·27	·10	·12			·01			11
12	·22	·07		·25		thunder ·80	·02	·45			·10	·02	12
13	·09	·03	·18	·20					·43		·03	·03	13
14	·04	·04	snow ·50	·28		thunder ·40	·05	·06	·10		·35		14
15		·18	snow ·37	·85	·02	thunder ·56			·13	·30		·07	15
16		·01		·07	·27	thunder ·14	·16		·70	·67	·12		16
17	·04	·01		·01	·15	·01	·01		·46	·17		·02	17
18	·04			·04	·08		·10	·07					18
19	·24	·60		·12	·01	·14			·08				19
20		·04		·30		·16						·08	20
21				·04			·36						21
22	·06			·08			·06	·24		·06		·10	22
23			·04	·01			·37	·08		·03		·44	23
24	·06		·20	·01				·03		·02		·18	24
25	·02	·04	·32	·03			·77					·05	25
26	·18	·03	·27	·01			·05				·13		26
27	·30	·01		·02	·02	·24	·15				·04	·39	27
28	snow 1·07		·16		·28	·05	·02				·03	thunder ·12	28
29	·19		·20	·02	·68	·01	·12				·09	·48	29
30	·06	✕	·16	·20	·07	·08	·03		·38	·01	·33	·18	30
31	·07	✕		✕	·06	✕	·02	·01	✕	·30	✕	·04	31
TOTAL	4·30	1·28	3·23	5·13	2·54	2·91	4·81	1·65	2·61	3·03	1·27	2·87	YEAR'S TOTAL 35·63
Days with ·01 in. or more	20	15	16	29	16	15	26	13	12	16	10	19	207
Days with ·04 in. or more	19	8	16	21	12	11	20	8	10	11	8	15	159

SHROPSHIRE.

BASCHURCH.

"THE MOUNT"

1911 — 1913

REGIST 1.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

rons

Kept at "The Mount" B 5 in.

ve Ground 1 ft. — in.

in the County of Salop Sea Level 300 ft.

.0 a.m.

by L. W. Sharpe Name Baschurch

Distance Direction

IMPORTANT NOTE.—R d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·06	·07	—	—	—	·02	—	1
2						—	·02	—	—	—	·02	·06	2
3						—	·02	·17	—	—	·07	·06	3
4						—	·01	·05	·07	—	·22	·13	4
5						—	—	·08	·01	·21	·03	·01	5
6						—	—	·12	·01	—	·03	·08	6
7						—	·01	·01	—	—	·18	·02	7
8						—	—	—	—	—	·31	·21	8
9						—	—	—	—	—	·34	·04	9
10						—	—	—	—	—	·02	·20	10
11						—	—	—	·07	—	·42	·02	11
12						—	—	—	1·04	—	·39	·01	12
13						—	—	—	—	—	·01	·16	13
14						—	—	—	—	—	—	·20	14
15						—	—	—	—	—	·03	·22	15
16						—	—	—	—	·06	·10	·02	16
17						·13	—	—	—	—	·21	·09	17
18						·45	—	—	—	—	·02	·16	18
19						·07	—	·02	·17	·20	·18	·30	19
20						·25	—	·81	·02	·04	—	·12	20
21						—	—	·03	·02	·28	—	·01	21
22						·02	·03	—	—	·52	·02	·40	22
23						·09	—	—	·45	·15	—	·19	23
24						·10	—	·06	—	·24	—	·24	24
25						—	·44	—	·07	·15	·01	·01	25
26						—	—	—	·01	·23	·10	·06	26
27						—	—	·90	·24	—	·05	·06	27
28					×	—	—	·06	—	·01	·04	—	28
29					—	—	·40	—	—	·35	·01	·02	29
30					—	·09	—	—	·14	·30	·02	—	30
31					—	×	—	·01	×	·04	×	·02	31
Total	For seven months only.					1·26	1·00	2·32	2·32	2·78	2·85	3·12	TOTAL for ~~year~~ 7 months 15·65
No. of Rain Days.						9	8	12	13	14	25	28	109

× Date on which rain gauge was placed in position.

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGIST[redacted]1.

Kept at "The Mount" Baschurch

in the County of Salop

by L. W. Sharpe.

mons

RAIN GAUGE: Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 300 ft.

Time of Observation 9. 0 a. m.

Nearest Railway Station: Name Baschurch
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·06	·07	—	—	—	·02	—	1
2						—	·02	—	—	—	·02	·06	2
3						—	·02	·17	—	—	·07	·06	3
4						—	·01	·05	·07	—	·22	·13	4
5						—	—	·08	·01	·21	·03	·01	5
6						—	—	·12	·01	—	·03	·08	6
7						—	·01	·01	—	—	·18	·02	7
8						—	—	—	—	—	·31	·21	8
9						—	—	—	—	—	·34	·04	9
10						—	—	—	—	—	·02	·20	10
11						—	—	—	·07	—	·42	·02	11
12						—	—	—	1·04	—	·39	·01	12
13						—	—	—	—	—	·01	·16	13
14						—	—	—	—	—	—	·20	14
15						—	—	—	—	—	·03	·22	15
16						—	—	—	—	·06	·10	·02	16
17						·13	—	—	—	—	·21	·09	17
18						·45	—	—	—	—	·02	·16	18
19						·07	—	·02	·17	·20	·18	·30	19
20						·25	—	·81	·02	·04	—	·12	20
21						—	—	·03	·02	·28	—	·01	21
22						·02	·03	—	—	·52	·02	·40	22
23						·09	—	—	·45	·15	—	·19	23
24						·10	—	·06	—	·24	—	·24	24
25						—	·44	—	·07	·15	·01	·01	25
26						—	—	—	·01	·23	·10	·06	26
27						—	—	·90	·24	—	·05	·06	27
28					1×	—	—	·06	—	·01	·04	—	28
29					—	—	·40	—	—	·35	·01	·02	29
30					—	·09	—	—	·14	·30	·02	—	30
31					—		—	·01		·04		·02	31
Total	For seven months only.					1·26	1·00	2·32	2·32	2·78	2·85	3·12	TOTAL for ~~year~~ 7 months 15·65
No. of Rain Days.						9	8	12	13	14	25	28	109

1× Date on which rain gauge was placed in position.

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912.

FORM A2. BRITISH RAINFALL.

6 - JAN 1913

Kept at The Mount, Baschurch

in the County of Salop 4

by L. W. Sharpe.

RAIN GAUGE:
Pattern Symons
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 300 ft.

Time of Observation 9. 0. a. m

Nearest Railway Station: Name Baschurch
Distance ½ mile Direction S by W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·03	–	–	·09	–	·07	·01	–	·01	·10	1
2	–	·02	·07	·01	·01	·23	·06	–	–	–	–	·03	2
3	·01	–	·05	–	·03	·38	·03	·93	·08	–	·01	·03	3
4	·17	–	·36	–	·06	·04	–	·27	–	–	·12	–	4
5	·19	·05	·21	·01	·12	·26	–	·11	–	–	·01	·01	5
6	·23	·10	–	–	·04	–	–	·60	–	·01	–	·02	6
7	–	·04	·01	–	·01	·24	·07	·02	–	–	–	·02	7
8	·30	·09	·13	·05	·05	·37	–	·06	·01	·01	–	–	8
9	·07	–	·37	·16	–	·47	–	·16	–	·01	·05	·04	9
10	·24	–	–	·01	–	·55	–	·15	–	·01	·44	·01	10
11	·01	·01	·01	–	–	–	–	·05	–	·01	·07	·31	11
12	·02	·43	·11	–	–	·02	·01	·05	–	–	–	·10	12
13	·03	–	–	–	–	·12	–	·02	–	·18	·03	·07	13
14	·05	–	·62	–	–	·07	–	·05	·03	·01	–	·02	14
15	·02	·20	·19	–	·16	·27	·01	·01	–	–	–	·09	15
16	·66	·02	·03	–	–	·02	–	·02	–	·04	·02	·05	16
17	1·00	·01	·11	–	·19	·07	·04	·32	–	–	·19	·47	17
18	·12	·01	·03	–	–	–	–	·02	–	·02	·02	·01	18
19	·09	·10	·01	–	·01	·06	·11	·09	–	·04	·01	·01	19
20	·03	·01	·19	–	·07	–	·16	·10	–	·26	·02	·01	20
21	–	–	·06	–	·50	–	–	·07	–	·33	–	·02	21
22	·20	·04	–	–	·50	–	·23	·27	–	·01	–	·11	22
23	·06	·01	·27	–	·01	·02	·32	·08	–	–	·17	·02	23
24	·15	·01	·04	–	–	·08	–	·06	–	–	·01	·21	24
25	–	–	·03	–	–	·07	–	·28	–	–	·29	·36	25
26	–	·08	·06	–	–	–	·15	·37	–	·82	·25	·02	26
27	–	·01	–	–	–	·25	·34	–	–	·50	·05	·21	27
28	–	·04	–	–	–	·02	·33	·32	·03	·08	·75	·02	28
29	–	·02	·04	–	–	·16	·21	·07	·40	·03	–	·05	29
30	·04		·04	–	–	·47	·02	–	–	·22	·08	·02	30
31	·02		·49		·38		·37	·04		–		·01	31
Total	3·71	1·30	3·56	·24	2·14	4·33	2·46	4·66	·56	2·59	2·60	2·45	TOTAL for year 30·60
No. of Rain Days.	22	20	25	5	15	23	16	28	6	18	20	29	227

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at The Mount, Baschurch

in the County of Salop

by L. W. Sharpe.

Lat. .... Long. ....

Time of Observation 9.0. a. m

Nearest Railway Station Baschurch

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. → in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·02	·08	·07	·04	—	—	—	·24	—	·04	—	1
2	—	·10	·05	·03	·16	·05	—	—	·01	·04	·10	—	2
3	·03	·02	·14	—	·54	—	—	—	·01	·08	·01	·22	3
4	·55	·03	·03	—	·05	—	·01	—	—	·09	·04	·38	4
5	·38	·05	·05	—	·11	·38	·03	·05	—	1·45	·07	·02	5
6	·02	·07	·17	—	·31	·07	·64	—	—	·06	·54	·29	6
7	—	·25	·03	—	·17	·32	·03	—	—	·37	·25	·02	7
8	—	·08	·01	·02	·08	·08	·02	·09	—	·04	·01	·01	8
9	—	·28	·05	·08	·04	·31	·08	·12	·01	—	·07	·03	9
10	·08	·02	·01	·13	·10	—	—	·07	—	·08	·02	—	10
11	·53	·01	·01	·30	·04	·03	—	—	—	·04	·12	·03	11
12	—	—	—	—	·05	—	—	·01	·04	·01	·29	—	12
13	—	—	·23	—	—	—	—	·04	·10	·02	·17	—	13
14	·06	—	·54	—	—	—	·01	·10	—	·08	·03	—	14
15	·04	·06	·24	·52	—	—	—	·01	·11	—	·19	·04	15
16	·01	·01	·41	·03	—	—	·01	·03	·03	·01	—	—	16
17	·05	—	·03	·07	—	—	·05	—	—	—	·02	—	17
18	·01	—	·17	·15	·02	—	·03	—	—	—	·02	·02	18
19	·07	—	·04	·05	—	·21	·02	—	·01	·06	·04	·02	19
20	·07	—	·23	·09	—	—	·01	—	—	·35	·39	—	20
21	·01	—	·11	·08	·06	—	·14	·03		·01	·03	—	21
22	·36	—	·90	—	·02	·14	—	1·03	×	·01	·02	—	22
23	·01	—	·02	—	—	·03	—	·03		—	·11	·01	23
24	·07	—	—	·03	—	—	—	·01		·02	·05	—	24
25	—	—	—	·11	—	—	—	—		·11	·01	·04	25
26	·01	·02	—	·63	·05	—	—	·02		—	—	·22	26
27	·02	—	·02	·26	—	—	—	—		·54	·02	·08	27
28	·22	—	·18	·30	·02	—	—	—		·56	·02	·07	28
29	·02	—	·43	·31	·06	—	·01	·25		·13	·01	—	29
30	·17	—	·02	—	—	—	—	—	·96	·23	·02	—	30
31	·04	—	·42	—	·44	—	—	—	—	·02	—	—	31 ✓
Total	2·84	1·02	4·62	3·26	2·36	1·62	1·09	1·89	1·52	4·41	2·71	1·50	YEAR'S TOTAL 28·84 ✓
Rain Days.	24	14	27	19	19	10	14	15	13 ~~19~~	24	28	16	223

Gardener left in charge was ill.
× Total for 10 days.

W. 7,500, XI. ·12

FORM A. BRITISH RAINFALL.

2. JAN 1918

REGISTE

SHROPSHIRE.

BETTWS-Y-CRWYN.

1917-1920

52° 24'

Kept at Bettws y Crwyn

9 Am

in the County of Salop

Knighton LNW Rly

n Gauge 5. in.

by Irving Wat

ove Ground 2 ft. 6 in.

Sea Level c1400 ft.

IMPORTANT NOTE.—Ra d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		00	·15	·10	00	38	00	25	00	00	02	11 s	1
2		00	00	·12	00	12	00	04	00	00	26	00	2
3		00	04	·13	00	07	00	02	00	03	07	00	3
4		·10	05	15	00	00	00	00	00	40	00	00	4
5		00	00	16	00	00	00	15	00	33	24	00	5
6		00	21	00	00	05	00	00	14	35	39	05	6
7		00	6in snow 10	14	00	00	02	13	00	31	09	04	7
8		00	00	20	00	03	11	57	00	24	33	06 s	8
9		00	15	17	10	00	00	15	00	87	54	00	9
10		00	90	37	20	00	00	26	05	23	00	00	10
11		00	00	11	01	00	00	43	00	20	08	00	11
12		00	00	01	113	00	00	14	00	27	00	00	12
13		00	06	14	00	00	00	66	00	41	00	00	13
14		00	00	01	00	00	02	04	00	03	04	09	14
15		00	00	00	08	12	58	03	08	03	00	00	15
16		00	00	38	00	15	15	00	02	31	00	57	16
17		00	00	01	44	00	51	73	00	02	00	00	17
18		00	03	02	06	00	35	15	00	02	03	00	18
19		00	29	00	00	37	00	11	58	02	06	00	19
20		·44	03	00	50	43	00	05	15	00	01	00	20
21		·12	00	00	05	03	75	02	27	00	03	00	21
22		01	00	00	04	02	00	51	00	24	06	00	22
23		00	00	00	44	03	00	29	03	07	00	00	23
24		09	01	00	00	30	00	23	00	26	20	00	24
25		05	10	00	00	02	00	06	00	55	00	00	25
26		16	00	00	04	00	07	57	00	11	06	00	26
27		02	01	00	90	40	00	91	24	26	15	00	27
28		00	13	00	25	00	17	46	00	01	00	00	28
29			24	00	00	00	00	08	00	00	00	60	29
30		X	01	00	00	00	00	51	01	86	11	00	30
31		X	20	X	31	X	00	41	X	21	X	01	31
Total	1in·46	½in·49	2in·71	2in·22	4in·55	2,52	2·73	7½·46	1½·7	6·64	2·77	1·53	YEAR'S TOTAL 37in·35
Rain Days.	(9)	8.	18.	16.	15.	15.	10.	28.	10	26	19	8	(182)
	1.46	·99	2.71	2.22	4.55	2.52 31	2.73	7.96	1.57	6.64	2.77	1.53	37.65

W. 8,000, VIII. 16

made

REGISTE

52° 24'

FORM A.
BRITISH RAINFALL.
2. JAN 191[illegible]

Kept at Bettws y Crwyn Clun. Salop.

in the County of Salop

by Irving Watson

Time of Observation 9 Am

Nearest Railway Station Knighton L&NW Rly

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level c1400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		00	·15	·10	00	38	00	25	00	00	02	11 s	1
2		00	00	·12	00	12	00	04	00	00	26	00	2
3		00	04	·13	00	07	00	02	00	03	07	00	3
4		·10	05	15	00	00	00	00	00	40	00	00	4
5		00	00	16	00	00	00	15	00	33	24	00	5
6		00	21	00	00	05	00	00	14	35	34	05	6
7		00	6in snow 10	14	00	00	02	13	00	31	09	04	7
8		00	00	20	00	03	11	57	00	24	33	06 s	8
9		00	15	17	10	00	00	15	00	87	54	00	9
10		00	90	37	20	00	00	26	05	23	00	00	10
11		00	00	11	01	00	00	43	00	20	08	00	11
12		00	00	01	113	00	00	14	00	27	00	00	12
13		00	06	14	00	00	00	66	00	41	00	00	13
14		00	00	01	00	00	02	04	00	03	04	09	14
15		00	00	00	08	12	58	03	08	03	00	00	15
16		00	00	38	00	15	15	00	02	31	00	57	16
17		00	00	01	44	00	51	73	00	02	00	00	17
18		00	03	02	06	00	35	15	00	02	03	00	18
19		00	29	00	00	37	00	11	58	02	06	00	19
20		·44	03	00	50	43	00	05	15	00	01	00	20
21		·12	00	00	05	03	75	02	27	00	03	00	21
22		01	00	00	04	02	00	51	00	24	06	00	22
23		00	00	00	44	03	00	29	03	07	00	00	23
24		09	01	00	00	30	00	23	00	26	20	00	24
25		05	10	00	00	02	00	06	00	55	00	00	25
26		16	00	00	04	00	07	57	00	11	06	00	26
27		02	01	00	90	40	00	91	24	26	15	00	27
28		00	13	00	25	00	17	46	00	01	00	00	28
29			24	00	00	00	00	08	00	00	00	60	29
30		X	01	00	00	00	00	51	01	86	11	00	30
31		X	20	X	31	X	00	41	X	21	X	01	31
Total	1in·46	½in·49	2in·71	2in·22	4in·55	2,52	2·73	7½·46	1½·7	6·64	2·77	1·53	YEAR'S TOTAL 37in·35
Rain Days.	(9)	8.	18.	16.	15.	15.	10.	28.	10	26	19	8	(182)

W. 8,000, VIII. 16

1.46 .99 2.71 2.22 4.55 2.52 ·31 2.73 7.96 1.57 6.64 2.77 1.53 37.65

B. Made

W M and [illegible]

REGISTER OF RAINFALL IN 1918

2

FORM A. BRITISH RAINFALL.

1.19

Kept at Bettws-y-Crwyn Vicarage

in the County of Shropshire

by Irving Watkin

Lat. 3° 6' Long. 52 24

Time of Observation 9 Am

Nearest Railway Station Knighton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 1,400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	00	04	00	04	00	00	00	15	10	05	1·39	00	1
2	00	06	00	04	00	00	00	45	00	01	03	67	2
3	00	14	00	00	27	00	00	03	54	16	07	02	3
4	00	08	02	00	00	00	00	04	111	46	1·02	02	4
5	00	11	00	28	53	00	00	14	18	45	01	03	5
6	00	46	01	22	00	02	00	04	03	36	01	04	6
7	01	24	00	05	48	00	00	01	27	25	35	00	7
8	11	45	00	00	00	00	06	00	78	26	00	03	8
9	32	106	00	49	00	51	14	00	66	14	07	05	9
10	05	25	00	25	00	00	39	00	05	11	11	11	10
11	05	15	00	05	05	00	44	00	78	07	03	24	11
12	00	00	02	00	15	00	00	00	10	00	00	07	12
13	00	00	00	01	02	03	02	00	32	07	00	07	13
14	70	00	06	00	00	06	54	01	31	03	00	48	14
15	23	00	00	00	00	00	89	00	30	04	00	76	15
16	14	00	00	42	00	00	04	05	34	03	00	17	16
17	80	00	00	00	TH 85	01	14	03	19	27	00	78	17
18	77	00	04	00	00	45	04	00	45	02	00	72 S	18
19	20	07	07	Snow 04	00	00	30	00	13	03	00	06	19
20	43	15	00	17 S	00	05	00	00	40	00	00	01	20
21	18	15	00	30 S	03	04	01	00	85	00	00	02	21
22	03	00	00	00	23	00	20	00	21	01	04	77	22
23	18	00	00	01	54	00	09	00	02	00	02	06 S	23
24	11	03	00	00	00	00	20	20	06	00	10	01	24
25	00	10	00	00	34	00	42	61	04	03	05	02	25
26	00	03	00	04	00	00	31	01	13	00	15	32	26
27	05	11	51	00	00	00	01	33	49	00	08	33	27
28	00	03	48	00	00	00	00	00	04	00	00	52	28
29	00		12	00	00	00	00	00	64	01	02	10	29
30	01	X	15	00	00	00	00	05	00	03	06	14	30
31	02	X	63	X	00	X	00	06	X	01	X	01	31
Total	4in 39	3in 71	~~2in 07~~ 3·11	2in 41	~~3·40~~ 3·49	1·17	4·24	2in 21	9·52	2·90	3·58	6·63	YEAR'S TOTAL ~~46·28~~ 46·36
Rain Days.	19.	19	11	15	11	8.	18.	16.	28.	23	18	29	215.

W. 8,000, IX. 17.

"S." Snow

2067

27.3.20

FORM A.
BRITISH RAINFALL.

JAN 2

REGISTER OF RAINFALL IN 1919.

Kept at Bettws y Crwyn Clun
in the County of Shropshire
by Irving Watson

Lat. 3° 6′ Long. 52° 24′
Time of Observation 9 Am
Nearest Railway Station Knucklas L.N.W.Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 1400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61	·00	·08	·00	27	00	·32	04	00	38	00	64	1
2	·34	·00	·13	·00	00	00	14	00	09	01	07	20	2
3	·00	·00	00	·00	00	26	11	05	04	01	09	25	3
4	·00	·08 s	27	·00	07	00	45	20	15	00	00	19	4
5	·01	·19 s	40	·00	00	00	00	00	00	00	04	80	5
6	·36	·00	11	·00	05	00	00	00	00	01	01	24	6
7	·23	·00	09	10	00	00	00	00	00	03	00	09	7
8	·55	·00	05	·01	00	11	00	00	00	00	00	00	8
9	·49	·00	04	·09	00	00	00	00	00	00	02	00	9
10	·13	·00	55	03	·04	00	06	00	00	·04	06 s	40	10
11	·02	·00	91	02	·07	04	24	00	00	05	02	09	11
12	·10	·00	s 79.	01	·00	90	04	00	15	00	05	01	12
13	·36	·00	00	25	·00	00	00	00	89	30	00	05	13
14	·52	·00	00	59	·00	00	13	00	08	04	01	14	14
15	·42	·08	00	10	00	00	00	00	00	24	00	65	15
16	·20	·44	00	00	00	00	07	10	00	00	09	01	16
17	·04	·06	00	00	00	02	00	33	00	00	2 40	03	17
18	·05 s	·04	71	00	00	05	05	68	06	00	04	10	18
19	·19	33 R	s 67	00	00	19	17	30	snow 09	00	34	00	19
20	·34	·63	s 10	00	00	06	38	01	05	00	·12	31	20
21	·02	·15	·00	00	00	00	00	00	10	00	00	19	21
22	·01	·05	00	00	00	cnd 1/03	00	00	53	00	05	48	22
23	·00	·00	00	00	00	06	00	00	00	~~43~~	15	09	23
24	·00	·00	00	05	08	04	00	00	03	109	38	15	24
25	·05	·00	00	20	·02	02	00	63	13	00	13	00	25
26	·25	·05 s	s 08	Snow * 25	00	10	00	32	09	00	00	68	26
27	·05 s	00	s 42	with drifts 37	00	00	00	42	00	00	10	00	27
28	·00	05	s 08	S. ·04	00	00	00	51	00	02	00	60	28
29	·07 s		00	12 R.	00	00	00	04	00	42	00	35	29
30	·00	X	s ·07	07	00	20	·00	04	00	00	35	50	30
31	00	X	s 10	X	00	X	·05	00	X	01	X	00	31
Total	5·41	2·15	5.65	2.30	0·60	2·08	2·15	3·67	2·48	3·78	2·52	7-24	YEAR'S TOTAL ~~45.03~~ 40 3
Rain Days.	24.	12.	19.	16.	7.	14	12	14.	~~13~~	15.	20.	25.	192.

W, 6,500, VII. 18. w w c

331 [illegible] 1983

8 APL 1921

FORM A. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Clun Forest, Bettws-y-crwyn
in the County of Shropshire
by J. Watson

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·35	·44		·63	·47	·20	·25	·02	·47	1
2	·05	·09		·35	·03		·31	·01	·01	·30		·36	2
3	·02			·30	·09	·03	1·38	·03	·07	1·68		·14	3
4		·14					·05	·36		·34			4
5		·01	·35	·07	·20		·43	·09	·23	·11			5
6			·60	·22	·22					·23	·04	·07	6
7	·10		·02	·12	·02		·20						7
8	·48	·09		·83	·21		·32	·13				·01	8
9	·98	·68		·45			·04						9
10	·84	·60	·20			·43	·29				·03	·04	10
11	·15	·07	·27	·77	·23		·10						11
12	·43	·06		·36		·71	·14	·17			·36	·06	12
13	·23	·05		·65		·05				·01	·05		13
14	·10	·02	·20	·47		·25	·13			·48	·77	·05	14
15	·01	·21	·28	·93	·09	·21			·64	·16	·07		15
16	·01			·05	·25	·72	·67		·37	1·18	·03		16
17	·17				·55	·05		·16	·52	·13			17
18	·34			·08	·36	·03		·04	·30				18
19	·10	·88		·25	·28	·06							19
20	·03			·38			·01	·04				·27	20
21				·04			·16	·03				·29	21
22	·26			·05			·45	·37				·04	22
23	·09		·03						·01			·57	23
24	·12	·09	·62	·11			·73	·01	·01	·01	·02	·34	24
25		·03	·14	·11		·01	·01				·07		25
26	·46		·85	·08	·47		·07				·10	·08	26
27	·34		·87	·05	·06	·30	·01			·01	·02	·49	27
28	·31		·43	·02	·15		·39				·01	·06	28
29	·25		·36		·15	·10					·29	·93	29
30	·16	✕	·51	·42	·03	·31	·06		·44		·23	·32	30
31	·10	✕	·09	✕	·02	✕			✕	·69	✕	·05	31
TOTAL	6·13	3·02	5·82	7·51	3·85	3·26	6·58	1·91	2·80	5·58 ~~5·49~~	2·11	4·64	YEAR'S TOTAL 53·26 ~~53·12~~
Days with ·01 in. or more	25	14	16	25	19	14	22	13	11	14	15	19	207
	21	11	14	24	15	11	19	9	8	11	9	18	170

(44,283). Wt. 21,958—218. 7500. 10/19. Gp. 132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

11

BISHOPS CASTLE
VICARAGE
SHROPSHIRE
1911 – 1919

Kept at Bishop's
in the County of Sa
by the Rev. G

5 in.
above Ground 1 ft. 6 in.
„ Sea Level 596 ft. T
9 a.m.
Name Bishop's Castle
Distance 500 yards Direction N.E.

IMPORTANT N … and the result entered to the previous day. If an … universal rule, he is earnestly requested to add the … g year in the space provided for it at the end of … surement of rain, the selection and p … British Rainfall Organization are give … on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·16	·01				·02			·03	·01	1
2	·01			·01	·10		·07	·05		·05	·03	·16	2
3				·01	·45			·04	·05		·17	·08	3
4			·06	·01				·13		·02	·33	·28	4
5	·14		·03	·01	·07			·23		·27	·06	·01	5
6	·11		·76					·08		·01	·21	·37	6
7	·01										·26		7
8	·06		·11								·39	·37	8
9	·03		·17								·30	·12	9
10	·02	·13	·15									·76	10
11	·22								·05	·01	·34	·07	11
12		·01	·25						·80	·01	·40	·01	12
13			·01						·01		·05	·22	13
14	·01	·05	·07								·01	·77	14
15		·05	·06			·01				·01	·12	·29	15
16						·15					·07	·08	16
17		·04	·02			·87					·30	·40	17
18		·49	·04	·38		·07				·01	·01	·37	18
19	·01	·02		·19		·29		·03	·36	·27	·11	·36	19
20		·04		·07		·01		·05	·23	·03		·35	20
21		·30	·06			·01		·37	·04	·48		·03	21
22	·03	·03	·01	·03		·02				·38	·03	·50	22
23	·01	·28	·13	·03		·12			·30	·03		·21	23
24		·07		·01		·64		·08	·01	·21		·19	24
25	·02	·07		·04		·07	·01		·10	·02		·16	25
26		·08		·26	·06	·02		·04	·17	·53	·19	·08	26
27		·11	·21	·06				·50	·01	·01	·06	·08	27
28		·25	·01	·10		·07		·01			·02		28
29						·12	1·04	·01	·23	·39	·01	·01	29
30			·01	·07		·08	·02			·23	·04		30
31			·13		·32		·01			·18		·01	31
Total	·68	2·02	1·85	1·29	·94	2·55	1·75	1·84	2·36	3·07	3·54	6·35	TOTAL for year 27·44
No. of Rain Days.	13	16	20	16	5	15	5	14	13	20	24	28	189

W. 8,000, X. '11.

11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Bishop's Castle Vicarage

in the County of Salop 3

by the Rev. G. E. Warner

Pattern

RAIN GAUGE: Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 596 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Bishop's Castle
Distance 500 yards Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·16	·01				·02			·03	·01	1
2	·01			·01	·10		·07	·05		·05	·03	·16	2
3				·01	·45			·04	·05		·17	·08	3
4			·06	·01				·13		·02	·33	·28	4
5	·14		·03	·01	·07			·23		·21	·06	·01	5
6	·11		·76					·08		·01	·21	·37	6
7	·01										·26		7
8	·06		·11								·39	·37	8
9	·03		·17								·30	·12	9
10	·02	·13	·15									·76	10
11	·22								·05	·01	·34	·07	11
12		·01	·25						·80	·01	·40	·01	12
13			·01						·01		·05	·22	13
14	·01	·05	·07								·01	·77	14
15		·05	·06			·01				·01	·12	·29	15
16						·15					·07	·08	16
17		·04	·02			·87					·30	·40	17
18		·49	·04	·38		·07				·01	·01	·37	18
19	·01	·02		·19		·29		·03	·36	·27	·11	·36	19
20		·04		·07		·01		·05	·23	·03		·35	20
21		·30	·06			·01		·37	·04	·48		·03	21
22	·03	·03	·01	·03		·02				·38	·03	·50	22
23	·01	·28	·13	·03		·12			·30	·03		·21	23
24		·07		·01		·64		·08	·01	·21		·19	24
25	·02	·07		·04		·07	·01		·10	·02		·16	25
26		·08		·26	·06	·02		·04	·17	·53	·19	·08	26
27		·11	·21	·06				·50	·01	·01	·06	·08	27
28		·25	·01	·10		·07		·01			·02		28
29						·12	1·04	·01	·23	·39	·01	·01	29
30			·01	·07		·08	·02			·23	·04		30
31			·13		·32		·01			·16		·01	31
Total	·68	2·02	1·85	1·29	·94	2·55	1·15	1·64	2·36	3·07	3·54	6·35	TOTAL for year 27·44
No. of Rain Days.	13	16	20	16	5	15	5	14	13	20	24	28	189

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1912

Exd DB

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

Kept at Bishops Castle Vic

in the County of Salop 3

by C. E. Warner

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·15			·75	·03	·01	·02			·29	1
2		·02	·40			·32	·13					·02	2
3			·07		·14	·26	·01	1·04	·04		·01	·02	3
4	·17		1·10		·13	·01		·19	·02		·07	·01	4
5	·28	·08	·14		·14	·13		·24	·01		·01	·01	5
6	·25	·09	·02		·04	·17		·45			·01	·01	6
7	·02	·19	·10		·09	·29	·05	·02				·03	7
8	·48	·21	·16	·02		·53		·02	·03				8
9	·08	·02	·24	·16		·23		·25			·02	·09	9
10	·20	·02	·01	·06		·68	·01	·32			·25		10
11	·02	·01	·01	·04			·01	·01			·25	·55	11
12	·03	·10	·08			·01	·02	·04				·05	12
13	·02	·06						·16	·01	·12	·01	·21	13
14	·05		·39		·09	·06		·02				·05	14
15	·13	·07	·02		·16	·37		·01		·01	·01	·17	15
16	·49	·01	·15		·02			·03		·08		·08	16
17	·75		·04			·16		·27			·09	1·17	17
18	·05	·02	·06					·01		·03	·01	·04	18
19	·04	·08	·02			·03	·21	·46		·18			19
20	·06	·03	·38		·03		·03	·04		·29	·01	·01	20
21		·01	·13		·39			·57		·30			21
22	·18	·09	·03		·34		·28	·36		·01	·01	·07	22
23	·09	·06	·42			·01	·09	·19		~~1·03~~	·11	·06	23
24	·10	·01	·03			·14	·04	·03		~~·80~~	·06	·25	24
25	·01		·01			·21		·56		~~·13~~	·45	·39	25
26		·13	·10				·19	·95		1·03 ~~·13~~	·65	·18	26
27		·05	·05			·33	·71	·01		·80	·02	·31	27
28		·12		·01		·04	·26	·40	·09	·13	·65	·01	28
29		·03	·10			·06	·25	·09	·48	·18		·02	29
30			·04			·24	·03	·01		·33			30
31	·02		·23		·04		·15	·02		·09		·04	31
Total	3·52	1·51	4·68	·29	1·61	5·03	2·50	6·72	·70	3·58	2·70	4·14	YEAR'S TOTAL 36·98
Rain Days.	22	23	29	5	12	22	18	30	8	14	19	26	228

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

8-JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Bishop's Castle Vicarage

in the County of Salop

3

by C. E. Warner

Lat. 3° W Long. 52° 30′ N.

Time of Observation 9 a.m

Nearest Railway Station Bishop's Castle

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 596 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·07	·15	·04	·01				·14		·08	·02	1
2	·01	·17	·08	·09	·01	·01			·10	·42	·15	·01	2
3	·02	·01	·15	·01	·45				·06	·15	·01	·16	3
4	·66	·12	·01		·18	~~·05~~	·05	~~·12~~	·20 ~~·05~~	·72 ~~·37~~	·05	·37	4
5	·64	·07	·08		·10	·38	·08		·01	2·12	·04	·01	5
6	·13	·12	·33		·28	·07	·15			·08		·38	6
7	·03	·41	·01		·48	·07	·01			·65	·18	·03	7
8	·03	·13			·40	·08	·02	·20		·04	·01		8
9		·37	·02	·07	·11	·43	·01	·50	·05		·16	·02	9
10	·24		·01	·03	·03	·01	·02	·11		·35	·01		10
11	·57		·01	·45	·01	·01		·01		·03	·27	·03	11
12				·01	·18	·01		·01	·04		·29		12
13			·17	·02			·01	·04	·50		·60		13
14	·34		·45	·10			·03	·06	·02	·12	·10		14
15	·16	·03	·83	·71				·22	·13		·17	·03	15
16	·01		·57	·01			·01	·12	·04		·01		16
17	·02	·01	·08	·30			·06		·23		·02		17
18	·03		·25	·29	·02		·06		·01		·03	·01	18
19	·19		·08	·05	·01	·01	·03		·03	·25	·02	·01	19
20	·11		·27	·08		·02	·01			·37	·33		20
21			·10	·18	·13		·20	·01		·01	·09		21
22	·62		·92			·20		·47	·53				22
23			·01			·05		·04	·10		·12	·04	23
24	·19					·01					·02	·01	24
25		·02		·11					·20	·06	·03	·02	25
26		·11		1·26	1·50			·02	·02			·40	26
27	·02		·01	·33						·48		·02	27
28	·17		·25	·36	·01				·01	·13		·31	28
29	·01		·44	·42	·06					·45			29
30	·27							·02		·25	·25		30
31	·07		·36		·15					·04			31
Total	4·61	1·64	5·64	4·92	4·12	1·46	·72	1·83	2·52	6·12	3·04	1·88	YEAR'S TOTAL 38·50 ✓
Rain Days.	24	13	25	21	19	14	15	14	19	19	24	18	225 ✓

W.7,000, XI. 13

Cond fr auth 1.IV.15 ~~[illegible]~~ DL

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

9 - JAN - 1915

Kept at Bishop's Castle Vicarage.
in the County of Salop.
by C. E. Warner.

3

Lat. 3° W. Long. 52°30'N
Time of Observation 9. a.m.
Nearest Railway Station Bishop's Castle
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 596 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01.	·08.	·07.	·02.		·02.	·33.	1·34.			·04.	·17.	1
2			·01.		·01.		1·33.	·18.			·23.	·49.	2
3		·01.	·05.	·10.	·19.		·06.	·11.			·01.	·32.	3
4	·30.		·03.	·13.	·05.		·13.	·01			·57	·64	4
5	·14·		·08.	·32.	·18.		·20.			·01	·15	·02	5
6	·04	·08.	·01	·08.	·07.	·01.	·01.	·06.			·01	·14	6
7	·01.	·11.	·51.	·04	·11.	·08.	·20.	·13.			·01	·63	7
8	·02.		·01.	·01.	·09.	·48.		·19.	·08.			·03	8
9	·08.	·05.	·03.	·21.	·07.	·74.		·11.	·09.		·02	·01	9
10	·02.	·25.		·25.	·01	·22.		·01	·19.		·01	·01	10
11		·34.	·29.	·02	·07.	·02	·35.		·02.		·57.	·61	11
12		·92.	·12.				·10.		·33.		·21	·32	12
13		·17.	·40.	·02.			·08.		·03	·43.	·39	·14	13
14		·31.	·12.				·01.		·01	·06	·21	·01	14
15	·01.	·05.	·37.					·02	·12	·01	·05	·01	15
16			·05						·08.				16
17		·26.	·22				·02		·07			·78	17
18		·01.	·11			·03.	·01.		·05			·17	18
19		·01.					1·33		·06		·09.	·20	19
20		·33	·14.			·10.	·04					·13	20
21		·38.				·35	·06.	·10		·23	·01	·04	21
22		·17.	·02		·06.	·07.	·01	·37.		·21		·02	22
23		·09.	·05.		·01.	·02	·13	·01		·11			23
24			·13.	·02.			·11.	·25		·05	·05.		24
25	·11.		·03.				·15.	·25		·44	·03	·16	25
26	·01.	·01.	·05				·01.	·04		·07	·26.	·54	26
27	·03.									·07	·45	1·07	27
28	·19.	·13	·09.		·10.					·02	·08	·43	28
29	·05.		·09.		·04.					·25	·24.	·01	29
30	·01.	✕	·07.					·05		·05	·45.	·57.	30
31	·22	✕		✕		✕	·14.	·02	✕	·14	✕	·05.	31
Total	1·25	3·76	3·15	1·22	1·06	2·14	4·81	3·25	1·13	2·15	4·14	7·72	YEAR'S TOTAL 35·78.
Rain Days.	16.	20.	26.	12.	14.	12.	22.	18.	12.	15.	23.	28.	35·78 278.

W. 8,000. X. 14.

2398

FORM A.
BRITISH RAINFALL
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bishop's Castle Vicarage

in the County of Salop

by Rev. C. E. Warner.

Lat. 3° W. Long. 52° 30′ N

Time of Observation 9 a.m.

Nearest Railway Station Bishop's Castle

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 596 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·04	·08	·02		·63		·01	·05	·20	·25	·02	·18	1
2	·06	·20	·16	·12		·03		2·32		·13		·15	2
3	·78	·30	·01	·15			·42	·15		·01		·28	3
4	·02	·48			·17		·63	·01				·94	4
5	·03	·56		·02	·01	·04	·01	·02				·48	5
6	·05	·02		·11			1·07	·04				·18	6
7	·20	·45	·01	·06				·17		·01		·40	7
8	·22	·41		·21				·05			·09	·02	8
9	·38	·24		·26				·01			·16	·75	9
10	·42	·02	·01	·19				·01		·06	·06	·03	10
11	·07		·01	·02	·09		·09	·09		·01	1·12	·09	11
12	·04	·04		·14	·27			·03		·32	·96	·04	12
13		·90		·02	·40			·08	·01	·01	·01	·03	13
14		·03		·01				·29	·12	·02		·26	14
15	·65				·10		·14	·03			·12	·10	15
16	·17	·50			·37		1·04	·01	·01	·01		·02	16
17	·05	·61	·03		·52		·01	·03		·01		·01	17
18	·01	·38	·05		·01			·01		·01			18
19		·05		·08	·07		·26						19
20	·13			·05	·07		·01					·04	20
21	·20						·22	·02		·10		·01	21
22	·01	·04	·11	·07			·10			·05		·12	22
23	·01	·07	·12			·01	·01			1·01	·01	·46	23
24			·04	·07			·34		·17	·68		·37	24
25			·01			·23	·30		·01	·02	·03	·17	25
26		·14					·26		·05			·58	26
27		·11	·01			·11	·20			·27		·29	27
28		·66	·01			05 ~~·50~~	·01	·19	·07	·03		·03	28
29					·03	·10	·06	·02	·01	·05	·16	·06	29
30	·13	✕				·58		·01	·02	·33	·08	·20	30
31	·01	✕		✕		✕	·10	·05	✕	·14	✕	·62	31
Total	4·68	6·29	·60	1·58	2·74	1·15	5·29	3·69	·67	3·53	2·82	6·91	YEAR'S TOTAL 39·95
Rain Days.	22	22	14	16	13	8	21	23	10	22	12	29	212

W. 8,000. X. 15.

Ex DL

2328

FORM A.
BRITISH RAINFALL.
5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Bishop's Castle Vicarage

in the County of Salop

by C. E. Warner

Lat. 3°W Long. 52°30'N

Time of Observation 9 am

Nearest Railway Station Bishop's Castle

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 596 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·01	·16		·04	·02	·23			·16	·23		1
2	·35	·12	·31		·01		·20		·25	·94	·02		2
3	·01	·65			·01	·03	·37		·24	·22	·32	·03	3
4	·09	·37		·02	·56	·32	·01		·04	·24	·51		4
5	·02	·01	·04		·35	·08				·21	·20		5
6	·08	·27	·05		·20	·02	·28		·02	·14	·33		6
7	·17	·01	·12		·09		·05			·19	·20	·20	7
8	·06	·03	·17		·17		·01			·08	·02	·13	8
9		·02			·22	·32	·01				·05	·02	9
10	·06	·37	·02	·04	·01	·05	·01		·01		·01		10
11	·02	·08	·09	·09	·04	·02	·03		·02			·02	11
12	·06	·03	·06		·33		·08	·10		·01			12
13	·01	·17	·15	·10	·01			·37		·06	·01	·08	13
14		·37	·03	·05	·04			·23		·16		·02	14
15		·71	·27	·21	·04		·01	·27	·02				15
16		·12	·01	·27	·01			·01		·03			16
17	·06	·12		·20				·04	·28	·35			17
18	·05	·09	·12	·11				·01	·33	·03	·23	·14	18
19	·11	·01	·62	·41				·05	·01	·01	·19	·01	19
20	·09		·50	·01	·01			·01			·05	·10	20
21	·05		·43				·04				·04	·02	21
22	·01		·01	·01		·02			~~[illegible]~~	·14	·01	·26	22
23	·02	·02		·03		·02		·12	~~[illegible]~~	·02	·09	·24	23
24		·43	·02		1·20	·02		·14	~~[illegible]~~	·36		·14	24
25		·10	·32		·15	·01		·15	~~[illegible]~~	·03	·35	·06	25
26	·04	·15	·03		·05	·27		·11	~~[illegible]~~	·50	·12		26
27	·03	·06	·47			·02		·05	·68	1·32		·03	27
28		·29	·03		·12	·01			·03	·29	·04	·16	28
29		·09	·05			·40		·24		·22	·01	·28	29
30		✕	·02			·10		·05		·32		·01	30
31		✕	·01	✕		✕		·02	✕	·11	✕	·01	31
Total	1·65	4·70	4·11	1·55	3·66	1·73	1·33	1·97	1·93	6·14	3·03	1·96	YEAR'S TOTAL ~~32~~·76 33·
Rain Days.	21	26	26	13	21	17	13	17	12	25	21	20	232

W. 8,000, VIII. 16

2214

REGISTER OF RAINFALL IN 19 1

FORM A.
BRITISH RAINFALL
2. JAN 1919

Kept at the Vicarage, Bishop's Castle.

in the County of Salop

by C. E. Warner.

Lat. 3° W. Long. 52°30° N

Time of Observation 9 a.m.

Nearest Railway Station Bishop's Castle.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 596 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·06	·29		·26		·11	·32	·01	·02	·05	1
2	·01		·02	·02		·08		·08	·01	·02	·12	·01	2
3	·01			·13				·02		·15	·02		3
4		·17	·14	·01				·03		·41		·01	4
5	·08		·40	·33				·03	·02	·20	·10		5
6			·28	·15		·07				·16	·27	·03	6
7	·23			·10			·02	·10		·14	·06	·11	7
8	·66			·13			·06	·40		·36	·10	·05	8
9	·01		·19	·10	·12			·08	·05	·15	·25	~~·01~~	9
10	·31		·47	·32	·07			·23		·04		·01	10
11	·08		·01	·12				·21		·31	·05		11
12	·11			·04	·93			·03	·03	·32		·01	12
13	·01		·06	·05		·01		·52	·07	·02			13
14	·03		·08	·02				·09		·05	·02	·06	14
15	·02		·01	·01	·08		·40	·04		·16	·01	·29	15
16		·02		·15 ~~·13~~		·11	·03			·02	·01	·45	16
17		·01	·01	·01	·29	·46	·42	·45	·10	·03	·01		17
18			·03	·03	·15		·30	·14	·51	·01			18
19		·41	·19			·23		·01	·03		·02		19
20		·22	·06		·58	·25		·02	·25		·03		20
21		·01	·15		·08	·06		·02		·06	·05		21
22					·17	·07		·38	·01	·10			22
23		·20			·22	·01	·01	·17	·01	·22		·03	23
24		·02	·02			·11		·03		·30	·12		24
25		·08	·09					·04		·10	·16		25
26		·01	·01		·03	·19	·01	·74	·15	·08	·02		26
27			·01		1·06	·28	·23	·68		·01	·01	·01	27
28			·08		·01	·01		·25		·01			28
29			·18		·06		·07	·04		·37		·24	29
30	·01	X						·35		·08	·02	·01	30
31		X	·06	X	·11	X		·18	X	·01	X		31
Total	1·57	1·17	2·61~~5~~	2·01	3·96	2·20	1·55	5·47	1·56	3·90	1·47	1·37	YEAR'S TOTAL 28·84
Rain Days.	13	11.	23	13.	15.	15.	10.	29	13.	29	21	15	212

W. 8,000, IX. 17.

14

FORM A.
BRITISH RAINFALL.

3 . I . 19

REGISTER OF RAINFALL IN 1918

Kept at the Vicarage, Bishop's Castle

in the County of Salop

by (Rev) C E Warner

Lat. 3° W Long. 52° 30' N.
Time of Observation 9 a.m.
Nearest Railway Station Bishop's Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 596 T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·06	·02			·08	·02	·03	·80		1
2		·04		·01				·22		·01		·29	2
3		·05		·02	·53			·10	·56	·06	·01	·01	3
4	·01	·03		·01			·07	·03	·93	·32		·32	4
5		·05	·04	·05	·51			·12	·11	·31	·04	·01	5
6	·02	·28	·01	·33	·01	·04		·01	·04	·26		·02	6
7	·01	·10		·05		·02			·25	·08	·20		7
8	·06	·39					·03		·25	·11	·04	·01	8
9	·26	·79		·16		·24	·07		·44	·05	·06	·03	9
10	·09	·16		·11			·17		·04	·03	·04	·12	10
11	·01	·25	·01	·01	·04		·41		·47		·08	·10	11
12	·02	·04	·03		·12		·23		·15			·05	12
13		·01			·03		·39		·17	·07	·01	·02	13
14	·44		·01		·01	·05		·01	·23	·02	·01	·23	14
15	·43					·01	·68		·17	·01		·33	15
16	·13			·25		·08	·02	·05	·13	·03		·27	16
17	·46		·01	·01	·20	·10	·05	·01	·13	·18		·18	17
18	·47		·03			·19	·07		·47	·03		·61	18
19	·13	·03	·12	·02		·01	·12		·05	·04		·19	19
20	·32	·13	·01	·27		·10	·47		·29	·03	·01		20
21	·10	·07		·52	·14	·03	·05		·46	·01		·10	21
22	·02				·13	·01	·09		·09	·03		·40	22
23	·02			·01	·40		·05		·03	·01	·03	·03	23
24	·01	·15					·03	·05	·05		·09	·02	24
25					·07	·10	·29	·36	·01	·02	·03		25
26		·01					·19	·02	·02	·01	·04	·15	26
27	·03	·08	·09				·02	·35	·33		·03	·11	27
28		·08	·53					·01	·01		·06	·23	28
29			·08						·47	·03	·07	·08	29
30		X	·23					·02	·04		·03	·18	30
31		X	·48	X		X		·08	X	·01	X		31
Total	3·04	2·55	1·68	1·89	2·21	·98	3·50	1·47	6·41	1·79	1·68	4·09	YEAR'S TOTAL 31·29
Rain Days.	20	20	14	16	13	13	20	16	29	25	19	26	231

W, 6,500, VII. 18. w w c

exlgs ·07

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at the Vicarage, Bishop's Castle

in the County of Salop

by Rev C E Warner

Lat. 3 W Long. 52 30 N
Time of Observation 9 a.m.
Nearest Railway Station Bishop's Castle
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 596T ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.34		.05		.08		.31		.02	.10		.46	1
2	.17	.01	.05		.04		.08		.02		.08	.05	2
3			.03		.05	.12	.15		.07		.07	.15	3
4		.05	.31			.03	.53	.05	.04		.01	.21	4
5		.30	.01		.01		.06	.01	.01		.03	.58	5
6	.17	.04	.23		.01					.01	.07	.26	6
7	.16		.07	.10	.03				.01		.02	.02	7
8	.37		.06	.01		.03				.02	.01		8
9	.32		.02	.04							.02		9
10	.09		.42	.01	.01					.03	.08	.20	10
11	.01		1.11	.02	.01		.41					.02	11
12	.01		1.38	.02		.41	.01		.01	.05	.02		12
13	.18			.17					.64	.16		.03	13
14	.43	.01		.45			.07		.01	.07		.09	14
15	.33	.04		.19	.12			.01		.09		.45	15
16	.26	.58 ~~.04~~		.03 ~~.19~~				.10			.04	.01	16
17	.09	.94		.02		.02		.03			.28	.02	17
18	.03		.58				.01	.48			.01	.04	18
19	.09	.20	.70			.07	1.13	.32	.15		.16	.02	19
20	.23	.03	.23			.03	.01	.05	.08		.17	.13	20
21	.01	.25	.02			.02	.31		.01		.01	.15	21
22		.18					.03		.45		.01	.29	22
23						.05		.03	.01	1.11	.04	.04	23
24	.01				.08	.04				.72	.19	.46	24
25	.04			.14	.11	.02		.35	.03	.02	.12	.04	25
26	.02	.02	.12	.23		.06	.03	.11	.09		.16	.47	26
27	.09	.03	.06	.46				.22	.03		.01	.02	27
28	.04		.10	.06				.70				.32	28
29	.03			.11		.03		.06		.23		.24	29
30	.01	×	.01	.02		.08		.02		.01	.20	.18	30
31	.01	×	.01	×		×			×	.01	×	·01	31
Total	3.54	2.68	5.57	2.08	.55	1.01	3.14	2.54	1.68	2.63	1.81	4·96	Year's Total 32·19
Days with ·01 in. or more	26	14	21	17	11	14	14	15	17	14	23	28	214

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SHROPSHIRE

BISHOPS CASTLE
MORE RECTORY

1911 - 1920

BRITISH RAINFALL.

REGIS 11

Kept at More Recto

in the County of Shropsh

by Rev Ridley Re

6 in.

ove Ground ft. 11 in.

, Sea Level 600 ft.

9 a.m

Name Lydham Heath

Distance 3/4 mile Direction S.

IMPORTANT NOTE.—Rai measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14					.04			.01	.01	1
2			.01	.01	.11	.06		.04		.05	.01	.17	2
3					.32			.07	.05		.08	.06	3
4			.06	.02	.01			.15			.19	.33	4
5	.20		.02	.02				.25		.03	.03	.01	5
6	.08		.16					.05		.20	.12	.47	6
7	.01			.01						.01.	.20		7
8	.09		.07								.40	.42	8
9			.08								.66	.13	9
10	.03	.08	.11									.53	10
11											.37	.03	11
12	.11		.32						.75		.41	.02	12
13	.04							.05			.04	.22	13
14			.03								.01	.77	14
15			Snow .08								.11	.25	15
16						.16					.07	.05	16
17	.02		.01	.01		TL .75			1.67		.25	.46	17
18		.54	.03	.41		.10						.39	18
19				.18		.45		.02	(consist rain)	.22	.14	.41	19
20		.04		.03				.02		.01	.01	.26	20
21		.32	.04			.01		T .10		.54		.01	21
22	.05			.01						.46.	.03	.53	22
23		.15		.02		.16			.41	.02		.23	23
24		.07		.02		NW-N .92		.07		.21		.24	24
25				.04		.02			.11			.11	25
26				.22	.12	.01	.02	.02		.46.	.28	.05	26
27		NE .35	.24	.05				.50	.15	.01.	.02.	.06	27
28		NE .22		.08		.07			.01			.01	28
29						.11	TL 1.05		.15	.31	.01.	.01	29
30			S .02	.04		.06	.01		.01	.13	.03		30
31			S .10		.25		-01			.08		.01	31
Total	.63	1.77	1.52	1.17	.81	2.82	1.09	1.38	2.56	2.74	3.48	6.25	TOTAL for year 26.22
No. of Rain Days													

9,000, IX. '10.

REGIS 11

FORM A2.
BRITISH RAINFALL.

Kept at More Rectory

in the County of Shropshire

by Rev Ridley Relton

RAIN GAUGE
Diameter of top 6 in.
Height of top above Ground ft. 11 in.
" " " Sea Level 600 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Lydham Heath
Distance 3/4 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14					.04			.01	.01	1
2			.01	.01	.11	.06		.04		.05	.01	.17	2
3					.32			.07	.05		.08	.06	3
4			.06	.02	.01			.15			.19	.33	4
5	.20		.02	.02				.25		.03	.03	.01	5
6	.08		.16					.05		.20	.12	.47	6
7	.01			.01						.01	.20		7
8	.09		.07								.40	.42	8
9			.08								Snow + TL .66	.13	9
10	.03	.08	.11									.53	10
11											.37	.03	11
12	.11		.32						.75		.41	.02	12
13	.04							.05			.04	.22	13
14			[illegible]								.01	.77	14
15			Snow .06								.11	.25	15
16						.16					.07	.05	16
17	.02		.01	.01		TL .75			1.67		.25	.46	17
18		.51	.03	.41		.10						.39	18
19				.18		.45		.02		.22	.14	.41	19
20		.04		.03				.02		.01	.01	.26	20
21		32	.04			.01		T .10		.54		.01	21
22	.05			.01						.46	.03	.53	22
23		.15		.02		.16			.41	.02		.23	23
24		.07		.02		NW-N .92		.07		.21		.24	24
25				.04		.02			.11			.11	25
26				.22	T .12	.01	.02	.02		.46	.28	.05	26
27		NE .35	.24	.05				.50	.15	.01	.02	.06	27
28		NE .22		.08		.07			.01			.01	28
29						.11	TL 1.05		.15	.31	.01	.01	29
30			S .02	.04		.06	.01		.01	.13	.03		30
31			S .10		.25		.01			.08		.01	31
Total	.63	1.77	1.52	1.17	.81	2.82	1.09	1.38	2.56 ~~[illegible]~~	2.74	3.48	6.25	TOTAL for year 26.22
No. of Rain Days													

9,000, IX. '10.

W 411 L   corr by mm. stats 11.IV.12

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at More Rectory
in the County of Shropshire   3
by Rev Ridley Relton

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground ft. 11 in.
" " " Sea Level 600 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Lydham Heath
Distance 3/4 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.14					.04			.01	.01	1
2			.01	.01	.11	~~.06~~		.04		.05	.01	.17	2
3					.32			.07	.05		.08	.06	3
4			.06	.02	.01			.15			.19	.33	4
5	.20		.02	.02				.25		.03	.03	.01	5
6	.08		.16					.05		.20	.12	.47	6
7	.01			.01						.01	.20		7
8	.09		.07								.40	.42	8
9			.08								.66	.13	9
10	.03	.08	.11									.53	10
11			.32								.37	.03	11
12	.11										.41	.02	12
13	.04							.05			.04	.22	13
14			.03								.01	.77	14
15			.08								.11	.25	15
16						.16					.07	.05	16
17	.02		.01	.01		.75			1.67		.25	.46	17
18		.54	.03	.41		.10			Sep 11 to			.39	18
19				.18		.45		.02	Sep 22.	.22	.14	.41	19
20		.04		.03				.02		.01	.01	.26	20
21		.32	.04			.01		.10		.54		.01	21
22	.05			.01						.46	.03	.53	22
23		.15		.02		.16			.41	.02		.23	23
24		.07		.02		.92		.07		.21		.24	24
25				.04		.02			.11			.11	25
26				.22	.12	.01	.02	.02		.46	.28	.05	26
27		.35	.24	.05				.50	.15	.01	.02	.06	27
28		.22		.08		.07			.01			.01	28
29						.11	1.05		.15	.31	.01	.01	29
30			.02	.04		.06	.01		.01	.13	.03		30
31			.10		.25		.01			.08		.01	31
Total	.63	1.77	1.52	1.17	.81	2.82	1.09	1.38	2.56	2.74	3.48	6.25	TOTAL for year 26.22
No. of Rain Days.	9	8	17	16	5	12	4	13	(12)	15	23	29	(163)

W. 8,000, X. '11.

FORM
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1912

Kept at More Rectory

in the County of Shropshire

by Rev Ridley Relton

Lat. Long.

Nearest Railway Station Lydham Heath

RAIN GAUGE.
Time of Observation 9 a.m.
Diameter 6 in.
Height of top above Ground ft. 11 in.
" " Sea Level 600 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.14			.60	.04					.34	1
2		.03	.28	.01	.03	.50	.17					.01	2
3			.09		.17	.21	.02	1.10			.01		3
4	.14		1.10		.12			.13			.08		4
5	.20	Snow .07	.09		.12			.32			[illegible]	.02	5
6	.25	Snow .03			.06			.29			.01		6
7	.03	Snow .15	.17		.06	.74	.03	.14	= .04			.02	7
8	.50	.20	.14	.04		.40		.07					8
9	.03	.01	.25	.11		.21		.28			.02	.05	9
10	.23	.01	.01			.34	.02	.31			.30		10
11	.01	.04		.08				.02		.02	Snow .21	.54	11
12	S .02	.12	.06	.04			.03	.03			.	.02	12
13	S .02	.07						.04		.07		.16	13
14	.04		.46		.13	.06		.02		.01	.01	.01	14
15	S .12	.10	.04		.25	.33						.13 ~~.04~~	15
16	Snow .44	.01	.13		.02	.01		.02		.04		.02	16
17	all snow .71	.01	.05			.11		.33		.01	.15	cyclonic .02	17
18	8" deep	.01	.05					.01		.01	.01	—	18
19	Snow .03	.06	.02				.28	.27		.19		1.02	19
20	Snow .05	.02	Snow .36		.01		.05	.01		.28			20
21		.02	Snow .12		.42			.53 ~~.03~~		.30		—	21
22	S .25	.06	.02		.37		.28	.41 ~~.03~~		.01		.04	22
23	S .03	.07	.37				.20	.20			Snow .06	.03	23
24	S .03		.02			.21	.08	.01			Snow .02	.29	24
25		.01				.15		.50		.01	Snow .33	.40	25
26		.10	.09				.22	.80		.94	Snow .29	.21	26
27		.01	.03			.38	.76	.01		.81	Snow .01	.23	27
28		.07				.03	.22	.40	.11	.12	.44		28
29			.06			.06	.24	.06	.68	.18		.01	29
30	.01		.02			.10	.04	.01		.38			30
31			.34		.05		.15	.01		.03		.01	31
Totals	2.94	1.28	4.51	.28	1.81	4.44	2.83	6.33	.83	3.41	1.95	3.56	
Total from Jan. 1		4.22	8.73	9.01	10.82	15.26	18.09	24.42	25.25	28.66	30.61	34.17	

0/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

FORM A2.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913.

Kept at More Rectory

in the County of Shropshire

by Rev Ridley Rellow

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground ft. 11 in.
" " " Sea Level 600 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Lydham Heath
Distance 1 mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.04	.18	.05	.32				.21		.07	.01	1
2		.26	.06	.07	.01				.07	.15	109		2
3		.01	.12	.01	.54				.05	.06	.05	.10	3
4	.67	.02	.01		.23				.07	.20	.04	.27	4
5	.67	.05	.07		.11	.38			.03	2.55			5
6	.17	.07	.22		.28	.05				.05		.35	6
7	.05	.33	.01		.55	.14				.68	.25	.02	7
8		.07			.46	.06		.02		.02			8
9	.65	.41	.04	.05	.10	.46		.44	.16		.16	.02	9
10	[illegible]			Snow .04	.09			.19		.30	.01		10
11	Snow .35			Snow .55	.02	.02				.04	.27		11
12	Snow .01	.02			.13	.01			.02		.28		12
13			Snow .16	.02				.05	.52		.57		13
14	.30		Snow .47	.04				.06	.01	.09	.05		14
15	.14	.04	Snow .56	.57				.08			.08		15
16		.01	Snow .41										16
17	.03		Snow .27	.20			.45		.31		.02		17
18	.01		.27	.18	.01		.09		.01	.01		.01	18
19			.06	.05	.02		.03		.03	.28	.01		19
20	.22		.24	.08			.02			.46	.25		20
21			.07		.06		.18			.01	.04		21
22	.78		.74					.48	.58		.02		22
23			.02	.25				.04	.15		.03		23
24	.09							.05			.05 ~~.43~~	Snow .01	24
25		.03							.25	.05			25
26		.10		1.37	1.28			.02			.02	Snow .30	26
27	.01	.02	.03	.41					.01	.65			27
28	.13		.24	.38	.02				.01	.25			28
29	.01		.54	.42	.04			.02			.38		29
30	.25									1.00			30
31	.04		.35		.07								31
Total	4.61	1.48	5.14	4.74	4.34		1.89	1.45	2.49	6.85	2.84	1.09	TOTAL for year
No. of		6.09	5.14 11.23	15.97	20.31		22.20	23.65	26.14	32.99	35.83	36.42	

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

Kept at More Rectory
in the County of Shropshire.
by Rev Ridley Relton.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lydham Heath
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.40	.02	.08			.02	.26	1.40			.04	.12	1
2			.01		.01		1.21	.15		.01		.54	2
3			.02	.10	.14		.03	.27				.15	3
4	.15			.20	.05		.11	.03				.63	4
5	.06		.09	.27	.18		.21					.01	5
6		.08		.12	.06	.03		.09			1.04	.15	6
7	.13		.57	.04	.08	.05		.16			.01	.55	7
8	.03	.12		.02	.06	.71	.16	.11	.06			.01	8
9	.10	.05	.02	.10	.09	.95		.08	.11		.02		9
10	.02	.25		.28	.02	.32			.18				10
11		.40	.38	.02		.01	.26		.03		.47	.62	11
12		.92	.15				.18		.30		.20	.26	12
13		.16	.34	.01	.13		.13		.03	.52	.37	.16	13
14		.17	.09				.01		.01	.16	.26		14
15	.01	.04	.33					.01	.16	.03	.04		15
16			.03						.07				16
17	.01	.17	Snow .22				.02		.07			.58	17
18			Snow .11			.02	.01		.05		Snow .01	.11	18
19		.01					1.24		.11		Snow .07	.22	19
20		.33	Snow .12			.12	.15					.13	20
21		.45				.30	.06	.01		.20	.02		21
22		.09	Snow .01		.08	.05		.41		.17			22
23		.05	Snow .05		.01		.01	.01		.11		.13	23
24			.22				.07	.29		.47	.03		24
25	.04	.01	.02				.12	.28			.04	.21	25
26			.05					.04		.08	.18	.52	26
27	.09									.08	.55	1.15	27
28	.10	.05	.10		.11		.08			.02		Snow .40	28
29	.02		.03		.03			.01		.40	.19		29
30			.04	.03				.06		.05	.34	.64	30
31	.09						.13	.02		.13		.05	31
Total	1.25	3.37	3.08	1.19	1.15	2.58	4.45	3.43	1.12	2.43	3.88	7.34	YEAR'S TOTAL
Rain Days.		4.62	7.70	8.89	10.04	12.62	17.07	20.50	21.62	24.05	27.93	35.27	

00, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at More Rectory
in the County of Shropshire
by Rev Ridley Rellon

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lydham Heath
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.91	.08	.01		.59		.01	.05	.22	.30	.01	.14	1
2	.05	.10	.16	.09				2.22	.01	.10		.09	2
3	.80	.03		.13			.38	.27				.21	3
4	.04	.54			.21		.88	.02				.97	4
5	.01	.52		.01	.01			.02				.53	5
6	.01	.02		.09			1.06	.08				.20	6
7	.21	.42		.03			.01	.07				.28	7
8	.21	.47		.20			.01	.05			.06	.01	8
9	.32	.24		.31				.01			.19	.85	9
10	.48	.02	Snow .02	.20		.01		.01		.07	.04	.01	10
11	.02		Snow .02	.01	.03		.08	.01			1.00		11
12	.02	.12		.16	.17			.02		.27	.84		12
13		1.00		.01	Snow .45			.07	.02		.09	.06	13
14		.02		.01				.28	.12	.01	.02	.24	14
15	.60				Snow .09		.15	.03			.05	.09	15
16	.05	.58			.44		.95	.02				.01	16
17	.09	.52			.65						.02	.01	17
18		.33	Snow .04					.02			.01		18
19				.05	.07		.16						19
20	Snow .14			.02	.04							.03	20
21	Snow .20						.15			.08		.01	21
22	Snow .12	Snow .01	Snow .10	.13			.07			.05		.11	22
23	Snow .02	Snow .07	Snow .09	[illegible]			.07			1.12		.35	23
24			Snow .01	.06			.70		.23	.72		.35	24
25						.30	.02			.02	.03	.18	25
26		.11					.24		.08			.60	26
27		.07					.16			.35		.15	27
28		.29	Snow .01			.08	.02	.15		.02		.02	28
29					.01	.09		.01		.02	.12	.06	29
30	.08	☒		.02		.64	.02			.55	.07	.27	30
31		☒		☒		☒	.07	.02	☒	.16	☒	.41	31
Total	4.38	5.56	.46	1.53	2.76	1.12	5.21	3.43	.68	3.84	2.55	6.24	YEAR'S TOTAL [illegible]
Rain Days.	Average Rainfall for 11 years at More Rectory (1905 - 1915) 31.22 inches												37.76

W. 8,000. X. 14.

noted 24.iii.16

~~W~~ WMc

cmd fr auth 23.iii.16

2399

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4. JAN 1916

Kept at More Rectory

in the County of Shropshire

by Rev Ridley Relton

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Lydham Heath

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.91	.08	.01		.59		.01	.05	.22	.30	.01	.14	1
2	.05	.10	.16	.09				2.22	.01	.10		.09	2
3	.80	.03		.13			.38	.27				.21	3
4	.04	.54			.21		.88	.02				.97	4
5	.01	.52		.01	.01			.02				.53	5
6	.01	.02		.09			1.06	.08				.20	6
7	.21	.42		.03			.01	.07				.28	7
8	.21	.47		.20			.01	.05			.06	.01	8
9	.32	.24		.31				.01			.19	.85	9
10	.48	.02	.02	.20		.01		.01		.07	.04	.01	10
11	.02		.02	.01	.03		.08	.01			1.00		11
12	.02	.12		.16	.17			.02		.27	.84		12
13		1.00		.01	.45			.07	.02		.09	.06	13
14		.02		.01				.28	.12	.01	.02	.24	14
15	.60				.09		.15	.03			.05	.09	15
16	.05	.58			.44		.95	.02				.01	16
17	.09	.52			.65						.02	.01	17
18		.33	.04					.02			.01		18
19				.05	.07		.16						19
20	.14			.02	.04							.03	20
21	.20						.15			.08		.01	21
22	.12	.01	.10	.13			.07			.05		.11	22
23	.02	.07	.09				.07			1.12		.35	23
24			.01	.06			.70		.23	.72		.35	24
25						.30	.02			.02	.03	.18	25
26		.11					.24		.08			.60	26
27		.07					.16		[illegible]	.35		.15	27
28		.29	.01			.08	.02	.15		.02		.02	28
29					.01	.09		.01		.02	.12	.06	29
30	.08	✕		.02		.64	.02			.55	.07	.27	30
31		✕		✕		✕	.07	.02	✕	.16	✕	.41	31
Total	4.38	5.56	.46	1.53	2.76	1.12	5.21	3.43	.68	3.84 3.84	2.55	6.24	YEAR'S TOTAL 37.76 37.76
Rain Days.	20	21	9	17	12	5	20	20	6	15	14	27	186

W. 8,000. X. 15.

62

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at More Rectory
in the County of Shropshire
by Rev Ridley Relton

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Lydham Heath
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.16	[illegible]	.12		.01	.02	.28			.16	.24		1
2	.31	.12	.26	.01	.02	.01	.16		.24	.81	.03		2
3	.01	.77		.04		.03	.28		.19	.20	.27	.05	3
4	.06	.36			.52	.43			.05	.27	.42	.01	4
5	.01	.01	.04		.28	.03				.17	.12		5
6	.03	.19	.02		.26	.01	.49		.01	.09	.35		6
7	.06	.02	.09		.15	.01	.09			.17	.17	.22	7
8	.04	.01	.13				.01			.13	.02	.10	8
9		.04			away from home	.30					.05		9
10	.01	.39	.02	.04		.04			.03		.01	.02	10
11	.01	.15	.07	.06		.04						.01	11
12	.03	.02	.06	.01	.66			.15		.01			12
13		.14	.10	.06	.02			.45		.07		.10	13
14		.20	.02	.03	.07		.11	.17		.05		.01	14
15		.67	.18	.22	.04		.01	.27	.01	.04			15
16		.03		.28	.01		.02	.02		.04			16
17	.05	.10		.14				.06	.33	.40			17
18	.02	.07	.06	.03					.24	.02	.25	.18	18
19	.03	[illegible]	.62	.38				.04	.01	.03	.13		19
20	.05		.65								.09	.12	20
21	.01		.40	.03	.01		.04						21
22			.01	.02		.03				.15	.01	.26	22
23	.01		.02	.03				.15		.01	.07	.11	23
24		.36	.01		1.25	.05		.18		.30		.08	24
25			.20		.13			.16		.01	.24	.10	25
26	.06	.16	.03		.05	.27		.27		.65	.06		26
27	.02	.05	.23			.02		.40	.30	1.58	.01		27
28		.24	.04		.08				.03	.25	.02	.32	28
29		.13	.02			.36		.17		.24		.05	29
30		X				.12		.10		.24			30
31		X		X		X		.01	X	.12	X		31
Total	.98	4.23	3.40	1.38	3.56	1.77	1.49	2.60	1.44	6.15	2.56	1.74	YEAR'S TOTAL 31.30
Rain Days.	19	22	24	15	(18)	16	(10)	15	11	26	19	16	211

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at More Rectory

in the County of Shropshire

by Rev Ridley Relton

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Lydham Heath

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground ....ft. 11 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov. (Winds)	Dec.	*Date.*
1			.04	Snow .25		.24	—	.13	local also at Ch. Stretton .93		.01	Snow .04	1
2	.02		[illegible]	Snow .05		.06	—	.10		.02	.10	Snow .02	2
3	.01	Snow .02		Snow .25			—	.02		.19	.01		3
4			.18	.01			—	.06		.30		.02	4
5	.05		.16	.22			—	.06	.02	.21	.05		5
6	.01		.23	.01			—			.15	.26	.02	6
7	.29	severe cold					—	.11		.15	.11	.09	7
8	.40		Snow .04	.11		.05	—	.56		.25	Snow .05	Snow .05	8
9			Snow .15	.06	.13		—	.04	.02	.20	.19	.01	9
10	.30		.50	.24	.04		—	.21		.02			10
11	.07		Snow .01	Snow .09			—	.17		(½ each) .64	.05		11
12	.08			Snow .06	1.08		—	.01	.03			.01	12
13	.01		Snow .05	.05	.01		—	TL .59	.06	.01	.01		13
14	Snow .06		Snow .05	.01			—	.04				.07	14
15					.05		TL (.40)	.05		.12	.01	.16	15
16	Snow .01			.10		.21						Snow & .41	16
17		.03	.01		.32	.22	(.30)	.32	.13	.01	.02		17
18		.01	.01	.01	.09		(.35)	.04	.66	.02			18
Mar. 21 19		.45	.07		.01	.27	9–19		.06		.03		19
19 20	Snow .01	.24	.22		.53	.26	1.15	[illegible]	.09		.02		20
20 21		.02	.01		.07	.04 [illegible]		.01		Snow + hail .05	.07		21
22	Snow .01				.02	.12		.48	.01	.08			22
23		.18			.19	.01	.01	.09	.01	.08		Snow .03	23
24		.03	.02			.13		.06		.21	.08		24
25		.09	.12			[illegible]		.04		.11	Snow .08		25
26		.01	.01		~~1.00~~	.27		1.03	.08	.04	Snow .01		26
27		.01	.01		1.00	.29	.23	.78				Snow .01	27
28		.01	.04			.02		5.00 .17		.01		Snow .01	28
29			.12		.40		.04	.04		IIII .46		.28	29
30	Snow .01	✕	.01					.33		.04	.01		30
31		✕	.05	✕	.12	✕		.23	✕	.02	✕		31
Total	1.34	1.09	2.11	1.52	4.06	2.19	1.43	5.77	1.70	3.39	1.17	1.23	YEAR'S TOTAL 27.00
Rain Days.	15	12	23	15	15	14		27	12	24	19	15	

Snow lying 31 days Jan 15 – Feb 14. Snow fell 11 days in March, 9 days in Ap

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at More Rectory
in the County of Shropshire
by Rev Ridley Rellow

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Lydham Heath
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.* 1919
	.01		.03	.03			.07	.05	.05	.78		.34 1
	.04		.01				.11				.22	.15 2
	.04			.48			.16	.71		.01		3
	.03						.04	.90	.25	.52	.41	4
	.03	.01	.03	.41			.10	.06	.18	.04	.01	5
.04	.19		.25		.02			.03	.25			6
	.06		.04	.29	.01			.26	.07	.21		7
.10	.31							.26	.10	.01		8
.02	.55		.14		.22	.01		.43	.02	.02	.02	9
.06	.10		.07			.15		.15		.08	.14	10
.02	.09			.05		.45		.32		.04	.16	11
.02	.03	.01		.10		.88			.01		.02	12
				.02	.02			.18	.05		.01	13
Snow .43					.04		.01	.21		Snow .01	.21	14
Snow .57					.01	.68		.21	.01		.38	15
Snow .13			.45		.03	.50	.03	.18	.02		.31	16
Snow .50				.29	.06	.10	.01	.05	.20		.17	17
Snow .36		.03			.21	.01		.50	.02		.47	18
.12	.02	.12	Snow .02			1.92		.06	.02	2.62	.09	19
.27	.10		Snow .22		.12	.95		.38	.01		.01	20
.12	.03		Snow .58	.08	.02	.07		.36			.09	21
.01				H .15	.02	.08		.06	.03		.33	22
				.35		.10		.05		.01	.01	23
	.17					.01	.03	.04		.11	Snow .01	24
				.05	.02	.14	.34	.01		.04	Snow .01	25
						.17	.03	.01		.05	Snow .11	26
.03		.05					.41	.30		.03	.12	27
		.37						.02		.11	.28	28
		.08						.59	.01	.01	.08	29
	X	.21					.01	.03		.04	.17	30
.01	X	.37	X		X		.09	X		X		31
2.81	1.80	1.25	1.84	2.30	.80	3.44	1.44	6.41	1.30	2.12	3.84	YEAR'S TOTAL 29.35
17	16	9	11	12	13		14	28	17	18	25	

Total for July 7-18

Total

Rain Days.

W. 8,000, IX. 17.

.34

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at More Rectory
in the County of Shropshire
by Rev Ridley Pelton.

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Lydham Heath
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	snow .34		.04	.02	.05				.02	.09		.37	1
2	S .15		.05						.02		.13	.04	2
3			.		.03	.12			.05		.11	.06	3
4	S .01	S .05	.31			.02		.03	.03			.21	4
5		S .28									.02	.22	5
6	S .14	S .13								.01		.15	6
7	.13		from Mar 6	.14									7
8	.40		.23			.02				.01	.05		8
9	.20			.03							.01		9
10	.09		.42	.01	.02					.02	.04	.17	10
11	.01		1.25		.01					.07		.01	11
12	.02		.46			.40				.02	.02	.01	12
13	.22			.16					.85	.21		.05	13
14	.38			.30						.07		.08	14
15	.27	.06	S .01	.08	.14						.02	.51	15
16	.18	.46		.02				.06			.02	.01	16
17	.02	.55				.04		.01			.17		17
18	.02		.72				1.35	.53	.02		.01	.01	18
19	.17	.20	.80			.09	.47	.30	snow 2" .19		.09	.01	19
20	.18	.02	.14			.04		.05	.10		.08	.10	20
21	.01	.25	.02				.29					.11	21
22		.16							.46			.21	22
23						.02		.04		1.10	.02	.04	23
24	.01				.07	.05				.70	.15	.22	24
25	.02			S .32	.09	.02		.25	.01	.02	.05	.03	25
26	.02	.02	S .09	Snow .09		.07	.22	.05	.04			.39	26
27	S .13	.04	S .02	Snow .45				.19	.02		.09		27
28								.55		.03	.03	.29	28
29	S .02		.07	.11		.02		.03		.27		.18	29
30	.02	╳	.	.03				.01		.02	.19	.20	30
31		╳	.04	╳		╳			╳		╳	.01	31
Total	3.16	2.22	4.67	1.76	.41	.91	2.33	2.10	1.81	2.64	1.30	3.69	YEAR'S TOTAL 29.99
Rain Days.	25	12	(17)	13	7	12	(10)	13	12	14	19	26	180
	14	10	(13)	8	4		(8)					19	116

Rain from July 1 to July 18

(2" snow at The More in night of Sept 19-20)

W, 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at More Rectory
in the County of Shropshire
by Rev Ridley Relton

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Lydham Heath
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground ...... ft. 11 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.02		.25	.30		.44	.10	.12	.16	.01	.40	1
2	.03			.23	.01		.18		.06	.23		.12	2
3	.05			.24			1.10		.10	.85		.03	3
4	.01			.01	.01		.01	.18	.02	.68			4
5		.01		.28	.03		.24	.04	.02	.19			5
6			.40	.02	.02		.08			.23	.01	.02	6
7			hail	.08			.13			.01		.01	7
8	.24	.05		.63	.13		.30	.08					8
9	.56			.54			.02					.01	9
10	.22	.32				.26	.29		.01		.01	.03	10
11	.07	.05		.56	.22	.06	.05						11
12		.01		.24		.75	.03	.05		.02	.06	Snow .10	12
13	.15	.02	.39	.15		.08					.03	lying	13
14	.03	.01	snow .62	.28		.25			.37	.34	.27	8 days	14
15		.11		.45		.36	Showery	.01	.01	.13	.04		15
16			.03	.04	.18	.08			.30	.60	.03		16
17	.02				.28			.01	.32	.05			17
18	.15	Snow .01			.09	.09		.04	.31				18
19	.09	Snow .80		.07	.07	.03		.09	.01				19
20		Snow .04		.11		.04			.01			.04	20
21				.01			showery	.01				.06	21
22	.07			.11				.35					22
23			.06					.04		.01		.55	23
24	.03	Feb 27 - Feb 22	.36	.01			July 13 - July 30 (0)	.02	.01		.02	.06	24
25	.03		.05	.11	.02							.01	25
26	.18		.41	.01	.02						.05	.04	26
27	.40	.06	.44	.01	.20	.15				.01	.04	.36	27
28	snow 8" .90		.29	.02	.02	.07						.06	28
29	.23		.18	.02	.70	.04					.06	.54	29
30	.04	✕	.08	.22	.05	.08	1.70		.46		.19	.17	30
31	.09	✕	.01	✕	.03	✕	.03		✕	.60	✕	.02	31
TOTAL	3.59	1.51	3.32	4.72	2.38	2.34	4.60	1.12	2.13	4.11	.82	2.63	YEAR'S TOTAL 33.27
Days with ·01 in. or more	21	(13)	(14)	26	18	14	(22)		15	15	13		

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

SHROPSHIRE.
BISHOPS CASTLE
TOTTERTON.

1911-1912

[illegible] - 23.IV.12

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGIST 11.

Kept at Totterton Lyd

in the County of Salop

by W. H. Whita

in.

ve Ground ft. in.

Sea Level . ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.12	0.11	0.01			0.10			0.02		1
2			0.01		0.08	absent from Home	0.01	0.05		0.05	0.04	0.14	2
3				0.02	0.40		0.06				0.12	0.07	3
4	04			0.01			0.01		0.03	0.09	0.21	0.28	4
5			0.05	0.02				0.10	0.~~03~~	0.03	0.09	0.23	5
6	0.07		0.06			~~0.48~~		0.23		0.01	0.14		6
7	0.02		0.06					0.06		0.01	0.29	0.31	7
8	0.05										0.27	0.04	8
9	0.05		0.09								0.51	0.42	9
10	~~0.05~~	0.08	0.10					0.09	0.09				10
11			0.30						0.06		0.04	0.05	11
12	0.10								0.79		0.36	0.01	12
13									0.02		0.30	0.17	13
14	0.1	0.05									0.03	0.65	14
15		0.04	0.10			0.2			0	0.01	0.09	0.23	15
16						0.14					0.09	0.04	16
17		0.01				1.05					0.35	0.33	17
18		0.46		0.18		0.27			0.01			0.21	18
19		0.02	0.04	0.08		0.45	0.01	0.03	0.21	0.18	0.12	0.19	19
20		0.03	0.07	0.05		0.03		0.01	0.26	0.06	0.02	0.40	20
21		0.25		0.02			0.01	0.30	0.10	0.44		0.02	21
22	0.06	0.02	0.01	0.02	absent from Home		0.02			0.42	0.03	0.43	22
23		0.20	0.10	0.02		0.25			0.28			0.12	23
24				0.01		0.48		0.07		0.16		0.15	24
25	0.02			0.05		0.03		0.02	0.04	0.01		0.11	25
26		0.05		0.19		0.04				0.38	0.14	0.05	26
27		0.09	0.10	0.05				0.52	0.18		0.08	0.06	27
28		0.10		0.16		0.08		0.01	0.01		0.03	0.01	28
29		0.09		0.01	·48	0.15	0.79		0.21	0.25	0.01	0.02	29
30		0.25	0.02	0.06		0.10	0.01		0.01	0.16	0.02		30
31										0.12	0.01	0.01	31
Total	0.46	1.74	1.23	1.06	~~0.49~~ .97	~~3.57~~ 3.09	0.92	1.59	2.30	2.38	3.41	4.75	TOTAL for year 23.90
No. of Rain Days	9	15	15	17	(5)	13	8	13	16	16	25	27 Total	179

9,000, IX. '10.

[illegible] data - 23.IV.12

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGIST 11.

Kept at Totterton Lydbury North

in the County of Salop. 3

by W. H. Whitaker

Rain Gauge
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station
Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.12	0.11	0.01			0.10			0.02		1
2			0.01		0.08	absent from home	0.01	0.05		0.05	0.04	0.14	2
3				0.02	0.40		0.06				0.12	0.07	3
4	04			0.01			0.01		0.03	0.09	0.21	0.28	4
5			0.05	0.02				0.10	0.03	0.03	0.09	0.23	5
6	0.07		0.06			~~0.48~~		0.23		0.01	0.14		6
7	0.02		0.06					0.06		0.01	0.29	0.31	7
8	0.05										0.27	0.04	8
9	0.05		0.09								0.51	0.42	9
10	0.05	0.08	0.10					0.09	0.09				10
11			0.30						0.06		0.04	0.05	11
12	0.10								0.79		0.36	0.01	12
13									0.02		0.30	0.17	13
14	0.1	005									0.03	0.65	14
15		0.04	0.10			0.2			0	0.01	0.09	0.23	15
16						0.14					0.09	0.04	16
17		001				1.05					0.35	0.33	17
18		0.46		0.18		0.27			0.01			0.21	18
19	—	0.02	0.04	0.08		0.45	0.01	0.03	0.21	0.18	0.12	0.19	19
20		0.03	0.37	0.05		0.03		0.01	0.26	0.06	0.02	0.40	20
21		0.25		0.02			0.01	0.30	0.10	0.44		0.02	21
22	0.06	0.02	0.01	0.02			0.02			0.42	0.03	0.43	22
23		0.20	0.10	0.02	absent from home	0.25			0.28			0.12	23
24				0.01		0.48		0.07		0.16		0.15	24
25	0.02			0.05		0.03		0.02	0.04	0.01		0.11	25
26		0.05		0.19		0.04				0.38	0.14	0.05	26
27		0.09	0.10	0.05				0.52	0.18		0.08	0.06	27
28		0.10		0.16		0.08		0.01	0.01		0.03	0.01	28
29		0.09		0.01	·48	0.15	0.79		0.21	0.25	0.01	0.02	29
30		0.25	0.02	0.06		0.10	0.01		0.01	0.16	0.02		30
31										0.12	0.01	0.01	31
Total	0.46	1.74	1.23	1.06	·97 ~~0.49~~	3.09 ~~3.57~~	0.92	1.59	2.30	2.38	3.41	4.75	TOTAL for year
No. of Rain Days	9	15	15	17	(5)	14	8	13	16	16	25	27 Total	23.90

179

9,000, IX. '10.

Lmade

Accum divided ~~La~~ by surr. stats 9·V·13.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 2 JAN 1913

E4 RR

Kept at Totterton Lydbury North

in the County of Shropshire 3

by N. H. Whitaker

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 8 · a.m

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.11			0.95	0.04	0.01	absent from Home x	0.01	0.01	0.17	1
2		0.02	0.25	0.01		0.30	0.09	1.19			0.02	0.03	2
3					0.16	0.25	0.03	0.19	(·03) 1·93 x			0.01	3
4	0.18		0.85	0.01	0.12	0.07					0.07	0.01	4
5	0.28	0.07	0.08		0.11	0.18		0.33			0.01	0.03	5
6	0.19	0.08	0.10		0.03	0.11	0.15	0.44			0.01		6
7		0.16	0.03		0.08	0.36		0.26	005		0.02		7
8	0.25	0.17	0.11	0.04		0.23		0.01	0.02			0.09	8
9	0.03	0.02	0.31	0.11		0.27	0.03	0.22	0.01			0.13	9
10	0.15	0.02	0.01				0.03	0.19			0.22	0.01	10
11	0.08		0.01				0 02	0.02			0.23	0.46	11
12	0.02	0.10	006	004			0.02	0.02				0.06	12
13	0.01	0.05	0.01					0.05	002	0.06		0.17	13
14	0.04	0.07	0.40					0.02		0.03		0.04	14
15	0.05	0.01			0.30							0.10	15
16			0.11						0,01	0.06		0.06	16
17	0.75	0.03	0.04					0.30		0.01	0.12	0.90	17
18	0.03		0.06					0.02		0.04	0.01	0.05	18
19	0.03	0.07	0.02		0.02		0.17			0.15		0.02	19
20	0.08		0.19		003		0.03	0.26		0.21	0.01	0.06	20
21	002	0.05	0.14				0.23	0.03		0.21			21
22	026	0.05	001		0.32		0.14	0.54			0.02	0.06	22
23	0.04	0.05	0.36		0.41			0.29		0.03		0.20	23
24	0.11		0.04			0.73	0.11	0.25		0.01	0.09	0.25	24
25			0.02			0.08	0.21	absent from Home	x		0.06		25
26		0.09	0.09			0.16			x	0.80	0.36	0.22	26
27		0.04	0.04			0.21	0.60		x	0.82	0.41	0.32	27
28		0.08				0.04	0.39		x 0.10	0.22	0.47	0.01	28
29		0.04					0.15		x 0.54	0.16		0.01	29
30			0.13			0.28	0.04		x	0.23		0.01	30
31			0.20		0.07		0.12	(1·90)		006		002	31
Total	2·60	1·27	3·78	0·21	1·65	4·16	2·60	~~4·62~~ (6·52)	~~2·68~~ (·78)	3·11	2·14	3·60	TOTAL for year 32·32
No. of Rain Days.	19	20	27	5	11	15	19	27	9	17	17	27	213

W. 8,000, X. '11.

DL 1

RE

Kept at Bishops

in the County of Shrop

by C. J. Grif

BISHOPS CASTLE

CASTLE ST

SHROPSHIRE

1911 - 1920

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

5 in.

Ground 2 ft. in.

Sea Level 720 ft.

Name

Distance Direction

IMPORTANT NOT the result entered to the
previous day. If an Ob versal rule, he is earnestly
requested to add the rea ar in the space provided
for it at the end of thi ment of rain,
the selection and placin ltish Rainfall
Organization are given in application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·12				·08	·04			·03		1
2					·10			·05		·05	·03	·15	2
3				·02	·41			·05	·03		·14	·06	3
4			·05					·15	·03	·02	·24	·23	4
5	·06		·03	·03				·20		·21	·03	·01	5
6	·18		·15					·08		·01	·14	·33	6
7	·01										·25	·29	7
8	·05		·10								·33	·22	8
9	·04		·20								·29	·45	9
10	·02	·08	·14									·05	10
11	·17										·34		11
12			·30						·60		·35	·20	12
13									·20	·01	·04		13
14		·02	·05									·70	14
15		·02	·08			·01					·11	·26	15
16		·01				·15					·07	·11	16
17		·02	·02			·76					·28	·37	17
18		·38	·04	·35		·09					·02	·30	18
19				·19		·33		·01	·36	·26	·10	·38	19
20	·01	·04		·06				·05	·20			·26	20
21		·25	·05			·01		·14	·03	·50		·02	21
22	·03	·03	·01			·03				·32	·04	·41	22
23	·01	·21	·12	·04		·17			·31	·05		·21	23
24		·06				·61		·07		·16		·18	24
25		·06		·04		·05			·10	·03		·12	25
26		·08		·25		·03				·46	·18	·06	26
27		·08	·20	·03				·50	·15		·06	·08	27
28		·21		·09	·05	·05					·02		28
29						·10	1·00	·03	·23	·36		·02	29
30			·05	·06		·10				·20	·04		30
31			·11		·35					·12			31
Total	·58	1·55	1·82	1·16	·91	2·49	1·08	1·37	2·24	2·76	3·13	5·47	TOTAL for year 24·56
No. of Rain Days	10	15	18	11	4	14	2	12	11	15	22	25	159

9,000, IX. '10.

8L / 11

RE

FORM A2.
BRITISH RAINFALL.
20 JAN 1912
370

Kept at Bishop

in the County of Shropshire 5

by C. J. Griffiths

5 in.

Ground 2 ft. in.

" " " Sea Level 720 ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·12				·08	·04			·03		1
2					·10			·06		·05	·03	·15	2
3				·02	·41			·05	·03		·14	·06	3
4			·05					·15	·03	·02	·24	·23	4
5	·06		·03	·03				·20		·21	·03	·01	5
6	·18		·15					·08		·01	·14	·33	6
7	·01										·25	·29	7
8	·05		·10								·33	·22	8
9	·04		·20								·29	·45	9
10	·02	·08	·14									·05	10
11	·17										·34		11
12			·30						·60		·35	·20	12
13									·20	·01	·04		13
14		·02	·05									·70	14
15		·02	·08			·01					·11	·26	15
16		·01				·15					·07	·11	16
17		·02	·02			·76					·28	·37	17
18		·38	·04	·35		·09					·02	·30	18
19				·19		·33		·01	·36	·26	·10	·38	19
20	·01	·04		·06				·05	·20			·26	20
21		·25	·05			·01		·14	·03	·50		·02	21
22	·03	·03	·01			·03				·32	·04	·41	22
23	·01	·21	·12	·04		·17			·31	·05		·21	23
24		·06				·61		·07		·16		·18	24
25		·06		·04		·05			·10	·03		·12	25
26		·08		·25		·03				·46	·18	·06	26
27		·08	·20	·03				·50	·15		·06	·08	27
28		·21		·09	·05	·05					·02		28
29						·10	1·00	·03	·23	·36		·02	29
30			·05	·06		·10				·20	·04		30
31			·11		·35					·12			31
Total	·58	1·55	1·82	1·16	·91	2·49	1·08	1·37	2·24	2·76	3·13	5·47	TOTAL for year 24·56
No. of Rain Days	10	15	18	11	4	14	2	12	11	15	22	25	159

9,000, IX. '10.

88 ✓

365

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Bishops Castle

in the County of Shropshire 3

by

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	,, ,, ,, Sea Level	ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13			·70	·03		·03			·20	1
2		·05	·37			·32	·14						2
3			·07		·14	·24		1·05	·03			·02	3
4	·14		·95		·15			·16	·02				4
5	·20	·08	·11		·14	·13		·25				·02	5
6	·18	·10	·05		·05	·29		·36				·03	6
7		·15	·07	·01	·08	·27		·08					7
8	·38	·20	·17			·58		·02	·02				8
9	·06		·25	·11		·23		·25			·02	·08	9
10	·20	·03	·03	·04		·55	·06	·26			·20		10
11		—					·02	·01			·15	·48	11
12	·03	·10	·09	·05				·05				·03	12
13	·03	·05						·10	·01			·18	13
14	·05		·37		·06	·06		·02	·01	·10		·04	14
15	·10	·07	·02		·16	·32		·01		·07		·13	15
16	·42		·15					·03	·02			·08	16
17	·75	·01	·04			·15		·25			·09	1·06	17
18			·06					·01		·03		·03	18
19	·05	·08	·03			·04	·22	·38		·15		·01	19
20	·05		·30		·02		·04	·02		·26		·03	20
21		·04	·13		·40			·50		·30			21
22	·30		·04		·36		·30	·38			·02	·05	22
23	·04	·13	·37				·07	·15			·09	·04	23
24	·09		·03				·04	·03			·05	·25	24
25						·15		·42			·32	·40	25
26		·12	·09			·16	·18	1·00		1·00	·50	·16	26
27		·04	·03			·33	·72			·80	·40	·26	27
28		·10		·02		·04	·25	·38	·12	·10			28
29		·03	·07			·02	·21	·07	·44	·15	·08	·03	29
30			·04			·22	·04			·33			30
31			·21		·04		·15			·08		·03	31
Total	3·07	1·38	4·27	·23	1·60	4·80	2·47	6·24	·70	3·37	1·92	3·64	TOTAL for year 33·69
No. of Rain Days.	17	17	27	5	11	19	15	26	9	12	11	23	192

W. 8,000, X. '11.

Dl ✓

Cndly B Hy own stats 30.III.14

REGISTER OF RAINFALL IN 1913

4DSS

FORM A.
BRITISH RAINFALL.

28 JAN 1914

319

Kept at Bishops Castle
in the County of Shropshire
by E Griffiths

3

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·08	·15	·05	·06				·20		·08		1
2	·01	·17	·08	·07					·11	·30	·12		2
3	·02	·01	·12		·45					·14		·15	3
4	·83	·06			·19		·05			·20	·05	·28	4
5	·50	·07	·08		·10	·38	·05			1·98	·05	·01	5
6	·13	·13	·29		·25	(·15) ·16	·17		·20	·10		·37	6
7	·03	·41	·02		·43	·13	·02			·65	·16	·03	7
8	·03	·11			·36	·07	·02	·05		·04		·02	8
9		·37	·02	·05	·11	·40		·50	·20		·15		9
10			·01	·04	·03		·02	·10		·32	·02	·03	10
11	·66			·43	·03					·03	·25		11
12	·28				·15	·06			·03		·26		12
13			·17	·03			·05	·05			·55		13
14			·42	·08				·05	·50		·06		14
15	·15		·71	·68				·17	·25	·11			15
16	·01		·48					·12					16
17		(·01) ·04	·08	·27			·02		·18		·16		17
18	·05		·25	·25			·07				·20	·01	18
19	·18		·25	·06	·02		·03		·03	·25	·15		19
20	·10		·10	·08						·36			20
21				·17	·09	·04	·18				·05		21
22			·87			·14		·43					22
23	·50		·02			~~·45~~		·03	·52		·11		23
24	·16				·01				·10		·04		24
25		·02		·10						·05	·03	·01	25
26		·13		1·30	1·23			·03	·30			·30	26
27	·03		·05	·32					·02	·46		·03	27
28	·15		·20	·35	·03					·12		·18	28
29	·01		·43	·41	·05			·02		·42			29
30	·20									·24	·18		30
31	·06		·40		·10					·03			31
Total	4·15	1·57 ✓	5·20	4·74	3·69	1·37	·68	1·55	2·64	5·80	2·66	1·42	YEAR'S TOTAL 35·47
Rain Days.	22	12	22	18	18	8	11	11	13 ~~14~~	18	19	12	184

W. 7,500, XI. ·12

88

cnd per auth 1·IV·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

364

28 JAN 1915

Kept at Bishops Castle

in the County of Shropshire 3

by E. Griffiths

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·05	·07	·02		·02	·33	1·30			·04	·15	1
2							1·36	·12			·23	·48	2
3	·01		·03	·07	·20		·07	·12			·01	·26	3
4	·20		·02	·13	·05		·14				·55	·64	4
5	·05		·06	·26	·15		·16				·14	·03	5
6	·09	·08		·06	·08	·01		·10			·02	·13	6
7		·10	·50	·03	·09	·06	·20	·12				·56	7
8	·03				·05	·51		·17	·09		·01	·02	8
9	·07	·04	·05	·18	·08	·75		·09	·10		·04		9
10	·03	·22		·24	·05	·27			·20				10
11		·34	·30	·03		·01	·35		·02		·44	·57	11
12		·88	·12				·09		·03		·20	·30	12
13		·17	·39	·02			·04		·12		·30	·12	13
14		·29	·10				·01		·08		·16		14
15	·01	·04	·33					·03	·05	·30	·05		15
16			·04				·03		·05	·20			16
17		·25	·09				·04		·05			·65	17
18			·10			·01	·05					·15	18
19		·01	·10				1·33				·09	·20	19
20		·30				·08	·08					·14	20
21		·35				·38	·07	·01		·20			21
22		·15	·02		·09	·07		·35		·19			22
23		·10	·05		·01	·03	·14	·24		·13		·05	23
24			·16	·02			·09	·24		·04	·05	·15	24
25	·08		·04				·10	·05		·42	·03		25
26		·03	·04							·07	·20	·45	26
27	·03									·10	·52	1·08	27
28	·27	·09	·09		·11					·27		·41	28
29	·04				·03			·02			·25		29
30			·05					·05		·06	·39	·54	30
31	·20						·13			·13		·10	31
Total	1·11	3·49 3·49	2·75	1·06	·99	2·20	4·81	3·01 ~~2·99~~	·79	2·11	3·72	7·18	YEAR'S TOTAL 33·22
Rain Days.	13	18	22	11	12	12	20	15	10	12	20	22	187

W.7,000, XI. 13

81 ✓ 2317 ~~354~~

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Bishops Castle

in the County of Shropshire

by E. Griffiths

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·85	·08	·02		·60			·05	·23	·27	·01	·15	1
2	·05	·18	·17	·10		·02		2·05	·03	·10		·16	2
3	·65	·03		·13			·50	·13		·01		·24	3
4	·02	·47			·17		·58					·95	4
5	·02	·45		·01		(·03)		·04				·40	5
6	·03	·03		·11			1·04	·12				·20	6
7	·19	·38		·04				·10				·35	7
8	·19	·38		·20				·04			·20		8
9	·30	·23		·23				·02			·05	·75	9
10	·40	·03		·20						·05	·05		10
11	·05		·02	·02	·04		·07	·05			1·03	·07	11
12	·03	·08	—	·11	·35			·03		·30	·90	·04	12
13		·75		·02	(·39) ·39			·08			·03	·02	13
14				—	·10			·24	·11	·02	·12	·23	14
15	·57				·37		·15	·03				·08	15
16	·15	·50			·50		·94	·01					16
17		·55	·02					·02				·03	17
18		·40	·03										18
19				·09	·07		·24						19
20	·10			·03	·03							·03	20
21	·19	·02					·20	·04		·10			21
22		·02	·09	·06			·09			·05		·14	22
23		·05	·10				·04			1·11		·40	23
24				·07			·38		·18	·58	·04	·37	24
25			·05			·23	·09			·01		·19	25
26		·15					·24		·08			·55	26
27		·08				·07	·18			·28		·30	27
28		·53	·03			·03			·05	·05			28
29					·02	·10		·20		·04	·15	·08	29
30	·08			·03		·39	·05	·02	·04	·32	·10	·24	30
31							·11	·04		·13		·58	31
Total	3·87	5·39	·53	1·45	2·64 ✓	·87 ✓	4·90	3·31	·72	3·42	2·68	6·55	YEAR'S TOTAL 36·33 ✓
Rain Days.	17	21	9	16	11	7	16	19	7	16	11	24	174

W. 8,000. X. 14.

2327

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Bishops Castle
in the County of Herefordshire Shropshire
by E. Griffiths

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25	·01	·11		·04	·02	·20			·23	·20		1
2	·30	·11	·32				·20		25	·80	·03		2
3		·70				·02	·31		·20	·21	·25	·03	3
4	·08	·35		·03	·58	·33			·04	17	·50		4
5			·02		·35	·05				·20	·14		5
6	·08	·25			·18	·03	·31		·02	·14	·30		6
7	·11		·15		·11					·17	·20	·22	7
8	·07	·06	·17		·20					·07	·02	·13	8
9					·15	·30					·05	·02	9
10	·04	·40		·02		·04			·02				10
11	·03	·06	·12	·08	·05	·02	·06		·02			·02	11
12	·05	·02	·07		·30		·08	·11					12
13		·18	·12	·09	·04			·33		·05		·10	13
14		·33	·03	·04	·03			·20		·14			14
15		·60	·15	·20	·05			·27	·02	·02			15
16		·07		·25				·08		·05			16
17	·07	·10		·13				·04	25	·33			17
18	·04	·08	·14	·06				·03	·25	·04	·40	·14	18
19	·08		·57	·49				·05			·07		19
20	·08		·50									·10	20
21	·02		·35	·03			·04					·02	21
22			·01			·02				·15		·20	22
23			·01	·04		·02		·13		·02	·10	·30	23
24		·47			1·34	·02		·14		·27			24
25			·30		·05			·14		·02	·30	·18	25
26	·05	·15	·03			·28		·15		·45	·08		26
27	·02	·15	·45		03			·25	63	1·30	·04		27
28		·25	·02		·09	·02			·04	·30		·18	28
29		·10	·07		·01	·40		·22		·20		·28	29
30		X	·02			·09		·05		·29		·01	30
31		X		X		X		·03	X	·11	X	·01	31
Total	1·37	4·44	3·73	1·46	3·60	1·66	1·20	2·22	1·74	5·73	2·68	1·94	YEAR'S TOTAL 31·77
Rain Days.	16	20	22	12	17	15	7	16	11	24	15	16	191

W. 8,000. X. 15.

2213
299

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Bishops Castle

in the County of Shropshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·05	·35		·23		·11	·29		·02	·01	1
2				·03		·06					·12	·03	2
3		·02		·15						·15	·03	·02	3
4		·05	·13					·04		·35			4
5	·07		·40	·28				·03	·03	·20	·10		5
6						·06				·19	·26	·04	6
7	·14		·27				·05	·10		·14	·05	·10	7
8	·58			·13			·08	·40		·31	·09		8
9			·22	·09	·12			·07	·05	·15	·18	·09	9
10	·52		·47	·24	·07			·16		·03			10
11	·07			·10				·15		·32	·05		11
12	·06			·05	·94			·03	·04	·31			12
13			·05	·05				·50	·07	·02			13
14	·06		·08	·02				·07		·05	·03	·05	14
15					·10		·45	·03		·16		·25	15
16		·05		·10		·17	·15	·43		·05		·45	16
17					·29	·39	·10	·08	·17			·45	17
18			·08	·03	·18		·30		·20		·03		18
19		·41	·19			·23			·35		·02		19
20		·15			·55	·23		·04	·15				20
21			·15		·09	·05		·03		·06	·04		21
22	·03				·18	·09		·37		·08			22
23		·20			·22	·01	·01	·14	·02	·14			23
24		·02	·01			·10		·03		·25	·06		24
25		·06	·06					·04		·15	·12		25
26						·20	·01	·70	·13	·07	·03		26
27			·01		1·05	·30	·20	·70					27
28			·08				·06	·23				·02	28
29			·15		·11			·02		·39		·22	29
30		×						·32		·06			30
31		×	·05	×	·10	×		·23	×	·01	×		31
Total	1·53	·99	2·45	1·62	4·00	2·12	1·41	5·05	1·50	3·64	1·23	1·73	YEAR'S TOTAL 27·27
Rain Days.	8	9	17	13	13	13	10	26	11	23	16	12	171

·11

W. 8,000, VIII. 16

82 81 ~~283~~ 13

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

30.1.19

Kept at Bishops Castle

in the County of Shropshire

by E. Griffiths

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·04	·03			·07	·01	·03	·78		1
2		·04						·20				·28	2
3		·05		·02	·53			·10	·63	·05			3
4	·02	·03					·03	·05	·82	·33	·60	·32	4
5		·05	·03	·08	·50			·10	·10	·25	·04	·02	5
6	·02	·28	·01	·32		·03			·04	·29			6
7		·10			·52	·03			·24	·09	·19		7
8	·08	·40					·02		·20	·13	·05		8
9	·12	·67		·18		·20	·03		·44	·03	·06	·03	9
10	·05	·14		·12			·16		·05	·04	·10	·14	10
11	·03	·04		·02	·04		·36		·40		·06	·07	11
12		·04	·03		·13		·23					·04	12
13					·02					·08		·03	13
14	·43		·02			·04	·39	·01		·03		·24	14
15	·46						·68				·01	·32	15
16	·10			·26		·08	·02	·04				·23	16
17	·50				·23	·13	·06	·01		·21		·18	17
18	·42		·04			·18	·05			·03		·53	18
19	·11	·02	·10	·03		(·14)	·08			·03		·14	19
20	·30	·12		·10			·40			·03			20
21	·10	·06		·60	·18	·03	·06					·12	21
22	·02				·12		·10		2·12	·04		·31	22
23					·31		·06		·10		·03	·03	23
24		·12					·03	·04	·06		·09		24
25					·06	·06	·27	·32		·03	·03	·03	25
26							·14	·02			·04	·15	26
27	·03	·05	·11				·02	·34	·28		·02	·10	27
28		·09	·47						·01		·13	·35	28
29			·09						·44		·02	·08	29
30		X	·22					·02	·04		·03	·16	30
31		X	·40	X		X		·03	X		X		31
Total	2·79	2·30	1·52	1·77	2·67	·88	3·19	1·35	5·98	1·72	2·28	3·90	YEAR'S TOTAL 30·35
Rain Days.	16	17	11	11	12	10	20	14	(27)	17	17	23	(195)

W. 8,000, IX. 17.

DL 5 W DL

2071
~~261~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Bishops Castle
in the County of Shropshire
by E. Griffiths

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35		.04		.10		.30				.07	.45	1
2	.20		.08	.02	.02		.09		.04	.10	.09	.07	2
3			.02		.05	.15	.20		.04	.01	.02	.12	3
4			.30				.42	.03	.05		.03	.18	4
5		.32					.03		.04		.05	.50	5
6	.19	.04	.24								.03	.20	6
7	.12		.02	.10	.03								7
8	.35		.07	.02		.03							8
9	.28		.01	.03									9
10	.12		.40							.05	.08	.20	10
11			1.30	.03	.05		.40			.09		.02	11
12	.03		.75	.02		.35			.01	.02	.04		12
13	.19			.15					.68	.14			13
14	.38	.02		.40			.07		(.02)	.06			14
15	.30	.04		.12	.13					.07		.55	15
16	.24	.53		.03				.25			.04		16
17	.07	.70		.02		.03	.02	.14			.29		17
18		.20	.65				.02	.30			.03	.04	18
19	.15		.74			.07	.72	.22	.18		.11	.03	19
20	.20	.03	.21			.06		.09	.08		.12	.14	20
21		.25	.02			.04	.32					.10	21
22		.26					.02		.50		.03	.24	22
23						.03		.04		1.14	.04	.04	23
24					.12	.04				.70	.19	.40	24
25	.04			.14	.06	.04		.32	.03	.02	.09	.05	25
26		.02	.11	.18		.07	.08	.13	.10			.42	26
27	.04	.02	.04	.37				.25	.05		.14	.03	27
28	.13		.09	.12				.66				.30	28
29				.10		.03		.03		.23	.03	.23	29
30		X	.02	.04		.09		.03			.18	.23	30
31	.04	X	.01	X		X			X		X		31
Total	3.42	2.43	5.12	1.89	.56	1.03	2.69	2.49	1.82	2.63	1.70	4.54	YEAR'S TOTAL 30.32
Rain Days.	19	12	20	17	8	13	13	13	13	12	20	22	182

W, 6,500, VII. 18. W W C

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Bishops Castle, Castle Street
in the County of Shropshire
by E. Griffiths

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge ....in.
Height of top of Gauge above Ground ....ft........in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·20	29		·42	·09	·10	·28		·42	1
2	·03			·21	·03	/	·23		·07	·19		·17	2
3	·06	·03		·22		·03	·83		·10	·82		·09	3
4				·02			·02	·25	·02	·60			4
5			·09	·85	·05		·27	·05		·09			5
6			·35	·03			·10			·32	·03	·03	6
7			·04	·09			·16						7
8	·26	·02		·63	·15		·25	·10					8
9	·54	·13		·53			·02	·02					9
10	·42	·30	·02			·22	·28					·05	10
11	·12	·11	·25	·50	·20	·07	·05						11
12	·20		·04	·26		·69	·05	·06			·10	·09	12
13	·10	·04	·12	·27		·04							13
14	·05		·54	·25		·22	·05		·40	·17	·38		14
15		·17	·05	·56		·29			·02	·25	·10		15
16			·02	·02	·32	·10			·30	·75	·10		16
17	·03				·34	·12	·35	·02	·38	·05			17
18	·19				·13	·04		·04	·24				18
19	·10	·90		·10	·10	·04	·01	·08	·05				19
20				·14		·05						·07	20
21				·04		·02		·02				·14	21
22	·10			·10			·14	·25				·05	22
23			·05				·13	·08				·43	23
24	·06		·44				·24				·02	·12	24
25	·02	·06	·07	·10	·02								25
26	·21	·02	·64		·21		·44				·07	·06	26
27	·32		·58	·05	·13	·20	·05				·05	·37	27
28	·70		·23	·02	·04	·10	·19					·09	28
29	·18		·25	·02	·74	·05					·10	·63	29
30	·05	X	·22	·25	·09	·12	·20		·30		·20	·20	30
31	·06	X	·02	X	·04	X	·03	·02	X	·43	X	·04	31
TOTAL	3.80	1.78	4.05	5.46	2.88	2.40	4.51	1.08	1.98	3.95	1.15	3.05	YEAR'S TOTAL 36.09
Days with ·01 in. or more	21	10	20	24	16	17	23	13	11	11	10	17	193
	18	7	16	19	14	15	19	9	9	11	8	16	161

(44083). Wt. 11958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGI ORGANIZATION.

REGI 1920

SHROPSHIRE.

BISHOPS CASTLE.

"CLAREMOUNT"

1920

4 JAN 1921

Kept at Claremo

Long. 2.59.50

9 a.m.

tion Bishops Castle

in the County of Sal

of Rain Gauge..................in.

ge above Ground..........ft..........in.

,, Sea Level..................ft.

by Richard

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.27	.34	—	.48	.10	.03	.17	—	.41	1
2	—	—	—	.12	.02	—	.22	—	.14	.22	—	.13	2
3	.07	.03	—	—	—	.02	.94	—	.09	.72	—	.05	3
4	—	—	—	—	—	—	.02	.21	.01	.69	—	—	4
5	—	—	.09	.36	.06	—	.22	.05	.01	.10	—	—	5
6	—	—	.37	.04	.09	—	.14	—	—	.35	.01	—	6
7	—	—	.02	.08	—	—	.15	—	—	—	—	.02	7
8	.26	.05	—	.61	.16	—	.25	.10	—	—	—	—	8
9	.46	.11	—	.55	—	—	.15	.01	—	—	—	—	9
10	.08	.21	—	—	~~.22~~	.22	.14	—	—	—	—	.03	10
11	.02	—	.16	.42	.20	.07	.05	—	—	—	—	—	11
12	.19	.01	.03	.36	—	.71	.07	.06	—	.03	.09	—	12
13	.19	.03	—	.27	—	.20	—	—	—	—	.04	—	13
14	.05	—	.77	.15	—	.07	.02	—	.38	.31	.28	.11	14
15	—	—	.05	.65	.15	.29	.03	—	.07	.11	.08	—	15
16	—	—	—	.01	.10	.09	.34	—	.31	.75	.07	—	16
17	.02	—	—	—	.25	.07	—	.02	.39	.04	—	—	17
18	.20	—	—	—	.18	.04	—	.04	.24	—	—	—	18
19	.11	.86	—	.18	.10	.04	—	.07	.06	—	—	—	19
20	—	.05	—	.06	—	.06	—	—	—	—	—	—	20
21	—	—	—	.08	—	.02	.13	.01	—	—	—	.21	21
22	.09	—	—	.07	—	—	.11	.22	—	—	—	—	22
23	—	—	.06	—	—	—	.24	.11	—	—	—	.55	23
24	.05	—	.41	.02	—	—	—	.03	—	—	—	—	24
25	—	.04	.08	.08	—	—	.42	—	—	—	—	.13	25
26	.21	.01	.63	.02	.17	—	.09	—	—	—	.05	.06	26
27	.30	—	.51	.04	.13	.18	.24	—	—	—	.09	.36	27
28	1.08	—	.23	.01	.02	.06	—	—	—	—	.08	.13	28
29	.18	—	.24	.01	.71	.10	.21	—	—	—	.09	.60	29
30	.05	✕	.27	.26	.09	.09	—	—	.30	—	.18	.21	30
31	.05	✕	.01	✕	.04	✕	.03	—	✕	.40	✕	.03	31
TOTAL	3.66	1.40	3.93	4.72	2.81	2.33	4.69	1.03	2.03	3.89	1.06	3.03	YEAR'S TOTAL 34.58
Days with ·01 in. or more	19	10	16	24	17	17	23	13	12	12	11	15	189
Days with ·04 in. or more	17	6	13	19	15	15	19	9	9	11	10	12	155

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGI ORGANIZATION.

4 JAN 1921

REGISTER OF RAINFALL IN 192

Kept at Claremont Bishops Castle

in the County of Salop

by Richard Parry

Lat. 52·29·15 Long. 2·59·50

Time of Observation 9 a.m.

Nearest Railway Station Bishops Castle

Diameter of Funnel of Rain Gauge ......in.

Height of top of Gauge above Ground ......ft. ......in.

" " " " Sea Level ......ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·27	·34	—	·48	·10	·03	·17	—	·41	1
2	—	—	—	·12	·02	—	·22	—	·14	·22	—	·13	2
3	·07	·03	—	—	—	·02	·94	—	·09	·72	—	·05	3
4	—	—	—	—	—	—	·02	·21	·01	·69	—	—	4
5	—	—	·09	·36	·06	—	·22	·05	·01	·10	—	—	5
6	—	—	·37	·04	·09	—	·14	—	—	·35	·01	—	6
7	—	—	·02	·08	—	—	·15	—	—	—	—	·02	7
8	·26	·05	—	·61	·16	—	·25	·10	—	—	—	—	8
9	·46	·11	—	·55	—	—	·15	·01	—	—	—	—	9
10	·08	·21	—	—	~~·22~~	·22	·14	—	—	—	—	·03	10
11	·02	—	·16	·42	·20	·07	·05	—	—	—	—	—	11
12	·19	·01	·03	·36	—	·71	·07	·06	—	·03	·09	—	12
13	·19	·03	—	·27	—	·20	—	—	—	—	·04	—	13
14	·05	—	·77	·15	—	·07	·02	—	·38	·31	·28	·11	14
15	—	—	·05	·65	·15	·29	·03	—	·07	·11	·08	—	15
16	—	—	—	·01	·10	·09	·34	—	·31	·75	·07	—	16
17	·02	—	—	—	·25	·07	—	·02	·39	·04	—	—	17
18	·20	—	—	—	·18	·04	—	·04	·24	—	—	—	18
19	·11	·86	—	·18	·10	·04	—	·07	·06	—	—	—	19
20	—	·05	—	·06	—	·06	—	—	—	—	—	—	20
21	—	—	—	·08	—	·02	·13	·01	—	—	—	·21	21
22	·09	—	—	·07	—	—	·11	·22	—	—	—	—	22
23	—	—	·06	—	—	—	·24	·11	—	—	—	·55	23
24	·05	—	·41	·02	—	—	—	·03	—	—	—	—	24
25	—	·04	·08	·08	—	—	·42	—	—	—	—	·13	25
26	·21	·01	·63	·02	·17	—	·09	—	—	—	·05	·06	26
27	·30	—	·51	·04	·13	·18	·24	—	—	—	·09	·36	27
28	1·08	—	·23	·01	·02	·06	—	—	—	—	·08	·13	28
29	·18	—	·24	·01	·71	·10	·21	—	—	—	·09	·60	29
30	·05	✕	·27	·26	·09	·09	—	—	·30	—	·18	·21	30
31	·05	✕	·01	✕	·04	✕	·03	—	✕	·40	✕	·03	31
TOTAL	3·66	1·40	3·93	4·72	2·81	2·33	4·69	1·03	2·03	3·89	1·06	3·03	YEAR'S TOTAL 34·58
Days with ·01 in. or more	19	10	16	24	17	17	23	13	12	12	11	15	189
Days with ·04 in. or more	17	6	13	19	15	15	19	9	9	11	10	12	155

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

82

370

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

SHROPSHIRE.
BITTERLEY
T~~ITTERSTONE~~ CLEE
HILL QUARRY.

1912 – 1914

REG 1912

Kept at Titterstone

in the County of Shropsh

by J. C. Mackay.

top in.
above Ground ft. in.
„ Sea Level 1510 ft.

ion { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·08		·03			·11	1
2							·21	·01	·04			·04	2
3							·10	·94				·05	3
4								·11	·05		·18	·01	4
5								·25	·01		·04	·02	5
6								·67	·01		·01	·06	6
7								·32	·01			·02	7
8								·03				·01	8
9							·03	·25	·07			·44	9
10							·01					·01	10
11								·08			·18	·66	11
12							·02				·11	·02	12
13								·17		·04	·01	·05	13
14								·18	·02				14
15								·01	·08		·01	·05	15
16								·05		·06	·01	·01	16
17								·36			·11	·58	17
18							·01	·04		·03	·01	·02	18
19								·45	·02	·05	·02	·01	19
20							·16	·02		·19	·03	·02	20
21							·33	·59		·29	·02	·01	21
22							·05	·28	·02		·02	·11	22
23							·24	·22		·01	·08	·03	23
24							1·22	·05			·04	·34	24
25							·03	1·03			·23	·28	25
26							·12	·93		1·05	·16	·10	26
27							·39			·73		·35	27
28							·59	·61	·17	·26	·64	·13	28
29							·29	·18	·54	·04	·02	·03	29
30							·13			·21		·01	30
31							·40			·05		·22	31
Total	4·46	2·47	4·57	·17	3·47	6·35	4·41	7·83	1·07	3·01	1·93	3·80	TOTAL for year 43·54
No. of Rain Days.	20	23	29	6	16	24	19	25	13	13	20	30	238

W. 8,000, X. '11.

8L ✓

370a

FORM A2. BRITISH RAINFALL.

25 JAN 1913

REG [redacted] 1912

Kept at Titterstone Clee Hill Quarry

in the County of Shropshire 3

by J. C. Mackay. G. Sutherland

RAIN GAUGE	Pattern
	Diameter of top ... in.
	Height of top above Ground ... ft. ... in.
	„ „ „ Sea Level 1510 ft.
Time of Observation	
Nearest Railway Station	Name
	Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·08		·03			·11	1
2							·21	·01	·04			·04	2
3							·10	·94				·05	3
4								·11	·05		·18	·01	4
5								·25	·01		·04	·02	5
6								·67	·01		·01	·06	6
7								·32	·01			·02	7
8								·03				·01	8
9							·03	·25	·07			·44	9
10							·01					·01	10
11								·08			·18	·66	11
12							·02				·11	·02	12
13								·17		·04	·01	·05	13
14								·18	·02				14
15								·01	·08		·01	·05	15
16								·05		·06	·01	·01	16
17								·36			·11	·58	17
18							·01	·04		·03	·01	·02	18
19								·45	·02	·05	·02	·01	19
20							·16	·02		·19	·03	·02	20
21							·33	·59		·29	·02	·01	21
22							·05	·28	·02		·02	·11	22
23							·24	·22		·01	·08	·03	23
24							1·22	·05			·04	·34	24
25							·03	1·03			·23	·28	25
26							·12	·93		1·05	·16	·10	26
27							·39			·73		·35	27
28							·59	·61	·17	·26	·64	·13	28
29							·29	·18	·54	·04	·02	·03	29
30							·13			·21		·01	30
31							·40			·05		·22	31
Total	4·46	2·47	4·57	·17	3·47	6·35	4·41	7·83	1·07	3·01	1·93	3·80	TOTAL for year 43·54
No. of Rain Days.	20	23	29	6	16	24	19	25	13	13	20	30	238

W. 8,000, X. '11.

Sl ✓

REGISTER OF RAINFALL IN 1913

37.8

FORM A. BRITISH RAINFALL.

28 JAN 1914

Ex'd JKW

Kept at Titterstone

in the County of Salop

3

by J. R. Burton

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01	·03	·12	·03	·03						·11	·02	1
2	·01	·08	·09	·05					·10	·46	·13	·03	2
3	·03	·12	·07	·01	·63				·01			·04	3
4	·99	·05	·02		·36				·11	·34	·08	·15	4
5	·14	·09	·01		·07	·23	·14		·03	1·54	·04	·04	5
6	·07	·12	·16		·34	·23	·16		·02	·66		·42	6
7	·04	·48	·01		·22	·09	·11			·43	·23	·03	7
8	·04	·16	·01	·01	·16	·25	·02	·06		·15		·03	8
9	·01	·41	·06	·03	·11	·21	·03	·57			·13		9
10	·05			·16	·18			·09	·12	·01	·07		10
11	·21			·37	·06			·15	·01	·16	·33	·06	11
12	·04				·17			·01	·06		·42		12
13	·16		·20	·01	·02		·01		·23	·01	·29		13
14	·07		·66	·10				·09	·04	·13	·03		14
15	·02	·03	·43	·84					·16		·07	·03	15
16	·05	·02	·49	·01					·02				16
17	·02	·04	·15	·12			·13		·08		·05		17
18	·03		·36	·11			·08				·02	·03	18
19	·10		·04	·03					·25	·06	·02		19
20	·12		·24	·10	·02	·02				·09	·50	·01	20
21			·05	·11	·08		·27	·05			·14		21
22	1·13		·72			·11		·92	·75				22
23	·04		·01			·02		·02	·07		·08		23
24	·13			·06				·04		·01	·03		24
25		·02		·12					·10	·03	·04		25
26		·07		·33				·17	·05	·01		·12	26
27	·03	·02	·10	·19						·14			27
28	·26		·21	·41	·11					·35	·02		28
29	·02			·57	·01			·04		·07		·15	29
30	·24		·59						·02	·83	·22		30
31	·03		·42		·12					·02			31
Total	4·09	1·74	5·22	3·77	2·69	1·16	·95	2·21	2·23	5·50	3·05	1·16	YEAR'S TOTAL 33·77
Rain Days.	28	15	24	22	17	8	9	12	19	20	22	14	210

W. 7,500, XI. ·12

cnd for pr. W.D. 1·IV·15 Ex DL

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.

11 JAN 1915

Kept at Titterstone (Bitterley)
in the County of Shropshire 3
by Messrs. Field & Mackay
per Mr. John McQueen

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ludlow
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 1510 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	0·05	0·02	0·01	-	0·05	-	0·23	-	-	0·08	0·12	1
2	-	0·01	-	0·15	-	-	0·68	0·30	-	-	0·03	0·16	2
3	-	0·01	-	0·16	0·18	-	0·34	0·41	-	-	0·55	0·22	3
4	0·16	0·01	0·08	0·08	0·01	-	0·01	0·21	-	-	-	0·16	4
5	0·13	-	0·08	0·16	0·08	-	0·29	0·04	-	-	0·80	0·53	5
6	0·06	0·16	0·01	0·01	0·11	0·02	0·08	0·01	-	-	0·30	0·14	6
7	-	0·09	0·34	0·02	0·10	0·05	0·04	-	-	-	0·18	0·16	7
8	0·05	-	-	0·04	0·05	0·68	0·22	0·08	0·02	-	-	0·20	8
9	0·15	0·06	0·08	0·12	0·11	1·34	-	0·24	~~0·02~~	-	-	.	9
10	0·4	0·13	0·03	0·25	0·06	0·04	-	0·15	0·11	-	-	-	10
11	-	0·15	0·34	.	0·04	0·04	-	-	0·30	-	.	.	11
12	-	0·22	0·15	0·01	-	0·02	-	-	0·01	-	0·26	0·30	12
13	-	0·16	0·14	-	-	-	0·02	-	-	0·56	.	0·53	13
14	-	0·43	0·14	-	-	-	0·13	-	0·25	0·09	0·14	0·50	14
15	0·04	0·04	0·07	-	-	-	0·02	-	0·04	0·07	0·21	0·10	15
16	0·01	0·21	0·03	-	-	-	-	-	0·01	-	0·06	-	16
17	.	0·01	0·24	-	-	-	-	-	0·09	-	.	-	17
18	0·01	-	0·20	-	-	-	-	-	0·01	-	.	0·58	18
19	-	0·03	0·08	-	-	-	0·05	-	-	-	.	0·15	19
20	-	0·15	0·14	-	-	#	0·75	-	-	#	0·18	.	20
21	-	0·28	-	-	-	0·08	-	-	-	0·20	-	.	21
22	-	0·07	0·02	-	0·36	0·15	0·03	0·03	-	0·49	-	.	22
23	-	0·16	0·08	-	-	0·11	-	0·24	-	-	-	.	23
24	0·01	-	0·10	0·01	0·03	0·01	0·14	-	-	-	-	.	24
25	0·09	-	0·08	-	.	-	0·02	0·22	-	0·25	.	.	25
26	-	-	-	-	-	-	0·03	0·42	-	0·45	0·20	.	26
27	0·06	0·02	0·18	-	-	-	0·02	0·07	-	0·12	0·51	0·50	27
28	0·04	0·07	0·08	-	0·06	-	0·02	-	-	0·11	.	0·90	28
29	0·04	-	0·21	-	0·15	-	0·05	-	-	-	0·01	0·33	29
30	0·02	X	0·01	-	-	-	-	-	-	0·33	0·26	(-) 0·21	30
31	0·28	X	-	X	-	X	-	-	X	0·10	X	0·10	31
						-	23	-	-	·08	·12		YEAR'S TOTAL
Total	1·19	2·52	2·99	1·02	1·34	2"·62	~~2"·94~~ 3·17	~~2·65~~ 2·42	0·84	~~2"·44~~ 2·85	~~3·44~~ 3·81	~~5·89~~ 5·77	30·57
Rain Days.	16	22	25	12	13	12	20 ~~19~~	~~14~~ 13	9	~~11~~ 12	15	~~19~~ 18	187

W. 8,000. X. 14.

1

2269/5.

BITTERLEY RECTORY

1911 - 20.

8 - JAN 1912

Rainfall

509

	Oct.	Nov.	
1		0.03	
2		0.11	
3		0.09	
4		0.09	0.33
5		0.03	–
6		0.02	0.26
7		0.26	–
8		0.18	0.57
9		0.51	0.07
10		–	0.32
11		0.30	0.12
12		0.21	–
13		0.02	0.62
14		–	0.71
15		0.13	0.26
16		0.10	0.06
17		0.22	0.63
18		0.01	0.25
19		0.07	0.21
20		–	0.60
21		–	0.08
22		0.03	0.58
23		–	0.22
24		–	0.26
25		–	0.10
26		0.17	0.07
27		0.16	0.04
28		0.18	–
29	0.23	0.05	–
30	0.24	0.01	–
31	0.07		–
	~~54~~	2.98	6.52 ✓

/

Rainfall at Bitterley Rectory. 1911.

Salop.

8 - JAN 1912

5 in

1' 3"

509'

	Oct.	Nov.	Dec.
1		0·03	0·11
2		0·11	—
3		0·09	0·05
4		0·09	0·33
5		0·03	—
6		0·02	0·26
7		0·26	—
8		0·18	0·57
9		0·51	0·07
10		—	0·32
11		0·30	0·12
12		0·21	—
13		0·02	0·62
14		—	0·71
15		0·13	0·26
16		0·10	0·06
17		0·22	0·63
18		0·01	0·25
19		0·07	0·21
20		—	0·60
21		—	0·08
22		0·03	0·58
23		—	0·22
24		—	0·26
25		—	0·10
26		0·17	0·07
27		0·16	0·04
28		0·18	—
29	0·23	0·05	—
30	0·24	0·01	—
31	0·07		—
	~~54~~	2·98	6·52 ✓

DL

FORM A2. BRITISH RAINFALL.

25 JAN 1913

37°

REGISTER OF RAINFALL IN 1912

Kept at Bitterley Rectory, Ludlow

in the County of Shropshire 3 Ext M

by Rev. Preb. J. R. Burton

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
„ „ „ Sea Level 509 ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·14	·02	·03			·18	1
2							·16					·02	2
3							·07	·78	·02		·02	·03	3
4								·20			·20		4
5								·21	·02		·01		5
6								·52				·06	6
7							·02	·12	·02			·01	7
8									·03				8
9								·23			·01	·44	9
10								·06			·16		10
11											·16	·68	11
12								·02				·02	12
13								·18	·01	·02	·02	·02	13
14								·10	·04				14
15								·01			·01	·06	15
16								·02		·05	·02	·05	16
17								·30			·11	·61	17
18								·08		·01	·02	·02	18
19							·17	·73		·04		·01	19
20							·02		·01	·24	·01		20
21							·02	·55		·27			21
22							·14	·27				·09	22
23							·84	·17		·01	·08	·02	23
24							·04	·02			·03	·37	24
25								·68			·26	·35	25
26							·31	·89		·84	·22	·13	26
27							·47			·82		·15	27
28							·26	·49	·10	·27	·65	·25	28
29							·13	·11	·60	·06	·10	·04	29
30							·07			·22		·01	30
31							·20	·02		·02		·13	31
Total	4·03	1·60	4·67	·11	2·33	4·39	3·06	6·78	·88	2·87	2·09	3·75	TOTAL for year 36·56
No. of Rain Days.	20	20	28	4	15	22	16	25	10	13	18	24	215

W. 8,000, X. '11.

cor for arith 6·III·13

~~46~~ 571

FORM A.
BRITISH RAINFALL.

9 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Stokesay Court Gardens

in the County of Shropshire 3

by J K Francis, Gardener.

Lat. 52·24·0 Long. 2·38·50

Time of Observation 9 a.m.

Nearest Railway Station Onibury

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 431·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·09			0·57						0·18	1
2			0·18			0·30	0·09					0·01	2
3			0·10		0·21	0·17		1·20				0·04	3
4	0·15		0·65		0·15			0·37	0·04		0·16		4
5	0·36		0·23		0·07	0·04		0·25					5
6	0·07	0·15	0·03		0·02	0·42		0·42				0·09	6
7		0·45			0·13	0·54		0·05				0·03	7
8	0·37	0·20	0·30			0·08	0·05						8
9			0·45	0·08		0·30		0·29			0·01	0·33	9
10	0·48					0·07	0·04	0·20			0·22		10
11		0·08					0·01				0·25	0·45	11
12	0·04		0·15			0·08		0·05					12
13		0·20											13
14	0·02		0·59			0·11		0·06				0·10	14
15	0·07	0·10			0·44	0·30		0·03	0·04				15
16	0·80				0·03	~~0·05~~		0·04				0·16	16
17	0·94		0·13			0·09		0·29			0·09	0·76	17
18	0·06		0·28					0·06			0·01	0·04	18
19	0·09	0·15			0·02		0·13	0·73		0·01		0·05	19
20	0·03	0·01	0·42				0·04	0·02		0·20		·	20
21	0·02				0·62			0·56				0·02	21
22	0·22	0·09	0·11		0·28	0·03	0·25	0·27					22
23	0·08	0·24	0·40			0·05	0·48				0·08	0·09	23
24						0·38						0·30	24
25			0·07			0·07		0·77			0·32	0·41	25
26							0·30	0·75		1·35	0·41	0·19	26
27						0·34	0·69			1·15		0·22	27
28			0·06				0·27	0·40	0·07	0·15	0·63	0·14	28
29						0·08	0·19	0·10	0·73	0·14			29
30			0·07			0·15	0·06			0·19			30
31			0·39		0·14		0·20	0·04					31
Total	3·80	1·72 1·72	4·70	0·08	2·11	4·17	2·80	6·45	0·88	3·19	2·18	3·61	YEAR'S TOTAL 36·19
Rain Days.	16	10	19	1	11	20	14	22	4	7 ~~8~~	10	19	153

W. 7,500, XI. 12

82 ✓

378

FORM A.
BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Bitterley Rectory Est D.S.

in the County of Salop 3

by J. R. Burton

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·01	·16	·03	·02				·09		·14	·01	1
2		·09	·05	·05					·02	·36	·14	·01	2
3	·02	·06	·06	·01	·56				·06	·02		·12	3
4	·98	·02			·30				·11	·30	·08	·20	4
5	·16	·08	·01		·08	·11	·09		·02	1·73	·04	·02	5
6	·04	·11	·23		·38	·16	·11			·33		·31	6
7		·54	·01		·16	·11	·11			·61	·25	·03	7
8	·02	·11		·01	·13	·25	·02	·07		·10	·02	·01	8
9		·40	·04	·03	·12	·16	·01	·56	·15		·07	·02	9
10	·17		·01	·09	·09	·01		·06	·01	·11	·03		10
11	·39			·40	·03	·01		·02		·03	·42	·01	11
12				·01	·14				·04		·37		12
13	·03		·20	·02	·02			·04	·31		·20		13
14	·25	·01	·61	·05			·03	·03	·05	·11	·02		14
15	·03	·01	·59	·95					·16		·08	·01	15
16	·02	·01	·49	·02				·02	·01		·01		16
17		·02	·17	·12		·02	·15		·06		·02		17
18	·02		·26	·12	·01		·07		·01		·02	·02	18
19	·12		·08	·06	·01	·01	·05		·13	·07		·01	19
20	·07		·30	·09			·02		·01	·06	·44		20
21			·06	·10	·06		·19	·01		·01	·27		21
22	·65		·78		·01	·11	·01	·76	·62				22
23			·02			·01		·01	·06		·07		23
24	·15	·01		·05		·01		·07			·02		24
25				·11					·10	·02	·01	·02	25
26		·03		·21				·15	·03			·17	26
27	·03		·02	·20				·01		·24		·01	27
28	·16		·25	·47	·07					·44		·12	28
29	·01		·61	·54	·03			·10		·07		·01	29
30	·18		·01					·01		·71	·19		30
31	·02		·32		·07			·02		·03			31
Total	3·53	1·51	5·34	3·74	2·29	·97	·86	1·94	2·05	5·35	2·91	1·11	YEAR'S TOTAL 31·60
Rain Days.	22	15	24	23	19	12	12	16	20	19	22	18	222

W. 7,500, XI. ·12

FORM A2.
BRITISH RAINFALL.

11 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bitterley Rectory

in the County of Salop

by Prebendary J. R. Burton

3

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 509 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Ludlow
Distance 4 Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	0.03	–	0.01	–	0.01	0.70	0.24	–	–	–	0.09	1
2	0.01	0.01	0.01	0.06	0.01	–	0.33	0.64	–	0.01	0.55	0.26	2
3	–	–	–	0.13	0.20	–	0.02	0.06	–	–	–	0.24	3
4	0.19	–	0.03	0.16	0.03	–	0.20	0.02	–	–	0.63	0.71	4
5	0.11	–	0.07	0.13	0.03	–	0.08	–	–	0.01	0.23	0.01	5
6	0.07	0.11	0.01	0.02	0.06	0.03	0.11	0.01	–	–	0.03	0.08	6
7	0.02	0.06	0.35	0.01	0.17	0.05	0.21	0.10	–	–	0.01	0.38	7
8	0.01	0.01	0.02	–	0.01	0.58	0.01	0.24	0.02	–	–	0.05	8
9	0.13	0.04	0.04	0.16	0.13	1.10	–	0.20	0.06	–	0.01	0.01	9
10	0.02	0.16	–	0.25	0.02	0.02	–	0.01	0.31	–	–	–	10
11	–	0.16	0.37	0.02	0.05	0.08	–	–	0.03	–	0.33	0.87	11
12	0.01	0.31	0.14	–	–	0.02	0.07	–	0.23	–	0.07	0.59	12
13	–	0.20	0.21	–	–	–	0.09	–	0.04	0.54	0.17	0.20	13
14	–	0.43	0.16	–	–	–	0.06	–	0.03	0.05	0.19	0.01	14
15	0.04	0.02	0.13	–	–	–	–	0.01	0.10	0.08	0.01	–	15
16	0.01	–	0.02	–	–	–	0.01	–	0.08	0.01	–	–	16
17	–	0.18	0.18	–	–	–	0.01	–	0.03	0.02	–	0.69	17
18	0.01	0.01	0.26	–	–	–	0.04	–	–	–	–	0.34	18
19	0.01	0.01	0.03	–	–	–	0.76	–	0.01	–	0.14	0.17	19
20	–	0.24	0.10	–	–	0.16	0.01	–	–	0.15	–	0.29	20
21	–	0.42	–	–	–	0.06	0.01	0.14	–	0.34	–	0.04	21
22	–	0.09	0.04	0.01	0.28	0.11	0.02	0.23	–	0.21	–	–	22
23	–	0.16	0.06	–	0.02	0.01	0.09	0.01	–	0.06	–	–	23
24	0.01	0.01	0.09	0.04	0.01	0.01	0.02	0.20	–	0.47	0.04	–	24
25	0.05	–	0.05	–	–	–	0.09	0.48	–	0.14	0.02	0.20	25
26	–	0.01	0.02	–	–	–	0.01	0.02	–	0.14	0.22	0.23	26
27	0.08	–	–	–	–	–	–	–	–	0.02	0.57	0.98	27
28	0.01	0.05	0.11	–	0.03	–	0.05	–	–	0.30	0.04	0.63	28
29	0.03		0.07	–	0.20	–		–	–	0.05	0.29	–	29
30	0.01		0.18	–	0.01	–		–	–	0.09	0.46	0.25	30
31	0.19		0.01				0.18	–		–		0.05	31
Total	1.02	2.72	2.76	1.00	1.26	2.24	3.18	2.61	0.94	2.69	4.01	7.37	TOTAL for year 31.80
No. of Rain Days.	20	22	26	12	16	13	24	16	11	18	19	24	221

W. 8,000, X. '11.

cord for auth 23.III.16

2391

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bitterley Rectory

in the County of Salop

by Rev. Prebendary J. R. Burton

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Ludlow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level 509 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.35	0.09	0.02	—	0.29	—	0.41	0.08	0.52	0.20	0.03	0.09	1
2	0.11	0.15	0.19	0.25	—	0.09	0.01	1.41	0.01	0.08	—	0.11	2
3	0.70	0.04	0.01	0.11	0.01	—	0.35	0.49	—	0.01	—	0.06	3
4	0.03	0.04	—	0.01	0.27	—	0.29	0.13	—	—	—	0.85	4
5	0.02	0.31	—	0.01	0.01	0.10	0.03	0.04	—	0.01	0.01	0.64	5
6	0.08	0.07	0.01	0.20	—	—	0.59	0.04	—	—	—	0.04	6
7	0.13	0.33	—	0.03	0.13	—	0.02	0.12	—	—	0.02	0.29	7
8	0.12	0.21	—	0.20	—	—	—	0.02	—	—	0.08	—	8
9	0.18	0.18	—	0.13	—	—	—	0.01	—	—	0.17	0.69	9
10	0.31	0.01	0.06	0.09	—	—	—	—	—	0.04	0.03	0.01	10
11	0.03	—	0.01	0.02	0.12	—	0.07	0.01	—	0.01	1.23	0.02^{s}	11
12	0.07	0.05	—	0.13	0.36	—	—	0.01	0.01	0.09	0.75	0.01	12
13	0.01	1.09	—	0.01	0.81	—	—	0.03	0.01	0.01	—	0.06	13
14	0.01	0.01	—	0.01	—	—	0.02	0.81	0.10	—	—	0.28	14
15	0.28	—	—	—	0.13	—	0.08	0.11	0.01	0.03	0.09	0.15	15
16	0.09	0.45	—	—	0.25	—	1.67	0.03	0.02	—	—	0.02	16
17	—	0.32	0.01	0.01	0.73	—	—	—	—	0.01	—	0.01	17
18	0.01	0.34	0.06^{s}	—	—	—	—	—	—	—	—	—	18
19	—	0.02	—	0.01	0.18	—	0.22	—	—	—	—	—	19
20	0.07	—	—	0.04	—	—	0.01	—	—	—	—	0.06	20
21	0.23	—	—	0.02	0.02	—	0.32	—	—	0.15	—	0.03	21
22	0.02	—	0.14	0.15	—	—	0.23	—	0.01	0.01	0.02	0.13	22
23	0.04	0.16^{s}	0.02	0.01	—	0.01	0.04	—	—	0.89	—	0.38	23
24	0.01	—	0.01	0.03	—	—	0.52	—	0.41	0.75	—	0.35	24
25	—	—	—	—	—	0.30	0.06	—	0.01	0.06	—	0.19	25
26	—	0.08	—	—	—	—	0.11	—	0.02	—	—	0.36	26
27	—	0.06	—	—	—	0.01	0.31	—	—	0.35	—	0.20	27
28	—	0.27	0.02^{s}	—	—	0.05	0.02	0.09	0.10	0.08	—	0.02	28
29	—	×	—	—	—	0.03	0.11	0.03	0.01	—	0.19	0.07	29
30	0.05	×	—	0.03	—	0.23	0.29	0.01	—	0.34	0.05	0.06	30
31	—	×	—	×	—	×	0.11	0.04	×	0.46	×	0.54	31
Total	2.95	3.28 4.28	0.56	1.50	3.31	0.82	5.89	3.51	1.24	3.58	2.67	5.82 5.72	YEAR'S TOTAL 35.03 36.03
Rain Days.	23	21	12	21	13	8	24	19	13	19	12	28	213

W. 8,000. X. 15.

Exd C3E

2321

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Bitterley Rectory
in the County of Salop
by Prebendary J. R. Burton (per Mr. J. W. Ash)

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ludlow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 509 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.18	0.01	0.04	–	–	0.11	0.15	–	–	0.16	0.21	–	1
2	0.28	0.09	0.40	–	0.06	–	0.28	–	0.13	0.73	0.12	–	2
3	0.01	0.48	–	0.02	0.02	0.03	0.03	–	0.03	0.21	0.20	0.03	3
4	0.05	0.36	–	0.04	0.46	0.32	0.01	–	0.02	0.06	0.35	–	4
5	0.02	0.04	0.05	–	0.23	0.04	–	–	–	0.11	0.09	–	5
6	0.06	0.22	0.08	–	0.13	0.05	0.37	–	0.04	0.19	0.38	–	6
7	0.05	–	0.11	–	0.06	0.02	0.38	–	0.02	0.07	0.14	0.28	7
8	0.03	0.01	0.11	–	0.34	–	–	–	–	0.07	0.01	0.23	8
9	0.01	–	0.02	–	0.24	0.06	0.01	–	0.02	–	0.02	0.02	9
10	0.02	0.43	0.10	0.04	0.02	0.03	0.02	–	0.01	0.03	0.01	0.01	10
11	0.01	0.03	0.14	0.10	0.01	0.04	0.01	–	–	–	–	0.07	11
12	0.04	0.06	0.04	–	0.37	–	0.15	0.04	–	0.02	–	–	12
13	0.01	0.24	0.22	0.04	0.02	–	0.01	0.18	–	0.01	–	0.05	13
14	–	0.45	0.02	0.01	0.04	–	–	0.06	–	0.02	–	0.01	14
15	–	0.31	0.31	0.12	0.15	–	0.01	0.20	–	0.01	–	–	15
16	–	0.02	0.02	0.20	0.02	–	0.08	1.23	–	0.04	–	–	16
17	0.03	0.11	–	0.05	–	–	0.01	0.05	0.34	0.28	–	–	17
18	0.01	0.05	0.03	0.03	–	–	–	0.01	0.25	–	0.36	0.25	18
19	0.03	–	0.43	0.26	–	–	–	0.01	0.01	0.03	0.23	–	19
20	0.09	–	0.39	0.02	–	–	–	0.05	–	–	0.07	0.18	20
21	0.01	–	0.42	0.01	0.09	–	0.89	–	–	–	–	0.12	21
22	0.01	0.01	0.02	0.03	–	0.08	–	–	–	0.09	0.02	0.41	22
23	0.01	0.36	0.03	–	–	–	–	0.14	–	0.02	0.11	0.23	23
24	–	0.64	0.02	–	0.41	0.02	–	0.13	–	0.22	0.01	0.15	24
25	–	0.11	0.12	–	0.09	0.02	–	0.09	–	0.02	0.19	0.01	25
26	0.06	0.19	0.04	–	0.14	0.13	–	0.15	0.01	0.33	0.02	–	26
27	0.02	0.10	0.81	–	–	–	–	0.01	0.24	0.59	–	–	27
28	–	0.41	0.04	–	0.01	0.04	–	–	0.03	0.11	0.11	0.20	28
29	–	0.31	0.03	–	–	0.22	–	0.41	0.01	0.13	0.01	0.11	29
30	–	X	–	–	–	0.03	–	0.01	–	0.09	–	0.01	30
31	–	X	–	X	–	X	–	0.04	X	0.25	X	0.02	31
Total	1.04	5.04	4.04	0.97	2.91	1.24	2.41	2.81	1.16	3.89	2.66	2.39	YEAR'S TOTAL 30·56
Rain Days.	22	24	26	14	20	16	15	17	14	26	20	19	233

W. 8,000. X. 15.

2207

FORM A.
BRITISH RAINFALL.

-2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Bitterley Rectory
in the County of Salop
by Prebendary J. R. Burton

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Ludlow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 509 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	0.01	0.03	0.20^{s}	–	0.43	–	0.61	0.17	–	0.02	0.02^{s}	1
2	–	–	0.01	0.02^{s}	–	0.07	–	0.09	–	0.02	0.05	–	2
3	0.04	0.05	–	0.36^{s}	–	0.01	–	0.05	–	0.22	0.02	–	3
4	–	–	0.13^{s}	0.02	–	–	–	0.02	–	0.26	–	0.01	4
5	0.07	–	0.19	0.12^{s}	–	–	–	0.08	0.02	0.25	0.10	–	5
6	0.02	–	0.18^{s}	0.01	–	0.20	–	–	–	0.10	0.19	–	6
7	0.28	–	0.02	–	–	0.01	0.02	0.04	–	0.13	0.03	–	7
8	0.81	–	0.02	0.08	–	–	0.10	0.65	–	0.25	0.10	0.10	8
9	–	–	0.14^{s}	0.04^{s}	0.20	–	–	0.15	0.03	0.05	0.17	0.01	9
10	0.30	–	0.41	0.14^{s}	0.01	–	–	0.13	0.01	0.01	0.03	–	10
11	0.13	–	0.05	0.21^{s}	0.01	–	–	0.15	–	0.26	0.04	–	11
12	0.02	0.01	–	0.09^{s}	0.79	–	–	0.05	0.04	0.26	–	–	12
13	0.05	–	0.05	0.05	–	0.01	–	0.67	0.10	0.01	–	–	13
14	0.03	–	0.14	0.06	–	–	–	0.49	–	–	–	–	14
15	0.02	–	–	0.04	0.03	–	0.42	0.36	0.01	0.04	–	0.08	15
16	0.02	0.05	–	0.11	–	0.39	0.13	0.01	–	–	–	0.12^{s}	16
17	0.01	0.01	–	0.03	0.35	0.19	0.38	1.07	0.23	0.07	0.01	0.31^{s}	17
18	0.05	0.02	0.01	0.03	0.05	–	0.61	0.04	0.76	0.01	–	0.22^{s}	18
19	0.02	0.41	0.29^{s}	–	–	0.35	–	0.01	0.02	–	0.01	–	19
20	–	0.19	0.04	–	0.53	0.15	0.24	0.04	0.06	–	0.01	–	20
21	0.02	0.01	0.27^{s}	–	0.04	0.68	–	0.02	0.05	0.03	0.08	0.01	21
22	–	–	0.02^{s}	–	–	0.07	–	0.15	0.01	0.03	–	–	22
23	–	0.22	–	–	0.15	0.01	–	0.06	–	0.13	–	–	23
24	–	0.02	0.03	–	–	0.43	0.02	0.03	–	0.16	0.10	–	24
25	–	0.04	0.08	–	0.01	–	–	0.06	0.12	0.06	0.14	–	25
26	–	0.05	–	–	0.04	0.09	–	0.44	0.01	0.09	0.02	–	26
27	–	0.01	0.02	–	1.42	0.18	0.56	0.70	–	–	–	–	27
28	–	–	0.07	–	0.01	0.02	–	0.08	–	–	–	0.04	28
29	–	✕	0.10^{s}	–	–	–	0.02	0.06	–	0.44	–	0.29	29
30	–	✕	0.01	–	–	–	–	0.36	–	0.04	0.01	–	30
31	0.01	✕	0.09^{s}	✕	0.03	✕	–	0.27	✕	0.01	✕	0.02	31
Total	1.90	1.10	2.40	1.61	3.67	3.29	2.50	6.94	1.64	2.93	1.13	1.23	YEAR'S TOTAL 30.34
Rain Days.	17	14	24	17	15	17	10	30	15	24	18	12	213

16.47 23.41

W. 8,000. X. 15.

Exd E.F.F

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2 . 1 . 19

Kept at Bitterley Rectory
in the County of Salop
by Rev. Prebendary J. R. Burton

Lat. 52° 23' 40" Long. 2° 38' 70"
Time of Observation 9 a.m.
Nearest Railway Station Ludlow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 509 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.06	—	0.01	—	—	—	0.07	0.01	0.03	0.58	—	1
2	—	0.06	0.02	—	—	—	—	0.15	—	0.01	0.03	0.18	2
3	—	0.08	—	0.06	0.25	—	—	0.06	0.58	0.06	0.19	—	3
4	—	0.06	—	—	—	—	0.05	0.05	0.44	0.15	0.42	0.50	4
5	—	0.02	—	0.02	0.32	—	—	0.11	0.25	0.15	0.01	0.04	5
6	0.04	0.22	0.02	0.32	—	0.55	—	—	0.05	0.15	—	0.02	6
7	—	0.03	—	0.03	0.22	—	—	—	0.22	0.04	0.20	0.01	7
8	0.02	0.20	—	—	—	—	—	—	0.22	0.08	0.01	0.01	8
9	0.10	0.36	—	0.23	—	0.11	0.07	—	0.40	0.06	—	0.07	9
10	0.09	0.04	—	0.09	—	—	0.39	—	0.03	0.05	—	0.06	10
11	0.01	0.02	0.10	0.01	0.05	—	0.89	—	0.14	—	0.05	0.10	11
12	—	0.04	0.07	—	0.11	0.02	0.15	—	0.04	—	—	0.03	12
13	—	0.01	—	—	0.02	—	0.02	—	0.23	0.10	—	—	13
14	0.46	—	0.05	—	0.02	0.01	0.06	—	0.25	0.03	—	0.20	14
15	0.55	—	—	—	—	—	0.46	—	0.02	0.07	—	0.29	15
16	0.02	—	—	0.64	—	0.02	0.25	—	0.45	0.05	—	—	16
17	0.01	—	0.01	0.02	0.15	0.01	0.07	—	0.19	0.12	—	0.25	17
18	0.48	—	0.06	—	—	0.45	0.14	—	0.73	0.03	—	0.32	18
19	0.05	0.01	0.26	0.01	—	0.09	0.06	—	0.02	0.02	—	0.01	19
20	0.04	0.07	—	0.27	—	—	0.02	—	0.31	—	—	—	20
21	0.20	0.01	—	0.89	—	—	0.07	—	0.27	—	—	0.12	21
22	0.01	—	—	0.01,	0.84	0.01	0.04	0.02	0.01	—	0.01	0.26	22
23	0.02	—	—	—	0.36	—	0.10	—	0.01	—	0.02	0.01	23
24	—	0.15	—	—	—	—	0.07	0.12	0.03	0.01	0.14	—	24
25	—	—	—	—	0.04	0.01	0.07	0.55	0.01	—	0.03	—	25
26	—	—	—	—	—	—	0.10	0.01	0.13	0.01	0.04	0.10	26
27	0.01	0.03	0.15	—	—	—	—	0.30	0.24	—	0.02	0.02	27
28	—	0.09	0.24	—	—	—	—	—	0.01	—	0.04	0.14	28
29	—	✕	0.09	—	—	—	—	—	0.77	0.01	—	0.03	29
30	—	✕	0.34	—	—	—	—	0.01	0.01	—	0.08	0.12	30
31	—	✕	0.34	✕	—	✕	—	0.02	✕	—	✕	—	31
Total	2.11 ✓	1.56 ✓	1.75 ✓	2.61 ✓	2.38 ✓	1.28 ✓	3.08 ✓	1.47 ✓	6.07 ✓	1.23 ✓	1.87 ✓	2.89 ✓	YEAR'S TOTAL 28.30 ✓
Rain Days.	16 ✓	19 ✓	13 ✓	14 ✓	11 ✓	10 ✓	19 ✓	12 ✓	29 ✓	20 ✓	16 ✓	23 ✓	202 ✓

W, 6,500, VII. 18. W W O

Eq. RR

2066

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bitterley Rectory
in the County of Salop
by Preb. J. R. Burton

Lat.......... Long..........
Time of Observation 9 a.m.
Nearest Railway Station Ludlow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
„ „ „ „ Sea Level 509 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0.04	0.02	0.26	0.34	—	0.02	0.14	0.02	0.26	1
2	0.41	0.01	0.06	0.06	—	0.01	—	—	0.15	—	—	0.03	2
3	—	—	0.04	0.01	0.02	0.09	0.06	—	0.05	—	0.10	0.10	3
4	—	0.09	—	—	—	—	0.28	0.04	0.20	—	—	0.07	4
5	—	0.20	—	—	0.09	—	0.02	—	0.02	—	—	0.24	5
6	0.20	—	0.25	—	0.11	—	—	—	0.01	—	0.03	0.21	6
7	0.10	—	0.08	0.01	—	—	—	—	—	—	0.02	0.01	7
8	0.12	—	—	0.01	—	0.02	—	—	—	—	0.01	—	8
9	0.25	—	0.03	0.06	—	—	—	—	—	—	—	—	9
10	0.05	—	0.36	0.01	—	—	—	—	—	—	—	0.19	10
11	—	—	0.13	—	0.06	—	0.36	—	—	0.10	—	0.03	11
12	0.12	—	0.64	—	—	0.10	—	—	0.01	0.04	—	—	12
13	0.35	—	—	0.16	—	—	0.01	—	0.46	0.17	—	0.03	13
14	0.10	—	0.34	0.37	—	—	0.09	—	0.14	—	—	0.06	14
15	0.43	0.07	0.03	0.03	0.52	—	—	—	—	0.04	—	0.26	15
16	0.06	0.81	—	0.03	—	—	—	0.30	—	—	0.09	0.01	16
17	—	0.78	0.51	0.05	—	0.07	0.08	0.02	—	—	0.08	—	17
18	0.02	—	0.57	—	—	—	—	0.26	0.01	—	0.02	0.04	18
19	0.18	0.23	1.10	—	—	0.12	0.75	0.31	0.22	—	—	0.02	19
20	0.26	0.37	0.57	—	—	0.02	0.03	0.19	0.08	—	0.01	0.10	20
21	—	—	0.17	—	—	0.03	0.30	—	0.04	—	—	0.03 ~~18~~	21
22	—	0.05	0.01	—	—	—	0.01	0.02	0.43	—	0.01	0.18	22
23	—	—	—	—	—	0.01	—	0.05	—	0.74	—	0.02	23
24	0.02	—	—	—	0.06	0.02	—	—	—	0.52	0.13	0.11	24
25	—	—	—	0.07	0.12	0.06	—	0.68	—	0.01	0.02	0.01	25
26	—	—	0.05	0.19	—	0.05	—	0.16	—	—	0.01	0.31	26
27	0.24	—	—	0.43	—	—	—	0.31	—	—	—	[illegible]	27
28	—	0.02	0.07	0.05	—	—	—	0.50	—	0.01	—	0.28	28
29	0.02	✕	—	0.12	—	—	—	—	—	0.36	0.05	0.33	29
30	0.08	✕	—	0.09	—	0.10	—	0.03	—	0.02	0.19	0.23	30
31	—	✕	—	✕	—	✕	—	—	✕	0.04	✕	—	31
TOTAL	3.01 ✓	2.63 ✓	5.01 ✓	1.79 ✓	1.00 ✓	0.96 ✓	2.33 ✓	2.87 ✓	1.84 ✓	2.29 ✓	0.79 ✓	3.16 ✓	YEAR'S TOTAL 27.68 ✓
Days with ·01 in. or more	18 ✓	10 ✓	18 ✓	18 ✓	8 ✓	14 ✓	12 ✓	13 ✓	14 ✓	12 ✓	15 ✓	25 ✓	177 ✓

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

31.3.21

cordly surrounding sites [illegible]

1932

FORM A.
BRITISH RAINFALL.
3 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Bitterley Rectory

in the County of Salop

by Preb. J. R. Burton

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground 50 ft. .... in.

" " " " Sea Level 509 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	0.02	0.21	0.25	–	0.32	0.01	0.04	0.11	–	0.26	1
2	0.01	–	0.01	0.12	–	–	0.21	–	0.10	0.05	–	0.20	2
3	0.13	0.03	–	0.16	–	–	0.56	0.06	0.12	0.34	–	–	3
4	–	–	–	0.02	–	–	0.01	0.36	0.02	0.18	–	–	4
5	–	–	0.06	0.16	0.04	–	0.27	0.03	–	0.12	–	–	5
6	–	–	0.24	0.01	0.09	–	0.26	–	0.01	0.23	–	0.09	6
7	–	–	0.05	0.06	0.01	–	0.12	–	–	–	–	–	7
8	0.23	0.10	–	0.52	0.18	–	0.39	0.14	–	–	–	–	8
9	0.39	0.01	0.01	0.33	–	–	0.07	0.02	–	–	–	–	9
10	0.34	0.02	0.09	0.07	–	0.13	0.23	–	–	–	0.06	0.03	10
11	0.06	0.01	0.12	0.25	0.25	0.15	0.07	–	–	–	–	–	11
12	0.14	0.01	0.07	0.35	–	0.67	0.01	0.31	–	–	0.11	–	12
13	0.07	0.01	0.13	0.16	–	0.04	–	–	–	–	0.01	0.05	13
14	0.02	0.02	0.67	0.22	–	0.81	0.05	0.01	0.39	0.24	0.27	–	14
15	–	0.11	0.08	0.74	–	0.18	0.01	–	0.10	0.01	–	–	15
16	–	0.01	–	0.08	0.34	0.09	0.21	–	0.08	0.63	–	–	16
17	0.01	–	0.01	–	0.14	–	–	0.02	0.55	0.14	–	–	17
18	0.14	–	–	0.03	0.08	0.01	–	0.04	0.37	–	0.01	–	18
19	0.02	0.53	–	0.10	–	0.07	–	–	0.06	–	–	–	19
20	0.01	0.09	–	0.25	–	0.14	0.01	–	0.01	–	–	0.07	20
21	–	–	–	0.01	–	–	0.33	–	–	0.03	–	0.05	21
22	0.04	–	–	0.07	–	–	0.06	0.16	–	–	–	–	22
23	–	–	0.02	–	–	–	0.24	0.07	–	–	–	0.41	23
24	0.03	–	0.16	0.01	–	–	–	0.03	–	–	–	0.16	24
25	0.04	0.01	0.17	0.02	–	–	0.67	–	–	–	–	0.01	25
26	0.13	–	0.21	0.01	–	0.01	0.03	–	–	–	0.06	0.03	26
27	0.19	0.01	0.08	0.03	0.04	0.25	0.02	–	–	–	0.03	0.45	27
28	0.29	–	0.11	–	0.12	0.03	0.01	–	–	–	–	–	28
29	0.80	–	0.15	0.01	0.47	–	0.12	–	–	–	–	0.52	29
30	0.02	✕	0.03	0.17	0.06	0.12	0.02	–	0.31	–	0.25	0.13	30
31	0.02	✕	–	✕	0.04	✕	0.01	–	✕	0.37	✕	0.02	31
Total	3.07	0.97	2.49	4.17	2.11	2.70	4.31	1.26	2.16	2.45 ~~1.85~~	0.80	2.48	YEAR'S TOTAL. ~~28.37~~
Rain Days	22	14	21	27	14	14	26	13	13	12	8	15	199
	14	4	15	16	13	11	17	7	10	10	5	11	135
		4.04	6.53	10.70	12.81	15.51	19.82	21.08	23.24	25.09	25.89	28.37	

W, 6,500, VII. 18. W W C

REGIS 11

SHROPSHIRE.
~~BRIDGNORTH~~
ALDENHAM PARK.

1911 – 1920.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Aldenham

in the County of Shrops

by Thos Cam

5 in.
above Ground 3 ft. 9 in.
" Sea Level 430 ft.
a.m.
Name Bridgnorth
Distance 4 m Direction E

IMPORTANT NOTE.—R and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·04	—	—	—	—	—	—	0·04	—	—	0·02	1·02	1
2	—	—	—	—	0·11	—	0·02	—	—	—	0·04	0·04	2
3	—	—	—	—	0·42	—	—	0·02	—	—	0·02	0·09	3
4	—	—	0·11	—	0·05	—	—	0·03	0·05	—	0·12	0·31	4
5	0·15	—	0·03	—	0·04	—	—	0·07	—	0·12	0·05	0·04	5
6	0·14	—	0·05 15	—	—	—	—	—	—	—	0·02	0·16	6
7	0·10	—	0·03	—	—	—	—	—	—	—	0·38	—	7
8	0·04	—	0·18 13	—	—	—	—	—	—	—	—	0·75	8
9	0·04	—	0·05	—	—	—	—	—	—	—	0·63	0·16	9
10	0·02	—	0·06	—	—	—	—	—	—	—	0·02	0·25	10
11	—	—	—	—	—	—	—	—	—	—	0·26	—	11
12	—	—	0·15	—	—	—	—	—	0·49	—	0·20	—	12
13	—	—	0·20	—	—	—	—	0·02	0·02	—	0·03	0·40	13
14	0·04	0·06	0·05	—	—	—	—	—	—	—	—	0·65	14
15	—	—	0·08	—	—	—	—	—	—	—	0·05	0·28	15
16	—	—	—	—	—	0·13	—	—	—	—	0·06	0·07	16
17	—	—	—	—	0·07	1·48	—	—	—	—	0·11	·09 0·29	17
18	—	0·03	—	0·23	—	0·05	—	—	—	—	0·06	0·15	18
19	—	0·05	—	0·09	—	0·19	—	0·03	—	0·31	0·06	—	19
20	—	0·12	—	0·08	—	0·03	—	0·27	—	0·08	0·09	0·52	20
21	—	0·32	0·03	0·02	—	0·01	—	0·38	—	0·15	0·04	—	21
22	—	0·02	0·05	—	—	0·01	—	—	—	0·06	0·05	0·15	22
23	—	0·16	0·22	—	0·04	0·24	—	—	0·33	—	0·02	0·82	23
24	0·01	0·11	—	—	—	0·62	—	—	0·03	0·18	0·06	0·04	24
25	—	—	—	—	—	0·03	—	0·05	0·09	—	—	0·06	25
26	—	0·28	—	0·19	0·10	—	—	—	—	0·25	0·04	0·12	26
27	—	0·06	0·09	0·15	—	—	—	—	0·19	—	0·19	0·10	27
28	—	0·23	—	0·18	—	—	—	0·31	0·03	0·06	—	0·04	28
29	—		—	0·02	—	0·20	0·17	0·02	0·19	0·09	—	—	29
30	—		0·02	0·06	—	0·17	0·08	0·03	0·02	0·15	0·04	—	30
31	—		0·16		0·05		—	0·05		—		—	31
Total	0·58	1·43	1·45	1·02	0·83	3·16	0·22	3·32	1·44	1·45	2·62	4·81	TOTAL for year 21·33
No. of Rain Days.	9	11	17	9	8	12	3	13	10	10	25	26	150

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGIS 11

Kept at Aldenham Park

in the County of Shropshire 3

by Thos Canning

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. 9 in.
" " " Sea Level 430 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bridgnorth
Distance 4 m. Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	—	—	—	—	—	—	0·04	—	—	0·02	0 1·02	1
2	—	—	—	—	0·11	—	0·02	—	—	—	0·04	0·04	2
3	—	—	—	—	0·42	—	—	0·02	—	—	0·02	0·09	3
4	—	—	0·11	—	0·25	—	—	0·03	0·05	—	0·12	0·31	4
5	0·15	—	0·03	—	0·04	—	—	0·07	—	0·12	0·05	0·04	5
6	0·14	—	0·05 05	—	—	—	—	—	—	—	0·02	0·16	6
7	0·10	—	0·03	—	—	—	—	—	—	—	0·38	—	7
8	0·04	—	0·18 13	—	—	—	—	—	—	—	—	0·75	8
9	0·04	—	0·05	—	—	—	—	—	—	—	0·63	0·16	9
10	0·02	—	0·06	—	—	—	—	—	—	—	0·02	0·25	10
11	—	—	—	—	—	—	—	—	—	—	0·26	—	11
12	—	—	0·15	—	—	—	—	—	0·49	—	0·20	—	12
13	—	—	0·20	—	—	—	—	0·02	0·02	—	0·03	0·40	13
14	0·04	0·06	0·05	—	—	—	—	—	—	—	—	0·05	14
15	—	—	0·08	—	—	—	—	—	—	—	0·05	0·28	15
16	—	—	—	—	—	0·13	—	—	—	—	0·06	0·07	16
17	—	—	—	—	0·02	1·48	—	—	—	—	0·11	·09 0·09	17
18	—	0·03	—	0·23	—	0·05	—	—	—	—	0·06	0·15	18
19	—	0·05	—	0·09	—	0·19	—	0·03	—	0·31	0·06	—	19
20	—	0·12	—	0·08	—	0·03	—	0·27	—	0·08	0·09	0·52	20
21	—	0·32	0·03	0·02	—	0·01	—	2·38	—	0·15	0·04	—	21
22	—	0·02	0·05	—	—	0·01	—	—	—	0·06	0·05	0·15	22
23	—	0·16	0·22	—	0·04	0·24	—	—	0·33	—	0·02	0·32	23
24	0·01	0·11	—	—	—	0·62	—	—	0·03	0·18	0·06	0·04	24
25	—	—	—	—	—	0·03	—	0·05	0·09	—	—	0·06	25
26	—	0·28	—	0·19	0·10	—	—	—	—	0·25	0·04	0·12	26
27	—	0·06	0·09	0·15	—	—	—	—	0·19	—	0·19	0·10	27
28	—	0·23	—	0·18	—	—	—	0·31	0·03	0·06	—	0·04	28
29	—		—	0·02	—	0·20	0·17	0·02	0·19	0·29	—	—	29
30	—		0·02	0·06	—	0·17	0·08	0·03	0·02	0·15	0·04	—	30
31	—		0·16		0·05		—	0·05		—		—	31
Total	0·58	1·43	1·45	1·02	0·83	3·16	0·22	3·32	1·44	1·45	2·62	4·81	TOTAL for year 22·33
No. of Rain Days.	9	11	17	9	8	12	3	13	10	10	25	26	150

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Aldenham Park

in the County of Shropshire 3

by Thomas Canning

Lat. 52°34N Long. 2°29W.

Time of Observation 9 a.m

Nearest Railway Station Bridgnorth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 9 in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	0·07	—	—	0·21	0·05	0·09	0·03	—	—	0·12	1
2	—	—	—	—	—	0·24	0·11	—	0·03	—	—	0·05	2
3	—	—	0·15	—	0·10	0·17	0·02	0·61	0·05	—	—	0·10	3
4	0·10	—	0·48	—	0·19	0·13	—	0·38	—	—	0·05	—	4
5	0·09	—	0·22	—	0·11	0·42	—	0·35	—	—	—	0·05	5
6	0·36	0·17	—	—	—	0·10	—	0·41	0·05	—	—	0·05	6
7	0·06	0·14	—	—	0·05	0·58	—	0·09	—	—	—	—	7
8	0·30	0·18	0·23	—	0·07	0·17	0·07	0·54	—	—	—	—	8
9	0·18	0·09	0·65	0·22	—	0·19	—	0·36	—	—	—	0·08	9
10	0·17	—	0·02	—	—	0·45	—	0·07	—	—	0·35	0·02	10
11	0·06	0·06	—	—	—	—	—	0·05	—	—	0·30	0·06	11
12	0·05	0·34	—	—	—	—	—	—	—	—	—	0·32	12
13	—	—	—	—	—	—	—	—	—	0·03	—	—	13
14	0·02	0·05	—	—	—	—	—	—	—	—	—	0·02	14
15	0·18	0·02	0·68	—	0·41	0·24	—	0·05	—	—	—	0·04	15
16	0·58	—	—	—	0·17	0·07	—	—	—	—	—	—	16
17	0·41	—	—	—	—	0·04	—	0·28	—	—	0·30	0·85	17
18	0·44	0·02	—	—	—	—	—	0·04	—	0·04	0·05	0·11	18
19	0·09	0·03	0·10	—	0·06	—	0·10	0·36	—	0·06	—	—	19
20	0·03	0·04	—	—	—	—	0·04	0·05	—	0·20	0·04	—	20
21	0·07	0·02	0·23	—	0·56	—	—	0·40	—	0·30	—	0·01	21
22	0·19	0·06	—	—	0·70	0·01	0·23	0·16	—	0·02	—	0·02	22
23	0·21	0·02	0·42	—	—	—	0·55	0·30	—	—	0·10	—	23
24	—	—	—	—	—	0·16	0·09	0·16	—	—	—	0·30	24
25	—	0·02	0·06	—	—	0·13	—	—	—	—	0·33	0·25	25
26	—	0·09	—	—	—	—	0·04	1·22	—	0·79	0·15	0·19	26
27	0·03	—	—	—	—	0·39	0·80	—	—	0·85	0·09	0·15	27
28	—	—	—	—	—	—	0·32	0·05	0·13	0·25	0·56	0·19	28
29	—	0·07	—	—	—	0·20	0·15	0·38	0·42	0·05	0·11	0·02	29
30	0·04		0·25	—	—	0·19	0·05	—	—	—	0·04	—	30
31	—		0·04		0·25		0·22	0·03		0·19		0·04	31
Total	5·66	1·42	5·60	0·22	2·67	4·09	2·84	6·43	0·71	2·78	2·47	3·04	YEAR'S TOTAL 33·93
Rain Days.	21	17	14	1	11	19	15	23	6	11	13	22	173

W. 7,500, XI. 12

returned 2.4.14

Cov. by dev. 6.IV.14.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Aldenham Park
in the County of Shropshire 3
by Thomas Canning

Lat. 52°34 N Long. 2°29 W
Time of Observation 9 a.m.
Nearest Railway Station Bridgnorth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 0 ft. 9 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.20	0.05	0.05	—	—	—	0.16	—	0.03	—	1
2	—	0.10	0.16	0.18	—	—	—	—	0.08	—	0.10	—	2
3	0.03	0.04	0.05	—	0.60	—	—	—	—	0.15	—	0.32	3
4	0.98	0.08	0.06	—	0.15	—	—	—	—	0.14	0.05	0.52	4
5	0.28	—	—	—	0.06	0.05	0.08	0.05	—	1.21	—	0.25	5
6	0.03	—	0.05	—	0.21	0.22	0.92	—	—	0.03	—	0.04	6
7	0.04	0.57	—	—	0.30	0.09	0.25	—	—	0.70	0.25	—	7
8	0.01	0.05	0.05	—	0.22	0.13	0.02	—	—	0.02	0.12	—	8
9	—	0.35	—	—	0.12	0.32	—	0.36	0.06	—	—	0.02	9
10	—	—	—	0.38	0.04	—	—	0.05	0.01	0.10	0.06	—	10
11	1.13	—	—	0.48	—	0.03	—	—	—	—	0.30	—	11
12	—	—	—	0.02	0.10	—	—	—	0.01	—	0.38	—	12
13	—	—	0.16	—	—	—	—	—	0.09	—	0.37	—	13
14	0.13	—	0.54	0.10	—	—	—	0.24	—	0.14	—	—	14
15	0.02	—	0.71	0.52	—	—	—	0.02	0.32	—	0.11	—	15
16	0.03	0.03	0.05	0.10	—	—	0.03	—	0.04	—	—	—	16
17	0.01	—	0.47	0.09	—	—	—	—	0.02	—	0.02	—	17
18	0.02	—	0.23	0.07	0.15	—	0.12	—	—	—	—	—	18
19	—	—	0.11	0.03	—	—	—	—	0.08	—	—	—	19
20	—	—	0.20	0.12	—	—	—	—	—	—	0.08	—	20
21	—	—	0.04	0.05	0.04	—	0.14	0.01	—	—	0.09	—	21
22	0.51	—	0.75	—	—	0.13	—	0.65	0.58	—	—	—	22
23	0.02	—	—	—	—	0.02	—	—	0.06	—	—	—	23
24	0.10	—	—	0.02	—	—	—	—	—	—	—	—	24
25	—	0.01	—	0.07	—	—	—	—	0.02	—	—	—	25
26	0.01	—	—	0.36	0.40	—	—	0.10	—	—	—	0.25	26
27	—	—	0.02	0.19	—	—	—	—	—	0.26	—	0.03	27
28	0.20	—	0.35	0.31	0.06	—	—	—	—	0.25	—	0.02	28
29	0.01		0.45	0.44	0.04	—	—	0.04	—	0.15	—	—	29
30	0.25		—	—	—	—	—	—	—	0.69	—	0.01	30
31	0.01		0.42		—		—	—		—		—	31
Total	3.82	1.23	5.07	3.58	2.54	0.99	1.56	1.52	1.53	3.84	1.96	~~1.16~~ 1.46	YEAR'S TOTAL ~~28.80~~ 29.10
Rain Days.	20	8	20	19	15	8	7	9 ~~8~~	13	12	13	9	~~152~~ 153

W.7,000, XI. 13

FORM C.
BRITISH RAINFALL.
W., 10,000. XI. 13.

RAINFALL at Aldenham Park in the Month of December 1913

PLEASE fill in spaces.

DATE	Dec. Inches	REMARKS ON THE DAYS.
1	-	Copy.
2	-	
3	·32	
4	·52	
5	·25	
6	·04	
7	-	
8	-	
9	·02	
10	-	
11	-	
12	-	
13	-	
14	-	
15	-	
16	-	
17	-	
18	-	
19	-	
20	-	
21	-	
22	-	
23	-	
24	-	
25	-	
26	·25	
27	·03	
28	·02	
29	-	
30	·01	
31	-	adds to 1·46
TOTAL	1·46	No. of Days with Rain

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

POST CARD.

ADDITIONAL REMARKS.

OPTIONAL OBSERVATIONS.

Max. Temp. in shade ° on the

Min. ,, ,, ,, ° on the

Temp. in shade, at or below 32° on days.

,, on grass, ,, ,, 32° on days.

SIGNED

No writing on this side of the line.

POSTAGE
ONE
HALFPENNY.

Dr. H. R. MILL,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.

MEMORANDUM

From Thos Canning
Aldenham Park
Bridgnorth Salop

April 4th 1904

To Mr Cattle Salter
62 Camden Square
London NW

Dear Sir

The error was cause in the adding up of the figures, the book shows 7-4-6 and the daily returns are correct, I am sorry for the trouble this has caused you,

Yours very truly
Thos Canning

cmd fr auth 1.11.15 ~~W~~ DL

FORM A. BRITISH RAINFALL.
5 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Aldenham Park

in the County of Shropshire 3

by Thos Canning

Lat. 52° 34 Long. 2° 29

Time of Observation 9 am

Nearest Railway Station Bridgnorth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 9 in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·01	0·04	—	—	—	0·93	0·19	—	—	0·01	0·20	1
2	—	—	—	—	—	—	0·60	0·55	—	—	0·45	0·31	2
3	—	—	—	0·08	0·19	—	0·05	0·02	—	—	—	0·11	3
4	0·15	—	—	0·13	0·06	—	0·09	0·25	—	—	0·65	0·64	4
5	0·10	—	—	008	0·08	—	0·16	0·02	—	—	0·18	—	5
6	0·06	0·06	—	0·11	0·06	0·07	0·09	—	—	—	0·03	0·11	6
7	0·06	0·09	0·34	0·13	0·07	0·12	0·10	0·13	—	—	—	0·09	7
8	—	0·01	—	—	0·09	0·30	0·05	0·07	—	—	—	0·48	8
9	0·11	0·03	—	0·21	0·08	0·94	—	0·12	0·16	—	—	—	9
10	0·04	0·20	—	0·30	0·06	0·07	—	—	0·18	—	—	—	10
11	—	0·18	0·25	0·02	0·07	—	—	—	—	—	0·20	0·49	11
12	—	0·24	0·15	—	—	—	0·45	—	0·37	—	0·05	0·30	12
13	—	0·06	0·19	—	—	—	0·05	—	—	0·25	0·28	0·32	13
14	—	0·05	0·09	—	—	—	—	—	—	0·10	0·15	0·04	14
15	0·03	0·09	0·04	—	—	—	—	—	0·04	—	—	—	15
16	—	—	0·31	—	—	—	0·04	—	0·05	—	—	0·03	16
17	—	0·15	0·05	—	—	—	0·02	—	0·02	—	—	0·35	17
18	—	—	0·11	—	—	1·58	—	—	0·03	—	—	0·25	18
19	—	0·05	0·07	—	—	—	0·68	—	0·05	—	0·10	0·09	19
20	—	0·20	0·13	—	—	—	0·22	—	—	—	—	0·06	20
21	—	0·35	0·19	—	—	0·24	0·58	0·03	—	0·20	—	0·44	21
22	—	0·07	—	—	0·25	0·04	—	0·18	—	0·31	—	—	22
23	—	0·06	0·08	—	0·09	0·05	0·04	—	—	0·15	—	—	23
24	—	—	0·02	0·02	0·02	—	0·05	0·12	—	0·15	0·06	—	24
25	0·03	—	—	—	—	—	0·04	0·15	—	0·41	—	0·19	25
26	—	—	—	—	—	—	0·04	0·17	—	0·10	0·45	0·25	26
27	—	—	0·02	—	—	—	—	—	—	—	0·20	0·77	27
28	0·06	0·03	—	—	—	—	0·10	—	—	—	0·12	—	28
29	—		0·23	—	0·27	—	—	—	—	0·13	0·11	0·30	29
30	—	×	0·15	—	—	—	—	0·11	—	0·04	0·35	0·15	30
31	0·09	×	—	×	0·03	×	0·15	—	×	0·05	×	0·03	31
Total	0·73	1·93	2·46	1·08	1·42	3·41	4·53	2·11	0·90	1·89	3·36	6·00	YEAR'S TOTAL 29·82 29·82
Rain Days.	10	18	18	9	14	9	21	14	8	11	16	23	171

W. 8,000. X. 14.

2403

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Aldenham Park

in the County of Shropshire

by Thomas Canning

Lat. 52° 34 N. Long. 2° 29 W.
Time of Observation 9 am
Nearest Railway Station Bridgnorth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 9 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.30	0.06	0.05	—	0.52	—	—	0.03	0.21	0.17	—	0.04	1
2	0.03	0.08	0.14	0.23	—	0.08	—	1.23	0.02	0.20	—	—	2
3	1.05	0.04	—	0.15	—	—	0.32	0.26	—	—	—	0.24	3
4	0.15	0.08	—	0.04	0.13	—	0.49	0.09	—	—	—	0.90	4
5	0.04	0.40	—	0.04	—	0.06	—	0.02	—	—	—	0.62	5
6	0.03	0.18	—	—	—	—	0.75	0.05	—	—	—	0.03	6
7	0.06	0.38	0.06	—	—	—	0.16	0.15	—	—	—	0.29	7
8	0.19	0.18	—	—	—	—	—	—	—	—	0.03	0.09	8
9	0.17	0.07	—	0.15	—	—	—	0.02	—	—	0.17	0.50	9
10	0.39	—	—	0.06	—	—	—	—	—	—	—	0.10	10
11	—	—	—	0.02	0.13	—	0.06	—	—	0.05	0.74	0.05	11
12	—	—	—	—	0.35	—	—	—	—	0.05	1.05	0.05	12
13	—	0.35	—	—	0.53	—	—	0.34	—	—	—	0.03	13
14	0.05	—	—	—	—	—	—	0.14	0.07	—	—	0.04	14
15	0.32	—	—	0.02	0.10	—	0.05	0.09	—	—	0.04	0.30	15
16	0.17	0.52	—	—	0.32	—	1.60	—	—	—	—	—	16
17	—	0.37	—	—	0.38	—	—	—	—	—	—	—	17
18	—	0.28	—	—	—	—	—	—	—	—	—	—	18
19	—	0.06	—	—	0.15	—	0.20	—	—	—	—	0.04	19
20	0.05	—	—	0.10	—	—	—	—	—	—	—	0.05	20
21	0.30	—	—	—	—	—	0.14	—	—	—	—	0.05	21
22	—	—	0.10	0.11	—	—	0.06	—	—	—	—	0.08	22
23	—	0.12	0.15	—	—	0.07	0.18	—	—	0.60	—	0.40	23
24	—	—	0.11	—	—	—	—	—	0.56	0.68	—	0.09	24
25	—	—	—	—	—	0.36	—	—	0.05	—	0.07	0.13	25
26	—	0.07	—	0.02	—	—	28	—	—	0.03	—	0.30	26
27	—	0.16	—	—	—	—	0.09	—	—	0.35	—	0.16	27
28	—	0.12	0.05	—	—	—	—	—	—	0.03	—	0.03	28
29	—	—	—	—	—	—	8	0.23	—	—	0.21	0.07	29
30	—	X	—	—	—	0.25	0.10	—	—	0.19	0.08	0.04	30
31	0.06	X	—	X	—	X	0.09	0.07	X	0.03	X	0.41	31
Total	3.41	3.52	0.66	0.99	2.61	0.82	4.65	2.72	0.91	2.38	2.44	5.13	YEAR'S TOTAL 30.24
Rain Days.	16	18	7	11	9	5	16	13	5	11	8	27	146

W. 8,000. X. 15.

2334

Ex'd

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

9 JAN 1917

Kept at Aldenham Park
in the County of Shropshire
by Thos Canning

Lat. 52° 34 Long. 2° 29
Time of Observation 9 a.m.
Nearest Railway Station Bridgnorth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 9 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·15	—	0·34	—	0·04	0·05	0·24	—	—	—	0·17	—	1
2	0·06	0·07	0·06	—	0·06	—	0·11	—	0·19	0·98	0·09	—	2
3	—	0·70	—	—	—	—	0·03	—	0·03	0·08	0·15	—	3
4	5	0·30	0·02	0·15	0·40	0·31	0·04	—	0·02	0·28	0·45	—	4
5	—	—	0·12	—	0·09	0·06	—	—	—	0·05	0·15	—	5
6	0·04	—	0·15	—	0·17	0·35	0·15	—	—	0·07	0·45	—	6
7	—	—	0·10	—	—	—	0·45	—	—	0·08	0·06	0·37	7
8	0·04	—	0·07	—	0·21	—	—	—	—	0·10	0·02	—	8
9	—	—	0·03	—	0·36	—	—	—	—	—	—	—	9
10	—	—	—	0·02	0·03	—	—	—	—	0·02	0·03	—	10
11	—	0·75	0·09	0·05	—	—	0·03	—	—	—	—	0·35	11
12	—	—	0·04	—	0·30	—	0·08	0·02	—	—	—	—	12
13	—	—	0·20	—	—	—	0·08	0·15	—	0·02	—	—	13
14	—	0·42	0·08	—	0·07	—	—	0·13	—	—	0·03	0·15	14
15	—	0·36	0·12	0·27	—	—	—	0·08	0·11	0·15	—	—	15
16	—	0·12	—	0·20	0·06	—	0·11	0·20	—	—	—	—	16
17	—	—	—	0·05	—	—	—	0·19	0·42	0·15	—	—	17
18	0·05	—	0·08	0·07	—	—	—	—	0·29	—	0·75	0·24	18
19	0·02	—	0·22	0·05	—	—	—	0·03	0·02	—	0·07	—	19
20	—	—	0·48	—	—	—	—	—	—	—	—	—	20
21	0·02	—	0·30	—	0·14	—	0·15	—	—	—	—	0·29	21
22	0·02	—	—	0·04	—	—	—	—	—	0·18	—	—	22
23	—	0·06	—	—	—	0·07	—	0·25	—	0·04	0·06	0·35	23
24	—	0·11	—	—	0·10	—	—	0·05	—	0·20	—	0·15	24
25	—	0·09	—	—	0·27	0·35	—	0·06	0·03	0·01	0·19	0·02	25
26	0·05	0·10	—	—	—	0·03	—	0·09	—	0·26	0·03	—	26
27	—	0·29	—	—	—	—	—	0·24	0·09	1·05	—	0·18	27
28	—	0·23	0·33	—	—	—	—	—	0·03	0·10	0·07	—	28
29	—	0·09	—	—	—	0·30	—	0·35	—	0·12	—	0·29	29
30	—	X	—	—	—	0·15	—	0·02	—	0·15	—	—	30
31	—	X	—	X	—	X	—	—	X	0·18	X	0·03	31
Total	0·50	3·69	2·83	0·90	2·30	1·07	1·47	1·86	1·23	4·27	2·77	2·32	YEAR'S TOTAL 25·21
Rain Days.	10	14	18	9	14	9	11	14	10	21	16	11	157

W. 8,000, VIII. 16

2220

FORM A.
BRITISH RAINFALL.
12 JAN.1918

REGISTER OF RAINFALL IN 1917

Kept at Aldenham Park
in the County of Shropshire
by Thomas Canning

Lat. 52° 34 N. Long. 2° 29 W.
Time of Observation 9 a.m-daily
Nearest Railway Station Bridgnorth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 9 in.
" " " " Sea Level 1·30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
-

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0·12	0·15	—	0·15	—	0·75	0·16	—	0·04	0·06	1
2	—	—	—	0·13	—	0·05	—	0·07	—	—	0·16	0·07	2
3	0·06	—	—	0·07	—	—	—	0·07	—	0·15	0·09	—	3
4	—	—	0·15	009	—	—	—	0·03	—	0·55	004	—	4
5	0·29	—	0·16	0·25	—	—	—	—	0·04	0·17	0·15	—	5
6	0·04	—	0·05	—	—	0·15	—	—	—	0·05	0·23	—	6
7	0·23	—	0·09	—	—	—	—	—	—	0·10	0·06	—	7
8	0·72	—	0·02	0·11	—	—	—	0·32	—	0·30	0·15	0·20	8
9	0·51	—	0·21	—	0·10	—	—	0·16	0·04	0·06	0·45	—	9
10	0·04	—	0·29	0·15	0·04	—	—	—	0·05	0·11	0·05	—	10
11	—	—	—	0·32	—	—	—	0·20	—	0·06	0·03	—	11
12	—	—	—	0·16	0·25	—	—	0·05	0·02	0·38	0·01	—	12
13	—	—	—	0·07	—	—	—	0·11	0·05	0·02	—	—	13
14	—	—	0·15	0·03	—	—	—	0·23	—	—	—	—	14
15	—	—		—	0·08	—	0·48	0·14	—	0·10	—	—	15
16	—	0·14	—	0·07	—	0·15	0·04	—	—	—	—	0·20	16
17	—	0·03	—	—	0·38	—	0·52	0·47	0·20	—	—	—	17
18	—	0·02	—	0·21	0·03	—	0·36	0·50	0·15	0·06	—	—	18
19	—	0·30	—	—	—	—	—	—	0·02	—	—	—	19
20	—	0·16	0·50	—	0·40	0·55	0·05	—	0·25	0·03	0·07	—	20
21	—	—	0·31	—	0·15	—	—	—	—	—	0·08	—	21
22	—	—	—	—	—	0·13	—	0·14	0·03	0·23	—	—	22
23	—	0·21	—	—	0·05	0·02	—	0·04	—	0·06	—	—	23
24	—	—	—	—	—	0·33	—	0·03	—	0·25	0·06	0·12	24
25	—	—	0·12	—	—	—	0·23	0·02	—	0·20	0·08	—	25
26	—	—	—	—	—	0·02	—	0·33	0·03	0·09	0·07	—	26
27	—	—	—	—	1·45	0·18	0·36	1·03	—	0·05	0·01	—	27
28	—	—	0·02	—	—	—	—	0·06	—	—	—	0·04	28
29	—	—	—	—	—	—	0·03	0·10	—	—	—	0·12	29
30	—	X	—	—	—	—	—	0·36	—	0·44	—	0·03	30
31	—	X	0·06	X	—	X	—	0·07	X	0·02	X	—	31
Total	1·89	0·86	2·25	1·81	2·93	1·73	2·07	5·28	1·04	3·48	1·83	0·84	YEAR'S TOTAL 26·01
Rain Days.	7	6	14	13	10	10	8	23	12	22	18	8	151

W. 8,000, IX. 17.

20

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 9. 1. 19

Kept at Aldenham Park

in the County of Shropshire

by Thos Canning

Lat. 52" 34" Long. 2" 29

Time of Observation 9. a.m.

Nearest Railway Station Bridgnorth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 9 in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·06	—	0·23	—	—	—	0·41	—	—	0·58	—	1
2	—	0·02	—	0·04	—	—	—	0·25	—	—	—	—	2
3	—	—	—	—	—	—	—	0·72	0·50	—	0·04	—	3
4	—	0·05	—	—	—	—	—	—	0·73	0·20	0·43	0·47	4
5	—	—	—	0·05	0·45	—	—	0·06	0·12	0·12	—	—	5
6	—	0·05	—	0·18	—	—	—	—	0·03	0·18	—	—	6
7	0·02	0·18	—	0·10	0·14	0·11	—	—	0·20	0·05	0·15	—	7
8	—	0·36	—	—	—	—	0·02	—	0·05	0·06	0·05	—	8
9	—	0·26	—	0·14	—	—	0·08	—	0·33	0·20	—	0·02	9
10	0·06	0·12	—	—	—	—	0·40	—	0·04	0·03	—	0·05	10
11	—	—	0·18	—	0·15	—	0·03	—	0·13	—	—	0·09	11
12	—	—	0·07	—	0·14	—	0·33	—	0·02	0·04	—	—	12
13	0·02	—	—	—	0·10	—	—	—	0·14	0·09	—	—	13
14	0·24	—	—	—	—	0·14	0·11	—	0·23	0·02	—	0·18	14
15	—	—	—	0·05	—	—	0·42	—	0·09	0·09	—	0·06	15
16	0·52	—	—	0·37	—	—	0·41	—	0·29	0·02	—	0·02	16
17	0·33	—	—	—	—	0·30	0·02	0·02	0·13	0·20	—	0·08	17
18	0·30	—	—	—	—	0·32	0·15	—	0·75	0·02	—	0·13	18
19	0·07	—	0·24	—	—	—	0·09	—	—	—	—	0·15	19
20	0·11	—	—	0·55	—	0·07	—	—	0·15	—	—	0·52	20
21	0·10	—	—	0·25	—	—	0·06	—	0·21	—	—	0·17	21
22	—	—	—	0·05	0·89	—	0·18	—	0·05	0·06	—	0·12	22
23	—	—	—	—	0·55	—	0·21	—	0·07	—	—	0·06	23
24	—	0·19	—	—	—	—	0·18	0·07	0·06	—	0·25	—	24
25	—	—	—	—	0·06	0·30	0·22	0·45	—	—	0·03	—	25
26	—	—	—	—	—	—	0·81	0·04	0·03	—	0·04	—	26
27	—	—	0·02	—	—	—	—	0·34	—	—	—	0·10	27
28	—	0·16	0·28	—	—	—	—	—	—	—	0·33	0·12	28
29	—	—	0·08	—	—	—	—	—	0·56	—	—	0·02	29
30	—	✕	0·18	—	—	—	—	—	0·09	—	—	0·23	30
31	—	✕	0·25	✕	—	✕	—	—	✕	—	✕	—	31
Total	1·77	1·45	1·30	2·01	2·48	1·24	3·72	2·36	5·00	1·38	1·90	2·59	YEAR'S TOTAL 27·20
Rain Days.	10	10	8	11	8	6	17	9	24	15	9	18	145

W, 6,500, VII. 18. W W C

E+RR 2079

6 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Aldenham Park

in the County of Salop

by Thomas Canning

Lat. 52·34 Long 2" 29

Time of Observation 9. am daily

Nearest Railway Station Bridgnorth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft 9 in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·28	0·03	—	0·06	0·08	—	0·20	—	0·03	0·10	—	0·30	1
2	0·15	—	0·11	—	—	—	0·10	—	0·02	0·04	0·12	0·02	2
3	0·03	—	0·05	0·02	—	—	0·19	—	0·08	—	0·10	0·05	3
4	—	—	0·20	—	—	0·07	0·22	0·10	0·16	—	—	0·21	4
5	0·02	0·35	—	—	0·15	—	—	—	0·02	—	—	0·08	5
6	0·05	—	0·15	—	0·12	—	—	—	—	—	—	0·15	6
7	0·16	—	0·17	0·05	0·06	—	—	—	—	—	0·07	—	7
8	0·19	—	0·05	0·02	—	—	—	—	—	—	0·02	—	8
9	0·15	—	—	0·02	—	—	—	—	—	—	—	—	9
10	—	—	0·45	0·06	—	—	—	—	—	—	—	0·18	10
11	—	—	0·95	—	—	—	0·27	—	—	0·03	—	0·05	11
12	0·03	—	0·82	—	—	—	—	—	0·04	0·03	—	—	12
13	0·06	—	—	0·15	—	0·29	0·05	—	0·48	0·08	—	—	13
14	0·16	0·04	—	0·10	—	—	0·07	—	0·02	0·34	—	0·15	14
15	0·60	0·07	—	0·36	—	—	—	—	—	0·23	—	0·25	15
16	0·07	0·35	—	0·11	—	—	—	0·04	—	—	0·17	—	16
17	—	0·95	—	0·02	—	0·03	0·06	—	—	—	5	0·05	17
18	—	0·21	0·65	—	—	—	—	0·26	—	—	—	—	18
19	0·06	0·04	0·57	—	—	0·13	0·80	0·52	0·20	—	—	—	19
20	0·36	—	—	—	—	—	—	0·13	0·15	—	—	0·19	20
21	0·05	0·35	—	—	—	—	0·33	—	—	—	—	0·25	21
22	—	0·21	—	—	—	—	—	—	0·35	—	—	0·30	22
23	—	—	—	—	—	0·19	—	—	—	0·98	—	—	23
24	—	—	—	0·07	0·07	0·02	—	—	—	0·65	—	0·16	24
25	0·10	—	—	0·06	0·08	—	—	0·33	—	0·02	0·35	0·03	25
26	—	—	0·55	0·17	—	0·08	—	—	0·06	—	—	0·30	26
27	0·09	—	0·06	0·35	—	0·02	—	0·17	0·02	—	—	0·03	27
28	0·15	—	0·04	0·08	—	—	—	0·78	—	—	—	0·31	28
29	—		—	0·11	—	—	—	0·03	—	0·27	0·16	0·03	29
30	—		—	0·15	—	0·04	—	—	—	—	0·10	0·32	30
31	—		0·04		—		—	—		0·02		—	31
TOTAL	2·76	2·60	4·86	1·96	0·56	0·87	2·29	2·36	1·63	2·79	1·14	3·41	YEAR'S TOTAL 27·23
Days with ·01 in. or more	19	10	15	18	6	9	10	9	13	12	9	21	151

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

31·3·21

obr agrees

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Aldenham Park
in the County of Shropshire
by Thos Canning

Lat. 52° 34 Long 2° 29
Time of Observation 9 a.m daily
Nearest Railway Station Bridgnorth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 9 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0·06	0·26	—	0·22	—	—	0·09	—	0·28	1
2	—	—	—	0·12	0·02	—	0·45	—	0·17	0·03	—	0·02	2
3	0·15	0·04	—	0·13	—	—	0·58	—	—	0·38	—	—	3
4	—	—	—	0·04	—	—	0·04	0·29	0·15	0·23	—	—	4
5	—	—	0·08	—	0·15	—	0·29	0·14	—	0·95	—	0·04	5
6	—	—	0·26	—	0·05	—	0·08	—	—	0·28	—	—	6
7	—	—	—	0·09	0·02	—	0·19	—	—	—	—	—	7
8	0·35	0·07	—	0·05	0·16	—	0·34	0·20	—	0·02	—	—	8
9	0·33	—	—	0·57	0·08	—	0·06	0·10	—	—	0·03	—	9
10	0·45	0·07	0·08	0·32	—	0·16	0·42	—	—	—	—	—	10
11	—	—	0·15	0·18	0·31	0·33	0·02	—	—	—	—	—	11
12	0·15	0·02	—	0·34	—	0·69	0·06	0·08	—	—	0·07	—	12
13	—	0·04	—	0·25	—	0·09	0·04	—	0·02	—	0·09	0·20	13
14	—	—	0·98	0·20	—	0·02	—	—	0·33	0·06	0·19	—	14
15	0·12	0·10	0·12	0·44	—	0·38	0·05	—	0·19	0·32	0·04	—	15
16	—	—	—	—	0·57	0·09	0·23	—	0·09	0·57	—	—	16
17	0·19	—	—	—	0·12	—	0·04	—	0·31	0·05	—	—	17
18	0·02	—	—	0·06	0·06	0·01	—	0·04	0·15	—	—	—	18
19	—	0·95	—	0·08	—	—	—	0·02	—	—	—	0·09	19
20	0·02	—	—	0·52	—	0·22	0·02	—	—	—	—	—	20
21	—	—	—	—	—	—	0·08	—	—	—	—	0·02	21
22	—	—	—	0·07	—	—	0·06	0·09	—	—	—	—	22
23	—	—	0·09	0·02	—	—	0·11	0·06	—	—	—	0·48	23
24	—	—	0·07	0·02	—	—	0·04	0·05	—	—	~~4~~	0·19	24
25	0·10	0·04	0·24	—			—		—	—	—	0·02	25
26	0·06	—	0·21	—	0·18	—	0·40	—	—	—	—	0·07	26
27	—	—	0·06	0·17	0·48	0·15	0·09	—	—	—	0·03	0·35	27
28	1·15	—	0·08	0·06	0·23	—	—	—	—	—	—	0·06	28
29	0·16	—	0·31	—	0·04	—	0·05	—	—	—	0·16	0·49	29
30	—	×	0·05	0·21	0·02	0·12	0·03	—	0·30	—	0·09	0·10	30
31	0·07	×		×	—	×	—	—	×	0·49	×	0·02	31
TOTAL	3·32 ~~2·92~~	1·33	2·78	4·00	2·75 ~~2·73~~	2·26	3·99	1·07	1·71	3·47	0·70	2·43 ~~2·35~~	YEAR'S TOTAL 29·81 ~~29·29~~
Days with ·01 in. or more	14 ~~23~~	8	14	22	16	11	25	10	9	12	8	15	164
Days with ·04 in. or more	12 ~~14~~	7	14	20	13	9	22	9	8	10	6	11	141

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SHROPSHIRE.

BRIDGNORTH.

"HOOKFIELD HOUSE"

1911

RE 19*11.*

FORM A2. BRITISH RAINFALL. 2 - JAN 1912

Kept at *Hookfield* of top *5* in*s*

top above Ground *one* ft. in.

in the County of *Salop* „ „ Sea Level *273* ft.

on *9 a.m.*

by *Prebendary F.* tation { Name *Bridgnorth* Distance *½ mile* Direction *S.W.*

IMPORTANT NOTE should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.04			.04		1
2					.11		.05	.01				.10	2
3				.02	.43				.04	.03	.07		3
4	.02		.10		.02			.03	.03	.02	.14	.33	4
5	.17		.04	.02				.08		.05	.02		5
6	.11		.06					.04		.07	.07	.33	6
7			[illegible]							.07	.20		7
8	.09		.09								.10	.26	8
9	.03		.03								.65	.08	9
10	.02	.10	.11						.03			.32	10
11	.12			[illegible]							.32		11
12			.35					.06	.49		.16		12
13									[illegible]		.02	.44	13
14			.04						.01			.65	14
15		.03									.06	.19	15
16			.03			.03					.08	.04	16
17					.02	.83					.16	.45	17
18		.20		.11		.03				.05		.31	18
19						.23		.02	.12			.09	19
20		.04		.07				.13	.08	.03	.15	.33	20
21		.28	.21	.01				1.15		.15		.01	21
22			.04							.28	.05	.33	22
23		.16	.25		.03	.20			.28	.03		.17	23
.09 24		Od ~~.24~~ .09	.02	.01	[illegible]	.40		.15		.45		.19	24
25		.03								.20		.09	25
26		.14		.16	.07	03			.03		.17	.08	26
27		.16	.11	.04				.44			.18	.13	27
28	.02	.18		.13					.20		.16	.02	28
29						.23	.14	.05		.14	.02	.03	29
30				.08	.07	.12	.02		.18	.17	03		30
31			.15							.02		.01	31
Total	.58	1.41	1.62	.65	.75	2.10	.21	2.20	1.49	1.76	2.85	5.20	TOTAL for year 20.82
No. of Rain Days.	8	11	15	10	7	9	3	12	11	15	21	24	146

W. 8,000, X. '11.

5.20

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REC 1911.

Kept at Hookfield House. Bridgnorth 3

in the County of Salop

by Prebendary F. Bird

RAIN GAUGE Pattern
Diameter of top 5 ins
Height of top above Ground one ft. in.
" " " Sea Level c273 ft.

Time of Observation 9. a. m.

Nearest Railway Station Name Bridgnorth
Distance ½ mile Direction S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.04			.04		1
2					.11		.05	.01				.10	2
3				.02	.43				.04	.03	.07		3
4	.02		.10		.02			.03	.03	.02	.14	.33	4
5	.17		.04	.02				.08		.05	.02		5
6	.11		.06					.04		.07	.07	.33	6
7										.07	.20		7
8	.09		.09								.10	.26	8
9	.03		.03								.65	.08	9
10	.02	.10	.11						.03			.32	10
11	.12										.32		11
12			.35					.06	.49		.16		12
13									[illegible]		.02	.44	13
14			.04						.01			.65	14
15		.03									.06	.19	15
16			.03			.03					.08	.04	16
17					.02	.83					.16	.45	17
18		.20		.11		.03				.05		.31	18
19						.23		.02	.12			.09	19
20		.04		.07				.13	.08	.03	.15	.33	20
21		.28	.21	.01				1.15		.15		.01	21
22			.04							.28	.05	.33	22
23		.16	.25		.03	.20			.28	.03		.17	23
.09 24		.09 ~~.24~~	.02	.01		.40		.15		.45		.19	24
25		.03								.20		.09	25
26		.14		.16	.07	.03			.03		.17	.08	26
27		.16	.11	.04				.44			.18	.13	27
28	.02	.18		.13					.20		.16	.02	28
29						.23	.14	.05		.14	.02	.03	29
30				.08	.07	.12	.02		.18	.17	.03		30
31			.15							.02		.01	31
Total	.58	1.41	1.62	.65	.75	2.10	.21	2.20	1.49	1.76	2.85	5.20	TOTAL for year 20.82
No. of Rain Days.	8	11	15	10	7	9	3	12	11	15	21	24	146

W. 8,000, X. '11.

5.20

BRIDGNORTH
CANTREYN
SHROPSHIRE
1911 - 1920

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912
2280

RE 1

nd

Kept at Cantreyn 5 in.

Ground ft. 3 in.

in the County of S Sea Level 287 ft.

· m

by Wm Bayl Name Bridgnorth

Distance 1½ m Direction S

IMPORTANT NOTI the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the read ar in the space provided for it at the end of this ment of rain, the selection and placing tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·01		·03	·06			·04		1
2				·02	·13		·14			·08	·14	·09	2
3				·01	·43				·04	·02	·09	·02	3
4			·12		·02			·04	·03	·01	·16	·33	4
5	·17		·04	·03	·01			·06		·10	·02		5
6	·13		·07					·06		·03	·07	·34	6
7											·23		7
8	·10		·09								·12	·46	8
9	·03		·04								·68	·11	9
10	·01	·10	·11						·04			·32	10
11	·11										·32		11
12			·38						·49	·02	·20		12
13			·01					·05			·02	·45	13
14			·04									·60	14
15		·05	·03				·02				·07	·20	15
16			·03			·04					·08	·07	16
17					·01	·81					·18	·43	17
18		·27		·14		·06				·06		·33	18
19				·07		·27		·03		·25	·18	·12	19
20	·02	·05		·09				·13	·08	·04		·37	20
21		·29	·07					1·18	·05	·13		·01	21
22	·01	·03	·05							·32	·06	·34	22
23		·21	·25		·04	·21			·29	·03		·17	23
24		·09		·02		·43		·04		·24		·19	24
25		·03		·03		·03	·02		·03	·01		·07	25
26		·13		·15	·09	·03				·19	·22	·08	26
27		·20	·12	·07				·47	·21		·07	·14	27
28		·19		·15							·17	·05	28
29						·23	·18		·19	·10	·01	·03	29
30				·08		·15	·02	·07		·25	·02	·02	30
31			·18		·09					·06			31
Total	·58	1·64	1·63	·86	·83	2·26	·41	2·19	1·45	1·94	3·15	5·34	TOTAL for year 22·28
No. of Rain Days.	8	12	16	12	9	10	6	11	10	18	22	25	159

W. 8,000, X. '11.

RE 1

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912
2280

Kept at Cantreyn Bridgnorth

in the County of Salop 3

by Wm Bayliss

RAIN GAUGE
Pattern round
Diameter of top 5 in.
Height of top above Ground ft. 3 in.
" " " Sea Level 287 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bridgnorth
Distance 1½ m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·01		·03	·06			·04		1
2				·02	·13		·14			·08	·14	·09	2
3				·01	·43				·04	·02	·09	02	3
4			·12		·02			·04	·03	·01	·16	33	4
5	·17		·04	·03	·01			·06		·10	·02		5
6	·13		·07					·06		·03	·07	·34	6
7											·23	[illegible]	7
8	·10		·09								·12	·46	8
9	·03		·04								·68	·11	9
10	·01	·10	·11						·04			·32	10
11	·11										·32		11
12			·38						·49	·02	·20		12
13			·01					·05			·02	·45	13
14			·04									·60	14
15		05	·03				·02				·07	·20	15
16			·03			·04					·08	·07	16
17					·01	·81					·18	·43	17
18		·27		·14		·06				·06		·33	18
19				·07		·27		·03		·25	·18	·12	19
20	·02	·05		·09				·13	·08	·04		37	20
21		·29	·07					1·18	·05	·13		01	21
22	·01	·03	·05							32	·06	·34	22
23		·21	25		·04	·21			·29	·03		·17	23
24		·09		·02		43		·04		24		·19	24
25		·03		·03		·03	·02		·03	·01		·07	25
26		13		·15	·09	·03				·19	·22	·08	26
27		·20	·12	·07				·47	·21		·07	14	27
28		19		·15							·17	·05	28
29						·23	·18		·19	10	·01	·03	29
30				·08		·15	·02	·07		·25	·12	·02	30
31			·18		·09					·06			31
Total	·58	1·64	1·63	·86	·83	2·26	·41	2·19	1·45	1·94	3·15	5·34	TOTAL for year 22·28
No. of Rain Days.	8	12	16	12	9	10	6	11	10	18	22	25	159

W. 8,000, X. '11.

Esc 84L

7

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Cantreyn. Bridgnorth

in the County of Salop 3

by Wm Bayliss

RAIN GAUGE
Pattern round
Diameter of top 5 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 290 ft. 2280

Time of Observation 9 a.m.

Nearest Railway Station
Name Bridgnorth
Distance 1½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·01		·02	·06			·04		1
2				·02	·13		·12			·08	·14	·09	2
3				·01	·45				·04	·02	·08	·02	3
4			·11		·02			·03	·03	·01	·15	·34	4
5	·17		·04	·02	·01			·06		·10	·02		5
6	·13		·07					·06		·02	·07	·38	6
7											·23		7
8	·10		·09								·12	·48	8
9	·03		·03								·67	·11	9
10	·01	·10	·11						·04			·32	10
11	·10										·32		11
12			·36						·48	·02	·19		12
13			·01					·04			·02	·43	13
14			·02									·60	14
15		·04	·02				·02				·07	·19	15
16			·02			·04					·08	·07	16
17					·01	·82					·18	·43	17
18		·26		·12		·05				·05		·35	18
19				·07		·26		·03		·25	·14	·12	19
20	·02	·05		·09				·13	·08	·04		·36	20
21		·28	·06					1·13	·05	·13		·01	21
22	·01	·02	·05							·32	·06	·32	22
23		·21	·22		·04	·21			·28	·03		·17	23
24		·08		·02		·42		·04		·24		·19	24
25		·03		·03		·02	·01		·03	·01		·07	25
26		·13		·13	·09	·03				·20	·21	·08	26
27		·19	10	·07				·47	·20		·06	·14	27
28		·19		·15							·17	·04	28
29						·22	·18		·18	·10	·01	·03	29
30				07		·14	·02	06		·25	·02	·02	30
31			·17		09					·05			31
Total	·57	1·58	1·48	·80	·85	2·21	·37	2·11	1·41	1·92	3·05	5·36	TOTAL for year 21·71
No. of Rain Days.	8	12	16	12	9	10	6	11	10	18	22	25	159

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

7

FORM A. BRITISH RAINFALL.

7 JAN 1913

2280

Kept at Cantreyn Bridgnorth

in the County of Salop 3

by Wm Bayliss

Lat. 52° 32′ 30″ Long. 2° 25′ 40″

Time of Observation 9 a m

Nearest Railway Station 1½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·13			·14		·02	·01			·13	1
2			·10			·19	·13					·07	2
3			·04		·15	·14	·01	·78	·04			·11	3
4	·11		·64		·15	·34		·52			·13		4
5	·22	·10	·18		·03	·37		·31	·02				5
6	·23	·09	·02		·02	·23		·38					6
7		·12			·05	·43		·05					7
8	·25	·20	·16	·02	·03	·12	·04	·45	·05			·02	8
9	·16	·04	·55	·10		·38		·25				·23	9
10	·16	·02		·02		·18		·03			·48		10
11	·02	·03	·02					·07			·18	·39	11
12	·05	·23	·16				·02	·02			·02	·03	12
13								·04	·01	·04	·01	·02	13
14	·05		·43			·04			·04				14
15	·10	·08	·16		·43	·23		·02				·03	15
16	·69		·08		·20	·03				·03			16
17	·91		·02			·04		·37			·21	·95	17
18	·11	·01	·04					·01		·03	·03		18
19	·11	·04			·04		·13	·20		·04	·01		19
20	·03		·18				·04	·01		·19			20
21		·02	·13		·61			·43		·32			21
22	·22	·07	·02		·62		·23	·29				·07	22
23	·11	·04	·35				·61	·13		·01	·11		23
24	·15		·03			·24	·10	·04			·02	·26	24
25						·08		·88			·37	·28	25
26		·05	·07				·13	·63		·82	·30	·07	26
27		·02				·45	·35			·75		·20	27
28		·05				·09	·18	·40	·11	·22	·62	·27	28
29		·02	·06			·05	·21	·20	·43	·02	·08		29
30	·04		·08		·04	·20	·05	·01		·25			30
31			·13		·27		·15	·05		·06		·07	31
Total	3·72	1·23	3·78	0·14	2·64	3·97	2·38	6·59	0·71	2·78	2·57	3·20	YEAR'S TOTAL 33·71
Rain Days.	19	18	24	3	13	20	15	27	8	13	14	17	191

W. 7,500, XI. ·12

✓

wd for auth 7. III. 13

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
7- JAN 1913
2280

Kept at Cantreyn Bridgnorth

in the County of Salop 3

by Wm Baylis

Lat. 52° 32′ 30″ Long. 2° 25′ 40″

Time of Observation 9 a.m.

Nearest Railway Station 1½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 3 in.

„ „ „ „ Sea Level 287′·3″ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·13			·15		·02	·02			·17	1
2			·10			·20	·16					·07	2
3			·04		·17	·15	·02	·82	·05			·11	3
4	·12	·14	·61		·17	·36		·50			·15		4
5	·24	·10	·19		·03	·37		·32	·03				5
6	·24	·12	·02		·03	·23		·38					6
7		·20			·06	·44		·06					7
8	·26	·04	·16	·03	·03	·12	·05	·44	·05			·03	8
9	·15	·02	·57	·11		·39		·25				·23	9
10	·16	·03		·02		·18		·04			·54		10
11	·02	·25	·02					·09			·21	·39	11
12	·06		·16				·03	·02			·03	·03	12
13								·04	·02	·05	·02	·03	13
14	·05		·43			·04			·05				14
15	·11	·08	·76		·43	·23		·03				·04	15
16	·69		·09		·20	·05				·04			16
17	·91		·02			·05		·39			·21	1·00	17
18	·23	·01	·04					·02		·04	·04		18
19	·12	·05			·04		·14	·21		·04			19
20	·04		·19				·04	·02		·18	·02		20
21		·02	·13		·66			·44		·32			21
22	·23	·07	·02		·62		·25	·31				·09	22
23	·12	·05	·35				·64	·13		·01	·12		23
24	·16		·03			·25	·10	·05			·02	·27	24
25						·08		·90			·33	·30	25
26		·06	·07				·13	·63		·86	·32	·08	26
27		·03				·46	·36			·76		·21	27
28		·06				·10	·19	·44	·13	·22	·65	·28	28
29		·03	·06			·05	·22	·20	·45	·03	·09		29
30	·04		·08		·05	·20	·06	·01		·25			30
31			·14		·25		·16	·05		·06		·08	31
Total	3·96	1·36 1·36	3·81	0·16	2·74	4·10	2·55	6·81	0·80	2·86	2·75	3·41	YEAR'S TOTAL 35·30 35·30
Rain Days.	19	18	24	3	13	20	15	27	8	13	14	17	191

W. 7,500, XI. ·12

cor^d for arith 30·III·14

REGISTER OF RAINFALL IN 1913

7

FORM A.
BRITISH RAINFALL.
7 - JAN 1914
2280

Kept at Cantreyn Bridgnorth
in the County of Salop
by Wm Bayliss

3

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station 1¼ miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·14	·15	·15				·15		·04		1
2	·02	·06	·06	·14					·08	·01	·10		2
3	·03	·02	·07		·56				·02	·04		·18	3
4	·92	·16			·19		·04			·09	·06	·43	4
5	·32	·07	·09		·04	·23	·03	·05	·01	1·60			5
6	·03	·09	·25		·25	·31	·76			·06		·25	6
7		·30			·16	·02	·19			1·01	·33	·03	7
8		·09		·02	·17	·20		·10		·03			8
9		·37	·12	·03	·15	·33	·08	·34	·11		·09	·03	9
10	·06			·29	·09			·05		·06	·06		10
11	·43	·02		·46	·02	·04		·03		·06	·29	·03	11
12		·02			·06				·03		·40		12
13			·15	·02					·09		·24		13
14	·13		·61	·12				·18		·10	·02		14
15	·02	·02	·71	·70				·02	·19		·09		15
16			·44						·03				16
17	·02	·01	·04	·11		·04	·09		·06				17
18			·29	·07	·12		·07				·02	·03	18
19	·09		·10	·07	·01	·04	·02		·10	·03			19
20	·06		·17	·08						·06	·27		20
21			·04	·05	·05		·12	·02			·28		21
22	·41		·80			·10		·70	·55				22
23						·02		·02	·06		·09		23
24	·15							·04			·02		24
25				·10					·10				25
26		·02		·38	·33			·13				·29	26
27			·04	·22						·31			27
28	·23		·37	·38	·08					·13		·04	28
29			·47	·43	·02			·03		·05			29
30	·39									·80			30
31	·02		·36		·04					·01	·07		31
Total	3·33	1·28	5·32 5·32	3·82 3·82	2·49	1·33	1·40	1·71	1·58	4·45	2·47	1·31	YEAR'S TOTAL 30·59 30·49
Rain Days.	17	14	20	19	18	10	9	13	14	17	17	9	177

W.7,000, XI. 13

✓ Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
7 - JAN 1914
22/60

Kept at Cantreyn. Bridgnorth

in the County of Salop

by Wm Baylis

3

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station 1½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 3 in.

" " " " Sea Level 287 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03	·15	·17	·15				·16		·04		1
2	·02	·06	·07	·14					·08	·03	·09		2
3	·03	·02	·08		·58				·03	·04		·18	3
4	·92	·16			·20		·05			·10	·06	·46	4
5	·32	·07	·10		·04	·24	·04	·05	·02	1·62			5
6	·03	·10	·25		·25	·34	·80			·07		·27	6
7		·30			·16	·03	·20			1·07	·34	·03	7
8		·09		·02	·19	·23		·10		·03			8
9		·37	·13	·03	·15	·34	·09	·34	·12		·09	·03	9
10	·07			·32	·09			·05		·06	·07		10
11	·49	·03		·45	·03	·04		·04		·06	·29	·04	11
12		·02			·08				·04		·41		12
13			·17	·02					·09		·25		13
14	·13		·64	·13				·19		·10	·03		14
15	·02	·02	·66	·68				·02	·19		·10		15
16			·48						·03				16
17	·02	·02	·05	·12		·04	·09		·07				17
18			·27	·07	·13		·08				·03	·03	18
19	·09		·11	·08	·01	·04	·03		·10	·03			19
20	·06		·17	·09						·07	·27		20
21			·05	·05	·05		·12	·02			·29		21
22	·34		·82			·10		·71	·55				22
23						·02		·03	·09		·10		23
24	·15							·05			·02		24
25				·10					·11				25
26		·03		·36	·34			·14				·31	26
27			·05	·22						·33			27
28	·25		·37	·38	·08					·13		·04	28
29			·51	·43	·03			04		·05			29
30	·41									·82	·08		30
31	·03		·36		·04					02			31
Total	3·58	1·32	5·49	3·86	2·60	1·42	1·50	1·78	1·68	4·63	2·56	1·39	YEAR'S TOTAL 31·81
Rain Days.	17	14	20	19	18	10	9	13	14	17	17	9	177

~~W 88~~ 7

FORM A. BRITISH RAINFALL.
12 JAN 1915
5280

REGISTER OF RAINFALL IN 1914

Kept at Cantreyn. Bridgnorth

in the County of Salop 3

by Wm Bayliss

Lat. 52°-32'-30" Long. 2°-25'-40"

Time of Observation 9 a.m.

Nearest Railway Station 1½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·03				1·15	·14				·18	1
2							·53	·31			·45	·27	2
3				·08	·16		·07	·01		·05	·02	·30	3
4	·14		·03	·14	·05		·05	·06			·62	·65	4
5	·06		·07	·10	·04		·20				·11		5
6	·09	·05		·04	·05	·05	·39				·04	·11	6
7		·12	·34	·09	·13	·17	·11	·13				·38	7
8				·05	·09	·41		·06	·17			·21	8
9	·16	·02	·02	·14	·10	1·14		·13					9
10	·04	·23	·02	·22	·04				·19				10
11		·15	·21	·03	·09				·01		·24	·45	11
12		·21	·16				·63		·31		·05	·29	12
13		·12	·18				·05		·03	·28	·25	·39	13
14		·29	·13							·19	·15	·04	14
15	·06	·05	·16						·03	·02			15
16			·06				·05		·04			·04	16
17		·21	·17				·03		·01			·31	17
18			·16				·03		·05			·31	18
19		·06	·06				·53		·06		·10	·12	19
20		·18	·15			·08	·13					·26	20
21		·37	·02			·22	·21	·01		·15		·14	21
22		·07	·03		·41	·05	·02	·22		·29			22
23		·10	·08		·11	·04				10			23
24		·06	·01	·01			·06	·15		·07	·07		24
25	·05						·05	·21		·36	·04	·16	25
26			·13				·05	·05		·10	·12	·25	26
27	·06	·02									·50	·62	27
28	·01	·05	·16		·05						·01	·72	28
29			·08		·11					·16	·12		29
30		✕	·10		·01			02		·02	·29	·34	30
31	·14	✕		✕	·03	✕	17		✕	·04	✕	·02	31
Total	0·81	2·38	2·56	0·90	1·47	2·16	4·51	1·50	0·90	1·83	3·18	6·56	YEAR'S TOTAL 28·76 ✓
Rain Days.	10	19	24	10	15	8	20	13	10	13	17	23	182

W. 8,000. X. 14.

~~W~~ 916

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915
2280

Kept at Cantreyn Bridgnorth

in the County of Salop 3

by Wm Bayliss

Lat. 52° 32′ 30″ Long. 2° 25′ 40″

Time of Observation 9 a.m

Nearest Railway Station 1½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~287~~ ft. 3 in.

„ „ „ „ Sea Level 287′-3″ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·03				1·18	·15				·17	1
2							·53	·34			·49	·29	2
3				·08	·16		·07	·02		·05	·02	·29	3
4	·19		·03	·14	·04		·05	·07			·71	·69	4
5	·08		·06	·10	·06		·20				·11		5
6	·14	·05		·05	·06	·06	·39				·04	·11	6
7		·11	·34	·10	·13	·18	·11	·13				·39	7
8				·06	·09	·43		·08	·20			·24	8
9	·16	·03	·03	·15	·11	1·19		·14					9
10	·04	·22	·02	·23	·04				·20				10
11		·15	·20	·04	·09				·02		·23	·30	11
12		·21	·16				·66		·31		·07	·35	12
13		·12	·19				·05		·04	·28	·28	·39	13
14		·27	·13							·20	·15	·04	14
15	·06	·05	·18						·04	·02			15
16			·09				·05		·05			·04	16
17		·21	·18				·03		·02			·34	17
18			·17				·03		·05			·31	18
19		·06	·06				·58		·06		·10	·13	19
20		·17	·17			·09	·13					·26	20
21		·35	·03			·24	·21	·02		·14 ·14		·15	21
22		·07	·03		·43	·06	·03	·23		·30			22
23		·10	·08		·12	·04				·11			23
24		·06	·02	·02			·07	·16		·08	·07		24
25	·05						·06	·21		·37	·04	·17	25
26			·13				·06	·05		·11	·13	·25	26
27	·07	·02									·49	·65	27
28	·02	·05	·17		·06						·01	·73	28
29			·08		·11					·17	·13		29
30		X	·10		·01			·02		·03	·28	·33	30
31	·14	X		X	·03	X	·18		X	·05	X	·02	31
Total	0·95	2·32	2·68	0·97	1·53	2·29	4·67	1·62	0·99	1·91 ✓	3·35	6·84	YEAR'S TOTAL 30·12 ✓
Rain Days.	10	19	24	10	15	8	20	13	10	13	17	23	182

W. 8,000. X. 14.

cnd for auth 23. III·16 7 2401

FORM A. BRITISH RAINFALL. 2280

4 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Cantreyn Bridgnorth

in the County of Salop

by Wm Bayliss

Lat. 52° 32′ 30″ Long. 2° 25′ 40″

Time of Observation 9 a.m

Nearest Railway Station Bridgnorth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·07	·05		·43			·08	·24	·13	·01	·03	1
2	·08	·09	·15	·27		·10		1·09		·20		·10	2
3	1·25	·04	·01	·13			·39	·04	·01			·16	3
4	·02	·06			·10		·54	·18				·95	4
5		·35		·02		·09	·01	·03		·04		·61	5
6	·05	·12	·06	·13			·75	·08				·02	6
7	·07	·38		·03			·16	·13				·25	7
8	·20	·14		·02				·02			·06		8
9	·16	·06		·22							·17	·61	9
10	·32		·06	·06							·03		10
11				·04	·16						·81	·06	11
12	·05			·09	·38					·07	1·24		12
13		·49			·50		·02	·59		·01		·03	13
14	·05				·01		·08	·14	·08			·25	14
15	·34				·10		·13	·13			·11	·13	15
16	·12	·51		·02	·32		1·35						16
17		·34			·44							·02	17
18	·04	·25	·05										18
19		·03		·02	·13		·20						19
20	·05			·06									20
21	·20						·17			·09		·05	21
22	·02		·17	·08			·10					·09	22
23		·11	·04			·07	·19			·80		·42	23
24			·06	·05			·18		·48	·39		·25	24
25						·43	·03		·04	·05	·05	·17	25
26		·06					·17					·15	26
27		·15					·12			·36		·27	27
28		·21						·23	·02	·02			28
29							·14	·05			·09	·07	29
30	·05	X				·45	·08			·25	·02	·07	30
31	·03	X		X		X	·15	·13	X	·06	X	·41	31
Total	3·36 3·36	3·46	0·65	1·24	2·57	1·14	4·96	2·92	0·87	2·47	2·59	5·16	YEAR'S TOTAL 30·39 31·39
Rain Days.	19	18	9	15	10	5	20	14	6	13	10	23	162

W. 8,000. X. 15.

2402

BRITISH RAINFALL FORM A.
2280
4 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Cantreyn Bridgnorth

in the County of Salop

by Wm Bayliss

Lat. 52° 32′ 30″ Long. 2° 25′ 40″
Time of Observation 9. a.m.
Nearest Railway Station Bridgnorth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~2~~ ft. 3 in.
" " " " Sea Level 287 ft. 3″

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	·08	·06		·44			·09	·25	·14	·01	·03	1
2	·08	·09	·16	·29		·10		1·11		·22		·11	2
3	1·33	·05	·01	·13			·39	·05	·01			·18	3
4	·02	·06			·11		·54	·18				·97	4
5		·40		·03		·10	·02	·03		·04		·66	5
6	·05	·13	·07	·14			·75	·09				·02	6
7	·07	·39		·03			·17	·14				·25	7
8	·19	·14		·02				·02			·06		8
9	·17	·06		·23							·18	·67	9
10	·32		·06	·06							·03		10
11				·05	·17						·83	·07	11
12	·05			·09	·41					·07	1·34		12
13		·52			·59		·02	·60		·01		·04	13
14	·05				·01		·08	·14	·09			·26	14
15	·39			·03	·10		·13	·14			·13	·14	15
16	·14	·53			·34		1·40						16
17		·35			·47							·02	17
18	·04	·25	·10										18
19		·04		·02	·14		·20						19
20	·06			·06									20
21	·24						·18			·09		·05	21
22	·02		·19	·09			·10					·09	22
23		·13	·05			·08	·19			·84		·43	23
24			·07	·05			·19		·49	·43		·25	24
25						·43	·04		·04	·05	·05	·17	25
26		·06					·17					·15	26
27		·16					·13			·38		·26	27
28		·22						·23	·03	·03			28
29							·15	·05			·11	·08	29
30	·05	X				·44	·09			·27	·03	·08	30
31	·04	X		X		X	·15	·14	X	·08	X	·36	31
Total	3·57	3·66	0·77	1·32	2·78	1·15	5·09	3·01	0·91	2·65	2·77	5·34	YEAR'S TOTAL 33·02
Rain Days.	19	18	9	15	10	5	20	14	6	13	10	23	162

W. 8,000. X. 15.

Exo DL

71

2332

FORM A.
BRITISH RAINFALL.
13. JAN. 1917

2280

REGISTER OF RAINFALL IN 1916

Kept at Cantreyn Bridgnorth

in the County of Salop

by Wm Bayliss

Lat. 52° 32' 30" Long. 2° 25' 40"

Time of Observation 9 a.m.

Nearest Railway Station Bridgnorth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·02	·11		·03	·07	·18			·07	·13		1
2	·15	·04	·25		·04		·18		·19	·93	·10		2
3		·57			·04	·01			·03	·13	·16	·04	3
4	·11	·32		·08	·53	·26			·02	·57	·36		4
5		·01	·03		·32	·06	·03			·07	·11		5
6	·09	·19	·05		·20	·05	·37			·12	·56		6
7		·02	·07		·05		·33			·11	·11	·25	7
8	·04		·04		·27					·10		·17	8
9					·33	·17					·02	·03	9
10		·36	·05	·03	·02				·01	·02			10
11		·14	·02	·08		·09	·03		·10			·25	11
12	·02	·05	·03	·03	·29		·04	·01					12
13	·02	·16	·12	·10			·03	·12				·11	13
14		·44		·03	·04			·15		·04	·02	·01	14
15		·34	·34	·14	·08		·03	·06	·02	·15			15
16		·05	·01	·17			·10	·58		·02			16
17	·02	·16		·13			·03	·30	·39	·22			17
18		·05	·05	·15				·02	·21	·04	·55	·39	18
19	·03	·01	·24	·10				·01	·01		·19		19
20	·04		·53								·09	·19	20
21			·30		·12		·12						21
22				·06	·01	·03				·12		·48	22
23		·05	·02					·10		·05	·07	·15	23
24		·33			·24	·03		·18		·19		·17	24
25		·03	·13		·02	·06		·10		·01	·30		25
26	·08	·10			·06	·04		·21	·08	·32	·10		26
27	·01	·05	·34					·14	·13	1·03			27
28		·25	·01					43	·06	·15	02	·12	28
29		·14				·20				·17		·17	29
30		X				·17				·11			30
31		X		X		X			X	·27	X	·03	31
Total	0·70	3·88	2·74	1·10	2·69	1·24	1·47	2·41	1·25	4·51	2·89	2·56	YEAR'S TOTAL 27·44
Rain Days.	12	24	20	12	18	13	12	14	12	24	16	15	192

W. 8,000, VIII. 16

2333

2280

FORM A.
BRITISH RAINFALL.
13. JAN. 1917

[illegible]

REGISTER OF RAINFALL IN 1916

Kept at Cantreyn Bridgnorth

in the County of Salop

by Wm Baylis

Lat. 52° 32′ 30″ Long. 2° 25′ 40″

Time of Observation 9 a.m.

Nearest Railway Station Bridgnorth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 3 in.

" " " " Sea Level 287′ 3″ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·02	·11		·03	·07	·20			·07	·13		1
2	·16	·05	·30		·04		·19		·21	·96	·10		2
3		·57			·05	·02			·03	·15	·16	·04	3
4	·12	·34		·09	·54	·29			·02	·07	·38		4
5		·01	·04		·38	·07	·04			·08	·12		5
6	·11	·18	·07		·22	·05	·40			·13	·57		6
7		·03	·08		·06		·35			·11	·11	·26	7
8	·04		·07		·29					·10		·18	8
9					·35	·18					·02	·04	9
10		·37	·06	·04	·02				·02	·02			10
11		·15	·04	·08		·11	·04		·10			·23	11
12	·03	·05	·04	·03	·31		·05	·02					12
13	·02	·16	·15	·10			·04	·13				·12	13
14		·44		·04	·04			·15		·05	·03	·01	14
15		·36	·35	·15	·08		·03	·07	·03	·16			15
16		·06	·02	·17			·10	·59		·02			16
17	·03	·16		·15			·03	·30	·41	·22			17
18		·05	·05	·14				·02	·22	·04	·56	·42	18
19	·03	·01	·28	·10				·01	·01		·20		19
20	·04		·55								·09	·19	20
21			·34		·13		·12						21
22				·07	·02	·04				·12		·49	22
23		·08	·02					·11		·05	·07	·16	23
24		·35			·24	·04		·18		·21		·18	24
25		·05	·13		·02	·06		·11		·02	·30		25
26	·08	·30			·06	·05		·20	·08	·40	·10		26
27	·01	·05	·60					·14	·14	1·05			27
28		·30	·02						·06	·15	·02	·13	28
29		·14				·22		·45		·18		·17	29
30		X				·20				·11			30
31		X		X		X			X	·26	X	·03	31
Total	0·76	4·28	3·32 3·32	1·16	2·88 2·88	1·40	1·59	2·48	1·33	4·73	2·96	2·65	YEAR'S TOTAL 29·53 29·54
Rain Days.	12	24	20	12	18	13	12	14	12	24	16	15	192

W. 8,000, VIII. 16

and for [illegible] W.

REGISTER OF RAINFALL IN 1917

71

FORM A. BRITISH RAINFALL. 2280

5 JAN 1918

Kept at Cantreyn, Bridgnorth

in the County of Salop

by Wm Bayliss

Lat. 53 23 30 Long. 2 25 40

Time of Observation 9 a.m.

Nearest Railway Station Bridgnorth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·17	·25		·12		·86	·26		·09	·10	1
2				·21		·06		·05			·17	·04	2
3	·06	·06		·27				·03		·24	·04		3
4	·01		·12					·02		·51			4
5	·29		·16	·17					·02	·15	·05		5
6	·04		·15			·13				·04	·21	·01	6
7	·38									·09	·04	·03	7
8	·29			·11			·03	·46		·31	·12	·15	8
9			·13	·07	·11			·15	·06	·10	·31		9
10	·42		·45	·15	·15			·12	·06		·02		10
11	·19		·07	·09				·12		·15	·03		11
12	·06			·03	·20			·02		·19			12
13			·02	·03				·22	·05				13
14	·03		·12	·06				·02		·04		·05	14
15	·02				·10		·58	·03				·07	15
16	·04	·08		·09		·54						·14	16
17			·03	·13	·40	·04	·45	·68	·10	·05			17
18	·01	·02		·05	·03		·41	·33	·67	·04			18
19	·02	·31	·54		·05	·26			·01				19
20		·15			·51	·21	·15	·02	·14		·06		20
21		·01	·23		·05	·06				·05	·04		21
22						·05		·15	·02	·09			22
23		·24			·19			·02		·05			23
24			·02			·50		·03		·37	·06	·04	24
25		·10	·13				·05			·08	·07		25
26					·10	·06		·45	·05	·10	·08		26
27					1 ·21	·13	·44	·91		·02			27
28			·06			·04		·12				·03	28
29								·02		·28		·22	29
30		X					·02	·28		·03			30
31		X	·06	X	·03	X		·10	X		X		31
Total	1·86 1 ·86	0 ·97	2 ·46	1 ·71	3 ·13	2 ·20	2 ·13	5 ·21	1 ·44	2 ·98	1 ·39	0 ·88	YEAR'S TOTAL 26 ·36 26·36
Rain Days.	14	8	16	14	13	13	8	24	11	21	15	11	168

W. 8,000, IX. 17.

only seconds.

REGISTER OF RAINFALL IN 1917

BRITISH RAINFALL FORM A. 2280 5. JAN 1918

2219

Kept at Cantreyn Bridgnorth

in the County of Salop

by Wm Bayliss

Lat. 53° 23′ 30″ Long. 2° 25′ 40″

Time of Observation 9 - a. m.

Nearest Railway Station Bridgnorth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 3 in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·19	·25		·12		·84	·26		·10	·11	1
2				·25		·06		·06			·19	·05	2
3	·07	·05		·29				·04		·27	·04		3
4	·02		·17					·02		·53			4
5	·29		·18	·18					·03	·15	·05		5
6	·04		·15			·13				·05	·22	·02	6
7	·41									·10	·04	·03	7
8	·32			·12			·04	·48		·32	·12	·15	8
9			·16	·08	·11			·16	·07	·10	·36		9
10	·42		·48	·21	·14			·14	·06		·02		10
11	·22		·07	·12				·13		·16	·03		11
12	·07			·03	·21			·03		·20			12
13			·02	·03				·25	·05				13
14	·05		·13	·08				·03		·05		·06	14
15	03				·10		·60	·04				·08	15
16	·04	·09		·09		·56						20	16
17			·03	·14	·38	·04	·48	·74	·11	·05			17
18	·02	·02		·05	·04		·41	·33	·68	·05			18
19	·03	·31	·59		·05	·26			·01				19
20		·15			·55	·21	·17	·02	·15		·06		20
21		·02	·29		·05	·06				·05	·05		21
22						·05		·17	·03	·10			22
23		·25			·19			·04		·06			23
24			·02			·52		·04		·41	·07	·05	24
25		·10	·13				·06			·08	·09		25
26					·10	·07		·48	·06	·11	·08		26
27					1·21	·15	·46	1·00		·02			27
28			06			·04		·12				·03	28
29								·03		28		·25	29
30		✕					·03	·30		·03			30
31		✕	06	✕	(·03)	✕		·11	✕		✕		31
Total	2·03 ✓	0·99 ✓	2·73 ✓	1·90 ✓	3·16 ✓	2·27 ✓	2·25 ✓	5·60 ✓	1·51 ✓	3·17 ✓	1·52 ✓	1·03 ✓	YEAR'S TOTAL 28·16
Rain Days.	14 ✓	8 ✓	16 ✓	14 ✓	13 ✓	13 ✓	8 ✓	24 ✓	11 ✓	21 ✓	15 ✓	11 ✓	168

W. 8,000, IX. 17.

97

~~W Dh~~ endly 2º g. ofri ante

18

REGISTER OF RAINFALL IN 1918 7

FORM A. BRITISH RAINFALL. 2280

7·1·19

Kept at Cankeyn Bridgnorth

in the County of Salop

by Wm Bayliss

Lat. 52°23′30″ Long. 2°25′40″

Time of Observation 9 a.m.

Nearest Railway Station Bridgnorth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05		·25	·02			·12		·03	·49		1
2		·04		·04				·20				·16	2
3		·05			·26			·25	·61		·05		3
4		·03						·04	·76	·20	·45	·45	4
5		·01		·06	·20			·09	·12	·17			5
6		·15	·02	·17		·15				·20			6
7		·03		·08	·11	·09			·25	·09	·16		7
8		·28							·05	·11			8
9		·40		}(·18)		·13	·12		·38	·23		·02	9
10	·05	·02					·25		·04	·06	·06	·09	10
11		·02	·14		·16		·52		·23			·05	11
12		·02	·11		·12		·02		·01	·02			12
13					·11				·15	·10			13
14	·30					·02	·10		·23			·16	14
15	·48			·20		·03	·33		·10	·10		·23	15
16	·11			·37		·13	·20	·01	·33			·06	16
17	·37				·02	·03	·12		·27	·17		·11	17
18	·30					·20	·05		·59	·02		·21	18
19	·04	·01	·24	·03			·07			·04		·17	19
20	·12	·05		·60		·07	·01		·22			·36	20
21	·07			·36			·17		·23			·11	21
22					1·60		·06		·03			·25	22
23					·50	·02	·24		·03		·05		23
24		·14					·11	·10	·06				24
25					·03	·16	·17	·37			·05	·03	25
26							1·00	·11	·08	·01	·03	·06	26
27		·10						·34	·26		·12	·04	27
28		·04	·31								·14	·07	28
29			·15						·71		·01	·08	29
30		X	·25								·15	·21	30
31		X	·29	X		X			X		X		31
Total	1·84	1·44	1·51	2·34	3·03	1·03	3·54	1·63	5·74	1·55	1·75	2·92	YEAR'S TOTAL 28·32 ~~28·42~~
Rain Days.	9	17	8	12	11	11	17	10	23	15	12	20	165

FORM A. BRITISH RAINFALL. 2280

7·1·19

REGISTER OF RAINFALL IN 1918

Kept at Bantreyn. Bridgnorth

in the County of Salop

by Wm Bayliss

Lat. 50·23·30 Long. 2 26 40

Time of Observation 9. a.m.

Nearest Railway Station Bridgnorth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 3 in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·05		·26	·03			·13		·04	·50		1
2		·06		·05				·20				·17	2
3		·05			·26			·25	·65		·05		3
4		·03						·05	·80	·22	·45	·46	4
5		·01		·07	·22			·10	·14	·17			5
6		·16	·03	·19		·15				20			6
7		·03		·08	·12	·09			·27	·10	·15		7
8		·28							·06	·12			8
9		·40		·16		·14	·12		·43	·23		·03	9
10	·06	·03		·05			·25		·05	·07	·06	·09	10
11		·02	·14		·17		·52		·23			·05	11
12		·03	·11		·13		·02		·01	·03			12
13					·12				·17	·10			13
14	·33					·03	·10		·25			·17	14
15	·56			·22		·05	·36		·11	·11		·25	15
16	·11			·37		·14	·20	·01	·33			·06	16
17	·38				·03	·04	·13		·27	·18		·11	17
18	·30					·22	·06		·69	·02		·21	18
19	·05	·01	·25	·03			·07			·04		·18	19
20	·12	·05		·62		·08	·01		·23			·36	20
21	·08			·34			·17		·23			·12	21
22					1·53		·07		·03			·25	22
23					·51	·02	·25		·04		·05		23
24		·14					·12	·11	·06				24
25					·03	·17	·19	·40			·05	·03	25
26							1·06	·12	·09	·01	·03	·06	26
27		·10						·36	·26		·12	·04	27
28		·05	·33								·14	·07	28
29			·15						·75		02	·09	29
30		X	·27								·15	·23	30
31		X	·31	X		X			X		X		31
Total	1·99	1·49	1·59	2·44	3·15	1·13	3·70	1·73	6·05	1·64	1·77	3·03	YEAR'S TOTAL 29·71
Rain Days.	9	17	8	12	11	11	17	10	23	15	12	20	165

W, 6,500, VII. 18. W W C

2078

2280

8 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Cantreyn Bridgnorth

in the County of Salop

by Wm Baylis

Lat. 52° 23' 30" Long. 2° 25' 40"

Time of Observation 9 a.m.

Nearest Railway Station Bridgnorth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 3 in.

" " " " Sea Level 287' 9" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30		·04	·03	·05		·25		·03	·09	·03	·28	1
2	·15	·02	·15				·12		·17	·05	·14		2
3	·08		·02		·04	·16	·29		·10		·12	·05	3
4			·22				·28	·11	·13			·24	4
5		·48			·20				06			·09	5
6	·05		·12		·17						·02	·13	6
7	·20		·09	·09							·07	·04	7
8	·10		·07										8
9	·15			·09							·02		9
10	·01		·44							·07		·16	10
11			1·00		·03		·25			·05		·08	11
12			·61	·03		33				07	·05		12
13	·08			·13			·06		·39	·14		·02	13
14	·23			·35			·06		·03	·07		·12	14
15	·29	·11		·28	15					·06		·32	15
16	·06	·88		·02				·04			·15		16
17		·66		·01		·07	·06	·03			·08	·02	17
18			·71				·01	·48				·05	18
19	·15	·25	·79			·13	·83	·35	·20		·05		19
20	·24	·03	·16				·02	·07	·15		·22	·10	20
21	·04	·35				·10	·30				·02	·20	21
22		·18	·02				·01		·29			·38	22
23						·13		·05		1·07		·03	23
24	·03			·11	·09					63	·10	·10	24
25	·06			·09	07	·07		·57			·02	·05	25
26			·08	·25		·04		·07	05			·29	26
27	·20		·04	·45				·28			·03		27
28	·03		·04	·02				·74			·04	·34	28
29				·13				·01		·39		(·14)	29
30		✕	·01	·13		06		02		·02	·15	20	30
31	·06	✕	·04	✕		✕			✕		✕		31
TOTAL	2·50	2·96	4·65	2·23	0·80	1·09	2·54	2·82	1·60	2·71	1·31	3·43	YEAR'S TOTAL 28·64
Days with ·01 in. or more	20	9	19	16	8	9	13	13	11	12	17	23	170

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

7/ 2280 6 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Cankeyn Bridgnorth
in the County of Salop
by Wm Bayliss

Lat. 52° 23′ 30″ Long. 2° 25′ 40″
Time of Observation 9 a-m
Nearest Railway Station Bridgnorth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·28		·03	·06	·04		·20		·02	·09	·03	·29	1
2	0·15	·02	·15				·11		·17	·04	·14		2
3	·08		·02		·03	·16	·29		·11		·11	·05	3
4			·21				·26	·10	·14			·24	4
5		·46			·18				·05			·07	5
6	·03		·12		·15						·02	·12	6
7	·20		·08	·09							·07	·04	7
8	·09		·07										8
9	·14			·09							·02		9
10	·01		·45							·07		·15	10
11			1·03		·02		·25			·05		·07	11
12			·58	·02		·30				·07	·04		12
13	·08			·12			·06		·36	·14		·02	13
14	·22			·33			·05		·03	·07		·12	14
15	·28	·11		·26	·14					·05		·32	15
16	·06	·83		·01				·04			·15		16
17		·58		·01		·07	·06	·02			·07	·02	17
18			·72				·01	·45				·04	18
19	·14	·24	·79			·12	·80	·35	·20		·04		19
20	·21	·02	·18				·61	·07	·15		·22	·10	20
21	·03	·34				·08	·29				·02	·19	21
22		·17	·02				·01		·29			·36	22
23						·11		·04		1·07		·02	23
24	·02			·10	·08					·60	·10	·10	24
25	·05			·07	·07	·07		·57			·02	·05	25
26			·06	·22		·03		·06	·05			·27	26
27	·18		·03	·42				·28			·03		27
28	·02		·03	·01				·72			·04	·32	28
29				·14				·01		·43		·14	29
30		X	·01	·12		·05		·01		·01	·14	·19	30
31	·04	X	·03	X		X			X		X		31
TOTAL	2·31	2·77	4·60	2·07	0·71	0·99	2·40 ~~2·36~~	2·72	1·57	2·69	1·26	3·29	YEAR'S TOTAL 27·39 ~~27·35~~
Days with ·01 in. or more	20	9	19	16	8	9	13	13	11	12	17	23	170

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

7 1994 2280

1 JAN 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cantreyn Bridgnorth
in the County of Salop
by Wm Bayliss

Lat. 52° 23′ 30″ Long. 2° 25′ 40″
Time of Observation 9 a.m.
Nearest Railway Station Bridgnorth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0·08	0·22	0·05	0·11		0·05	0·06		0·26	1
2				0·10			0·26		0·06	0·03		0·13	2
3	0·13	0·05		0·14		0·04	0·61		0·12	0·32			3
4			0·02	0·10			0·04	0·27	0·03	0·49			4
5			0·07		0·13		0·39	0·11	0·04	0·65			5
6			0·22	0·02	0·03		0·06	0·01		0·25		0·04	6
7				0·05	0·01		0·19						7
8	0·39	0·07		0·61	0·15		0·19	0·11					8
9	0·33	0·03		0·36			0·04	0·10					9
10	0·39	0·06	0·07	0·06		0·13	0·14				0·02	0·02	10
11	0·09		0·13	0·12	0·37	0·32	0·04					0·03	11
12	0·15		0·06	0·22		0·65		0·07			0·07	0·19	12
13	0·07	0·03	0·11	0·24		0·05			0·02		0·06		13
14	0·03		0·48	0·22			0·04		0·49	0·22	0·17		14
15		0·09	0·27	0·43		0·27			0·06	0·20	0·03		15
16				0·04	0·49	0·01	0·12		0·04	0·36			16
17				0·14	0·10				0·35	0·04			17
18	0·17		0·01	0·01	0·09		0·02	0·04	0·42				18
19		1·06		0·06	0·02	0·07			0·03				19
20	0·02	0·02		0·51	0·02	0·14							20
21							0·18	0·05		0·01		0·03	21
22	0·04			0·11			0·04	0·04					22
23			0·03	0·02			0·13					0·43	23
24	0·01	0·05	0·16	0·05								0·15	24
25	0·03		0·17	0·04	0·08		0·45						25
26	0·19		0·22				0·04				0·05	0·03	26
27	0·21	0·01	0·09	0·14	0·76	0·15	0·03					0·36	27
28	0·75		0·09	0·06	0·62							0·06	28
29			0·27	0·01	0·20		0·07				0·10	0·52	29
30	0·02	×		0·16	0·05	0·14			0·27		0·09	0·10	30
31	0·04	×	0·02	×	0·02	×	0·02	0·10	×	0·42	×	0·01	31
TOTAL	3·06	1·47	2·49	4·10	3·36	2·02	3·21	0·90	1·98	3·25	0·59	2·36	YEAR'S TOTAL 28·79
Days with ·01 in. or more	18	10	18	27	17	12	22	10	13	12	8	15	182
Days with ·04 in. or more	13	6	14	~~24~~ 23	12	11	~~18~~ 19	9	10	10	6	10	~~134~~ 143

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1995

2280

11 JAN 192

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Carrbrezn Bridgnorth

in the County of Salop

by William Baylis

Lat. 52° 23′ 30″ Long. 2° 25′ 40″

Time of Observation 9 a.m

Nearest Railway Station Bridgnorth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 3 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0·10	0·24	0·05	0·12		0·06	0·07		0·28	1
2				0·10			0·29		0·07	0·04		0·15	2
3	0·13	0·06		0·14		0·05	0·62		0·13	0·35			3
4			0·03	0·11			0·04	0·29	0·03	0·51			4
5			0·08		0·15		0·41	0·10	0·05	0·73			5
6			0·24	0·02	0·04		0·07	0·01		0·28		0·06	6
7				0·05	0·02		0·19						7
8	0·41	0·08		0·65	0·18		0·20	0·10					8
9	0·33	0·03		0·39			0·06	0·09					9
10	0·37	0·08	0·08	0·06		0·15	0·15				0·04	0·02	10
11	0·10		0·13	0·14	0·42	0·34	0·05					0·02	11
12	0·18		0·08	0·25		0·66		0·07			0·07	0·20	12
13	0·07	0·04	0·11	0·25		0·05			0·03		0·07		13
14	0·03		0·56	0·25			0·06		0·51	0·23	0·18		14
15		0·10	0·30	0·44		0·29			0·07	0·20	0·05		15
16				0·04	0·50	0·02	0·14		0·04	0·62			16
17				0·15	0·11				0·37	0·06			17
18	0·18		0·02	0·01	0·10		0·03	0·05	0·43				18
19		1·06		0·08	0·03	0·08			0·03				19
20	0·03	0·03		0·53	0·02	0·15							20
21							0·20	0·06		0·02		0·04	21
22	0·05			0·11			0·05	0·05					22
23			0·04	0·03			0·15					0·46	23
24	0·02	0·06	0·16	0·06								0·16	24
25	0·04		0·17	0·05	0·09		0·48						25
26	0·19		0·23				0·05				0·06	0·04	26
27	0·23	0·03	0·10	0·16	0·78	0·16	0·04					0·41	27
28	0·84		0·10	0·08	0·68							0·07	28
29			0·26	0·01	0·20		0·09				0·11	0·54	29
30	0 02	✕		0·18	0·06	0·16			0·26		0·09	0·11	30
31	0·04	✕	0·03	✕	0·02	✕	0·03	0·11	✕	0·44	✕	0·02	31
Total	3·26	1·57	2·72	4·44	3·64	2·16	3·51	0·93	2·08	3·55	0·67	2·58	YEAR'S TOTAL 31·11
Days with ·01 in. or more	18	10	18	27	17	12	22	10	13	12	8	15	182 ✓
Days with ·04 in. or more	14	7	15	23	13	11	20	9	10	11	8	12	153 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

9 11

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Oakly P

in the County of

by Thos

p 6 in.
bove Ground 1 ft. 6 in.
" Sea Level 300 ft.
S. 30
Name Bromfield
Distance 1 Direction N. W

BROMFIELD
OAKLEY PARK
SHROPSHIRE

1911 - 1920

IMPORTANT N and the result entered to the
previous day. If an universal rule, he is earnestly
requested to add the year in the space provided
for it at the end of ement of rain,
the selection and pla British Rainfall
Organization are given on application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·2	—	06	...	...	...	...	06	...	02	02	01	1
2	·3	—	01	01	12	...	06	05	...	04	08	16	2
3	—	—	02	...	41	...	...	01	06	01	08	11	3
4	—	—	12	02 2	01	...	...	05	02	03	13	55	4
5	15	—	02	03 5	...	...	...	13	...	09	06	...	5
6	26	—	·9	01 p	...	...	...	12	...	...	06	31	6
7	01	—	—	...	...	...	...	...	...	...	34	...	7
8	·7	—	18	...	...	...	...	...	...	...	20	50	8
9	05	—	06	...	...	...	...	...	...	...	66	05	9
10	01	06	18	...	...	...	...	...	01	...	...	45	10
11	06	—	—	...	...	...	...	...	02	...	45	14	11
12	02	02	29 J.R	...	...	...	...	...	74	01	20	01	12
13	—	—	03 2	...	01	...	...	...	02	...	03	40	13
14	—	05	02	...	01	...	...	...	01	...	...	68	14
15	—	03	05	...	...	...	...	...	...	...	13	35	15
16	—	—	—	...	...	06	...	...	...	...	10	06	16
17	—	02	—	...	03	111	...	...	...	...	27	54	17
18	—	35	03	20	...	28	...	...	...	02	02	32	18
19	01	01	—	20	...	46	01	02	17	27	03	22	19
20	—	05	—	06	...	01	...	...	16	06	...	42	20
21	—	12	05	...	...	03	...	61	06	25	...	07	21
22	02	02	02	...	...	02	...	...	...	25	02	34	22
23	—	26	13	...	...	06	...	...	22	10	...	19	23
24	—	11	—	...	...	24	...	09	01	14	...	24	24
25	—	09	—	06	...	...	...	...	06	02	...	11	25
26	—	21	—	24	74	0[illegible]	...	06	...	22	17 J.R	08	26
27	—	16	21 J.R	14	02	...	...	32	15	01	14 J.R	08	27
28	—	22	01	26	...	01	...	...	01	...	11	01	28
29	—	X	...	01	...	09	44	...	21	17	02	...	29
30	—	X	04	05	...	04	15	...	...	19	03	01	30
31	—	X	01	X	28	X	03	...	X	11	X	—	31
Total	0.71	1.78	1.63	1.29	1.63	2.42	0.69	1.52	1.93	2 01	3 35	6 41	TOTAL for year 25·37
No. of Rain Days	~~12~~	~~16~~	~~21~~	~~13~~	~~9~~	~~13~~	~~5~~	~~11~~	~~16~~	~~19~~	~~23~~	~~27~~	~~165~~

9,000, IX. '10.

FORM A2. BRITISH RAINFALL.

3 - JAN 1912

11

Kept at Oakly Park Gardens

in the County of Bromfield Salop 3

by Thos Reason

RAIN GAUGE	Pattern	
	Diameter of top	6 in.
	Height of top above Ground	1 ft. 6 in.
	" " " Sea Level	300 ft.

Time of Observation 8. 30

Nearest Railway Station: Name Bromfield; Distance 1; Direction N. W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	—	06	...	...	...	...	06	...	02	02	01	1
2	03	—	01	01	12	...	06	05	...	04	08	16	2
3	—	—	02	...	41	...	...	01	06	01	08	11	3
4	—	—	12	02	01	...	...	05	02	03	13	55	4
5	15	—	02	03	...	...	...	13	...	09	06	...	5
6	26	—	09	01	...	...	...	12	...	...	06	31	6
7	01	—	—	...	...	...	...	...	...	...	34	...	7
8	07	—	18	...	...	...	...	...	...	...	20	50	8
9	05	—	06	...	...	...	...	...	...	...	66	05	9
10	01	06	18	...	...	...	...	...	01	...	...	45	10
11	06	—	—	...	...	...	...	...	02	...	45	14	11
12	02	02	29 s.n	...	...	...	...	...	74	01	20	01	12
13	—	—	03	...	01	...	...	...	02	...	03	40	13
14	—	05	02	...	01	...	...	...	01	...	...	68	14
15	—	03	05	...	...	...	...	...	...	...	13	35	15
16	—	—	—	...	...	06	...	...	...	...	10	06	16
17	—	02	—	...	03	111	...	...	...	...	27	54	17
18	—	35	03	20	...	28	...	...	...	02	02	32	18
19	01	01	—	20	...	46	01	02	17	27	03	22	19
20	—	05	—	06	...	01	...	...	16	06	...	42	20
21	—	12	05	...	...	03	...	61	06	25	...	07	21
22	02	02	02	...	...	02	...	...	...	25	02	34	22
23	—	26	13	...	...	06	...	...	22	10	...	19	23
24	—	11	—	...	...	24	...	09	01	14	...	24	24
25	—	09	—	06	...	...	...	...	06	02	...	11	25
26	—	21	—	24	74	06	...	06	...	22	17 s.n	08	26
27	—	16	21 s.n	14	02	...	...	32	15	01	14 s.n	08	27
28	—	22	01	26	...	01	...	...	01	...	11	01	28
29	—	X	...	01	...	09	44	...	21	17	02	...	29
30	—	X	04	05	...	04	15	...	...	19	03	01	30
31	—	X	01	X	28	X	03	...	X	11	X	—	31
Total	0.71	1.78	1.63	1.29	1.63	2.42	0.69	1.52	1.93	201	335	641	TOTAL for year 25.37
No. of Rain Days	12	16	21	13	9	13	5	11	16	19	23	27	165

9,000, IX. '10.

Cord forwith 6.III.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
JAN 1913

Kept at Oakly Park Gardens
in the County of Shropshire 3
by Thos Reason

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 300 ft.
Time of Observation 8-30
Nearest Railway Station Name Bromfield
Distance 1 Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	...	—	27	—	—	31	05	03	02	—	03	19 S.R	1
2	...	04 S	18	—	05	30	12	—	—	—	05	02	2
3	01	—	07	—	05	21	03	70	02	—	01	02	3
4	12	—	80	—	17	01	...	14	02	—	18	—	4
5	29	06 S	18	—	12	04	—	24	01	—	01	02	5
6	29	13	02	—	04	20	—	59	01	01	—	04	6
7	39 S.R	20	03	—	09	32	02	06	01	01	—	03	7
8	22	25	32	01	...	12	03	01	01	01	—	01	8
9	19	02	61	05	...	28	—	27	—	01	01	37	9
10	07	01	01	02	...	10	01	15	02	01	22	01	10
11	02	07	01	—	...	...	02	01	01	01	24	55	11
12	02	24	10	03	05	44	—	02	—	—	01	03	12
13	03	02	...	...	...	...	—	07	04	02	01	05	13
14	05	—	45	...	...	08	—	05	—	01	—	01	14
15	61	08	06	...	56	28	—	02	—	02	01	07	15
16	50 S	—	14	...	05	01	—	04	—	05	—	05 S	16
17	15 S	02	08	...	...	06	—	03	—	01	07	69	17
18	12	02	05	...	...	...	—	29	—	—	01	02	18
19	05	03	02	...	02	01	09	65	—	07	01	02	19
20	02	01	26 S.R	...	...	...	01	02	—	18	—	01	20
21	11 S	02	17	...	58	...	01	62	—	31	—	01	21
22	11	08	01	...	25	01	26	17	—	02	—	12	22
23	08	04	44	...	01	03	29	21	—	01	08	02	23
24	01	—	02	...	...	49	01	01	—	—	04	32	24
25	—	02	02	...	...	11	—	92	—	01	20	31	25
26	—	11	05	...	...	01	28	80	—	85	26	28	26
27	—	05	01	...	...	33	52	01	—	86	01	19	27
28	—	11	01	...	...	04	22	50	06	28	72	15	28
29	—	04	06	...	...	03	15	10	59	08	02	06	29
30	—		03	...	...	17	07	—	01	24	—	01	30
31	—		41		21		24	04		01		07	31
Total	3.46	167	484	0.11	2.25	399	243	6.77	·83	309	120	375	TOTAL 35·39
No. of Rain Days.	~~22~~	~~23~~	~~30~~	~~4~~	~~14~~	~~25~~	~~19~~	~~29~~	~~13~~	~~23~~	~~21~~	~~30~~	~~253~~

~~3·99~~ ~~6·77~~ ~~·83~~

8,000, X. '11.

Carfaarith · 14. V. 14.

FORM A.
BRITISH RAINFALL.

6 MAY 1914

REGISTER OF RAINFALL IN 1913

Kept at Oakly Park Gardens
in the County of Shropshire 3
by J K Francis

Lat. 52½ 9 Long. 2¾ W
Time of Observation 9. a m
Nearest Railway Station Bromfield
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.05	.19	.05	.04	—	—	—	.15	—	.08	—	1
2	.01	.12	.06	.09	.01	—	—	—	.03	.29	.13	—	2
3	.09	.05	.07	.01	.42	—	—	—	.04	—	.02	.17	3
4	.91	.04	.01	—	.13	.02	—	—	.27	.36	.05	.22	4
5	.24	.08	.02	—	.10	.32	—	—	.01	1.32	.08	.02	5
6	.06	.07	.25	—	.34	.10	.010	—	—	.22	—	.35	6
7	.01	.54	.01	—	.23	.13	.12	—	—	.32	.31	.02	7
8	.01	.09	.01	—	.15	.27	.04	—	—	—	—	—	8
9	—	.37	.01	.02	.12	.19	.03	.05	.17	—	.18	.03	9
10	SR. .14	.01	—	.08	.17	—	.02	.43	—	.15	.09	—	10
11	~~SR~~ .41	—	—	.41	.04	.01	—	.66	—	.04	.68	.01	11
12	—	—	—	.01	.13	—	—	—	.04	—	.24	—	12
13	.01	.01	.23	.02	—	—	—	—	.35	—	.27	—	13
14	.22	—	.62	.07	—	—	.01	—	.05	.10	.02	—	14
15	.05	.02	.72	.80	—	—	.05	—	.13	—	.11	.02	15
16	.01	.01	.37	.02	—	—	—	.17	.01	.02	—	—	16
17	.01	.01	.06	.16	—	—	—	—	.07	—	—	—	17
18	.02	—	.24	.12	.04	—	.20	—	.02	—	.02	—	18
19	.13	—	.09	.02	.02	—	.07	—	.15	.05	—	—	19
20	.06	—	.23	.14	—	.03	.05	—	—	—	.42	—	20
21	—	—	.13	.20	.06	—	—	—	—	—	—	—	21
22	SR. 66	—	.75	—	.01	.13	.20	—	.54	—	—	—	22
23	.02	—	.01	—	—	.02	—	.12	.07	—	.10	—	23
24	.14	.01	—	.03	—	—	—	—	—	—	—	—	24
25	—	.03	—	.12	—	—	—	—	.11	.05	—	—	25
26	—	.06	—	.43	.01	—	—	—	.03	—	—	.16	26
27	.03	—	.01	.26	—	—	—	.10	—	.17	—	—	27
28	.23	—	.21	.63	.07	—	—	—	—	.15	—	.11	28
29	.01	X	.38	.52	.05	—	—	—	—	.34	—	.02	29
30	.17	X	.01	.01	—	—	—	.08	—	.52	.17		30
31	.02	X	.33	X	.05	X	—	—	X	.05	X	—	31
Total	3.68	1.57	5.02	4.22	2.49	1.22	.89	~~1.71~~ 1.61	2.24	4.1~~7~~5	~~2.80~~ 2.97	~~1.15~~ 1.13	YEAR'S TOTAL 30.97
Rain Days.	~~26~~	~~17~~	~~25~~	~~22~~ 23	~~20~~	~~10~~	~~11~~	~~7~~	~~18~~	~~16~~	~~17~~	~~11~~	~~201~~

22

W.7,000, XI. 13

cwd p. auth 1.IV.15 ~~W~~ DL

FORM A. BRITISH RAINFALL.
6 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Oakly Park Gardens
in the County of Shropshire 3
by J R Francis

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bromfield
Diameter of Rain Gauge ~~8~~ 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·53

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·03	·02		·07	·55	·60			~~·07~~ ·03	·12	1
2				·02			1·10	·42			·37	·25	2
3			·01	·16	·20		·03	·04			·03	·24	3
4			·03	·20	·04		·23	·03			·38	·67	4
5	·15		·06	·24	·07		·06				·13		5
6	·08	·11	·07	·15	·06					·03	·02	·13	6
7		·13	·41	·03	·14	·07	·22	·14	·11			·30	7
8			·02	·02	·04	·62		·17	·02			·02	8
9	·10	·05	·02	·28	·11	·98		·08	·09			·01	9
10		·25	·04	·32	·01	·12			·35				10
11		·33	·40	·02	·15	·10	·01		·02		·32	·43	11
12		·36	·15		·01	·02	·09		·01		·08	·16	12
13		·18	·22				·09		·04	·37	·22	·25	13
14		·19	·23	·01			·02		·03	·05	·27	·01	14
15	·14	·03	·19					·04	·11	·04	·06		15
16		·02	·04						·13				16
17		·12	·24						·03			·65	17
18		·01	·25			·12			·01	·02		·30	18
19		·02	·02				·98		·03		·14	·19	19
20		·27	·08				·01					·18	20
21		·42	·01			·19	·19	·42		·13		·03	21
22		·14	·01		·24	·10	·05	·19		·42		·62	22
23		·26	·05		·01	·02		·01		·18			23
24			·08	·01		·01	·02	·32		·15	·04		24
25	·07		·69				·15	·22		·38	·03	·17	25
26		·02	·02					·01		·14	·20	·35	26
27	·05						·02			·07	·58	·98	27
28	·02	·06	·15		·05		·05			·05	·01	·68	28
29	·03		·13		·20					·23	·27	·43	29
30			·17							·02	·42		30
31	·17		·01				·19			·06		·07	31
Total	~~·67~~ ·81	2·99	3·17	~~·98~~ 1·48	~~1·32~~ 1·33	2·42	~~4·08~~ 4·06	2·69	·98	2·34	3·60	6·66	YEAR'S TOTAL 32·53 ~~31·9~~
Rain Days.	9	20	29	13	~~12~~ ~~14~~	12	19	14	~~12~~ ~~13~~	16	19	24	~~[illegible]~~ 202

W. 8,000. X. 14.

~~65~~ Wm cnd 23.III.16

2388

FORM A. BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Oakly Park Gardens

in the County of Shropshire

by J R Francis

Lat. 52.22.50 Long. 2.45.20

Time of Observation 9 am

Nearest Railway Station Bromfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·53	·08	·02		·38		·40	·04	·30	·25	·01	·08	1
2	·15	·18	·20	·20		·09		1·44		·17		·10	2
3	·55	·10	·01	·07	·01		·78	·15				·17	3
4	·04	·10			·22		·33	·01			·02	·85	4
5	·04	·35		·05		·08	·65	·65				·92	5
6	·05	·04		·18			·50	·15				·05	6
7	·05	·37		·08			·04	·07				·32	7
8	·05	·42		·15				·03			·11		8
9	·29	·19		·11							·22	·59	9
10	·30		·02	·13						·07	·05	·01	10
11	·06			·01			·11				1·01	·13	11
12	·07	·13		·07	·29			·02	·01	·07	·72		12
13	·01	·71			·22			·06	·03			·06	13
14					·01		·02	·53	·13	·01		·29	14
15	·41				·16		·08	·30		·03	·15	·22	15
16	·11	·75			·40 ~~·40~~		1·84	·40	·02			·02	16
17		·30			·48		·01			·02		[illegible]	17
18	·01	·54	·03		·01								18
19		·01		·01	·17		·25						19
20	·08			·01								·06	20
21	·15	·02		·01	·05		·30			·15		·03	21
22	·04	·04	·14	·07			·18					·21	22
23	·05	·05	·08				·03			·94		·30	23
24			·02	·06			·50	·38		·35		·34	24
25						·31	·07		·01	·06		·23	25
26		·09					·36		·05	·01		·46	26
27		·10				·08	·16			·40		·21	27
28		·18	·05			·16	·04	·11	·11	·04		·02 ~~·02~~	28
29		✕				·08	·04	·02	·04 ~~·04~~	·01	·29	·10	29
30	·07	✕	·01	·03		·12	·35			·33	·10	·28	30
31		✕		✕		✕	·12	·08	✕	·34	✕	·49	31 4
Total	~~3.37~~ 3.31	4·75	·58	1.24	2·40	·92	6·56	3·46	1·08	3·25	2·68	~~6·44~~ 6·43	36·56 Year's Total ~~36·68~~
Rain Days.	24	21	10	16	12	7	28	16	10	17	10	27	~~36·68~~ 190

W. 8,000. X. 15.

2319

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Oakly Park Gardens
in the County of Shropshire
by J. R. Francis

Lat. 52·22·50 Long. 2·45·20
Time of Observation 9 a.m.
Nearest Railway Station Bromfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	·03	·05		·01	·15	·18			·20	·18		1
2	·27	·08	·32		·05		·28		·20	·73	·17		2
3		·73			·06	·02	·03		·04	·19	·33		3
4	·05	·41		·02	·53	·30			·01	·09	·28		4
5	·02	·05	·03		·32	·03				·15	·11		5
6	·05	·30	·06		·20	·04	·47		·02	·18	·61		6
7	·03		·12		·17		·04			·10	·18	·22	7
8	·01	·03	·06		·19					·06	·03	·18	8
9			·01		·17						·05	·05	9
10	·02	·43	·03	·02	·02	·05				·02			10
11	·01	·03	·06	·06	·04	·08	·02					·06	11
12	·05	·04	·05		·32		·17	·09		·01			12
13		·24	·18	·04	·02			·21		·		·03	13
14		·56	·03	·05	·05			·12		·03		·01	14
15		·50	·28	·22	·17					·12			15
16		·10	·01	·17	·01		·04	·72		·05			16
17	·03	·12		·06			·01	·01	·29	·35			17
18	·02	·03	·12	·07				·02	·24	·03	·28	·10	18
19	·03		·35	·30				·05		·04	·18		19
20	·13		·60	·03						·	·03	·25	20
21			·24	·03	·10	·10	·06					·05	21
22	·02		·01							·16	·04	·35	22
23	·01	·04		·02				·12		·06	·09	·14	23
24		·38	·14		·64	·03		·09		·26		·13	24
25		·07	·15		·03			·16		·07	·17	·03	25
26	·05	·06	·04		·11	·19		·12		·39	·03		26
27	·04	·12	·48					·01	·46	·68	·04		27
28		·37	·01		·02	·05			·02	·19		·23	28
29		·16	·04			·23		·38	·01	·12		·08	29
30		╳	·02			·03		·03		·11			30
31	~~·97~~	╳		╳		╳		·03	╳	·29	╳	·02	31
Total	·97	4·88	3·49	1·09	3·23	1·30	1·30	2·16	1·29	4·68	2·80	1·93	YEAR'S TOTAL 29·12
Rain Days.	~~19~~	23	26	13	21	13	10	15	9	26	17	16	208

FORM A.
BRITISH RAINFALL.

12 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Oakly Park Gardens Bromfield

in the County of Shropshire

by J.R. Francis

Lat. 52.22.50 Long. 2.45.20

Time of Observation 9 o am

Nearest Railway Station Bromfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08	S.R. ·22		·44		·31	·05		·03	·05	1
2				·01		·04		·05			·25		2
3	·04	S.R. ·04		S.R. ·37				·03		·22	·02		3
4		S.R. ·03	S.R. ·23	·02				·02		·17		·04	4
5	·03		·21	S.R. ·14				·05	·03	·19	·13		5
6	·12		S.R. ·27			·17				·10	·20		6
7	·30						·09	·10		·14	·06		7
8	S.R. ·42		·05	·10			·13	·36		·28	·10	·13	8
9			·15	S.R. ·11	·18			·20	·10	·03	·12		9
10	·26		S.R.&R. ·59	S.R. ·25	·05			·26	·01	·02			10
11	·06		·03	S.R. ·12				·18		·27	·03		11
12	·04			S.R ·06	·75			·08	·05	·25	·02		12
13	·01		·12	·80				·58		·02			13
14	S.R. ·04		·17	·06				·23	·08	·01		·07	14
15	S.R. ·03		·01	·01	·03		·42	·18	·01	·05		·17	15
16		·06		·17		·30	·04	·01				S.R. ·36	16
17	·03			·03	·25	·64	·36	·75	·18	·06			17
18		·03		·02	·07		·37	·15	·70	·02			18
19	·02	·45	·23			·35			·02		·02		19
20		·10			·57	·12	·20	·01	·04				20
21		·02	·12		·04	·05		·04		·04			21
22						·06		·40	·06	·05			22
23		·15			·11			·10	·01	·12			23
24		·01	·01			·25		·02		·23	·10		24
25		·12	·11					·10		·10	·90		25
26					·25	·23		·56	·06	·13	·07		26
27			·01		1·25	·24	·64	1·25		·01			27
28			·09			·03		·09				·02	28
29		X	S.R. ·08				·02	·03	·02	·50		·23	29
30		X						·28		·05	·01		30
31		X	·11	X	·04	X		·24	X	·06	X		31
Total	1·40	1·01	2·67	2·49	3·59	2·92	2·27	6·66	1·42	3·12	2·06	1·07	YEAR'S TOTAL 30·68
Rain Days.	13	10	19	16	12	13	9	29	15	25	15	8	184

4

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

7. 1. 19

Kept at Oakly Park Gardens
in the County of Shropshire
by J. R. Francis

Lat. 52.22.50 Long. 2.43.20
Time of Observation 9 a.m
Nearest Railway Station Bromfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·35

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·07		·04				·08		·06	·68	·02	1
2		·09		·02				·09		·01	·03	·18	2
3		·08			·25			·13	·60	·06	·10		3
4		·07						·05	·64	·22	·62	·48	4
5		(02)		·36	·40			·20.	·54	·16		·03	5
6		·22	·01	·04		Thunderstorm. ·22			·01	·30			6
7	SR. ·02	·07		·04	·25				·22	·08	·25	·02	7
8	SR. ·03	·27							·20	·13			8
9	·08.	·40		·14		·10.			·52	·03		·03	9
10		·06		·10			Thunderstorm. ·73		·02	·04	·08	·13	10
11		·02	·07	·03	·04		·45		·12			·06	11
12		·04	·08		·14		·22		·06			·03	12
13		·03			·04		·05		·22	·15		·02	13
14	·48						·10		·04	·03		·17	14
15	SR. ·76			·01			·56		·12			·40.	15
16	·15			·47		·04	·06	·01	·03			·09	16
17	SR. ·43				Thunderstorm. ·56	·02	·08		·11	·16		·20	17
18	·48		·03			·37	·20		·58	·03		·34	18
19	·08		·28				·08			·04		·04	19
20	·16	·10		SR ·36		·11	·16		·03				20
21	·25	·03		SR. ·40			·07		·04	·03		·17	21
22	·03.				Thunderstorm. 1·38		·19		·01			·33	22
23	·03.				·38		·15		·03				23
24		·17					·20	·08	·04		·14	·02	24
25					·08.		·12	·40		·01.	·04		25
26		·03					·25.	·02	·06		·05	·07	26
27		·06	·05					·30	·26		·03	·15	27
28			·40								·05	·17	28
29			·11						·70			·04	29
30			·35					·02.	·02		·03	·13	30
31			·02.									·04	31
Total	2·98	1·83	1·40	2·01	3·52	·86	3·67	1·38	5·22	1·54	2·10	3·36	YEAR'S TOTAL 29·87
Rain Days.	13	18	10	12	10	6	17	11	25	17	12	25	176

W. 6,500, VII. 18. W W C

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.** √ Cnd

Mb

12 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Oakly Park Gardens.
in the County of Shropshire.
by J. R. Francis.

Lat. 52.22.50N. Long. 2.45.20.
Time of Observation 9 a.m.
Nearest Railway Station Bromfield.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1. ft. in.
" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35.	·02.	·04.		·05.		·30.		·09.	·13.		·44.	1
2	·24.		·15.						·03.		·13.	·03.	2
3		·10.	·04.		·02.	·15.	·05.		·01.	·02.	·10.	·12.	3
4			·26.				·30.	·02.	·20.			·13.	4
5	·01.	S.R. ·33.			·07.				·02.		·02.	·24.	5
6	·08.	S.R. ·07.	·13.	·05.	·03.						·04.	·23.	6
7	·20.		·05.	·06.							·03.	·03.	7
8	·33.		·07.			·04.						·02.	8
9	·22.		·02.	·07.							·02.		9
10	·05.			·02.						·06.		·32.	10
11	·07.		·58.	·01.	·05.		·56.			·10.		·03.	11
12	·05.		R+S.R. 1·32.	·03.		·08.				·03.	S.R. ·06.	·02.	12
13	·11.		·27.	·24.					·74.	·10.			13
14	·31.		·02.	·38.			·10.		·10.	·04.		·16.	14
15	·36.	·08		·12.	·12.					·06.		·38.	15
16	·08.	R+S.R. ·53.		·03.				·27.			·03.	·02.	16
17		S.R. ·62.				·07.					·18.	·02.	17
18	·05.		S.R. ·96.				·01.	·32.		·01.	·02.	·02.	18
19	·25.	·30.	S.R. ·97.			·15.	·67.	·40.	S.R. ·12.		·08.		19
20	·38.	·04.	·25.				·03.	·03.	·06.		·21.	·11.	20
21	·04.	·46.	·02.				·28.	·02.	·04.		·03.	·08.	21
22		·07.					·01.		·51.		·01.	·15.	22
23										·72.		·06.	23
24	·03.				·12.	·05.		·03.		·36.	·16.	·10.	24
25	·03.			·07.				·53.		·03.	·04.		25
26		·04.	·06.	S.R. ·32.				·16.	·05.			·36.	26
27	S.R. ·12.	·02.	·04.	S.R. ·30.				·33.			·01.	·02.	27
28				·02.				·62.				·38.	28
29	·04.		·01.	·10.						·32.		·25.	29
30				·06.		·06.		·06.		·02.	·24.	·33.	30
31													31
TOTAL	3·40.	2·68.	5·26.	1·88.	·46.	·60.	2·31.	2·79.	1·97.	2·00	1·41	4·05.	YEAR'S TOTAL 28·81
Days with ·01 in. or more	22.	13.	19.	16	7.	7.	10.	12.	12.	14	18	26	176.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max daily fall 1·32 in on March 12

1980

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Oakly Park Gardens.
in the County of Shropshire.
by J. R. Francis

Lat. 52. 22. 50 N. Long. 2. 45. 20.
Time of Observation 9 a.m.
Nearest Railway Station Bromfield.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
ins.
·32.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·10.	·04.		·38.		·03.	·16.		·33.	1
2	·05.		·04.	·16.	·02.		·56.		·11.	·15.		·20.	2
3	·12.	·02.		·17.		·03.	·50.		·11.	·35.		·16.	3
4				·02.			·03.	·40.	·02.	·20.			4
5		·01.	·10.	·20.	·03.		·30.		·02.	·24.			5
6			·37.	·13.	·08.		·25.	·07.		·22.		·03.	6
7		·03.	·02.	·06.			·08.						7
8	·38.	·06.		·63.	·19.		·38.	·16.		·02.			8
9	·42.	·03.	·02.	·35.			·04.	·02.					9
10	·40.	·09.	·15.	·08.		·17.	·06.				·02.	·04.	10
11	·07.		·05.	·52.	·22.	·12.	·12.						11
12	·19.	·03.		·33.		·73.	·03.	·18.		·01.	·10.		12
13	·12.	·02.	·22.	·18.							·02.		13
14	·03.	·04.	S.R. ·58.	·32.		·42.	·06.	·04.	·53.	·30.	·30.		14
15	·01.	·10.	·02.	·83.		·35.	·01.		·10.	·01.			15
16		·12.	·02.	·06.	22.	·09.	·38.		·17.	·85.	·04.		16
17	·02.			·03.	·13.	·10.		·02.	·60.	·24.			17
18	·10.			·05.	·12.	·02.		·08.	·28.				18
19	·05.	S.R. ·67.		·10.		·05.			·07.				19
20	·01.	·03.		·30.		·20.			·05.			·10.	20
21				·02.			·30.					·10.	21
22	·03.			·05.			·04.	·20.					22
23			·02.	·02.			·20.	·06.			·02.	·66.	23
24	·04.		·22.	·05.			·05.	·02.					24
25	·05.	·03.	·28.	·04.			·75.			·01.		·12.	25
26	·18.		·41.	·02.			·06.				·13.	·07.	26
27	·30.	·02.	·30.	·05.	·07.	·27.	·15.				·04.	·33.	27
28	S.R. ·72.		·18.		·16.	·04.	·02.					·07.	28
29	·25.		·14.		·92.	·03.	·15.				·12.	·40.	29
30	·05.	✕	·32.	·20.	·07.	·12.	·03.		·52.		·32.	·15.	30
31	·06.	✕		✕	·04.	✕		·03.	✕	·28.	✕	·03.	31
TOTAL	3·65	1·30.	3·46.	5·07.	2·31.	2·74.	4·93.	1·28.	2·61.	3·03.	1·11.	2·79	YEAR'S TOTAL 34·28
Days with ·01 in. or more	~~23.~~	~~15.~~	~~19.~~	~~28.~~	~~14.~~	~~15.~~	~~25.~~	~~12.~~	~~13.~~	~~14.~~	~~10.~~	~~15.~~	~~203~~
Days with ·04 in. or more	~~18~~	~~6.~~	~~14.~~	~~23.~~	~~12.~~	~~12.~~	~~20.~~	~~8.~~	~~10.~~	~~10.~~	~~7.~~	~~13.~~	~~153~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

REGI

Kept at Bromf
in the County of Sh
by F Braysh

in.
und 1 ft.
Level 320 ft.
ne Bromfield
tance ¾ M Direction NW

BROMFIELD

SHROPSHIRE

1911 - 1920

IMPORTANT NOTE. e result entered to the previous day. If an Obser al rule, he is earnestly requested to add the reading in the space provided for it at the end of this it of rain, the selection and placing h Rainfall Organization are given in " plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	–	·07	–	·02	–	·01	·07	–	·02	·02	·01	1
2	·03	–	·01	·02	·13	–	·06	·05	–	·05	·11	·18	2
3	–	–	–	–	·47	–	–	·03	·04	·01	·10	·10	3
4	–	–	·11	·03 S	·02	–	–	·06	·02	·02	·08	·66	4
5	·20	–	·03	·03 S	–	–	–	·11	–	·09	·07	·01	5
6	·18	–	·08	·02 S	–	–	–	·08	–	–	·05	·42	6
7	·02	–	–	–	–	–	–	–	–	–	·38	–	7
8	·08	–	·13	–	7	–	–	–	–	–	·20	·60	8
9	·03	–	·06	–	–	–	–	–	–	–	·80	·19	9
10	·01	·06	·18	–	–	–	–	–	·02	–	·02	·47	10
11	R.S ·10	·02	·02	–	–	–	–	–	·03	–	·46	·16	11
12	–	–	·29 RS	–	–	–	–	–	·68	–	·21	·01	12
13	–	·01	·03	–	·02	–	–	–	·03	–	·03	·44	13
14	–	·03	·02	–	–	–	–	–	–	–	·01	·88	14
15	–	·03	·05	–	–	–	–	–	–	–	·14	·37	15
16	–	–	–	–	–	·12	–	–	–	–	·10	·08	16
17	–	·02	·02	–	–	1·13	–	–	–	–	·29	·60	17
18	–	·33	·02	·24	–	·23	–	–	–	·02	·01	·40	18
19	–	–	–	·25	–	·67	·04	·04	·22	·30	·04	·38	19
20	·02	·04	–	–	–	–	–	–	·10	·17	–	·38	20
21	·01	·15	·05	–	–	·03	–	·64	·09	·20	–	·06	21
22	·03	·04	·03	·02	–	·03	–	–	·01	·27	·02	·39	22
23	–	·29	·11	–	–	·09	–	–	·18	·11	–	·19	23
24	–	·07	–	–	–	·23	–	·08	–	·19	–	·24	24
25	–	·09	–	·07	–	·02	–	–	·06	–	–	·11	25
26	–	·24	–	·05	·85	·02	–	·04	·01	·32	·16	·10	26
27	–	·12	·18	·23	·02	–	–	·34	·13	–	SH ·13	·07	27
28	–	·20	·02	·11	–	·02	–	·02	–	–	·10	·01	28
29	–		–	·27	–	·11	·43	·05	·25	·21	·02	–	29
30	–		·04	·01	–	·06	·14	·02	·01	·29	·03	·02	30
31	–		·02		·26		·04	–		·11		–	31
Total	·73	1·72 2·45	1·57 4·02	1·35 5·37	1·79 7·16	2·76 9·92	·72 10·64	1·63 12·27	1·88 14·15	2·38 16·53	3·58 20·11	7·53 27·64	TOTAL for year
No. of Rain Days.	12	16	22	13	8	13	6	14	16	16	25	28	189

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

REGI

Kept at Bromfield 3
in the County of Shropshire
by F Brayshaw

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. –
" " " Sea Level 320 ft.
Time of Observation 9 am
Nearest Railway Station Name Bromfield
Distance ¾ M Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	·07	–	·02	–	·01	·07	–	·02	·02	·01	1
2	·03	–	·01	·02	·13	–	·06	·05	–	·05	·11	·18	2
3	–	–	–	–	·47	–	–	·03	·04	·01	·10	·10	3
4	–	–	·11	·03 S	·02	–	–	·06	·02	·02	·08	·66	4
5	·20	–	·03	·03 S	–	–	–	·11	–	·09	·07	·01	5
6	·18	–	·08	·02 S	–	–	–	·08	–	–	·05	·42	6
7	·02	–	–	–	–	–	–	–	–	–	·38	–	7
8	·08	–	·13	–	7	–	–	–	–	–	·20	·60	8
9	·03	–	·06	–	–	–	–	–	–	–	·80	·19	9
10	·01	·06	·18	–	–	–	–	–	·02	–	·02	·47	10
11	R·S ·10	·02	·02	–	–	–	–	–	·03	–	·46	·16	11
12	–	–	·29 RS	–	–	–	–	–	·68	–	·21	·01	12
13	–	·01	·03	–	·02	–	–	–	·03	–	·03	·44	13
14	–	·03	·02	–	–	–	–	–	–	–	·01	·88	14
15	–	·03	·05	–	–	–	–	–	–	–	·14	·37	15
16	–	–	–	–	–	·12	–	–	–	–	·10	·08	16
17	–	·02	·02	–	–	1·13	–	–	–	–	·29	·60	17
18	–	·33	·02	·24	–	·23	–	–	–	·02	·01	·40	18
19	–	–	–	·25	–	·67	·04	·04	·22	·30	·04	·38	19
20	·02	·04	–	–	–	–	–	–	·10	·17	–	·38	20
21	·01	·15	·05	–	–	·03	–	·64	·09	·20	–	·06	21
22	·03	·04	·03	·02	–	·03	–	–	·01	·27	·02	·39	22
23	–	·27	·11	–	–	·09	–	–	·18	·11	–	·19	23
24	–	·07	–	–	–	·23	–	·08	–	·19	–	·24	24
25	–	·09	–	·07	–	·02	–	–	·06	–	–	·11	25
26	–	·24	–	·05	·85	·02	–	·04	·01	·32	·16	·10	26
27	–	·12	·18	·23	·02	–	–	·34	·13	–	SnR ·13	·07	27
28	–	·20	·02	·11	–	·02	–	·02	–	–	·10	·01	28
29	–		–	·27	–	·11	·43	·05	·25	·21	·02	–	29
30	–		·04	·01	–	·06	·14	·02	·01	·29	·03	·02	30
31	–		·02		·26		·04	–		·11		–	31
Total	·73	1·72 2·45	1·57 4·02	1·35 5·37	1·79 7·16	2·76 9·92	·72 10·64	1·63 12·27	1·88 14·15	2·38 16·53	3·58 20·11	7·53 27·64	TOTAL for year
No. of Rain Days.	12	16	22	13	8	13	6	14	16	16	25	28	189

W. 8,000, X. '11.

Sal 1530

FORM A.
BRITISH RAINFALL.
15 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Warwick House Bromfield

in the County of Salop 3

by J Bragshaw

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bromfield

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·16	—	·01	·39	·03	·06	·01	—	—	·20	1
2	—	·02 S	·18	—	·06	·30	·14	—	—	—	—	·02	2
3	—	—	·09	—	·08	·20	·04	·79	·04	—	·01	—	3
4	·16	—	·88	—	·15	·03	—	·26	·03	—	·17	·02	4
5	·46	·04 S	·19	—	·11	·04	—	·27	·01	—	—	·02	5
6	·18	·12	·02	—	·06	·21	—	·58	—	—	—	·05	6
7	·03	·29	·08	—	·05	·35	·02	·09	—	—	—	·03	7
8	·42 S+R	·27	·28	·02	—	·14	·10	—	—	—	—	—	8
9	·28	·02	·48	·07	—	·37	—	·28	—	—	·02	·39	9
10	·27	·05	·02	·03	—	·07	·03	·25	—	—	·22	·01	10
11	·02	·04	·02	—	—	—	·02	·02	—	·01	·29	·50	11
12	·03	·19	·09	·03	·03	·38	—	·02	—	·01	—	·03	12
13	·03	·02	·01	—	—	—	—	·05	·04	·03	·02	·06	13
14	·03	·01	·52	—	—	·07	—	·04	—	·02	—	·02	14
15	·07	·10	·02	·03	·49	·31	—	·03	—	—	·01	·05	15
16	·66	·01	·13	—	·05	—	—	·03	—	·04	—	·06	16
17	·42 S	·02	·09	—	—	·08	—	·28	—	—	·06	·83	17
18	·12	—	·05	—	—	—	—	·04	—	·03	—	·03	18
19	·05	·03	·02	—	·02	·03	·08	·59	—	·04	—	·02	19
20	·02	—	·37	—	—	—	·02	·02	—	·20	·02	·02	20
21	·03	·04	·19	—	·73	—	—	·68	—	·30	—	·01	21
22	·15 S+R	·07	·03	—	·25	·03	·27	·20	—	—	·02	·09	22
23	·05	·05	·44	—	—	·03	·30	·21	—	·03	·07	·02	23
24	·08	·03	·03	—	—	·37	·02	·01	—	—	·05	·36	24
25	—	—	·02	—	—	·09	—	·92	—	—	·25	·33	25
26	—	·10	·05	—	—	·02	·33	·80	—	·90	·03	·27	26
27	—	·06	·01	—	—	·38	·60	·01	—	·88	·03	·20	27
28	—	·09	·01	—	—	·04	·28	·50	·15	·37	·71	·12	28
29	—	·04	·06	—	—	·08	·23	·10	·50	·10	·03	·07	29
30	—		·06	—	—	·20	·09	—	—	·25	—	—	30
31	—		·40		·27		·19	·04		·03		·05	31
Total	3·56	1·71	5·00	·18	2·36	4·21	2·79	7·17	·78	3·24	2·01	3·88	YEAR'S TOTAL 36·89
Rain Days.	21	23	31	5	14	24	18	28	7	16	17	28	232

W. 7,500, XI. ·12

✓ Ex Df

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
7- JAN 1914

Kept at Bromfield
in the County of Shropshire 3
by F Bradshaw

Lat. Long.
Time of Observation 9 am
Nearest Railway Station ¾ M
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·02	·16	·05	·04	—	—	—	·14	—	·09	—	1
2	·01	·09	·09	·14	—	—	—	—	·03	·34	·12	—	2
(8) 3	·08	·06	·07	—	·45	—	—	—	·03	·07	—	·14	3
4	·98	·05	·01	·02	·15	·03	·01	—	·24	·37	·04	·27	4
5	·15	·09	·03	—	·13	·50	·09	—	·03	1·26	·07	·02	5
6	·05	·07	·26	—	·29	·10	·13	—	—	·17	—	·33	6
7	·02	·42	—	—	·31	·16	·03	—	—	·45	·30	·02	7
8	·02	·11	—	—	·17	·25	·04	·06	—	·10	—	—	8
9	—	·40	·02	·03	·18	·21	·03	·44	·18	—	·23	·03	9
10	·16	—	—	·07	·09	—	—	·06	—	·19	·05	—	10
11	·39 S+R	—	—	·41	·08	·02	—	·02	—	·04	·69	·02	11
12	—	—	—	—	·12	—	—	·02	·03	—	·22	—	12
13	·02 9	·02	·24	·03	—	—	·01	·03	·32	—	·34	—	13
14	·22	·01	·61	·06	—	—	·02	·01	·05	·09	·04	—	14
15	·06	—	·76	·75	—	—	—	·02	·12	—	·12	·03	15
16	—	—	·52 R+S	·03	—	—	—	·04	·01	—	—	—	16
17	·02	—	·08	·19	—	—	·15	—	·08	—	·02	—	17
18	·02	—	·30	·13	·03	—	·07	—	·02	—	·02	—	18
19	·17	—	·10	·03	·02	·02	·05	—	·10	·04	—	—	19
20	·05	—	·28	·13	—	—	—	—	—	·19	·24	—	20
21	—	—	·06	·21	·06	—	·20	—	—	—	·17	—	21
22	·93 S+R	—	·80	—	—	·13	·03	·70	·54	—	—	—	22
23	·02	—	·02	—	—	·02	—	—	·07	—	·09	—	23
24	·15	—	—	·02	—	—	—	—	—	·02	·03	—	24
25	—	·02	—	·18	—	—	—	—	·11	·04	—	·02	25
26	—	·09	—	·65	·03	—	—	·11	·03	—	—	·17	26
27	·03	·01	—	·23	—	—	—	—	—	·19	—	·04	27
28	·21	—	·25	·70	·07	—	—	—	—	·22	—	·09 R+S	28
29	·01		·41	·59	·06	—	—	·03	—	·63	—	·02 S	29
30	·23		—	—	—	—	—	—	—	·50	·26	—	30
31	·03		·34		·07		—	—		·05		—	31
Total	4·05	1·46	5·41	4·65	2·35	1·44	·86	1·54	2·13	4·96	3·04	1·20	YEAR'S TOTAL 33·09
Rain Days.	25	14	21	21	18	10	13	12	18	19	19	13	203

W.7,000, XI. 13

Esc D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

13 JAN 1915

Kept at Warwick House Bromfield

in the County of Shropshire 3

by J Bra[illegible]haw

Lat. Long.

Time of Observation 9 am

Nearest Railway Station ¾ mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	·03	·02	—	·04	·55	·60	—	—	·03	·11	1
2	—	—	·01	·01	·02	—	1·22	·46	—	—	·39	·27	2
3	—	—	—	·11	·17	—	·04	·04	—	—	·02	·26	3
4	·12	—	·03	·18	·02	—	·21	·05	—	—	·40	·56	4
5	·19 S&R	—	·07	·24	·06	—	·11	—	—	·02	·18	·01	5
6	·05 S	·09	·02	·05	·06	—	—	·02	—	—	·02	·18	6
7	—	·16	·40	·02	·12	·09	·23	·13	—	—	—	·42	7
8	·01	—	·01	·02	·04	·55	·01	·15	·10	—	—	·02	8
9	·08	·04	·04	·36	·10	1·01	—	·06	·09	—	—	—	9
10	·01	·29	·01	·34	·03	·11	—	·01	·35	—	—	—	10
11	—	·35	·38	·02	·18	·06	·03	—	·01	—	·32	·39	11
12	—	·38	·14	—	—	·02	·08	—	·26	—	·08	·15	12
13	—	·18	·24	—	—	—	·07	—	·05	·40	·25	·27	13
14	—	·17	·19	·02	—	—	—	—	·03	·06	·27	·01	14
15	·04	·03	·21	—	—	—	—	·02	·08	·04	·05	—	15
16	—	—	·05	—	—	—	—	—	·12	—	—	—	16
17	—	·12	·23	—	—	—	·02	—	·04	—	·01	·64	17
18	—	—	·19	—	—	·07	·06	—	—	·02	—	·24	18
19	—	·02	·01	—	—	—	1·04	—	·02	—	·09	·16	19
20	—	·32	·08	—	—	—	·01	—	—	—	·01	·11	20
21	—	·45	—	—	—	·21	·08	·26	—	·15	·01	·09	21
22	—	·12	·01	—	·43	·11	·04	·21	—	·42	—	—	22
23	—	·24	·04	—	·02	·01	—	—	—	·22	—	·01	23
24	—	—	·09	·02	—	—	·03	·17	—	·06	·02	—	24
25	·06	·01	·05	—	—	—	·15	·22	—	·45	·03	·16	25
26	—	—	·02	—	—	—	—	—	—	·16	·18	·41	26
27	·05	—	—	—	—	—	·01	—	—	·07	·51	·92	27
28	·03	·04	·16	—	·04	—	·02	—	—	·06	·02	·66 S&R	28
29	·03		·12	—	·19	—	—	—	—	·22	·27	—	29
30	—		·16	—	—	—	—	·01		·03	·38	·49	30
31	·14		·01		—		·18	—		·05		·10	31
Total	·81	3·02	3·00	1·41	1·48	2·28	4·19	2·41	1·15	2·43	3·54	6·64	YEAR'S TOTAL 32·36
Rain Days.	12	18	28	13	14	11	21	15	11	16	22	24	205

W. 8,000. X. 14.

Ex LM'C

2389

FORM A.
BRITISH RAINFALL
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bromfield

in the County of Shropshire

by F. Brayshaw

Lat. ...... Long. ......
Time of Observation 9 am
Nearest Railway Station ......
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. . in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·62	·07	·02	—	·34	—	·34	·03	·23	·24	·02	·11	1
2	·06	·16	·18	·18	—	·10	—	1·40	—	·14	—	·13	2
3	·69 R+S	·11	·01	·07	·02	—	·49	·22	—	—	—	·24	3
4	·03	·13	—	—	·20	—	·36	·02	—	—	—	·80	4
5	·02	·45	—	·04	—	·03	·03	·04	—	—	—	·85	5
6	·04	·04	—	·17	—	—	·34	·08	—	—	—	·03	6
7	·15	·37	—	·03	—	—	·04	·08	—	—	·01	·35	7
8	·13	·41	—	·13	—	—	—	·03	—	—	·09	·01	8
9	* ·35	·13	—	·12	—	—	—	—	—	—	·28	·59	9
10	·30	—	·03	·14	—	—	—	—	—	·08	·06	·03	10
11	·06	—	—	·02	·12	—	·10	·01	—	—	·96	—	11
12	·07	—	—	·09	·38	—	—	·03	—	·05	·81	·03 S	12
13	·01	·77 R+S	—	—	·30	—	—	·07	·02	—	—	·07	13
14	·03	·03	—	·01	—	—	—	·65	·14	·02	—	·23	14
15	·48	—	—	—	·14	—	·06	·33	—	·02	·07	·19	15
16	·15	·85	—	—	·39	—	1·86	·40	·03	·01	—	·02	16
17	—	·34	·02	—	·45	—	—	—	—	·01	—	·01	17
18	·02	·50	·02 S	—	—	—	—	—	—	—	—	—	18
19	—	·02	—	—	·13	—	·27	—	—	—	—	—	19
20	·07	—	—	·02	—	—	·02	—	—	—	—	·05	20
21	·20 R+S	—	—	—	·06	—	·29	—	—	·15	—	·03	21
22	·02	·03	·15	·10	—	—	·18	—	—	—	—	·16	22
23	·05	·05 S	·08	—	—	—	·03	—	·02	·82	—	·30	23
24	—	—	·01	·06	—	—	·43	—	·38	·43	—	·33	24
25	—	—	—	—	—	·32	·09	—	·02	·07	·02	·18	25
26	—	·07	—	—	—	—	·41	—	·04	—	—	·43	26
27	—	·09	—	—	—	·10	·14	—	—	·39	—	·22	27
28	—	·20	·03 S	—	—	·12	·04	·10	·06	·03	—	·02	28
29	—		—	—	—	·09	·03	—	·03	·02	·22	·09	29
30	·06	✕	—	·03	—	·14	·34	·02	—	·32	·14	·32	30
31	—	✕	—	✕	—	✕	·13	·08	✕	·31	✕	·52	31
Total	3·61	4·82	·55	1·21	2·53	·90	6·22	3·59	·97	3·11	2·68	6·34	YEAR'S TOTAL 36·53
Rain Days.	22	20	10	15	11	7	22	17	10	17	11	28	190

W. 8,000. X. 15.

* Rain Snow + Thunder

Ex DL

2320

FORM A.
BRITISH RAINFALL.

18 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Warwick House Bromfield

in the County of Shropshire

by J Brayshaw

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Bromfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18	·02	·05	—	·02	·10	·11	—	—	·20	·16	—	1
2	·27	·06	·31^{R+S}	—	·03	—	·25	—	·17	·77	·15	—	2
3	·01	·78	—	·01	·04	·03	·04	—	·06	·19	·38	·02	3
4	·05	·42	—	·03	·51	·30	—	—	·02	·10	·38	—	4
5	·02	·03	·05^{S}	—	·35	·04	—	—	—	·15	·12	—	5
6	·05	·33	·06^{S}	—	·20	·04	·46	—	—	·16	·64	—	6
7	·05	—	·10^{S}	—	·11	—	·07	—	·02	·12	·17	·20	7
8	—	—	·06^{S}	—	·18	—	—	—	·01	·08	·04	·16	8
9	—	—	—	—	·22	·03	·01	—	—	·13	·04	·05	9
10	·02	·47	·04^{S}	·03	·02	·02	—	—	—	·03	·01	·01	10
11	·02	·04	·05^{S}	·06	·04	·03	·02	—	·01	—	—	·05	11
12	·04	·04	·06	·02	·42	—	·16	·14	·01	·02	—	—	12
13	—	·23	·23	·04	·03	—	·01	·17	—	—	—	—	13
14	—	·30^{S}	·02	·07	·05	—	—	·20	—	·03	—	·03	14
15	—	·53	·28	·21	·17	—	—	·10	—	·02	—	—	15
16	—	·11	·02	·17	—	—	·04	·96	—	·05	—	—	16
17	·03	·09	—	·07	—	—	·02	·01	·26	·39	—	—	17
18	·02	·03	·07	·08	—	—	—	·03	·24	·02	·26^{S}	—	18
19	·03	—	·43	·31	—	—	—	·05	—	·06	·17	·06^{S}	19
20	·14	—	·51	·02	—	—	—	·01	—	—	·06	·25	20
21	·01	—	·27	·03	·10	—	·04	—	—	—	·02	·05	21
22	—	—	—	·02	—	·10	—	—	—	·15	—	·32	22
23	—	·03^{S}	·02	·02	—	—	—	·12	—	·05	·08	·25	23
24	—	·28^{S}	·12	—	·63	·03	—	·08	—	·27	·01	·13	24
25	—	·06^{S}	·12	—	·08	·01	—	·15	—	·12	·20	·03	25
26	·06	·10^{S}	·05	—	·34	·21	—	·18	·02	·29	—	—	26
27	·03	·07	·44	—	—	—	—	·02	·45	·72	·03	—	27
28	—	·30	·02	—	·01	·05	—	—	·03	·21	·03	·18	28
29	—	·15	·03	—	—	·23	—	·33	—	·14	·02	·12	29
30	—	X	—	—	—	·03	—	·03	—	·10	—	—	30
31	—	X	—	X	—	X	—	·02	X	·25	X	·01	31
													YEAR'S TOTAL
Total	1·03	4·47	3·41	1·19	3·55	1·25	1·23	2·60	1·30	4·82	2·97	1·92	29·74
Rain Days.	17	22	24	16	20	15	12	17	12	27	20	17	219

W. 8,000, VIII. 16

2206

FORM A. BRITISH RAINFALL. 7 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Warwick House Bromfield

in the County of Shropshire

by J Braphaw

Lat. .... Long ....

Time of Observation 9 am

Nearest Railway Station Bromfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·02	·09	·22 S	—	·39	—	·25	·15	—	·02	·06	1
2	—	—	—	—	—	·04	—	·05	—	—	·21	·02 S	2
3	·04	·04	—	·37 S	—	—	—	·03	·02	·23	·01	—	3
4	—	—	·17 S	·02	—	—	—	·02	—	·17	—	·04	4
5	·03	—	·26 R+S	·15 R+S	—	—	—	·03	·25	·18	·13	—	5
6	·02	—	·25 R+S	—	—	·14	—	—	—	·18	·20	—	6
7	·33	—	—	—	—	—	·09	·07	—	·06	·06	·01	7
8	·57	—	·03 S	·08	—	—	·14	·39	—	·30	·09	·12	8
9	·01	—	·23 S	·18 S	·15	—	—	·21	·10	·04	·11	·01	9
10	·20 R+S	—	·53	·30 S	·07	—	—	·22	—	—	·01	—	10
11	·07	—	·03	·15 S	·01	—	—	·19	·02	·30	·03	—	11
12	·04	—	—	·06 S	·67	—	—	·07	·06	·25	·01	—	12
13	·01	—	·11	·05	—	—	—	·57	·07	·01	—	·01	13
14	·01	—	·19	·08	—	—	—	·11	—	—	—	·05	14
15	·06 S	—	—	·02	·04	—	·47	·17	·02	·02	—	·17	15
16	·02 S	·07	—	·17	—	·78	·05	·01	—	—	—	·27 R+S	16
17	·02 S	·01	—	·03	·22	·72	·34	·69	·20	·04	—	—	17
18	—	·02	—	·02	·10	—	·38	·47	·70	·02	—	—	18
19	·02	·36	·25	—	·01	·37	—	·01	·02	—	·02	—	19
20	—	·19	·02	—	·55	·13	·27	—	·04	—	—	—	20
21	—	·02	·10 S	—	·05	·11	—	·03	—	·03	·02	—	21
22	—	—	—	—	·02	·10	—	·48	·05	·05	—	—	22
23	—	·16	—	—	·12	·01	—	·12	—	·12	—	—	23
24	—	·03	·02	—	—	·30	—	·03	—	·21	·08	—	24
25	—	·12	·10	—	—	—	—	·10	—	·09	·11	—	25
26	—	·01	·02 S	—	—	·16	—	·71	·05	·13	·04	—	26
27	—	—	·02	—	1·40	·22	·66	1·61	—	—	—	—	27
28	—	—	·09	—	—	·03	—	·09	—	—	—	·02	28
29	—		·09	—	—	—	·02	·03	—	·54	—	·20	29
30	—	X	—	—	—	—	—	·25	—	·10	·02	·02	30
31	—	X	·09	X	·04	X	—	·10	X	·03	X	—	31
Total	1·45	1·05	2·69	1·90	3·45	3·50	2·42	7·11	1·75	3·10	1·17	1·00	YEAR'S TOTAL 30·59
Rain Days.	15	12	20	15	14	14	9	29	14	22	17	13	194

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Bromfield
in the County of Shropshire
by F Brayshaw

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Bromfield ¾ M
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·04	·02 S	·02	—	—	—	·07	·02	·06	·76	—	1
2	—	·07	—	·05	—	—	—	·11	—	·02	·03	·15	2
3	—	·08	—	—	·28	—	—	·12	·62	·06	·09	—	3
4	—	·06	—	—	—	—	—	·05	·60	·24	·58	·42	4
5	—	·01	·02	·06	·38	—	—	·20	·35	·24	—	·03	5
6	—	·24	·01	·35	—	·27	—	—	·01	·29	—	·02	6
7	·03 S	·08	—	·04	·26	—	—	—	·19	·09	·25	·01	7
8	·03 S	·27	—	—	—	—	—	—	·26	·12	—	—	8
9	·10	·38	—	·20	—	·14	—	—	·49	·03	·02	·02	9
10	·03	·06	—	·06	—	—	·72	—	·03	·03	·01	·10	10
11	—	·02	·05	·02	·04	—	·47	·	·12	—	·07	—	11
12	·02	·04	·08	—	·14	—	·15	—	·04	—	—	·08	12
13	—	·02	—	·02	·03	—	·05	—	·11	·11	—	·02	13
14	·45 R+S	—	·03	—	—	·03	·12	—	·35	·03	—	·10	14
15	·40 S	—	—	—	—	·03	·61	—	·09	·02	·01	·45	15
16	·12 S	—	—	·37	—	·02	·06	·02	·26	·02	·01	·10	16
17	·41	—	·02	·02	·54	·02	·12	—	·14	·12	—	·21	17
18	·51	—	·03	—	—	·37	·22	—	·59	·03	—	·46	18
19	·06	—	·18	—	—	—	·05	—	·04	·02	—	·05	19
20	·14	·10	—	·33 R+S	—	·10	·23	—	·34	—	—	·02	20
21	·24	·03	—	·42 R+S	—	·01	·10	—	·41	—	—	·18	21
22	·03	—	—	—	1·03	·02	·06	·01	·10	·03	—	·32	22
23	·02	—	—	—	·34	—	·20	—	·02	—	·02	·02	23
24	—	·15	—	—	—	—	·15	·10	·04	—	·09	—	24
25	—	—	—	—	·10	—	·15	·35	·01	—	·02	—	25
26	—	—	—	—	—	—	·24	·02	·03	·03	—	·06	26
27	—	·03	·05	—	—	·02	—	·34	·25	—	·02	·05	27
28	—	·06	·48	—	—	—	—	—	—	—	·05	·14	28
29	—		·11	—	—	—	—	—	·63	—	·01	·05	29
30	—	X	·38	—	—	—	—	·02	—	—	·03	·11	30
31	—	X	·42	X	—	X	—	·02	X	—	X	—	31
Total	2·59	1·74	1·88	1·96	3·14	1·03	3·70	1·43	6·14	1·59	2·07	3·17	YEAR'S TOTAL 30·44
Rain Days.	15	18	14	13	10	11	17	13	27	19	17	24	198

W, 6,500, VII. 18. w w c

[illegible]

JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Warwick House Bromfield

in the County of Shropshire

by Frederick Bradshaw

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bromfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. · in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·02	·08	·04	—	—	·23	—	·02	·12	·01	·43	1
2	·20	—	·10	—	·01	—	·03	—	·02	·02	·12	·04	2
3	—	·03	·05	·04	—	·14	·09	—	·01	—	·09	·12	3
4	—	·02 S	·27	—	—	—	·37	·04	·14	—	—	·15	4
5	—	·42 S	·07	—	·06	—	·02	—	·01	—	·02	·26	5
6	·08	·07	·11	—	·03	—	—	—	—	—	·04	·24	6
7	·16	—	·05	·05	—	—	—	—	—	—	·03	·03	7
8	·38	—	·06	—	—	·04	—	—	—	—	—	—	8
9	·23	—	·03	·06	—	—	—	—	·02	—	·02	—	9
10	·04	—	·50 R+S	·02	·06	—	—	—	—	·04	·05	·31	10
11	—	—	1·24 R+S	·01	·04	—	·48	—	—	·09	—	·04	11
12	·09	—	·39	·03	—	·11	—	—	·80	·03	·03	·02	12
13	·10	—	—	·23	—	—	·02	—	·06	·10	—	·03	13
14	·26	—	—	·38	—	—	·06	—	—	·04	—	·15	14
15	·40	·07	—	·13	·15	—	—	·01	—	·06	—	·44	15
16	·11	·43	—	·04	·01	—	—	·26	—	—	·04	·03	16
17	·04	·62 R+S	—	—	—	·07	·04	·02	—	—	·19	·02	17
18	—	—	R+S ·77 R+S	—	—	—	—	·37	·02	—	—	·03	18
19	·25	·26	1·23 R+S	—	—	·13	·81	·36	·10	—	·09	·01	19
20	·34	·03	·20	—	—	·02	·03	·20	·08	—	·09	·11	20
21	·07	·44	·02	—	—	—	·25	·02	·02	—	—	·09	21
22	—	·08	—	—	—	·02	·03	—	·50	—	—	·15	22
23	—	—	—	—	—	·04	—	·03	—	·76	·05	·04	23
24	·03	—	—	·01	—	·03	—	—	—	·39	·09	·12	24
25	·03	—	—	·08	·15	·02	—	·55	—	—	—	—	25
26	—	·02	·06	·17 R+S	—	·04	·04	·15	·04	·04	·03	·33	26
27	·11 S	—	·04 R+S	·47	—	—	—	·36	—	—	·04	—	27
28	·03	·01	·12	·02	—	·02	—	·58	—	—	—	·35	28
29	·03	╳	—	·09	—	—	—	·02	—	·26	·04	·21	29
30	—	╳	·01 S	·04	—	·06	—	·04	—	·02	·17	·24	30
31	—	╳	·01	╳	—	╳	—	—	╳	·04	╳	·04	31
TOTAL	3·32	2·52	5·41	1·91	·51	·74	2·50	3·01	1·84	2·01	1·24	4·03	YEAR'S TOTAL 29·04
Days with ·01 in. or more	21	14	21	18	8	13	14	15	14	14	19	27	198

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd wrd 1981

8 JAN 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bromfield
in the County of Shropshire
by F. Brayshaw

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Bromfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	·09	·36	—	·36	·01	·05	·18	·01	·43	1
2	·04	—	—	·14	·02	—	·72	—	·11	·15	—	·19	2
3	·15	·02	—	·22	—	·03	·61	·02	·09	·36	—	·05	3
4	—	—	·03	·02	—	—	·03	·35	·02	·22	—	—	4
5	—	—	·07	·21	·04	—	·26	·06	·02	·23	—	·02	5
6	—	—	·38	·02	·04	—	·13	—	—	·24	—	·02	6
7	·02	—	·08	·04	·02	—	·10	—	—	—	—	—	7
8	·40	·07	—	·52	·21	—	·33	·18	—	—	—	—	8
9	·42	·04	·02	·35	—	—	·05	·02	—	—	—	—	9
10	·40	·11	·05	·06	—	·17	·13	—	—	—	·02	·05	10
11	·07	·02	·27	·56	·22	·13	·11	—	—	—	—	—	11
12	·20	·01	·03	·47	—	·72	·06	·17	—	—	·08	·04 S	12
13	·13	·03	·19	·17	—	·02	—	—	—	—	·02	·03 S	13
14	·02	·04	·66 R&S	·38	—	·27	·06	·04	·55	·32	·29	—	14
15	—	·11	·10 R&S	·81	—	·35	·02	—	·12	·02	·03	—	15
16	—	·02	—	·05	·16	·09	·38	—	·17	·78	·04	—	16
17	·02	—	—	·03	·14	·10	·01	·02	·53	·26	—	—	17
18	·11	—	—	·04	·13	·02	·01	·08	·34	—	—	—	18
19	·07	·66	—	·11	·02	·06	—	—	·05	—	—	—	19
20	—	·05	—	·34	—	·10	—	—	·02	—	—	·06	20
21	—	—	—	·03	—	—	·27	—	—	·02	—	·13	21
22	·03	—	—	·05	—	—	·03	·16	—	—	—	·05	22
23	—	—	·03	—	—	—	·19	·07	—	—	—	·58	23
24	·03	—	·21	·03	—	—	—	·02	—	—	·02	·11	24
25	·05	·03	·27	·05	—	—	·58	—	—	—	—	·02	25
26	·17	—	·44	·02	—	—	·03	—	—	—	·11	·04	26
27	·30	—	·34	·05	·07	·24	·11	—	—	—	·06	·29	27
28	·94 R&S	—	·19	—	·11	·04	·01	—	—	—	—	·07	28
29	·28	—	·14	·01	·60	·02	·12	—	—	—	·11	·41	29
30	·04		·10	·18	·09	·10	·02	—	·52	—	·30	·15	30
31	·06		·01		·04		·03	—		·32		·03	31
TOTAL	3·95	1·21	3·64	5·05	2·27	2·46	4·76	1·20	2·59	3·10	1·09	2·77	YEAR'S TOTAL 34·09
Days with ·01 in. or more	22	13	21	28	16	16	27	13	13	12	12	20	213
Days with ·04 in. or more	17	7	15	21	13	12	18	8	10	10	7	15	153

(44,283). 10/10. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGIC** … **ORGANIZATION**

22 JAN 1921

REGIS … 1920.

SHROPSHIRE.

BROSLEY

BENTHALL HALL.

1920

Kept at Benthall Hall

in the County of Salop

by The Rev C F Benthal

…ong. 2° 30′ 17″

9 AM

…ion Buildwas 1¼ Broseley 1¼ mile

…f Rain Gauge 5 in.

…ge above Ground 2 ft 3 in.

,, Sea Level 630 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·00	·12	·20	·05	·23	·00	·08	·12	·00	·25	1
2	·00	·00	·00	·04	·00	·00	·24	·00	·06	·02	·00	·00	2
3	·08	·06	·00	·06	·00	·00	·56	·00	·14	·42	·00	·06	3
4	·00	·00	·06	·17	·00	·00	·02	·22	·08	·31	·00	·15	4
5	·00	·00	·10	·12	·00	·00	·22	·00	·12	·35	·00	·04	5
6	·00	·00	·15	·02	·11	·00	·05	·00	·00	·56	·04	·13	6
7	·00	·00	·00	·12	·05	·00	·21	·00	·00	·00	·00	·03	7
8	·00	·13	·00	·52	·14	·00	·20	·18	·00	·02	·00	·00	8
9	·36	·06	·00	·50	·00	·00	·13	·25	·00	·00	·00	·00	9
10	·30	·00	·08	·12	·00	·00	·26	·00	·00	·00	·00	·10	10
11	·31	·00	·00	·10	·31	·51	·04	·00	·00	·00	·00	·00	11
12	·00	·00	·00	·40	·00	·66	·01	·04	·00	·00	·15	·00	12
13	·00	·00	·08	·20	·00	·02	·01	·00	·01	·00	·16	·00	13
14	·13	·00	·70	·15	·00	·34	·01	·00	·35	·05	·24	·19	14
15	·00	·14	·25	·32	·32	·71	·00	·00	·00	·34	·00	·20	15
16	·00	·00	·00	·04	·12	·11	·34	·00	·08	·66	·00	·00	16
17	·00	·00	·00	·00	·12	·00	·00	·00	·38	·00	·00	·00	17
18	·30	·00	·00	·08	·02	·00	·02	·00	·17	·00	·00	·04	18
19	·00	1·25	·00	·00	·00	·05	·00	·04	·02	·00	·00	·00	19
20	·00	·00	·00	·56	·00	·12	·00	·00	·00	·00	·00	·13	20
21	·06	·00	·00	·00	·00	·00	·09	·11	·00	·00	·00	·12	21
22	·00	·00	·00	·10	·00	·00	·16	·13	·00	·00	·00	·43	22
23	·00	·00	·00	·00	·00	·00	·24	·06	·00	·00	·00	·06	23
24	·00	·04	·15	·06	00	·00	·00	·00	·00	·00	·02	·12	24
25	·05	·00	·25	·08	·00	·02	·42	·00	·00	·00	·00	·24	25
26	·10	·00	·30	·12	·00	·00	·05	·00	·00	·00	·00	·00	26
27	·30	·00	·10	·04	·58	·15	·03	·00	·00	·00	·07	·00	27
28	1·23	·00	·12	·00	·14	·04	·00	·00	·00	·00	·00	·35	28
29	·10	·00	·27	·00	·36	·00	·08	·00	·01	·00	·08	·05	29
30	·04		·00	·16	·00	·11	·00	·00	·36	·00	·13	·25	30
31	·00		·00		·06		·00	·00		·57		·00	31
TOTAL	3·36	1·68	2·61	4·20	2·53	2·89	3·62	1·03	1·86	3·42	·89	2·94	YEAR'S TOTAL 31·03
Days with ·01 in. or more	13	6	13	24	13	13	23	8	13	11	8	19	164
Days with ·04 in. or more	13	6	13	23	12	11	17	8	10	9	7	18	147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGIC ORGANIZATION**

2 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Benthall Hall Broseley

in the County of Salop

by The Rev C.F.Benthall

Lat. 52° 37′ 3″ Long. 2° 30′ 17″

Time of Observation 9 AM

Nearest Railway Station Buildwas 1¼ Broseley 1¼ mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 630 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·00	·12	·20	·05	·23	·00	·08	·12	·00	·25	1
2	·00	·00	·00	·04	·00	·00	·24	·00	·06	·02	·00	·00	2
3	·08	·06	·00	·06	·00	·00	·56	·00	·14	·42	·00	·06	3
4	·00	·00	·06	·17	·00	·00	·02	·22	·08	·31	·00	·15	4
5	·00	·00	·10	·12	·00	·00	·22	·00	·12	·35	·00	·04	5
6	·00	·00	·15	·02	·11	·00	·05	·00	·00	·56	·04	·13	6
7	·00	·00	·00	·12	·05	·00	·21	·00	·00	·00	·00	·03	7
8	·00	·13	·00	·52	·14	·00	·20	·18	·00	·02	·00	·00	8
9	·36	·06	·00	·50	·00	·00	·13	·25	·00	·00	·00	·00	9
10	·30	·00	·08	·12	·00	·00	·26	·00	·00	·00	·00	·10	10
11	·31	·00	·00	·10	·31	·51	·04	·00	·00	·00	·00	·00	11
12	·00	·00	·00	·40	·00	·66	·01	·04	·00	·00	·15	·00	12
13	·00	·00	·08	·20	·00	·02	·01	·00	·01	·00	·16	·00	13
14	·13	·00	·70	·15	·00	·34	·01	·00	·35	·05	·24	·19	14
15	·00	·14	·25	·32	·32	·71	·00	·00	·00	·34	·00	·20	15
16	·00	·00	·00	·04	·12	·11	·34	·00	·08	·66	·00	·00	16
17	·00	·00	·00	·00	·12	·00	·00	·00	·38	·00	·00	·00	17
18	·30	·00	·00	·08	·02	·00	·02	·00	·17	·00	·00	·04	18
19	·00	1·25	·00	·00	·00	·05	·00	·04	·02	·00	·00	·00	19
20	·00	·00	·00	·56	·00	·12	·00	·00	·00	·00	·00	·13	20
21	·06	·00	·00	·00	·00	·00	·09	·11	·00	·00	·00	·12	21
22	·00	·00	·00	·10	·00	·00	·16	·13	·00	·00	·00	·43	22
23	·00	·00	·00	·00	·00	·00	·24	·06	·00	·00	·00	·06	23
24	·00	·04	·15	·06	00	·00	·00	·00	·00	·00	·02	·12	24
25	·05	·00	·25	·08	·00	·02	·42	·00	·00	·00	·00	·24	25
26	·10	·00	·30	·12	·00	·00	·05	·00	·00	·00	·00	·00	26
27	·30	·00	·10	·04	·58	·15	·03	·00	·00	·00	·07	·00	27
28	1·23	·00	·12	·00	·14	·04	·00	·00	·00	·00	·00	·35	28
29	·10	·00	·27	·00	·36	·00	·08	·00	·01	·00	·08	·05	29
30	·04	╳	·00	·16	·00	·11	·00	·00	·36	·00	·13	·25	30
31	·00	╳	·00	╳	·06	╳	·00	·00	╳	·57	╳	·00	31
TOTAL	3·36	1·68	2·61	4·20	2·53	2·89	3·62	1·03	1·86	3·42	·89	2·94	YEAR'S TOTAL 31·03
Days with ·01 in. or more	13	6	13	24	13	13	23	8	13	11	8	19	164
Days with ·04 in. or more	13	6	13	23	12	11	17	8	10	9	7	18	147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

notified 24/3/16

REGIST 5

FORM A.
BRITISH RAINFALL.

SHROPSHIRE.

CHURCH STRETTON

"WEST LEIGH"

1915 – 1920

Kept at Church S ...ong. —
9 a.m daily
in the County of Sal ...ion Church Stretton
...f Rain Gauge 5 in.
by H. Coul ...ge above Ground — ft. 7¾ in.
" Sea Level 660 ft.

IMPORTANT NOTE.- and the result entered to the previous day. If an Observer prefers not to conform to this universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.71	—	0.01	—	0.67	—	0.08	0.02	0.15	0.18	0.01	0.07	1
2	0.05	0.24	0.19	0.27	—	0.15	—	1.35	—	0.19	—	0.18	2
3	0.92	0.03	—	0.17	0.04	—	0.38	0.27	—	—	—	0.22	3
4	0.03	0.34	—	—	0.21	—	0.55	0.02	—	—	—	0.85	4
5	0.07	0.48	—	—	—	—	—	0.02	—	—	—	0.71	5
6	0.03	0.07	0.05	0.19	—	—	0.72	0.02	—	—	—	0.20	6
7	0.33	0.54	—	0.04	—	—	0.21	0.19	—	—	—	0.47	7
8	0.25	0.21	—	0.29	—	—	—	0.03	—	—	—	—	8
9	0.32	0.19	—	—	—	—	—	—	—	—	0.06	—	9
10	0.44	—	0.01	0.29	0.65	—	—	0.07	—	—	0.37	—	10
11	0.06	—	0.01	0.04	—	—	0.04	0.02	—	0.11	1.04	0.09	11
12	0.04	0.12	—	0.07	—	—	—	0.29	—	—	1.38	—	12
13	—	1.15	—	—	0.69	—	—	0.20	—	0.15	—	0.05	13
14	—	0.01	—	—	—	—	—	0.23	0.15	—	—	0.32	14
15	0.54	—	—	—	0.08	—	0.05	0.08	—	—	0.09	0.09	15
16	0.14	0.42	—	—	0.75	—	1.30	0.32	0.02	—	—	—	16
17	—	0.32	0.01	—	—	—	—	0.01	—	—	—	—	17
18	—	0.38	0.06	—	—	—	—	—	—	—	—	—	18
19	—	0.03	—	0.06	0.08	—	0.18	—	—	—	—	—	19
20	0.20	—	—	0.04	0.12	—	0.05	—	—	—	—	0.07	20
21	0.02	—	—	—	—	—	0.29	—	—	—	—	0.01	21
22	0.10	—	0.10	0.08	—	0.05	0.14	—	—	0.04	—	0.09	22
23	—	0.19	0.15	—	—	—	0.05	—	—	—	—	0.42	23
24	—	0.01	0.05	0.10	—	—	0.51	—	0.33	0.99	—	0.39	24
25	—	—	—	—	—	0.39	0.26	—	—	0.61	—	0.17	25
26	—	—	—	—	—	—	0.36	—	0.06	0.04	—	0.44	26
27	—	0.33	—	—	—	—	0.09	—	—	—	—	0.14	27
28	—	0.70	—	—	—	—	0.01	0.08	0.08	0.37	—	0.04	28
29	—	—	—	—	—	—	0.06	0.09	—	0.45	0.20	0.06	29
30	0.10	X	—	0.05	—	0.28	0.03	—	—	0.16	0.10	0.29	30
31	0.03	X	—	X	—	X	0.15	0.10	X	0.16	X	0.50	31
Total	4.38	5.76	0.64	1.69	3.29	0.87	5.51	3.41	0.79	3.15	3.25	5.87	YEAR'S TOTAL ~~36.99~~
Rain Days.	4.38 19	5.76 19	10	1.69 13	9	5	5.51 21	19	6	12	8	5.87 23	38.61 ~~164~~ 163

W. 8,000. X. 15.

notified 24/3/16

REGIST

5

FORM A.
BRITISH RAINFALL.

Kept at Church Stretton
in the County of Salop
by H. Constantine

Lat. – Long. –
Time of Observation 9 a.m daily
Nearest Railway Station Church Stretton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7¾ in.
" " " " Sea Level 660 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.71	–	0.01	–	0.67	–	0.08	0.02	0.15	0.18	0.01	0.07	1
2	0.05	0.24	0.19	0.27	–	0.15	–	1.35	–	0.19	–	0.18	2
3	0.92	0.03	–	0.17	0.04	–	0.38	0.27	–	–	–	0.22	3
4	0.03	0.34	–	–	0.21	–	0.55	0.02	–	–	–	0.85	4
5	0.07	0.48	–	–	–	–	–	0.02	–	–	–	0.71	5
6	0.03	0.07	0.05	0.19	–	–	0.72	0.02	–	–	–	0.20	6
7	0.33	0.54	–	0.04	–	–	0.21	0.19	–	–	–	0.47	7
8	0.25	0.21	–	0.29	–	–	–	0.03	–	–	–	–	8
9	0.32	0.19	–	–	–	–	–	–	–	–	0.06	–	9
10	0.44	–	0.01	0.29	0.65	–	–	0.07	–	–	0.37	–	10
11	0.06	–	0.01	0.04	–	–	0.04	0.02	–	0.11	1.04	0.09	11
12	0.04	0.12	–	0.07	–	–	–	0.29	–	–	1.38	–	12
13	–	1.15	–	–	0.69	–	–	0.20	–	0.15	–	0.05	13
14	–	0.01	–	–	–	–	–	0.23	0.15	–	–	0.32	14
15	0.54	–	–	–	0.08	–	0.05	0.08	–	–	0.09	0.09	15
16	0.14	0.42	–	–	0.75	–	1.30	0.32	0.02	–	–	–	16
17	–	0.32	0.01	–	–	–	–	0.01	–	–	–	–	17
18	–	0.38	0.06	–	–	–	–	–	–	–	–	–	18
19	–	0.03	–	0.06	0.08	–	0.18	–	–	–	–	–	19
20	0.20	–	–	0.04	0.12	–	0.05	–	–	–	–	0.07	20
21	0.02	–	–	–	–	–	0.29	–	–	–	–	0.01	21
22	0.10	–	0.10	0.08	–	0.05	0.14	–	–	0.04	–	0.09	22
23	–	0.19	0.15	–	–	–	0.05	–	–	–	–	0.42	23
24	–	0.01	0.05	0.10	–	–	0.51	–	0.33	0.99	–	0.39	24
25	–	–	–	–	–	0.39	0.26	–	–	0.61	–	0.17	25
26	–	–	–	–	–	–	0.36	–	0.06	0.04	–	0.44	26
27	–	0.33	–	–	–	–	0.09	–	–	–	–	0.14	27
28	–	0.70	–	–	–	–	0.01	0.08	0.08	0.37	–	0.04	28
29	–	–	–	–	–	–	0.06	0.09	–	0.15	0.20	0.06	29
30	0.10	╳	–	0.05	–	0.28	0.03	–	–	0.16	0.10	0.29	30
31	0.03	╳	–	╳	–	╳	0.15	0.10	╳	0.16	╳	0.50	31
Total	4.38	5.76	0.64	1.69	3.29	0.87	5.51	3.41	0.79	3.15	3.25	5.87	YEAR'S TOTAL ~~36.99~~
	4.38	5.76	✓	1.69	✓	✓	5.51	✓	✓	✓		5.87	38.61
Rain Days.	19 ✓	19	10 ✓	13	9	4	21	19 ✓	6 ✓	12	8	23	~~164~~ 163

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at "Westover" Church Stretton
in the County of Shropshire
by H. Constantine

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Church Stretton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 660 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.15	trace	0.22	—	0.02	0.07	0.36	—	—	0.06	0.20	—	1
2	0.28	0.09	1.00	—	0.01	0.01	0.16	—	0.17	0.99	0.03	—	2
3	trace	0.73	—	—	0.01	0.02	0.02	—	006	0.30	0.31	0.03	3
4	0.05	0.34	—	0.04	0.54	0.47	trace	—	0.02	0.32	0.31	—	4
5	0.01	0.01	0.04	—	0.30	0.06	—	—	0.01	0.14	0.24	—	5
6	0.11	0.15	0.09	—	0.18	0.03	0.47	—	—	0.22	0.40	trace	6
7	0.13	0.05	0.18	—	0.14	trace	0.08	—	—	0.13	0.22	0.19	7
8	0.03	0.06	0.19	—	0.22	—	trace	—	—	0.24	004	0.11	8
9	trace	0.48	0.01	—	0.25	0.17	—	—	0.03	trace	0.05	0.06	9
10	0.03	0.14	0.09	0.04	trace	0.01	0.005	0.01	0.01	0.01	0.01	trace	10
11	0.01	—	0.21	0.12	0.05	0.07	0.01	—	0.01	—	trace	0.06	11
12	0.09	0.14	0.11	0.02	0.28	trace	0.18	0.14	—	0.04	—	—	12
13	0.01	0.18	0.17	0.23	0.01	—	0.18	0.70	0.005	trace	0.005	0.13	13
14	trace	0.32	0.02	—	0.09	—	trace	0.28	trace	0.08	—	—	14
15	—	0.68	0.34	0.28	0.05	—	0.02	0.28	0.01	0.05	—	—	15
16	—	0.07	—	0.36	—	—	0.02	0.28	—	0.06	—	—	16
17	—	0.21	—	0.25	—	—	0.01	0.01	0.43	0.34	—	—	17
18	0.10	0.09	0.06	0.07	—	—	0.005	—	0.37	0.04	0.55	0.08	18
19	0.04	—	0.45	0.06	—	—	—	0.05	0.005	0.07	0.20	—	19
20	0.12	—	0.53	0.005	—	—	—	0.01	—	—	0.07	0.13	20
21	0.02	—	0.64	—	0.04	0.01	0.01	—	—	—	0.005	—	21
22	—	—	0.01	—	—	0.06	—	—	—	0.11	—	0.55	22
23	—	0.03	0.03	0.09	—	—	—	0.16	—	0.04	0.11	0.06	23
24	—	0.63	0.03	0.005	0.55	0.50	—	0.15	—	0.22	0.005	0.16	24
25	—	0.18	0.30	—	0.13	0.005	—	0.09	0.01	0.06	0.30	0.04	25
26	0.09	0.30	0.04	—	0.08	0.15	—	0.14	—	0.20	0.10	—	26
27	—	0.13	0.55	—	—	0.005	—	0.06	0.29	1.22	0.005	trace	27
28	0.03	0.78	0.01	—	—	—	—	—	0.05	0.27	0.07	0.16	28
29	—	0.23	0.02	—	—	0.46	—	0.25	0.01	0.14	—	0.14	29
30	—	✕	0.01	—	—	0.10	—	0.04	—	0.20	—	0.02	30
31	—	✕	—	✕	—	✕	—	0.03	✕	0.13	✕	0.03	31
Total	1.30	6.02	5.35	1.57	2.95	2.20	1.53	2.66	1.49	5.68	3.23	1.95	YEAR'S TOTAL 35.95
Rain Days.	17	23	26	~~11~~ 12	18	~~15~~ 16	~~23~~	17	~~14~~ 15	26	~~17~~ 19	16	218

W. 8,000, VIII. 16

SHR

REGISTER OF RAINFALL IN 1917

Kept In "West Leigh" Church Stretton
in the County of Salop
by H. Constantine

Lat. — Long. —
Time of Observation 9 a.m
Nearest Railway Station Church Stretton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 700 ft.

FORM A. BRITISH RAINFALL.

8 JAN [illegible]

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01	—	0.03	0.32	—	0.46	—	0.15	0.84	—	0.04	0.04	1
2	0.02	—	0.02	0.01	—	0.09	—	0.11	—	—	0.15	0.04	2
3	0.03	0.03	—	0.11	—	trace	—	0.06	—	0.21	0.02	trace	3
4	—	trace	0.11	trace	—	—	—	0.20	—	0.41	trace	0.04	4
5	0.13	—	0.32	0.38	—	—	—	0.29	0.05	0.19	0.12	—	5
6	0.04	—	0.29	trace	—	0.07	—	trace	—	0.10	0.25	0.02	6
7	0.40	—	—	—	—	—	—	0.06	—	0.16	0.06	0.09	7
8	0.75	—	—	0.17	—	—	0.01	0.35	0.01	0.47	0.26	0.13	8
9	—	—	0.22	0.14	0.13	—	—	0.18	0.01	0.13	0.37	0.03	9
10	0.46	—	0.45	0.19	0.08	—	—	0.27	—	0.02	trace	—	10
11	0.19	—	trace	0.14	—	—	—	0.24	—	0.28	0.03	—	11
12	0.07	0.02	—	0.10	0.66	0.01	—	0.07	0.01	0.33	trace	—	12
13	0.01	0.02	0.01	0.08	—	—	—	0.65	0.06	0.01	—	—	13
14	0.06	—	0.03	trace	—	—	—	0.16	—	0.02	—	0.05	14
15	0.07	—	—	trace	0.07	—	0.42	0.11	trace	0.16	trace	0.16	15
16	0.04	0.03	—	0.16	—	0.71	0.01	0.02	trace	trace	—	0.41	16
17	0.01	0.01	—	0.04	0.42	0.32	0.44	0.75	0.18	0.01	—	—	17
18	trace	—	—	0.02	0.05	trace	0.31	0.25	0.64	0.02	—	—	18
19	0.07	0.48	0.40	—	—	0.28	trace	0.02	trace	—	0.03	—	19
20	0.01	0.30	trace	—	0.57	0.28	—	0.05	0.28	—	trace	—	20
21	trace	0.03	0.20	—	0.05	0.07	—	0.04	trace	0.08	0.03	—	21
22	—	0.01	trace	—	—	0.05	—	0.50	0.06	0.07	trace	—	22
23	—	0.25	—	—	0.14	0.03	—	0.08	trace	0.09	—	trace	23
24	—	0.03	0.01	—	—	0.25	—	0.12	—	0.32	0.14	trace	24
25	—	0.10	0.14	—	trace	trace	—	0.08	—	0.13	0.10	—	25
26	—	trace	trace	—	—	0.13	—	0.80	0.08	0.08	0.02	—	26
27	—	0.01	0.03	—	1.30	0.25	0.24	1.12	trace	—	—	—	27
28	—	—	0.09	—	0.10	0.04	trace	0.10	—	—	—	0.06	28
29	—	—	0.06	trace	—	—	0.10	0.43	—	0.40	—	0.47	29
30	0.01	✕	trace	—	—	—	—	0.22	—	—	0.03	0.01	30
31	—	✕	0.07	✕	0.07	✕	trace	0.19	✕	0.05	✕	trace	31
Total	2.38	1.32	2.48	1.86	3.64	3.04	1.53	7.67	2.22	3.74	1.65	1.55	YEAR'S TOTAL 33.08
Rain Days.	18 ~~20~~	~~15~~ 13	17 ~~22~~	13 ~~18~~	12 ~~14~~	15 ~~18~~	7 ~~10~~	30 ~~31~~	11 ~~17~~	23 ~~24~~	15 ~~21~~	13 ~~16~~	187

187

W. 8,000, IX. 17.

cndg mm stats

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
3. 1. 19

Kept at Church Stretton
in the County of Salop
by H. Constantine

Lat. .... Long. ....
Time of Observation 9. a. m
Nearest Railway Station Church Stretton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.01	—	0.06	0.02	—	—	0.10	0.04	0.06	0.64	trace	1
2	—	0.07	trace	0.06	—	—	—	0.24	—	trace	trace	0.26	2
3	—	0.07	—	trace	0.27	—	—	0.17	0.50	do	0.03	trace	3
4	0.01	0.06	—	—	—	—	(0.04)	0.06	0.73	0.26	0.59	0.39	4
5	—	0.01	trace	0.06	0.18	—	—	0.19	0.27	0.31	0.04	0.03	5
6	0.03	0.24	do	0.25	trace	0.11	—	trace	0.02	0.27	—	0.02	6
7	0.03	0.11	do	0.04	0.19	0.03	trace	—	0.26	0.07	0.22	trace	7
8	0.01	0.32	—	trace	—	trace	0.02	—	0.32	0.11	0.02	0.01	8
9	0.24	0.57	—	0.11	—	0.20	0.03	—	0.21	0.09	0.07	0.02	9
10	0.15	0.23	—	0.08	—	—	0.40	—	0.22	0.03	0.10	0.17	10
11	trace	0.06	0.05	0.01	0.12	—	0.55	—	0.02	—	0.04	0.16	11
12	—	0.07	0.05	trace	0.20	—	0.06	—	0.26	0.01	—	0.04	12
13	—	trace	trace	0.03	0.07	—	trace	—	0.23	0.08	—	0.02	13
14	0.37	—	do	trace	0.01	0.07	0.22	trace	0.20	0.05	—	0.21	14
15	0.48	—	—	—	—	trace	0.73	—	0.33	0.02	—	0.49	15
16	0.19	—	—	0.35	—	0.04	0.06	0.10	0.08	0.11	—	0.28	16
17	0.43	—	trace	0.01	0.25	trace	0.07	0.06	0.50	0.16	—	0.14	17
18	0.46	—	0.04	—	—	0.26	0.11	—	0.02	0.01	—	0.58	18
19	0.16	0.02	0.28	—	—	trace	0.09	—	0.22	0.08	—	0.15	19
20	0.22	0.14	trace	0.42	—	0.10	0.56	—	0.38	0.01	—	0.20	20
21	0.11	0.01	—	0.87	—	0.05	0.09	—	0.02	0.01	—	0.11	21
22	—	trace	—	—	0.76	0.02	0.10	0.06	0.05	0.01	—	0.37	22
23	0.01	—	—	—	0.30	trace	0.04	—	0.07	—	0.03	trace	23
24	0.02	0.17	—	—	trace	—	0.02	0.03	0.05	—	0.15	0.01	24
25	trace	trace	—	—	0.16	0.01	0.42	0.45	trace	0.01	0.02	0.01	25
26	—	—	—	0.02	0.02	—	0.10	0.06	do	trace	0.08	0.32	26
27	0.01	0.22	0.04	—	—	—	trace	0.63	0.40	—	0.05	0.14	27
28	—	0.03	0.51	—	—	trace	—	—	0.01	—	0.09	0.44	28
29	—	—	0.11	—	—	—	—	—	0.80	—	0.02	0.19	29
30	—	X	0.23	—	—	—	—	0.06	trace	—	0.08	0.21	30
31	—	X	0.67	X	—	X	—	0.21	X	—	X	trace	31
Total	2.93	2.41	1.98	2.37	2.55	0.89	3.81	2.42	6.21	1.76	2.27	4.97	YEAR'S TOTAL 34.57
Rain Days.	19	18	9	14	13	16	19	14	26	20	18	26	203

W, 6,500, VII. 18. W W C

FORM A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Church Stretton
in the County of Salop
by H. Constantine

Lat. – Long. –
Time of Observation 9 a.m
Nearest Railway Station Church Stretton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 7¼ in.
„ „ „ „ Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.44	–	0.05	0.04	0.10	–	0.40	–	0.03	0.12	0.11	0.39	1
2	0.20	0.01	0.15	trace	0.02	–	0.09	–	0.03	–	0.18	trace	2
3	trace	–	0.03	–	0.07	0.06	0.10	–	trace	–	–	0.08	3
4	–	0.03	0.24	–	–	–	0.28	0.09	0.19	–	trace	0.26	4
5	–	0.04	trace	–	0.06	–	0.02	trace	trace	–	0.05	0.45	5
6	0.06	0.33	0.19	–	0.06	–	–	–	–	–	0.03	0.19	6
7	0.11	–	0.03	0.08	–	–	–	–	–	–	0.06	0.03	7
8	0.33	–	0.06	–	trace	0.01	–	–	–	–	–	trace	8
9	0.23	–	0.47	0.11	–	–	–	–	–	–	0.02	–	9
10	0.08	–	0.88	0.01	–	–	–	–	–	0.04	0.07	0.18	10
11	0.01	–	1.08	0.03	0.02	–	0.33	–	–	0.03	trace	0.07	11
12	0.01	–	0.01	0.02	–	0.36	–	–	0.07	0.06	0.01	0.01	12
13	0.11	–	–	0.14	–	–	trace	–	0.87	0.31	–	0.03	13
14	0.48	0.02	–	0.48	–	–	0.08	–	0.08	0.06	0.01	0.16	14
15	0.40	0.04	–	0.12	0.37	–	–	trace	–	0.14	0.01	0.39	15
16	0.10	0.83	trace	0.05	–	0.01	–	0.05	–	trace	0.08	trace	16
17	0.06	1.08	–	0.02	–	0.06	0.29	0.01	–	–	0.15	0.02	17
18	0.01	–	0.76	–	–	–	0.01	0.51	0.05	–	0.02	0.01	18
19	0.19	0.28	0.88	0.01	–	0.09	0.46	0.57	0.10	–	0.07	–	19
20	0.23	0.07	0.36	–	–	0.02	0.03	0.07	0.27	–	0.03	0.20	20
21	0.04	0.30	0.04	–	0.15	0.02	0.34	–	0.05	–	0.02	0.23	21
22	–	0.20	trace	–	–	0.01	trace	–	0.56	–	0.02	0.39	22
23	–	trace	–	–	–	0.05	–	–	–	1.18	0.01	0.09	23
24	–	–	–	0.04	0.15	0.03	–	–	–	1.00	0.21	0.40	24
25	0.08	–	–	0.18	0.14	trace	–	0.33	–	0.03	0.07	0.04	25
26	0.08	0.01	0.12	0.12	–	0.04	0.10	0.07	0.09	0.01	trace	0.42	26
27	0.10	0.01	0.02	0.51	–	–	–	0.16	0.04	–	0.30	0.01	27
28	0.05	–	0.06	0.01	–	–	–	0.88	–	–	–	0.33	28
29	0.06	–	trace	0.10	–	0.04	–	0.02	–	0.25	0.05	0.22	29
30	–	X	trace	0.06	–	0.06	–	trace	–	0.04	0.14	0.23	30
31	–	X	(02) 0.02	X	–	X	–	–	X	trace	X	0.03	31
TOTAL	3.46	3.25	5.45	2.13	1.14	0.88	2.53	2.76	2.43	3.27	1.72	4.86	YEAR'S TOTAL 33.88
Days with ·01 in. or more	23	14	19	19	10	14	13	11	13	13	23	26	198

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1993.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 19

Kept at "West Leigh" Church Stretton

in the County of Salop

by G. Constantine

Lat. —— Long. ——

Time of Observation 9 a.m

Nearest Railway Station Church Stretton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 8 in.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	trace	0.01	0.22	0.26	—	0.31	0.16	0.02	0.17	0.01	0.48	1
2	0.05	—	—	0.13	0.01	—	0.13	trace	0.09	0.07	trace	0.19	2
3	0.09	0.02	—	0.54	—	0.06	1.37	trace	0.09	0.40	—	0.04	3
4	trace	—	—	0.07	0.03	—	0.06	0.29	0.01	0.25	—	—	4
5	—	—	0.08	0.19	0.05	—	0.25	0.07	0.03	0.18	—	—	5
6	—	—	0.46	0.02	0.08	—	0.21	—	trace	0.29	trace	0.05	6
7	trace	—	0.03	0.57	0.02	—	0.28	—	—	trace	trace	0.02	7
8	0.44	0.08	trace	0.45	0.28	—	0.41	0.22	—	—	—	—	8
9	0.64	0.29	—	0.17	—	—	0.10	0.13	—	—	—	—	9
10	0.30	0.18	0.13	0.32	0.24	0.14	0.22	—	—	—	0.01	0.02	10
11	0.13	0.06	0.17	0.48	0.10	0.24	0.09	trace	—	—	—	trace	11
12	0.24	0.02	0.07	0.25	—	0.47	0.13	0.04	—	—	0.07	0.11	12
13	0.09	0.09	0.13	0.21	—	0.02	trace	—	—	—	0.06	trace	13
14	0.08	0.07	0.73	0.61	—	0.37	0.11	0.01	0.40	0.48	0.28	—	14
15	trace	0.25	0.03	0.04	—	0.56	—	—	0.17	0.12	0.02	—	15
16	trace	trace	0.01	trace	0.06	0.14	0.38	—	0.20	0.90	trace	—	16
17	0.03	—	0.01	0.10	0.22	—	—	0.02	0.42	0.04	—	trace	17
18	0.24	—	—	0.12	0.07	trace	0.15	0.06	0.27	—	—	—	18
19	0.03	1.28	—	0.26	0.07	0.06	—	0.01	0.03	—	—	—	19
20	trace	0.12	—	trace	0.01	0.16	—	trace	—	trace	—	0.08	20
21	trace	—	—	0.16	—	0.01	0.09	0.10	—	—	—	0.10	21
22	0.06	—	—	—	—	—	0.23	0.04	—	—	trace	0.04	22
23	trace	—	0.03	0.06	—	—	0.25	trace	—	—	—	0.37	23
24	0.03	—	0.31	0.14	—	—	trace	—	—	—	—	0.16	24
25	0.07	0.05	0.08	0.01	trace	—	0.57	—	—	—	—	0.01	25
26	0.25	trace	0.57	0.09	trace	—	0.03	—	—	—	0.05	0.03	26
27	0.29	trace	0.43	0.02	0.45	0.24	0.17	—	—	—	0.04	0.41	27
28	1.15	—	0.26	0.02	0.08	0.12	trace	—	—	—	trace	0.08	28
29	0.18	—	0.18	0.21	0.25	0.01	0.21	—	—	—	0.08	0.66	29
30	0.05	✕	0.01	0.13	0.01	0.15	0.01	—	0.35	—	0.29	0.18	30
31	0.11	✕	—	✕	0.02	✕	0.03	trace	✕	0.45	✕	0.03	31
TOTAL	4.55	2.51	3.73	5.59	2.31	2.75	5.79	1.15	2.08	3.35	0.91	3.06	YEAR'S TOTAL 37.78
Days with ·01 in. or more	21	12	20	27	19	15	24	12	12	11	10	19	202
Days with ·04 in. or more	18	10	~~14~~ 13	23	13	12	~~22~~ 21	9	8	11	7	~~15~~ 14	~~162~~ 159

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. **Gp.132.** A.&E.W.

REGIS

SHROPSHIRE.

CHURCH STRETTON.

1918 – 1920

18

Kept at Church Strett

in the County of Shropshir

by W. Bowden

ong.

tion

f Rain Gauge ________ in.

ge above Ground ____ ft. ____ in.

„ Sea Level ________ ft.

FORM A. BRITISH RAINFALL. 22·1·19

IMPORTANT NOTE. . and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·02	·06				·12	·04	·06		·09	1
2		·07		·07	·04			·25	·02	·03	·70		2
3		·10						·29	·63	·01	·02	·27	3
4	·03				·26		·06	·06	·86	·21	·03		4
5		·03		·07				·20	·37	·36	·61	·41	5
6		·21	·05	·22	·20	·13			·03	·27	·06	·03	6
7	·03	·15		·07	·02	·05			·26	·09			7
8	·06	·15			·20		·04		·36	·11	·25	·02	8
9	·34	·59		·07		·15	·08		·52	·12	·03		9
10	·19	·15		·11					·21	·05	·08		10
11		·08		·02			·40		·27		·04	·18	11
12		·08	·07		·15		·18		·07	·02	·10	·20	12
13				·04	·15	·01	·02		·24	·08		·05	13
14	·38				·10	·08	·30	·02	·27	·06			14
15	·51						·78		·21	·04		·25	15
16	·14			·35		·06	·07	·09	·31	·10		·42	16
17	·47			·02		·01	·07	·06	·06	·16		·40	17
18	·41				·31	·22	·13		·55	·03		·17	18
19	·16	·03	·35				·10		·04	·08		·65	19
20	·22	·15		·54		·15	·40		·25	·02		·17	20
21	·12	·02		·65		·06	·05		·40	·02		·19	21
22	·02			·04			·13	·02	·03	·01		·19	22
23					1·38		·05		·07			·26	23
24	·03	·21			·57	·05	·03		·10		·05	·07	24
25							·40		·01		·13	·04	25
26					·15		·20	·02	·01	·02			26
27		·11	·04		·03			·55	·42		·11	·32	27
28		·18	·65					·51	·03		·07	·19	28
29			·12						·78		·11	·47	29
30		×	·22					·03	·02		·03	·24	30
31		×	·75	×		×		·24	×		×	·21	31
													YEAR'S TOTAL
Total	3·11	2·33	2·27	2·33	3·54	·97	3·49	2·46	7·34	1·95	2·42	5·49	37·75
Rain Days.	15	17	9	14	13	11	19	14	30	22	16	24	204

W. 8,000, VIII. 16

82

BRITISH RAINFALL. FORM A.
22.1.19

REGIS 18

Kept at Church Stretton	Lat. Long.
in the County of Shropshire	Time of Observation
by W. Bowden	Nearest Railway Station
	Diameter of Funnel of Rain Gauge in.
	Height of top of Gauge above Ground ft. in.
	" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·02	·06		-		·12	·04	·06	-	·09	1
2		·07		·07	·04			·25	·02	·03	·70		2
3		·10						·29	·63	·01	·02	·27	3
4	·03				·26		·06	·06	·86	·21	·03		4
5		·03		·07				·20	·37	·36	·61	·41	5
6		·21	·05	·22	·20	·13			·03	·27	·06	·03	6
7	·03	·15		·07	·02	·05			·26	·09			7
8	·06	·15			·20		·04		·36	·11	·25	·02	8
9	·34	·59		·07		·15	·08		·52	·12	·03		9
10	·19	·15		·11					·21	·05	·08		10
11		·08		·02			·40		·27		·04	·18	11
12		·08	·07		·15		·18		·07	·02	·10	·20	12
13				·04	·15	·01	·02		·24	·08		·05	13
14	·38				·10	·08	·30	·02	·27	·06			14
15	·51						·78		·21	·04		·25	15
16	·14			·35		·06	·07	·09	·31	·10		·42	16
17	·47			·02		·01	·07	·06	·06	·16		·40	17
18	·41				·31	·22	·13		·55	·03		·17	18
19	·16	·03	·35				·10		·04	·08		·65	19
20	·22	·15		·54		·15	·40		·25	·02		·17	20
21	·12	·02		·65		·06	·05		·40	·02		·19	21
22	·02			·04			·13	·02	·03	·01		·19	22
23					1·38		·05		·07			·26	23
24	·03	·21			·57	·05	·03		·10		·05	·07	24
25							·40		·01		·13	·04	25
26					·15		·20	·02	·01	·02			26
27		·11	·04		·03			·55	·42		·11	·32	27
28		·18	·65					·51	·03		·07	·19	28
29			·12						·78		·11	·47	29
30		X	·22					·03	·02		·03	·24	30
31		X	·75	X		X		·24	X		X	·21	31
Total	3·11	2·33	2·27	2·33	3·59	·97	3·49	2·46	7·34	1·95	2·42	5·49	YEAR'S TOTAL 37·75
Rain Days.	15	17	9	14	13	11	19	14	30	22	16	24	204

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Church Stretton

in the County of Shropshire

by W. Bowden

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06		·05		·46		·03	·06	·12	·46	1
2	·46	·02	·06		·02		·06		·06	·04		·01	2
3	·25		·09		·07	·09	·11				·12	·08	3
4			·27				·28	·10	·20	~~[illegible]~~	·18	·30	4
5		·03			·05		·03			~~[illegible]~~		·49	5
6		·33	·12		·04						·06	·25	6
7	·07	·03	·11	·11	·04						·03		7
8	·13		·08			·05					·10		8
9	·29			·12						·01	·01		9
10	·30		·50	·02						·04	·02	·21	10
11	·10		·98	·04	·04		·30		·06	·05	·07	·09	11
12			·91	·02		·37	·01		·89	·06		·01	12
13	·01			·14			·01			·31	·02	·03	13
14	·12			·51			·10			·03		·15	14
15	·50	·03	·01	·12	·82					·05	·01	·40	15
16	·43	·05		·09	·04	·02		·06					16
17	·11	·68	·67			·10	·30				·06	·03	17
18	·13	1·21	1·10				·02	·25	·27		·14		18
19			·40			·11	·47	·81	·22		·02		19
20	·21	·03	·04			·03	·05	·07	·10		·08	·17	20
21	·32	·05					·32		·57			·35	21
22	·02	·30					·04			1·20	·08	·44	22
23		·20				·06				1·00	·03	·12	23
24				·10	·12	·04				·03	·02	·50	24
25	·01		·12	·21	·03			·25			·25	·06	25
26	·08		·04	·18		·07	·04	·10	(·05)		·08	·42	26
27		·02	·06	·47				·15			·41	·02	27
28	·17	·02		·02				·83		·25	·26	·33	28
29	·08			·11		·07		·03		·05	·04	·31	29
30		X	·02	·04		·07					·15	·25	30
31	·05	X	·03	X		X			X		X	·03	31
Total	3·84	3·00	5·67	2·30	1·32	1·08	2·60	2·65	2·45	3·38	2·36	5·51	YEAR'S TOTAL 36·16
Rain Days	21	14	20	16	11	12	16	10	9	14	24	25	192

W. 6,500, VII. 18. W W C

334 1992

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Church Stretton, Watling Street
in the County of Shropshire
by W. G. Bowden

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·26	·26	·05		·16		·20	·03	·47	1
2	·05		·02	·16	·02		·34	·01	·03	·11		·19	2
3	·11			·63	·01	·06	·12		·10	·46		·07	3
4	·01			·07	·01		1·39	·29	·10	·28			4
5			·07	·23	·10		·06	·09	·02	·11			5
6		·03	·50	·03	·11		·25		·04	·35		·06	6
7		·09	·02	·08	·01		·16					·03	7
8	·58	·29	·01	·57	·16		·16	·23					8
9	·65	·20		·46			·39	·13					9
10	·30	·08	·11	·13		·15	·12						10
11	·14	·02	·18	·33	·17	·27	·22	·03				·04	11
12	·23	·09	·03	·43		·48	·08	·05			·12	·12	12
13	·13	·06	·15	·26		·03	·11				·10		13
14	·07	·27	·75	·16		·36			·48	·50	·25		14
15	·02	·01	·05	·64		·61	·11		·12	·14	·04		15
16	·05		·02	·06		·15		·04	·20	·03	·03		16
17	·22		·01		·02		·44	·06	·44	·04			17
18	·05	1·17		·11	·17			·02	·22				18
19		·12		·06	·17	·07	·01		·03				19
20		·01		·24	·08	·15		·02	·03			·09	20
21	·06				·09	·01	·01	·13		·01		·12	21
22				·16			·17	·04				·06	22
23	·04		·04				·24					·41	23
24	·06	·06	·31	·07			·28					·15	24
25	·27		·06	·14			·58					·02	25
26	·25		·56	·03	·01		·04				·05	·04	26
27			·47	·06	·03	·23	·10				·08	·41	27
28	1·10		·21	·04	·33	·11	·01					·09	28
29	·17		·13		·04	·01	·05				·10	·64	29
30	·05		·08	·25	·36	·09			·33		·30	·20	30
31	·12							·01		·43		·02	31
TOTAL	4·73	2·50	3·80	5·66	2·15	2·83	5·44	1·31	2·14	2·66	1·10	3·23	YEAR'S TOTAL 37·55
Days with ·01 in. or more	23	14	22 ~~24~~	26	19 ~~20~~	16	24	15	13	12	10	19	213
0	21	10	15	24	12	13	21	10	9	10	8	16	169

(44,283) Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

✓

REG

CHURCH PREEN

—

PREEN MANOR

SHROPSHIRE

1911 - 1920

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

Kept at Preen

in the County of Sa

by John

in.

ound 1 ft. in.

Level 700 ft. Approx

M.

ne Presthope

tance 3 M Direction SE

IMPORTANT NOTE.– ne result entered to the previous day. If an Obser sal rule, he is earnestly requested to add the reading in the space provided for it at the end of this t of rain, the selection and placing h Rainfall Organization are given in "A lication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			4					8			5		1
2				2	18		17			6	4	15	2
3				3	58				4	1	8	4	3
4			10	2	2			5	4	2	14	31	4
5	8		3	4	3			9		17	1		5
6	12		4	1				23		5	28	45	6
7	1										12		7
8	11		12								35	42	8
9	3		7								97	7	9
10		5	20		5						2	37	10
11	15								3		34	2	11
12			35						58		18		12
13			1								2	49	13
14		2	4				3					48	14
15		8	6			3				2	10	25	15
16		1				9					9	9	16
17			2		5	71					29	51	17
18		37	1	12		14				3		29	18
19				15		50	1	3	31	60	11	23	19
20		7		16				2	20	5		26	20
21		28	3					58		10		3	21
22	5	4	4	5		1	3			31	2	37	22
23		27	25	2		16			27	1		33	23
24		8		5		52		7		11		20	24
25		6		15		3			5	2		5	25
26		18		23	22	2		3		36	22	9	26
27		17	20	3	2			48	16		10	6	27
28		17				2					8	2	28
29						7	16		25	47			29
30				19		14	2			25	2		30
31			11		4					13			31
Total	55	185	172	127	119	244	42	166	193	277	363	558	TOTAL for year
No. of Rain Days	7	14	18	15	9	13	6	10	10	18	22	24	25,01 166

9,000, IX. '10.

✓

REG

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

Kept at Preen Manor
in the County of Salop 3
by John Hopkins

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 700 ft. Approx
Time of Observation 9 a.M.
Nearest Railway Station
Name Presthope
Distance 3 M Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			4					8			5		1
2				2	18		17			6	4	15	2
3				3	58				4	1	8	4	3
4			10	2	2			5	4	2	14	31	4
5	8		3	8 4	3			9		17	1		5
6	12		4	1				23		5	28	45	6
7	1										12		7
8	11		12								35	42	8
9	3		7								97	7	9
10		5	20		5						2	37	10
11	15								3		34	2	11
12			35						58		18		12
13			1								2	49	13
14		2	4				3					48	14
15		8	6			3				2	10	25	15
16		1				9					9	9	16
17			2		5	71					29	51	17
18		37	1	12		14				3		29	18
19				15		50	1	3	31	60	11	23	19
20		7		16				2	20	5		26	20
21		28	3					58		10		3	21
22	5	4	4	5		1	3			31	2	37	22
23		27	25	2		16			27	1		33	23
24		8		5		52		7		11		20	24
25		6		15		3			5	2		5	25
26		18		23	22	2		3		36	22	9	26
27		17	20	3	2			48	16		10	6	27
28		17				2					8	2	28
29						7	16		25	47			29
30				19		14	2			25	2		30
31			11		4					13			31
Total	55	185	172	127	119	244	42	166	193	277	363	558	TOTAL for year
No. of Rain Days	7	14	18	15	9	13	6	10	10	18	22	24	25,01

9,000, IX. '10.

Sed D20

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

8 - JAN 1913

Kept at Preen Manor

in the County of Salop 3

by J. Hopkins.

Rain Gauge { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 700 ft. Approx

Time of Observation 9 A.M.

Nearest Railway Station { Name Presthope
Distance 3 M Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			10			52	20	3	3	1		13	1
2		S 2	20		2	40	11						2
3	1		5		31	23	2	67	3			4	3
4	17		82		14	2		21		14			4
5	13	S 5	12		10	32		27	2			1	5
6	19	14	2		2			69					6
7	2	20	3		5	94	14	22					7
8	27	10	16	1	2	51		15	10			4	8
9	5	6	45	11		59		20			2	17	9
10	30	4		5		11		17			44		10
11	1	1	2		2		2	18			25	64	11
12	2	36	27					1				7	12
13	1							13	2	6		16	13
14	5		28			1		3	9		1	3	14
15	6	12	12		35	24		2			1	4	15
16	52		8		12	12		3	1	6			16
17	S 74	2	5			6	2	27			16	106	17
18	S 13		2					2		6	1	4	18
19	15	7				2	17	35		7		2	19
20	2		16		1		5			22	1		20
21			9		60		1	45		33		1	21
22	S 20	9			62		30	33				7	22
23	13	2	39				58	13			22	3	23
24	R&S 20		3			8	1	2				29	24
25						17		43			33	33	25
26		9	5				22	67		95	33	4	26
27						34	38			91	1	23	27
28		4				1	52	30	9	9	R&S 84	2	28
29			4			4	19	10	50	5		4	29
30			5			45	6			29			30
31	2		19		8		12	5		3		7	31
Total	340	143	379	17	246	518	312	613	89	327	264	358	TOTAL for year 36,06
No. of Rain Days.	22	16	24	3	14	20	18	27	9	14	13	23	203

W. 8,000, X. '11.

/

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
8. JAN 1914

Kept at Presn Manor

in the County of Salop 3

by J. Hopkins

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 700 ft. approx

Time of Observation 9 a.m.

Nearest Railway Station
Name Presthope
Distance 3 miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			11	9					27	1	12		1
2		9	7	9			1		3	1	17	1	2
3	9	2	10		58				3			16	3
4	81	12			21		3			25	4	58	4
5	46	7	8		6	14	6		5	182	1	2	5
6	3	16	28		29	21	45			13		31	6
7		47			20	12	22			55	20	2	7
8	2	12	2	1	18	20	2	3		13	1		8
9		34	9	3	8	45	3	35	14		9	2	9
10	3		1	10	3			11		6	4		10
11	$69			34	5	3		1		3	35	2	11
12					4				12		40		12
13			18	2			2	4	14		31		13
14	19		46	9				17	4	7	2		14
15	4		66	84					13		8		15
16	1		$50										16
17		6	2	13			8		7		2		17
18			32	16	19		6				2	2	18
19	5		8	12		1	2		5	24		1	19
20	6		45	6			1			20	35		20
21			6	7	5		10				4		21
22	59		64		2	14		89	46				22
23						2			9		8		23
24	20			1							7		24
25		1		11					14	2	1		25
26		1		83	54			10	2			24	26
27	3		3	23						13		$4	27
28	21		20	58	2					62		$11	28
29	1		57	31	6			44		21		$1	29
30	26									38	10		30
31	4		37		11					2			31
Total	3.82	1.47	530	4.22	271	132	111	214	178	488	253	157	TOTAL for year 32,85
No. of Rain Days.	19	11	22	20	17	9	13	9	15	18	21	14	188

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914

Exc DL

FORM A. BRITISH RAINFALL.
4 JAN 1915

Kept at Preen Manor
in the County of Salop
3
by J. Hopkins.

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Presthope
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		4	3			2	43	64				23	1
2							58	24		3	49	34	2
3		1		10	19		2	13				25	3
4	17			15	4		12	7			74	52	4
5	s30		8	17	4		8				29		5
6	s7	4		18	9	4	17	3				11	6
7		17	45	9	8	5	6	20				46	7
8					10	55		21					8
9	12	4		20	9	98		18	9				9
10		23	1	30		1			31				10
11		44	25		7						39	68	11
12		32	15				11		32		14	42	12
13	3	16	34	2			9		5	37	33	23	13
14		23	8	3						19	18	1	14
15	3	3	27				1		11	3	2	2	15
16			5						9			1	16
17		17	23						3			71	17
18			8			27	3		1			21	18
19		3					78		6		11	15	19
20		23	11			59	5					R S 17	20
21		47				5	9	3		13		18	21
22		10		1	17	14		18		31			22
23		4	7		6	3	7			13			23
24			24				1	31		9	5		24
25	7		1				3	22		54	3	17	25
26	2		5							8	37	44	
27	8										64	91	
28	12	9	9		11					1		s65	28
29	1		3		10					26	26	1	29
30			10	3				9		4	42	56	30
31	17				9		19			10		2	31
Total	1,19	2,84	2,72	1,28	1,23	2,73	2,92	2,53	1,07	2,31	4,46	7,46	YEAR'S TOTAL 32,74
Rain Days.	12	18	20	11	13	11	18	13	9	14	15	24	178

W.7,000, XI. 13

ExLMcC

2404

FORM A.
BRITISH RAINFALL.

7 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Preen Manor
in the County of Salop
by J. Hopkins

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Presthope
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 700 approx ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	39	17	9		60			6	18	14		3	1
2	3	18	21	41		7		2,17		16		11	2
3	R&S 1,04	4		8			41	18				16	3
4	2	18			26		68	5				82	4
5		32					7	3				55	5
6	4	3	19	10			69					11	6
7	17	28		2			22	17		1		43	7
8	19	23		4				2			27		8
9	15	15		14				1			5	64	9
10	44		6	10				14		11	1	1	10
11	2			2	32		8	3			78	S 7	11
12	4			14	35			52		22	R&S 143		12
13		85		3	45			21				6	13
14				1				28	14	1		28	14
15	47				10		15	33			S 12	7	15
16	14	34			23		166	74					16
17	2	33			39								17
18		39	6										18
19		3		11	9		27						19
20	6			4								7	20
21	S 42			1			20			8		3	21
22			11	10			16					7	22
23	4	S 14	8			9	9			90		35	23
24			10	12			20		82	48		34	24
25						44	16			2		15	25
26		12					29		5			36	26
27		11					24			36		23	27
28		32				2		26		2			28
29						10	9	20	6		20	9	29
30	10	X		7		70	21	1		28	5	22	30
31		X		X		X	15	12	X	19	X	54	31
Total	3,78	4,21	90	1.54	2,79	1.42	6.02	5,53	1,25	2.98	2.91	5,79	YEAR'S TOTAL 39.12
Rain Days.	18	18	8	17	9	6	19	19	5	14	8	24	165

W. 8,000. X. 14.

Ex DL

23385

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Preen Manor

in the County of Salop

by J. Hopkins.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Presthope

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 700 approx ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	13	6	18		1	6	34			6	15		1
2	28	12	§50				24		12	87	2		2
3		78		4	4	6			6	35	22	2	3
4	4	41		7	51	40	12			19	25		4
5		4	2		24	5				15	14		5
6	19	13	§8		12	6	27		5	20	39	1	6
7	2	3	§16		7	3	53			12	24	36	7
8	4		13		15					19		15	8
9		3			31	19			2		5	2	9
10		47	§10						3	5		8	10
11	2	8	15	7	3	8	2					§5	11
12	2	6	7	3	34		26	11		1			12
13	2	14	17	7			17	60				§13	13
14		§30	2	3	8			9		11			14
15		54	27	18			3	7	1	1			15
16		4		22			18	84		2			16
17	8	8		15			3	2	34	21			17
18	5	6	6	5				2	27	4	§65	§8	18
19	6		31	10						2	31		19
20	6		R §59								4	18	20
21	2		47	3	10		72					4	21
22				14		4				11		§23	22
23		§5	6	2				11		3	12	25	23
24		§55			53	29		15		22		4	24
25		§9	24		7			8			23	11	25
26	11	12				10		15	3	28	8		26
27	1	§11	§45						14	100			27
28		§50	4							9	8		28
29		30				40		71	1	12		43	29
30		X	1			7		5		24			30
31		X		X		X		4	X	15	X		31
Total	1.15	5.09	4.08	1.20	2.60	1.83	2.91	3.04	1.08	4.84	2.97	2.18	YEAR'S TOTAL 32.97
Rain Days.	16	24	21	14	14	13	12	14	11	25	15	16	195

W. 8,000. X. 15.

Exd FW

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Preen Manor
in the County of Salop
by J. Hopkins.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Presthope
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " " Sea Level 700 approx ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			12	s 34		35		49	31		6	8	1
2						8		10			13	10	2
3	6	s 6		10		2		8		18	4		3
4			s 27					9		41		3	4
5	11		21	31				18	3	25	15		5
6	2		s 26			18				13	24		6
7	24							2		8	3	6	7
8	89			16				82		41	18	12	8
9			s 16	15	14			8	3	8	24	2	9
10	s 36		36	s 32	6			14			1		10
11	16			s 26				8		26	3		11
12	16			s 8	65			21	3	25	1		12
13				11				36	6	1			13
14	s 3		3					13		3		6	14
15	5			8	9		68	73		24		8	15
16	s 5	3		17		23	5	2				s 33	16
17	s 1		1	3	44	6	42	109	15	1			17
18		5		4	5		31	24	55				18
19	s 4	32	R s 40			22			1		1		19
20		9			46	19	8		27		6		20
21		2	s 27		2	2		2		9	7		21
22						2		28	3	5			22
23		18			15	2		3		5			23
24			4			38		6		47	8	2	24
25		16	8				12	2		6	14		25
26						11		77	10	6	2		26
27		1	3		188	19	28	103					27
28			4				2	24				1	28
29			3				3	8		44		32	29
30		X						33		2	2		30
31	s 2	X	s 9	X	3	X		16	X		X		31
Total	2.20 ✓	92 ✓	2.40 ✓	2.15 ✓	3.97 ✓	2.07 ✓	1.99 ✓	7.88 ✓	1.57 ✓	3.58 ✓	1.52 ✓	1.93 ✓	YEAR'S TOTAL 31.48 ✓
Rain Days.	14 ✓	9 ✓	16 ✓	13 ✓	11 ✓	14 ✓	9 ✓	28 ✓	11 ✓	21 ✓	18 ✓	12 ✓	176

W. 8,000, VIII. 16

.70

REGISTER OF RAINFALL IN 1918

21

FORM A.
BRITISH RAINFALL.

Kept at Preen Manor
in the County of Salop
by J. Hopkins

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Presthope
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 700 ft. approx

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

~~Date~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	~~Nov.~~	Dec.	Date.
1		2		7				4		5	50		1
2		5		5				24				33	2
3		6			22			18	55				3
4	1	5						6	59	31	60	40	4
5		1	1	12	13			15	17	32	4		5
6		19	1	22		9			2	24		2	6
7	1	7		4	17	13			22	2	26		7
8		37							13	11	3		8
9	6	61		27		7	3		46	6	1	2	9
10	8	19					30		12	3	10	12	10
11		3	4		4		54		24			9	11
12	1	5	6		12		5			2			12
13				2	8				21	7			13
14	35					3	10		26	2		24	14
15	[illegible]0					2	45		15	13		44	15
16	10			31	4		15	3	13	3		11	16
17	34				63	16	4	2	21	25		14	17
18	43		4			18	15		51			35	18
19	11		27				7			5		13	19
20	11	13		R/S 47		14	25		17			49	20
21	10	4		48		2	9		35			11	21
22	1				165	4	12	1	4	3		24	22
23	2				44	1			5				23
24		18					11	2	6		13		24
25					20		29	32	1	3	2		25
26							18		6		3	18	26
27		R/S 12						37	16		3	7	27
28		12	44						2		13	21	28
29			11						62			6	29
30		X	21								10	12	30
31		X	22	X		X		2	X		X		31
Total	2.24	2.29	1.41	2.05	3.72	89	2.92	1.46	5.51	1.77	1.98	3.87	YEAR'S TOTAL 30.11
Rain Days.	15	17	10	10	11	11	16	12	25	17	13	20	177

W. 8,000, IX. 17.

2080

FORM A.
BRITISH RAINFALL.

7 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Preen Manor
in the County of Salop
by J. Hopkins

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Presthope
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 700 approx ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	52			2	13		35		3	16		37	1
2	15	5	13				6		7	8	9		2
3			7	8	4	8	21		2		17	6	3
4			26				30	3	10			25	4
5		s 37			8						3	21	5
6	10		22		8						3	11	6
7	12		7	3							8	1	7
8	28		6			1							8
9	17			6							1		9
10	3		57		2					3	s 3	20	10
11	1		85				35			4		2	11
12			s 102	2		37			10	7			12
13	12			11			5		76	16		2	13
14	43			36			9		2	18		15	14
15	37	9		20	34					14		28	15
16	4	s/h 89		5				6			13		16
17	2	s 143		2		5	5	2			10	3	17
18			37					52			1	2	18
19	12	22	h/s 128			10	107	65	27		12	2	19
20	19	2	24				5	7	20		6	19	20
21	2	33					38		2			13	21
22		23							47			28	22
23						9		3		103	4	3	23
24					19	2				82	16		24
25				18	12			40			4		25
26			7	8		5		5	6			31	26
27	s 14		4	s 48				15			s 42		27
28	s 7		3					73				35	28
29	6			11		2		2		29	s 5	11	29
30		✕	1	13		5				5	12	15	30
31		✕	3	✕		✕			✕		✕		31
Total	2.96	3.63	4.32	1.93	1.00	84	2.96	2.73	2.12	3.05	1.69	3.30	YEAR'S TOTAL 30.53
Rain Days	19	9	17	15	8	10	11	12	12	12	18	22	165

W. 8,000, IX. 17.

Escd 970

1920

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Preen Manor

in the County of Salop

by J. Hopkins

+ Preen Cottage moved 300 yds NW

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Presthope

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 700 ft. appr

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			5	23	23		34		8	6		27	1
2				16	1		24		15	3		21	2
3	2	9		48	1	7	1.03	4	11	25			3
4	10		6	8			5	30	4	15			4
5				2	20		45	9	2	17			5
6			46	7	12		12			32			6
7			7	12	6		24						7
8	34	12		55	19		51	15		1			8
9	42	22	1	42			4	15					9
10	41	14	19	25		9	28						10
11	13		11	23	23	34	7						11
12	32	3	11	27		50	11	2			7	s 17	12
13	4	3	9	36		6			1		8		13
14	8	4	s 46	22		15	4		35	27	37		14
15		18		46		27			5	9			15
16			1	3	23	22	34		18	86			16
17	3		1		14				33	1			17
18	32			8	13			6	11				18
19	2	s 1.22		11	5	5		9	2				19
20		7		25		12			8			10	20
21							15	6					21
22	10			14			28	10					22
23				1			26	3				47	23
24	3		24	3				2				11	24
25	2	5	24	7	49		38					4	25
26	22		50				5				6		26
27	33		43	12	42	20	10				3	37	27
28	s 98		18	3	5	10	1					11	28
29	17		33	1	31	1	11				11	63	29
30	4	✕		20		12			31		20	15	30
31	8	✕		✕		✕	4		✕	63	✕	2	31
TOTAL	4.20	2.19	3.55	5.00	2.87	2.30	5.24	1.11	1.84	2.85	.92	2.65	YEAR'S TOTAL 34.72
Days with ·01 in. or more	21	11	18	27	16	14	23	12	14	12	7	12	187
	16	9	15	21	14	13	22	9	11	9	6	11	156

(44,283). Wt.29958—218. 7500. 10/19. Gp.132. A.&E.W.

CHURCH STRETTON

S.W.

1911 - 1920

FORM A2. BRITISH RAINFALL.

4 - JAN 1912

9

R 1.

Kept at Church

in the County of

by E. J. Mar

nowdon

5 in.

Ground 1 ft. 0

Sea Level 582 ft.

a.m.

Name Ch: Stretton

Distance 2 M. Direction N.N.E

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the read ear in the space provided for it at the end of this ment of rain, the selection and placing tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Cam

Jan. 1, following.

839

2275

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	0·01	—	0·11	—	—	—	—	0·12	—	—	0·02	0·01	1
2	—	—	0·02	0·03	0·27	—	—	0·06	—	0·11	0·02	0·19	2
3	—	—	0·02	0·03	0·46	—	—	0·01	0·04	—	0·11	0·11	3
4	—	—	0·07	0·03	0·01	—	—	0·09	0·02	0·03	0·18	0·36	4
5	0·12	—	0·05	0·04	0·01	—	0·01	0·18	—	0·14	0·02	—	5
6	0·14	—	0·06	0·01	0·01	—	—	0·08	—	0·02	0·09	0·36	6
7	0·02	—	—	—	—	—	—	—	—	—	0·32	—	7
8	0·08	—	0·10	—	—	—	—	—	—	—	0·38	0·46	8
9	0·03	—	0·12	—	—	—	—	—	—	—	1·26	0·19	9
10	—	0·11	0·16	—	—	—	—	—	0·03	—	—	0·51	10
11	0·10	0·06	0·01	—	0·01	—	—	—	0·06	0·01	0·50	0·03	11
12	—	0·02	0·34	—	—	—	—	—	0·70	—	0·34	—	12
13	—	—	0·05	—	—	—	—	0·03	—	—	0·04	0·29	13
14	—	0·05	0·07	—	—	—	—	—	—	—	—	0·72	14
15	—	0·02	0·07	—	—	—	0·01	—	—	0·02	0·16	0·30	15
16	—	—	—	0·03	—	0·14	—	—	—	0·01	0·12	0·06	16
17	—	0·03	—	—	—	0·97	—	—	—	—	0·33	0·55	17
18	—	0·36	0·02	0·27	—	0·14	—	—	—	—	0·03	0·37	18
19	0·02	0·02	—	0·13	—	0·45	0·02	0·03	0·38	0·25	0·23	0·29	19
20	—	0·04	—	0·06	—	—	—	—	0·07	0·05	—	0·44	20
21	—	0·25	0·06	0·01	—	0·02	0·01	0·07	0·04	0·65	—	0·02	21
22	0·07	0·03	0·02	0·02	—	0·02	0·02	—	—	0·38	0·06	0·51	22
23	0·02	0·23	0·13	0·02	—	0·30	—	—	0·29	0·02	—	0·24	23
24	0·01	0·08	—	0·01	—	0·56	—	0·09	—	0·15	—	0·26	24
25	—	0·11	—	0·17	—	0·03	—	—	0·10	0·02	—	0·18	25
26	—	0·22	—	0·25	0·43	0·03	—	0·05	—	0·35	0·30	0·09	26
27	—	0·12	0·25	0·10	—	—	—	0·45	0·18	—	0·07	0·07	27
28	—	0·18	—	0·21	—	0·18	—	0·08	0·02	—	0·05	0·02	28
29	—	/	—	0·01	—	0·14	0·92	0·02	0·22	0·24	0·01	0·03	29
30	—	/	0·02	0·06	—	0·10	0·01	—	—	0·18	0·04	—	30
31	—	/	0·09	/	0·50	/	0·01	—	/	0·09	/	—	31
99 Total	0·62	1·93	1·84	1·49	1·70	3·08	1·01	1·36	2·15	2·72	4·68	6·66	TOTAL for year 29·24
No. of Rain Days.	11.	17.	21.	19.	8.	13.	8.	14.	13.	18.	23.	26.	191.

W. 8,000, X. '11.

9

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

R l.

Kept at Church Stretton (Sewage Works)

in the County of Shropshire 3

by E. J. Marsh.

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0
" " " Sea Level 582 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Ch. Stretton
Distance 2 M. Direction N.N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
839
2275

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	0·01	–	0·11	–	–	–	–	0·12	–	–	0·02	0·01	1
2	–	–	0·02	0·03	0·27	–	–	0·06	–	0·11	0·02	0·19	2
3	–	–	0·02	0·03	0·46	–	–	0·01	0·04	–	0·11	0·11	3
4	–	–	0·07	0·03	0·01	–	–	0·09	0·02	0·03	0·18	0·36	4
5	0·12	–	0·05	0·04	0·01	–	0·01	0·18	–	0·14	0·02	–	5
6	0·14	–	0·06	0·01	0·01	–	–	0·08	–	0·02	0·09	0·36	6
7	0·02	–	–	–	–	–	–	–	–	–	0·32	–	7
8	0·08	–	0·10	–	–	–	–	–	–	–	0·38	0·46	8
9	0·03	–	0·12	–	–	–	–	–	–	–	1·26	0·19	9
10	–	0·11	0·16	–	–	–	–	–	0·03	–	–	0·51	10
11	0·10	0·06	0·01	–	0·01	–	–	–	0·06	0·01	0·50	0·03	11
12	–	0·02	0·34	–	–	–	–	–	0·70	–	0·34	–	12
13	–	–	0·05	–	–	–	–	0·03	–	–	0·04	0·29	13
14	–	0·05	0·07	–	–	–	–	–	–	–	–	0·72	14
15	–	0·02	0·07	–	–	–	0·01	–	–	0·02	0·16	0·30	15
16	–	–	–	0·03	–	0·14	–	–	–	0·01	0·12	0·06	16
17	–	0·03	–	–	–	0·97	–	–	–	–	0·33	0·55	17
18	–	0·36	0·02	0·27	–	0·14	–	–	–	–	0·03	0·37	18
19	0·02	0·02	–	0·13	–	0·45	0·02	0·03	0·38	0·25	0·23	0·29	19
20	–	0·04	–	0·06	–	–	–	–	0·07	0·05	–	0·44	20
21	–	0·25	0·06	0·01	–	0·02	0·01	0·07	0·04	0·65	–	0·02	21
22	0·07	0·03	0·02	0·02	–	0·02	0·02	–	–	0·38	0·06	0·51	22
23	0·02	0·23	0·13	0·02	–	0·30	–	–	0·29	0·02	–	0·24	23
24	0·01	0·08	–	0·01	–	0·56	–	0·09	–	0·15	–	0·26	24
25	–	0·11	–	0·17	–	0·03	–	–	0·10	0·02	–	0·18	25
26	–	0·22	–	0·25	0·43	0·03	–	0·05	–	0·35	0·30	0·09	26
27	–	0·12	0·25	0·10	–	–	–	0·45	0·18	–	0·07	0·07	27
28	–	0·18	–	0·21	–	0·18	–	0·08	0·02	–	0·05	0·02	28
29	–	/	–	0·01	–	0·14	0·92	0·02	0·22	0·24	0·01	0·03	29
30	–	/	0·02	0·06	–	0·10	0·01	–	–	0·18	0·04	–	30
31	–	/	0·09	/	0·50	/	0·01	–	/	0·09	/	–	31
99 Total	0·62	1·93	1·84	1·49	1·70	3·08	1·01	1·36	2·15	2·72	4·68	6·66	TOTAL for year 29·24
No. of Rain Days.	11.	17.	21.	19.	8.	13.	8.	14.	13.	18.	23.	26.	191.

W. 8,000, X. '11.

8

FORM A.
BRITISH RAINFALL.
4 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Church Stretton (Sewage Works)

in the County of Shropshire 3

by E. J. Marsh Surveyor to the Church Stretton U. D. Council.

Lat. 52° 30′ 49 Long. 2° 49′ 33″

Time of Observation 9. a.m.

Nearest Railway Station Church Stretton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 582. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
2275

Date. 12	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01	–	–	–	–	0·69	0·03	0·01	0·03	–	–	0·30	1
2	–	–	0·12	0·01	0·03	0·46	0·17	–	–	–	–	0·03	2
3	0·01	–	0·26	–	0·36	0·26	0·03	1·30	0·03	–	–	0·02	3
4	0·33	–	0·07	–	0·14	0·01	–	0·26	0·02	–	0·30	–	4
5	0·25	–	0·71	–	0·08	0·23	–	0·21	0·06	–	–	0·02	5
6	0·24	0·10	0·30	–	0·05	0·09	–	0·67	–	–	0·02	0·02	6
7	0·03	0·12	0·05	–	0·11	0·74	0·11	0·37	0·01	–	–	0·04	7
8	0·40	0·20	0·20	0·03	–	0·60	0·02	0·04	0·05	–	–	–	8
9	0·06	0·17	0·52	0·09	0·01	0·19	0·01	0·25	–	–	0·03	0·16	9
10	0·31	–	0·02	0·04	–	0·16	0·05	0·19	–	–	0·59	0·01	10
11	0·02	–	–	–	0·02	–	0·02	0·01	–	–	0·46	0·70	11
12	0·02	0·07	0·09	0·01	–	0·12	–	0·04	–	–	–	0·03	12
13	0·03	0·26	–	–	–	0·01	–	0·12	0·03	0·08	0·03	0·13	13
14	0·05	0·01	0·60	–	–	0·06	–	0·04	0·03	–	–	0·02	14
15	0·05	0·15	0·05	–	0·38	0·23	–	0·01	–	0·02	–	0·04	15
16	0·66	–	0·20	–	0·03	–	–	0·03	–	0·05	–	0·02	16
17	0·60	–	0·10	–	–	0·17	–	0·32	–	–	0·20	1·10	17
18	0·20	0·03	0·11	–	–	0·01	–	0·04	–	0·04	–	0·04	18
19	0·09	0·06	0·03	–	0·02	0·02	0·17	0·39	–	0·19	0·01	0·03	19
20	0·05	0·02	0·34	–	0·03	–	0·03	0·02	–	0·19	0·02	0·02	20
21	–	0·02	0·19	–	0·61	–	–	0·42	–	0·34	–	–	21
22	0·21	0·08	0·01	–	0·34	–	0·30	0·43	–	–	0·03	0·07	22
23	0·22	0·09	0·45	–	0·01	0·02	0·65	0·43	–	0·01	0·07	0·04	23
24	0·10	–	0·05	–	–	0·18	0·05	0·02	–	–	0·04	0·15	24
25	0·01	–	0·01	–	–	0·17	–	0·54	–	0·01	0·28	0·45	25
26	–	0·11	0·06	–	–	0·02	0·25	0·91	–	1·14	0·39	0·15	26
27	–	0·05	0·03	–	–	0·29	0·57	–	–	1·00	0·02	0·27	27
28	–	0·05	0·01	–	0·02	0·11	0·32	0·38	0·09	0·14	0·54	0·02	28
29	–	0·04	0·11	–	–	0·10	0·14	0·15	0·60	0·10	–	–	29
30	–	/	0·06	–	–	0·29	0·05	0·02	–	0·20	–	–	30
31	–	/	0·34	/	0·11	/	0·15	0·03	/	0·03	/	0·08	31
99 Total	3·95	1·63	5·09	0·18	2·35	5·23	3·12	7·65	0·95	3·54	3·03	3·96	YEAR'S TOTAL 40·68
Rain Days.	23.	18.	28.	5.	17.	26.	19.	29.	10.	15.	16.	26.	231.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
4-JAN 1914

8

Kept at Church Stretton (Sewage Works)

in the County of Shropshire 3

by Church Stretton U.D.C. E. J. Marsh, Surveyor.

Lat. 52° 30′ 49″ Long. 2° 49′ 33″ W

Time of Observation 9 a.m.

Nearest Railway Station Church Stretton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

2275

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
13 1	0·03	0·16	0·19	0·04	0·02	–	–	–	0·08	0·01	0·09	0·02	1
2	0·01	0·11	0·07	0·23	0·07	–	0·01	–	0·03	0·17	0·12	0·03	2
3	0·09	0·04	0·11	0·02	0·65	–	–	–	0·04	0·03	–	0·19	3
4	0·67	0·17	–	–	0·26	0·01	0·01	–	0·02	0·18	0·04	0·42	4
5	0·45	0·08	0·06	–	0·14	0·28	0·05	–	0·03	2·12	0·02	0·04	5
6	0·10	0·15	0·25	–	0·29	0·10	0·12	–	–	0·05	–	0·36	6
7	0·03	0·33	0·02	–	0·48	0·19	0·10	–	–	0·44	0·22	0·02	7
8	0·04	0·11	–	–	0·27	0·09	0·02	0·02	–	0·12	0·02	–	8
9	–	0·37	0·05	0·05	0·15	0·45	0·02	0·18	0·18	–	0·15	0·02	9
10	0·14	–	0·02	0·13	0·16	–	–	0·13	–	0·20	0·03	–	10
11	0·66	–	–	0·60	0·15	0·04	–	–	–	0·04	0·34	0·01	11
12	–	–	–	–	0·16	0·02	0·01	0·01	0·06	–	0·43	–	12
13	0·03	0·01	0·20	0·03	–	–	0·01	0·04	0·36	–	0·40	–	13
14	0·28	–	0·49	0·06	–	–	–	0·02	0·03	0·11	0·06	–	14
15	0·11	0·04	0·80	0·90	–	–	–	–	0·11	–	0·06	0·03	15
16	–	0·02	0·36	0·02	–	–	–	–	0·03	0·02	–	–	16
17	0·02	–	0·12	0·29	–	–	0·04	–	0·08	–	0·03	–	17
18	0·04	–	0·22	0·30	0·03	–	0·06	–	–	–	0·02	0·01	18
19	0·14	–	0·10	0·04	0·02	0·02	0·04	–	0·04	0·26	–	0·01	19
20	0·09	–	0·34	0·11	–	–	0·02	–	–	0·19	0·20	–	20
21	–	–	0·15	0·16	0·09	–	0·19	–	–	–	0·16	–	21
22	0·49	–	0·93	–	–	0·15	–	0·64	0·65	–	0·02	–	22
23	–	–	0·02	–	–	0·02	–	0·02	0·12	–	0·10	–	23
24	0·12	–	–	0·04	–	–	–	0·02	–	0·02	0·04	0·02	24
25	–	0·04	–	0·10	–	–	–	–	0·13	0·06	0·01	–	25
26	–	0·03	–	1·00	1·61	–	–	0·05	0·01	–	–	0·22	26
27	0·02	0·02	–	0·30	–	–	–	–	–	0·49	–	0·03	27
28	0·21	–	0·23	0·57	0·03	–	–	–	–	0·30	–	0·15	28
29	0·02		0·54	0·48	0·08	–	–	0·06	–	0·43	0·01	–	29
30	0·25		–	–	0·08	–	–	–	–	0·29	0·23	–	30
31	0·04		0·35		0·15		–	–		0·02		–	31
99 Total	4·08	1·68	5·62	5·47	4·89	1·37	0·70	1·19	2·00	5·55	2·80	1·58	YEAR'S TOTAL 36·93
Rain Days.	24	15	22	21	20	11	14	11	17	21	23	16	215.

W. 7,500, XI. 12

Exe O.L 81

FORM A.
BRITISH RAINFALL.
4 JAN 1915

REGISTER OF RAINFALL IN 1914.

Kept at Church Stretton (Sewage Works)

in the County of Shropshire. 3

by E. J. Marsh Surveyor, C.S.U.D.C.

Lat. 52° 30′ 49″ Long. 2° 49′ 33″
Time of Observation 9. a.m.
Nearest Railway Station Church Stretton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 2275

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
14 1	–	–	0·08	0·04	–	0·02	0·40	1·35	–	–	0·02	0·19	1
2	–	–	0·02	–	–	–	1·77	0·30	–	–	0·46	0·36	2
3	–	–	0·02	0·09	0·15	–	0·06	0·08	–	–	0·01	0·17	3
4	0·17	–	0·06	0·15	0·05	–	0·16	0·04	–	–	0·45	0·53	4
5	0·08	–	0·08	0·14	0·08	–	0·10	–	–	0·01	0·31	0·04	5
6	0·20	0·08	–	0·05	0·08	0·02	–	0·07	–	–	0·03	0·13	6
7	0·01	0·08	0·43	0·04	0·16	0·20	0·09	0·15	–	–	–	0·44	7
8	0·02	–	–	0·03	0·12	0·67	0·05	0·22	0·09	–	–	0·01	8
9	0·22	0·04	0·02	0·11	0·13	1·10	–	0·18	0·06	–	0·02	–	9
10	0·06	0·16	0·03	0·32	0·09	0·05	–	–	0·35	–	–	–	10
11	–	0·46	0·30	0·03	0·26	–	0·09	–	0·03	–	0·54	0·40	11
12	0·01	0·55	0·15	–	–	–	0·27	–	0·28	–	0·10	0·17	12
13	–	0·17	0·28	0·01	–	–	0·09	–	0·02	0·28	0·43	0·19	13
14	–	0·18	0·16	0·01	–	–	–	–	–	0·14	0·20	–	14
15	0·02	0·03	0·35	–	–	–	–	–	0·10	0·05	0·05	0·02	15
16	–	–	0·07	–	–	–	0·01	–	0·20	–	–	0·01	16
17	0·01	0·20	0·23	–	–	–	0·05	–	0·05	–	–	0·60	17
18	–	0·01	0·15	–	–	–	0·01	–	0·05	–	–	0·30	18
19	–	0·03	0·05	–	–	–	1·16	–	0·06	–	0·13	0·21	19
20	–	0·26	0·15	–	–	0·10	0·09	–	–	–	–	0·13	20
21	–	0·34	0·01	–	–	0·09	0·16	–	–	0·16	–	0·16	21
22	–	0·13	–	–	0·04	0·12	–	0·30	–	0·28	–	–	22
23	–	0·08	0·12	–	–	0·05	0·02	–	–	0·13	0·02	–	23
24	0·01	0·03	0·22	–	–	–	0·11	0·50	–	0·04	0·04	–	24
25	0·05	–	0·02	–	–	–	0·10	0·27	–	0·50	0·05	0·10	25
26	–	–	–	–	–	–	0·01	0·03	–	0·13	0·28	0·45	26
27	0·09	0·01	–	–	–	–	–	–	–	0·05	0·70	0·83	27
28	0·13	0·09	0·08	–	0·06	–	0·05	–	0·01	0·03	–	0·34	28
29	0·05		0·11	–	0·05	–	–	–	–	0·32	0·23	–	29
30	–		0·08	0·05	–	–	–	0·10	–	0·05	0·36	0·55	30
31	0·12		–		–		0·19	0·02		0·05		0·04	31
99 Total	1·25	2·93	3·27	1·07	1·27	2·42	5·04	3·61	1·30	2·22	4·43	6·37	YEAR'S TOTAL 35·18
Rain Days.	16.	19.	25.	13.	12.	10.	22.	14.	12.	15.	20.	24.	202

W. 8,000. X. 14.

8

2450

FORM A.
BRITISH RAINFALL.
4 - JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Church Stretton (Sewage works)
in the County of Shropshire.
by E. J. Marsh (Surveyor to Ch. Stretton U.D.C.)

Lat. 52° 30' 49" Long. 2° 49' 33"
Time of Observation 9. a.m
Nearest Railway Station Church Stretton.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 582. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 2275

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
15 1	0·61	0·09	0·02	–	0·53	–	0·03	0·05	0·15	0·23	0·04	0·10	1
2	0·06	0·11	0·20	0·17	–	0·13	–	1·66	–	0·21	–	0·12	2
3	0·80	0·04	–	0·17	–	–	0·27	0·28	–	0·01	–	0·24	3
4	0·03	0·33	–	–	0·22	–	0·82	0·08	–	–	–	0·84	4
5	0·03	0·47	–	–	–	0·03	–	0·04	–	–	–	0·68	5
6	0·06	0·08	–	0·18	–	–	0·77	0·21	–	–	–	0·12	6
7	0·15	0·47	–	0·05	–	–	0·23	0·18	–	–	0·02	0·43	7
8	0·25	0·28	–	0·33	–	–	0·02	0·04	–	–	0·05	–	8
9	0·28	0·19	–	0·23	–	–	–	0·04	–	–	0·25	0·65	9
10	0·32	0·02	0·03	0·16	–	–	–	0·21	–	0·10	0·07	0·04	10
11	0·07	–	0·01	0·02	0·27	–	0·04	0·07	–	–	0·94	0·05	11
12	0·05	0·02	–	0·10	0·45	–	–	0·27	–	0·05	1·13	0·03	12
13	0·01	1·07	–	0·02	0·66	–	–	0·05	0·01	0·02	0·04	0·05	13
14	–	0·18	–	0·03	–	–	–	0·25	0·15	–	–	0·28	14
15	0·45	–	–	–	0·09	–	0·12	0·23	–	–	0·07	0·10	15
16	0·14	0·33	–	–	0·56	–	1·21	0·18	0·03	–	–	0·02	16
17	–	0·30	–	–	0·97	–	–	0·11	–	–	–	–	17
18	0·04	0·28	0·03	–	–	–	–	–	–	–	–	–	18
19	–	0·08	–	–	0·08	–	0·19	–	–	–	–	0·09	19
20	0·13	–	–	0·06	0·07	–	0·02	0·01	–	–	–	0·08	20
21	0·23	–	–	–	–	–	0·36	–	–	0·06	–	0·04	21
22	0·01	0·03	0·11	0·06	–	–	0·19	–	–	–	–	0·42	22
23	0·08	0·11	0·12	–	–	0·03	0·12	–	–	0·80	–	0·30	23
24	0·08	–	0·03	0·10	–	–	0·65	–	0·36	0·63	–	0·30	24
25	–	–	–	–	–	0·23	0·15	–	0·01	0·04	–	0·19	25
26	–	0·10	–	–	–	–	0·36	–	0·07	–	–	0·43	26
27	–	0·19	–	–	–	–	0·20	–	–	0·37	–	0·18	27
28	–	0·54	0·02	–	–	0·07	0·06	0·08	0·07	–	–	0·05	28
29	–	X	–	–	0·01	0·20	0·04	0·04	0·05	0·08	0·21	0·07	29
30	0·15	X	–	0·05	–	0·45	0·04	–	–	0·29	0·10	0·33	30
31	0·05	X	–	X	–	X	0·11	0·10	X	0·15	X	0·48	31
99 Total	4·08	5·31	0·57	1·73	3·91	1·14	6·00	4·18	0·90	3·04	2·92	6·71	YEAR'S TOTAL 40·49
Rain Days.	23.	22.	9.	15.	11	7.	22.	21.	9.	14.	11.	28.	192

W. 8,000: X. 15.

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Church Stretton, (Sewage Works)
in the County of Shropshire.
by Church Stretton U. D. Council, per. E. J. Marsh, Surveyor.

Lat. 52° 30′ 49″ Long. 2° 49′ 33″
Time of Observation 9. a.m.
Nearest Railway Station Church Stretton.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 2275

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·15	–	0·13	–	0·03	0·05	0·39	–	–	0·13	0·23	–	1
2	0·27	0·08	0·39	–	0·01	–	0·22	–	0·18	1·01	0·05	–	2
3	0·01	0·77	–	–	0·01	0·03	0·04	–	0·04	0·30	0·30	0·05	3
4	0·04	0·40	–	0·10	0·51	0·42	–	–	0·04	0·26	0·21	–	4
5	0·03	0·02	0·03	–	0·35	0·06	–	–	–	0·14	0·35	–	5
6	0·07	0·15	0·08	–	0·16	0·01	0·56	–	0·02	0·22	0·37	–	6
7	0·10	0·05	0·06	–	0·15	0·01	0·10	–	–	0·13	0·21	0·28	7
8	0·04	0·08	0·31	–	0·15	–	–	–	–	0·15	0·07	0·12	8
9	0·01	0·01	–	–	0·26	0·05	–	–	–	0·01	0·05	0·04	9
10	0·03	0·48	0·05	0·06	–	0·01	0·02	0·01	0·03	0·02	–	0·01	10
11	0·02	0·14	0·15	0·11	0·07	0·06	0·02	–	0·01	–	–	0·06	11
12	0·07	–	0·11	0·02	0·36	–	0·15	0·14	–	0·04	–	–	12
13	0·03	0·18	0·20	0·13	0·02	–	–	0·70	0·01	–	–	0·10	13
14	–	0·43	0·05	0·09	0·07	–	–	0·28	–	0·08	–	–	14
15	–	0·50	0·37	0·18	0·06	–	0·03	0·28	–	0·03	–	–	15
16	–	0·04	0·02	0·30	0·02	–	–	0·28	–	0·03	–	–	16
17	0·07	0·22	–	0·19	–	–	–	0·01	0·44	0·42	–	–	17
18	0·05	0·08	0·05	0·13	–	–	–	–	0·29	0·02	0·15	0·10	18
19	0·04	–	0·56	0·22	–	–	–	0·05	–	0·12	0·38	–	19
20	0·10	–	0·47	0·01	–	–	–	0·01	–	–	0·08	0·10	20
21	0·02	–	0·52	–	0·04	–	0·01	–	–	–	0·06	–	21
22	0·02	–	–	0·08	–	0·05	–	–	–	0·09	–	0·06	22
23	0·03	0·03	0·05	0·03	–	–	–	0·16	–	0·06	0·09	0·47	23
24	–	0·83	0·09	–	0·68	0·10	–	0·15	–	0·24	–	0·15	24
25	–	0·08	0·32	–	0·04	–	–	0·09	–	0·12	0·15	0·10	25
26	0·06	0·10	0·05	–	0·04	0·20	–	0·14	–	0·30	0·22	–	26
27	0·03	0·12	0·32	–	–	0·01	–	0·06	0·30	0·89	–	–	27
28	–	0·11	0·02	–	0·04	0·01	–	–	0·10	0·15	0·06	0·20	28
29	–	0·24	0·05	–	–	0·40	–	0·25	–	0·12	–	0·12	29
30	–	X	0·03	–	–	0·15	–	0·04	–	0·20	–	0·03	30
31	–	X	–	X	–	X	–	0·02	X	0·10	X	0·05	31
99 Total	1·29.	5·14	4·48	1·65	3·07	1·62.	1·54	2·67	1·46	5·38	3·03	2·04	YEAR'S TOTAL. 33·37
Rain Days.	22.	23.	25.	14.	20.	16.	10.	17.	11.	27.	14.	17.	219.

W. 8,000, VIII. 16

2216

FORM A.
BRITISH RAINFALL.
5. JAN 1918

REGISTER OF RAINFALL IN 1917

[illegible] 8

Kept at Church Stretton (Sewage Works)

in the County of Salop.

by Church Stretton U.D. Council per. E. J. Marsh, Surveyor.

Lat. 52° 30′ 49″ Long. 2° 49′ 33″

Time of Observation 9. a.m.

Nearest Railway Station Church Stretton.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 582. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

2275

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
17													
1	0·02	0·02	0·05	0·15	–	0·19	–	0·10	0·84	–	0·06	0·06	1
2	0·02	–	0·03	–	–	0·27	–	0·15	–	0·04	0·12	0·04	2
3	0·04	0·01	–	0·25	–	0·01	–	0·10	–	0·23	0·04	–	3
4	–	0·02	0·10	–	–	–	–	0·15	–	0·37	–	0·05	4
5	0·12	–	0·34	0·30	–	–	–	0·27	0·05	0·15	0·12	–	5
6	0·08	–	0·12	–	–	0·13	–	–	–	0·20	0·29	0·02	6
7	0·25	–	–	–	–	–	–	0·10	–	0·20	0·23	0·08	7
8	1·04	–	–	0·08	–	–	0·04	0·45	0·03	0·41	0·15	0·10	8
9	–	–	0·41	0·15	0·13	–	–	0·22	0·07	0·13	0·35	–	9
10	0·40	–	0·25	0·25	0·08	–	–	0·30	–	0·05	–	–	10
11	0·34	–	–	0·09	–	–	–	0·22	–	0·27	0·06	–	11
12	0·04	0·03	0·02	0·08	0·66	–	–	0·10	0·03	0·40	0·02	–	12
13	–	–	0·03	0·08	–	–	–	0·50	0·10	–	–	0·02	13
14	0·03	–	0·11	0·07	–	–	–	0·14	–	0·03	0·01	0·08	14
15	0·04	–	–	–	0·07	–	0·47	0·43	–	0·13	–	0·13	15
16	0·07	0·05	–	0·20	–	0·48	0·04	0·03	–	–	–	0·29	16
17	–	0·02	–	0·05	0·42	0·42	0·40	0·75	0·16	0·02	0·03	–	17
18	–	–	0·02	0·05	0·05	–	0·32	0·25	0·60	0·04	–	–	18
19	0·06	0·43	0·30	–	–	0·20	–	0·02	0·03	–	0·05	–	19
20	–	0·26	0·13	–	0·57	0·15	–	0·05	0·32	–	–	–	20
21	–	0·01	0·10	–	0·05	0·08	–	0·04	–	0·08	0·04	–	21
22	–	–	–	–	–	0·10	–	0·50	0·08	0·10	0·03	–	22
23	–	0·30	–	–	0·14	0·07	–	0·08	–	0·24	–	0·03	23
24	–	0·03	0·06	–	–	0·35	–	0·12	–	0·23	0·15	–	24
25	–	0·09	0·13	–	–	–	–	0·08	–	0·10	0·15	–	25
26	–	–	0·04	–	–	0·10	–	0·80	0·08	0·07	0·05	–	26
27	–	0·01	0·05	–	1·28	0·25	0·28	1·12	–	0·05	0·01	–	27
28	–	0·02	0·08	–	0·03	0·05	–	0·22	–	–	–	0·02	28
29	–		0·12	–	–	–	0·20	0·10	–	0·40	–	0·48	29
30	–		–	–	–	–	–	0·43	–	0·04	0·02	0·02	30
31	–		0·05		0·10		0·01	0·19		0·03		–	31
99 Total	2·55	1·30	2·54	1·80	3·58	2·85	1·76	8·01	2·39	4·01	1·98	1·42	YEAR'S TOTAL 34·19
Rain Days.	14.	14.	21.	13.	12.	15.	8.	30	12.	25.	20.	14.	198.

56

W. 8 000, IX. 17.

Exd 11/23 8 16

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

Kept at Church Stretton (Sewage Works)
in the County of Salop.
by E. J. Marsh.

Lat. 52° 30' 49" Long. 2° 49' 33"
Time of Observation 9 a.m.
Nearest Railway Station Church Stretton, Salop.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 2275

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
18													
1	–	0·04	–	0·10	–	–	–	0·07	0·04	0·09	0·54	0·02	1
2	–	0·08	–	0·11	–	–	–	0·19	–	0·02	0·02	0·26	2
3	–	0·10	–	–	0·32	–	–	0·24	0·50	0·03	0·11	0·02	3
4	0·02	0·08	–	–	–	–	0·25	0·05	0·73	0·26	0·59	0·39	4
5	–	0·03	–	0·08	0·20	–	–	0·22	0·27	0·26	0·04	0·04	5
6	0·07	0·16	0·02	0·24	–	0·15	–	–	0·02	0·27	0·02	0·06	6
7	0·04	0·09	–	0·10	0·19	–	–	–	0·35	0·09	0·22	0·01	7
8	0·02	0·35	–	–	–	–	0·03	–	0·40	0·11	0·04	0·03	8
9	0·25	0·47	–	0·10	–	0·21	–	–	0·47	0·11	0·03	0·02	9
10	0·26	0·20	–	0·10	–	–	0·49	–	0·10	0·02	0·09	0·20	10
11	0·02	0·07	0·05	–	0·12	–	0·50	–	0·34	0·02	0·03	0·22	11
12	–	0·06	0·06	–	0·20	–	0·10	–	0·06	–	0·03	–	12
13	–	0·02	–	0·03	0·07	0·02	–	–	0·27	0·09	–	0·03	13
14	0·33	–	–	–	0·01	–	0·18	–	0·24	0·03	0·03	0·20	14
15	0·59	–	–	–	–	0·03	0·91	–	0·19	0·03	0·02	0·40	15
16	0·22	–	–	0·48	–	0·07	0·09	0·06	0·27	0·13	–	0·53	16
17	0·42	–	–	–	0·25	–	0·06	0·03	0·13	0·17	–	0·18	17
18	0·42	–	0·07	–	–	0·20	0·11	–	0·53	0·03	–	0·58	18
19	0·15	0·05	0·26	–	–	–	0·10	–	0·04	0·03	–	0·11	19
20	0·20	0·13	–	0·31	–	0·15	0·53	–	0·31	0·02	0·02	0·11	20
21	0·10	0·03	–	0·70	–	0·09	0·10	–	0·38	0·03	0·02	0·08	21
22	0·04	–	–	–	0·76	0·05	0·13	0·01	0·04	0·02	–	0·30	22
23	0·02	–	–	–	0·30	–	0·11	–	0·10	0·01	0·02	0·01	23
24	0·03	0·15	–	–	–	–	0·10	0·03	0·10	–	0·11	0·03	24
25	–	–	–	–	0·10	–	0·42	0·40	0·03	0·03	0·06	0·10	25
26	–	0·01	–	–	–	–	0·12	0·01	0·03	–	0·09	0·17	26
27	0·01	0·04	0·05	–	–	–	–	0·63	0·30	0·02	0·07	0·03	27
28	–	0·16	0·60	–	–	–	–	–	0·03	–	0·07	0·36	28
29	–		0·06	–	–	–	–	–	0·69	–	0·03	0·10	29
30	–		0·22	–	–	–	–	0·04	0·03	–	0·08	0·24	30
31	–		0·65		–		–	0·21		–		0·03	31
99 Total	3·21	2·32	2·04	2·35	2·52	0·97	4·33	2·19	6·99	1·92	2·38	4·86	YEAR'S TOTAL 36·08
Rain Days	19	20.	10.	11.	11.	9.	18	14.	29.	24.	24.	30.	219

W. 6,500. VII. 18. w w c

RA 81 2074

9 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Church Stretton (Sewageworks)

in the County of Salop.

by E. J. Marsh, Surveyor, Church Stretton U. D. Council.

Lat 52° 30' 49" Long 2° 49' 33"

Time of Observation 9 a.m.

Nearest Railway Station Church Stretton.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 2275

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·38	–	0·03	0·05	0·08	–	0·48	–	0·02	0·16	–	0·53	1
2	0·20	0·01	0·10	–	–	–	–	–	0·03	–	0·21	–	2
3	0·01	–	0·02	–	0·08	0·08	0·08	–	–	–	0·18	0·08	3
4	–	0·02	0·25	–	–	–	0·63	0·14	0·15	–	–	0·17	4
5	–	0·15	–	–	0·03	–	0·09	–	–	–	0·05	0·27	5
6	0·10	0·21	0·12	–	0·02	–	–	–	–	–	–	0·24	6
7	0·10	–	0·03	0·12	–	–	–	–	–	–	0·07	0·06	7
8	0·38	–	0·09	–	–	0·01	–	–	–	–	–	–	8
9	0·25	–	–	0·09	–	–	–	–	–	–	–	–	9
10	0·05	–	0·55	–	0·12	–	–	–	–	–	–	0·19	10
11	0·01	–	0·90	–	0·02	–	0·31	–	–	0·09	–	0·06	11
12	0·01	–	0·76	0·02	–	0·29	–	–	–	0·05	–	–	12
13	0·12	–	–	0·14	–	–	–	–	0·77	0·38	–	0·03	13
14	0·45	0·03	–	0·48	–	–	0·14	–	0·03	0·10	–	0·15	14
15	0·39	0·02	–	0·14	0·27	–	–	–	–	0·09	–	0·39	15
16	0·12	0·27	0·01	0·05	–	–	–	0·08	–	–	0·05	–	16
17	0·08	0·28	–	0·01	–	0·08	0·08	–	–	–	0·12	0·04	17
18	–	–	0·38	–	–	–	0·03	0·44	0·02	–	–	–	18
19	0·20	0·60	0·94	–	–	0·14	0·38	0·48	0·05	–	0·06	–	19
20	0·26	0·19	0·46	–	–	0·01	0·01	0·08	0·20	–	0·09	0·12	20
21	–	0·30	–	–	–	–	–	–	0·02	–	–	0·24	21
22	–	0·21	–	–	–	–	–	–	0·46	–	0·03	0·38	22
23	–	–	–	–	–	0·04	–	–	–	1·18	–	0·07	23
24	–	–	–	0·02	0·05	–	–	–	–	0·90	0·24	0·50	24
25	0·10	–	–	0·22	0·09	–	–	0·30	–	0·04	0·05	0·03	25
26	0·02	–	0·07	0·15	–	0·09	–	0·09	0·08	–	–	0·42	26
27	0·12	0·04	–	0·48	–	–	0·02	0·15	–	–	0·24	–	27
28	0·02	–	0·08	0·02	–	–	–	0·73	–	–	–	0·35	28
29	0·08		–	0·12	–	0·04	–	0·02	–	0·30	–	0·19	29
30	–		–	0·07	–	0·08	–	–	–	–	0·19	0·21	30
31	–		–		–		–	–		–		0·04	31
99 Total	3·45	2·33	4·79	2·18	0·76	0·86	2·25	2·51	1·83	3·29	1·58	4·76	Year's Total 30·59
Days with ·01 in. or more	22.	13.	16.	16.	9.	10.	11.	10.	11.	10.	13.	23.	164.

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132. A.&E.W.**

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.** 8/

8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Church Stretton (Sewage works)
in the County of Salop.
by E. J. Marsh, Surveyor to Church Stretton Urban District Council.

Lat. 52° 30' 49" Long. 2° 49' 33" W.
Time of Observation 9. a.m.
Nearest Railway Station Church Stretton.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 582 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·2275

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	0·21	0·27	–	0·26	0·10	0·03	0·22	–	0·48	1
2	–	–	–	0·18	–	–	0·19	–	0·14	0·06	–	0·17	2
3	0·13	–	–	0·54	–	0·03	1·24	–	0·11	0·45	–	0·04	3
4	–	–	–	0·04	0·03	–	0·03	0·26	0·02	0·29	–	–	4
5	–	–	0·10	0·20	0·05	–	0·26	0·11	0·06	0·12	–	–	5
6	–	–	0·50	0·03	0·08	–	0·08	–	–	0·33	0·02	0·03	6
7	–	–	0·03	0·08	0·02	–	0·21	–	–	–	–	–	7
8	0·40	0·12	–	0·56	0·18	–	0·37	0·23	–	–	–	–	8
9	0·54	0·18	–	0·44	–	–	0·09	0·05	–	–	–	–	9
10	0·32	0·18	0·05	0·11	–	0·15	0·17	–	–	–	0·02	0·03	10
11	0·14	0·15	0·14	0·36	0·24	0·16	0·09	–	–	–	–	–	11
12	0·23	–	0·05	0·30	–	0·65	0·10	0·05	–	–	0·06	0·12	12
13	0·11	0·04	0·16	0·19	–	0·06	–	–	–	–	0·03	–	13
14	0·05	0·04	0·41	0·21	–	0·35	0·11	–	0·42	0·67	0·28	–	14
15	–	0·24	0·03	0·63	–	0·26	–	–	0·18	0·08	0·07	–	15
16	–	–	–	–	0·08	0·12	0·41	–	0·21	0·78	0·02	–	16
17	–	–	–	–	0·17	–	–	0·03	0·45	0·05	–	–	17
18	0·21	–	–	0·07	0·11	0·02	0·05	0·04	0·28	–	–	–	18
19	0·06	1·03	–	0·11	0·08	0·06	–	–	0·03	–	–	–	19
20	–	0·10	–	0·20	–	0·16	–	–	–	–	–	0·09	20
21	–	–	–	0·04	–	–	0·18	0·02	–	–	–	0·11	21
22	–	–	–	0·14	–	–	0·16	0·17	–	–	–	–	22
23	–	–	0·06	–	–	–	0·29	0·03	–	–	–	0·35	23
24	0·07	–	0·35	0·03	–	–	–	–	–	–	–	0·14	24
25	0·05	0·06	0·08	0·12	0·11	–	0·51	–	–	–	–	–	25
26	0·25	–	0·59	0·02	0·02	–	0·06	–	–	–	0·08	0·04	26
27	0·29	–	0·46	0·06	0·16	0·24	0·07	–	–	–	0·05	0·43	27
28	0·46	–	0·26	0·03	0·09	0·11	–	–	–	–	–	0·06	28
29	0·17	–	0·21	–	0·32	–	0·25	–	–	–	0·10	0·62	29
30	0·04	X	0·07	0·23	0·02	0·19	–	–	0·33	–	0·23	0·18	30
31	0·10	X	–	X	0·03	X	0·05	–	X	0·37	X	0·03	31
99 TOTAL	3·62	2·14	3·55	5·13	2·06	2·56	5·23	1·09	2·26	3·42	0·96	2·92	YEAR'S TOTAL 34·94
Days with ·01 in. or more	18.	10.	17.	26.	18.	14.	23.	11	12.	11.	11.	16.	187.
Days with ·04 in. or more	18	10	15	22	13	12	22	8	9	11	7	13	160

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Dh ✓

11

FORM A2.
BRITISH RAINFALL.

19 JAN 1912

13

CHURCH ~~STRETTON~~
WOLSTASTON
SHROPSHIRE
1911 - 1920

Kept at Church

in the County of S

by Mrs E D C

5 in.

ove Ground 1 ft. 5 in.

„ Sea Level 800 ft.

Name

Distance Direction

IMPORTANT NO d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the re ear in the space provided for it at the end of t ment of rain, the selection and plac ritish Rainfall Organization are given i application to Dr. H. R. Mill, 62, Ca N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·12					·07			·03		1
2				·02	·09		·06	·07		·05	·06	·17	2
3				·05	·45			·07	·02		·10	·11	3
4			·08	·02	·03			·10		·01	·17	·36	4
5	·11		·04		·03			·25		·23	·05		5
6	·15		·04					·25		·08	·20	·20	6
7	·01										·27		7
8	·12		·17								·48	·38	8
9	·03		·09								·77	·05	9
10	·01	·08	·21		·03				·01		·03	·61	10
11	·08		·01						·06		·40	·05	11
12			·38		·01				·74		·37		12
13			·03								·04	·32	13
14		·05	·04				·01					·60	14
15		·08	·06				·04				·11	·25	15
16						·11				·02	·13	·07	16
17		·02	·02			·88					·30	·43	17
18		·43	·01	·25		·09				·02	·03	·37	18
19		·03		·17		·21		·03	·19	·30	·18	·23	19
20		·04		·10				·02	·26	·08		·44	20
21		·32	·05					·04	·01	·58		·05	21
22	·07	·06	·01	·05						·41	·04	·30	22
23		·19	·20		·01	·70			·27	·05		·23	23
24		·17		·05		·62		·10		·16		·25	24
25		·10		·26		·04			·09	·24		·13	25
26		·30		·34	·33					·37	·14	·10	26
27		·31	·12	·14				·58	·21		·13	·05	27
28		·26		·20		·09					·03	·03	28
29						·12	·39		·28	·44	·01	·02	29
30			·01	·13		·12	·01			·18	·05		30
31			·13		·22					·13			31
Total	·61	2·44	1·82	1·78	1·20	2·98	·51	1·58	2·14	3·35	4·12	5·80	TOTAL for year 28·33
No. of Rain Days	9	15	20	13	9	10	5	11	11	17	24	25	169

9,000, IX. '10.

8L ✓

11

FORM A2. BRITISH RAINFALL.

19 JAN 1912

1/13

Kept at Church Stretton, Wolstaston

in the County of Shropshire 3

by Mrs E D Carr. W. J. Bowden

RAIN GAUGE	Diameter of top	5 in.
	Height of top above Ground	1 ft. 5 in.
	" " " Sea Level	800 ft.

Time of Observation

Nearest Railway Station: Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·12					·07			·03		1
2				·02	·09		·06	·07		·05	·06	·17	2
3				·05	·45			·07	·02		·10	·11	3
4			·08	·02	·03			·10		·01	·17	·36	4
5	·11		·04		·03			·25		·23	·05		5
6	·15		·04					·25		·08	·20	·20	6
7	·01										·27		7
8	·12		·17								·48	·38	8
9	·03		·09								·77	·05	9
10	·01	·08	·21		·03				·01		·03	·61	10
11	·08		·01						·06		·40	·05	11
12			·38		·01				·74		·37		12
13			·03								·04	·32	13
14		·05	·04				·01					·60	14
15		·08	·06				·04				·11	·25	15
16						·11				·02	·13	·07	16
17		·02	·02			·88					·30	·43	17
18		·43	·01	·25		·09				·02	·03	·37	18
19		·03		·17		·21		·03	·19	·30	·18	·23	19
20		·04		·10				·02	·26	·08		·44	20
21		·32	·05					·04	·01	·58		·05	21
22	·07	·06	·01	·05						·41	·04	·30	22
23		·19	·20		·01	·70			·27	·05		·23	23
24		·17		·05		·62		·10		·16		·25	24
25		·10		·26		·04			·09	·24		·13	25
26		·30		·34	·33					·37	·14	·10	26
27		·31	·12	·14				·58	·21		·13	·05	27
28		·26		·20		·09					·03	·03	28
29						·12	·39		·28	·44	·01	·02	29
30			·01	·13		·12	·01			·18	·05		30
31			·13		·22					·13			31
Total	·61	2·44	1·82	1·78	1·20	2·98	·51	1·58	2·14	3·35	4·12	5·80	TOTAL for year 28·33
No. of Rain Days	9	15	20	13	9	10	5	11	11	17	24	25	169

9,000, IX. '10.

DL

cordly nun Hats 7.III.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

3

Kept at Church Stretton, Wolstaston

in the County of Shropshire 3

by W. Bowden, Mrs E. D. Carr

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level 800 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·13			·64	·01	·03	·03	·02		·14	1
2			·38			·48	·16					·03	2
3			·07		·10	·22	·03	1.18	·05		·01	·01	3
4	·30		·98	·01	·19	·07		·28	·01		·16		4
5	·17	·11	·27		·07	·26		·18	·01		·01	·02	5
6	·20	·22	·05		·07	·02		·64					6
7		·11	·05		·08	·31		·48				·07	7
8	·29	·17	·24		·02	·35	·07	·10	·07				8
9	·03	·02	·43	·23		·30	·02	·21			·02	·10	9
10	·36	·02	·02	·02		·08	·02	·24			·37	·01	10
11	·02	·03					·02	·10			·33	·61	11
12	·03	·26	·25					·05			·02	·09	12
13	·03	·03	·02					·09	·02	·04		·18	13
14	·04		·53		·02	·03		·03	·06			·03	14
15	·06	·10	·12		·39	·30		·01				·13	15
16	·47		·13		·10	·02		·05		·05			16
17	·74	·03	·13			·13	·02	·29			·18	1·31	17
18	·17		·10					·03		·06		·06	18
19	·08	·11	·01			·03	·12	·39		·17	·02	·01	19
20	·11		·18		·07		·06	·02		·29		·01	20
21		·02	·14		·74		·01	·39		·42		·01	21
22	·32	·07	·01		·81		·30	·32				·15	22
23	·20	·08	·46		·02		·36	·26			·22	·06	23
24	·10		·06			·08	·02	·11			·02	·24	24
25	·05		·01			·18		·52			·27	·40	25
26		·11	·08				·21	·79		·86	·27	·16	26
27		·06	·02			·36	·40	·01		·83	·01	·16	27
28		·08				·03	·32	·38	·05	·18	78		28
29		·05	·08			·05	·29	·06	·59	·12	~~·78~~	·04	29
30			·07			·44	·06	·84	·01	·19			30
31	·03		·25		·11		·16	·03		·06		·02	31
Total	3·80	1·68	5·27	·26	2·79	4·38✓	2·66	7·31	·90	3·29	2·69	4·05	TOTAL for year 39·08
No. of Rain Days	21	19	29	3	14	20	20	30	10	13	15	25	220

9,000, IX. '10.

82

REGISTER OF RAINFALL IN 1913

1/13

FORM A. BRITISH RAINFALL.

22 JAN 1914

Entd DK

Kept at Wolstaston, Church Stretton

in the County of Shropshire 3

by Mrs E. D. Carr, W. Bowden

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·02	·06	·19	·13					·21		·07		1
2	·01	·15	·06	·21					·06	·03	·09	·01	2
3	·10	·04	·17		·67				·04	·02		·15	3
4	·66	·08	·02		·14	·09	·06			·22	·04	·56	4
5	·65	·10	·08		·11	·16	·08		·03	1·93	·02	·01	5
6	·08	·11	·30		·31	·15	·35			·06		·30	6
7	·03	·29	·01		·45	·14	·07			·41	·29	·02	7
8		·07		·01	·22	·17	·02	·04		·02	·01	·03	8
9		·34	·07	·05	·11	·44	·02	·34	·17		·18	·05	9
10	·10	·01	·03	·12	·18	·02		·11		·16	·05		10
11	·44		·02	·39	·11	·02				·05	·36	·02	11
12					·19				·03		·27		12
13			·30	·03				·06	·25		·21		13
14	·19		·50	·17				·07	·03	·12	·07		14
15	·13	·04	·79	·89				·01	·13		·07	·03	15
16	·01	·01	·55						·03				16
17	·02		·03	·22			·04		·06		·02		17
18	·02		·29	·21	·15		·06				·02	·03	18
19	·10		·14	·17		·03	·05		·06	·25	·03	·03	19
20	·12		·38	·10			·01			·18	·19		20
21			·06	·06	·10		·15				·09		21
22	·32		·83		·02	·13		·57	·60				22
23	·02		·01			·06			·13		·13		23
24	·25	·01		·02							·08		24
25		·01		·19					·14	·05	·01	·02	25
26		·02		1·13	·40			·07	·02			·19	26
27	·02			·38						·79		·07	27
28	·16		·18	·61	·04					·52		·26	28
29			·47	·39	·07			·05		·40			29
30	·27		·01	·01	·10					·22	·20		30
31	·05		·35		·19					·05			31
													YEAR'S TOTAL
Total	3·77	1·34	5·84	5·49	3·56	1·41	·91	1·32	1·99	5·48	2·50	1·78	35·39
Rain Days.	23	15	25	21	18	11	11	9	16	18	22	16	205

W. 7,500, XI. 12

8/ 1/13

FORM A. BRITISH RAINFALL.

21 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Wolstaston

in the County of Shropshire 3

by Mrs E. D. Carr. W. Bowden

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 800 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03	.12				.54	1.74			.01	.14	1
2							1.74	.38			.50	.35	2
3			.02	.10	.15		.07	.16		.01	.02	.11	3
4	.27		.05	.19	.11		.10	.07			.68	.80	4
5	.12		.15	.28	.06		.10				.42		5
6	.05	.08		.25	.08	.03		.09		.02	.01	.07	6
7		.07	.54	.08	.10	.01	.04	.14				.37	7
8	.02			.03	.09	.44		.20			.01		8
9	.12	.03		.24	.10	.83		.12	.10				9
10	.06	.17		.24	.02	.04			.15				10
11		.47	.32	.03	.26		.02		.05		.56	.59	11
12		.57	.17				.09		.37		.16	.35	12
13		.13	.46				.06		.03		.42	.22	13
14		.13	.15							.38	.21		14
15			.37					.02	.09	.21	.02	.01	15
16			.02						.08	.04			16
17		.16	.32									.48	17
18		.02	.08			.14			.11			.18	18
19		.04					.69		.07		.11	.18	19
20		.29	.14			.11	.48					.21	20
21		.34	.02			.24	.16	.06				.08	21
22		.17	.02		.04	.18		.11		.14			22
23		.05	.12		.02		.04			.21		.02	23
24	.04		.23				.04	.35		.08	.11		24
25	.03		.02				.02	.27		.08	.04	.13	25
26							.02	.03		.54	.22	.43	26
27	.03									.18	.41	1.05	27
28	.22	.08	.10		.06					.03	.03	.45	28
29			.21		.09					.01	.17	.03	29
30	.01		.03	.04				.03		.15	.40	.58	30
31	.04				.04		.18			.02		.03	31
Total	1.01	2.83	3.66	1.48	1.22	2.02	4.39	3.77	1.05	2.10	4.51	6.86	YEAR'S TOTAL 3490
Rain Days.	12	17	22	10	14	9	17	15	9	15	20	23	183

W.7,000, XI. 13

81 / Corrd for Auth 18.2.16. 2405 1/13

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Wolstaston, Church Stretton

in the County of Shropshire

by Mrs E. D. Carr, W. Bowden

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·66	·16	·02		·73		·03	·04	·23	·13		·09	1
2	·05	·12	·33	·30		·11		1·31		·09		·10	2
3	·92	·03		·15			·28	·42		·01		·17	3
4	·05	·34			·22		1·00	·20				·85	4
5	·03	·40					·11	·02				·66	5
6	·06	·08	·06	·14			·67					·24	6
7	·22	·56					·24	·14				·42	7
8	·32	·20		·15				·06			·12	·03	8
9	·24	·20		·17							·22	·59	9
10	·54	·01	·02	·13				·19		·09	·04	·02	10
11	·04			·02	·17		·05	·04			·81	·07	11
12	·03			·20	·38			·10		·28	1·36	·03	12
13		·69		·08	·45			·06			·02	·05	13
14		·01						·33	·06			·25	14
15	·67				·10		·15	·05			·13	·06	15
16	·13	·36			·47		1·20	·19					16
17	·02	·46			·77		·01	·02				·02	17
18		·34	·05										18
19		·19		·08	·09		·24						19
20	·69				·04							·06	20
21	·24						·19			·06		·03	21
22		·01	·07	·12			·11				·01	·10	22
23		·13	·10			·04	·10			·99		·50	23
24			·06	·13			·15		·31	·60		·39	24
25				·01		·40	·03			·01	·06	·13	25
26		·09					·30		·09			·37	26
27		·10				·02	·15			·45		·21	27
28		·56				·03		·14	·11			·03	28
29						·08	·25	·10	·01		·19	·09	29
30	·15			·10		·37	·17			·27	·06	·35	30
31	·02						·12	·04		·15		·60	31
Total	5·08	5·04	·71	1·78	3·42	1·05	5·55	3·45	~~·58~~ ·81	3·13	3·02	6·51	YEAR'S TOTAL 39·55 ~~39·32~~
Rain Days.	19	21	8	14	10	7	21	18	6	12	11	28	175

W. 8,000. X. 14.

1/12

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

30 JAN 1917

Kept at Wolstaston

in the County of Shropshire

by W. Bowden, Mrs E. D. Carr

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·11	·20			·14	·34			·05	·21		1
2	·30	·15	·29				·09		·17	·95	·03		2
3		·78		·04	·02	·04	·35		·08	·24	·20		3
4	·06	·45		·02	·50	·90	·03		·03	·26	·28		4
5	·01	·02	·03		·37	·15				·12	·12		5
6	·13	·28	·04		·22	·05	·36			·07	·36	·04	6
7	·07	·04	·02		·15	·01	·12			·15	·14	·22	7
8	·04	·02	·09		·11					·25	·04	·04	8
9		·03			·24	·17					·05	·05	9
10	·03	·37	·03		·02			·08	·04	·05	·01	·05	10
11	·01	·19	·08	·14	·07	·07	·02					·06	11
12	·08	·08	·08	·04	·25		·18	·12		·03			12
13	·03	·15	·22	·12	·02		·06	·40				·15	13
14		·20	·04	·05	·06			·33		·10			14
15		·57	·35	·15	·04			·10		·02			15
16		·07	·01	·33			·03	·54		·03			16
17	·11	·10		·26			·03		·35	·26			17
18	·05	·13	·04	·06				·08	·30	·07	·35	·06	18
19	·07		·06	·20				·02	·02	·06	·32		19
20	·09		·21	·02				·02			·05	·17	20
21	·03		·42		·03		·02						21
22			·01	·05		·03				·15		·38	22
23	·05	·02	·05	·06				·12		·25	·07	·16	23
24		·46	·06		·45	·24		·13		·20		·10	24
25		·05	·35		·27	·01		·11		·05	·41	·06	25
26	·06	·09	·03			·13		·13		·16	·09		26
27	·01	·08	·10			·02		·37	·19	1·25			27
28		·30			·20					·14	·03	·30	28
29		·33	·02			·37		·20		·16		·18	29
30		X				·09				·22		·02	30
31		X		X		X		·03	X	·26	X	·01	31
Total	1·39	5·07	2·83	1·54	3·02	2·42	1·63	2·78	1·18	5·55 5·55	2·76	2·05	YEAR'S TOTAL 32·22 3292
Rain Days.	19	25	24	14	17	15	12	16	8	26	17	17	210

W. 8,000. X. 15.

81 Ex D2 2222 4/12

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Wolstaston

in the County of Shropshire

by Mrs E. D. Carr. T. [illegible]

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.06	.02	.24		.43		.11					1
2	.01			.01		.12		.09					2
3	.04	.03		.03		.01		.18					3
4			.05					.08					4
5	.11		.30	.35				.05					5
6			.19			.09							6
7	.49							.04					7
8	.23			.17				.30					8
9			.12	.16	.13			.08					9
10	.26		.53	.10	.08			.17					10
11	.19			.15				.28					11
12		.04	.02	.15	.74			.01					12
13			.03	.19				.46					13
14	.12		.02					.21					14
15	.02				.09		.28	.20					15
16	.05			.22		.33	.05	.02					16
17				.03	.47	.06	.43	.46					17
18			.02	.04	.11		.19	.34					18
19	.03	.35	.30			.31		.01					19
20			.04		.50	.17							20
21			.09		.03	.05		.03					21
22			.01			.28		.51					22
23		.36			.18	.02		.05					23
24		.02	.02			.37		.17					24
25		.09	.10			.02	.03	.06					25
26						.09		.66					26
27		.03	.05		1.34	.28	.20	1.17					27
28			.09		.03	.03	.27	.20					28
29			.06					.02					29
30							.01	.36					30
31			.07		.07			.30					31
Total	1.55	.98	2.13	1.84	3.77	2.66	1.46	6.62	1.72	3.93	1.40	1.05	YEAR'S TOTAL 29.11
Rain Days.	11	8	20	13	12	16	8	29					

W. 8,000. X. 15.

.39

8l

~~1880/4~~

FORM A.
BRITISH RAINFALL.

30·1·19

REGISTER OF RAINFALL IN 1918

Kept at Wolstaston
in the County of Shropshire
by G. T. Hall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·04	·12					·02	·04	·43		1
2				·05				·07				·48	2
3					·13			·15		·05			3
4				·12				·05	57	·20	·50	·41	4
5				·21	·20			·04	1.06	·17	·09		5
6								·10	·19	·28			6
7				·03	·04				·02	·03	·17		7
8				·02		·16			·20	·16			8
9				·15	·12	·24	·04		·26	·03	·03		9
10				·10			·31		·54	·05	·10	·17	10
11							·29		·23	·02	·02	·09	11
12					·07		·06		·24		·02		12
13			·04	·02					·03	·08			13
14			·03				·25		·23	·03		·19	14
15			·01			·07	·68		·27			·44	15
16				·20		·04	·07	·04	·27	·03		·19	16
17					1·70	·07	·04	·05	·13	·14		·30	17
18						·26	·10		·46	·16		·47	18
19							·10		·02	·07		·19	19
20				·24		·06	·33		·20	·03		·28	20
21			·22	·30		·11	·06		·39			·09	21
22					·43		·16		·05			·37	22
23						·02	·07		·22				23
24								·04	·05		·06		24
25					·17		·13	·33	·02			·01	25
26							·12	·07				·22	26
27			·16					·29	·31			·09	27
28			·42								·10	·30	28
29			·11						·61			·18	29
30		✕	·21								·03	·20	30
31		✕	·48	✕		✕		·02	✕		✕		31
Total	(3·11)	(2·33)	1·72	1·56	2·86	1·03	2·81	1·25	6.59	1·57	1·55	4·67	YEAR'S TOTAL (31·05)
Rain Days.	(15)	(17)	10	12	8	9	16	12	25	17	11	19	(171)

W. 8,000, IX. 17.

8f 2081 1/2

See 9.2 17th July – Sept ~~copied~~ from Church Stretton

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at Wolstaston, Church Stretton
in the County of Shropshire
by G. T. Hall Rev. Alan Clover

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·47								·03	·10 ·26		·52	1
2	·26				·18		·48		·06	·01 ·04	·10		2
3							·26			–	·10	·10	3
4							·05	·10	·20			·35	4
5		·06			·05	·06	·27				·03	·39	5
6	·12	·31		·04	·03		·06				·03	·15	6
7	·08		·49								·07	·05	7
8	·39												8
9	·25			·16		·05				·01			9
10	·09						·28			·05 ·04	·01	·08	10
11									·06	·03 ·05		·04	11
12	·02		1·36						·89	·05 ·06	·01		12
13	·13		·76			·47				·35 ·31		·02	13
14	·33			·17						·27 ·03	·01	·10	14
15	·41			·47	·84		·10			·07 ·05		·42	15
16	·09							·06			·04		16
17	·03	·19				·07	·30				·19		17
18							·22	·25	·27			·04	18
19	·09		·68				·27	·81	·22		·17		19
20	·33		·70			·17	·05	·87	·10		·03	·17	20
21	·03		·65				·32		·57		·02	·21	21
22			·23			·12	·04			1·20	·04	·35	22
23			·16			·07				1·15 1·00	·02	·11	23
24			·26							·89 ·03	·25	·25	24
25		1·50				·03		·25		·03	·05	·04	25
26				·28	·18		·04	·10		·01		·40	26
27	·09			·34	·02			·15			·20		27
28	·15			·09				·83		·25		·41	28
29	·06			·11			(1·25)	·03		·19 ·05	·01	·26	29
30	·02	X		·07						·05	·11	·21	30
31	·03	X		X		X			X		X	·02	31
Total	3·47	2·06	5·29	1·73	1·30	1·04	(2·75) ~~2·74~~	(2·65)	(2·45)	3·25 3·38	1·49?	4·69	YEAR'S TOTAL (32·17)
Rain Days	21	...	9	9	6	8	~~14~~	~~10~~	~~9~~	14 14	20	23	

W, 6,500, VII. 18. W W C

1/335 ~~[illegible]~~ cordly C obr aged 1998

4 MAR 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Church Stretton, Wolstaston
in the County of Shropshire
by A. Clover

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge ....in.
Height of top of Gauge above Ground ....ft. ....in.
" " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·25	·35		·23	·04	·07	·15	·01	45	1
2			·01	·14	·02		·29		·04	·05		·13	2
3	·06	·03		·55	·01	·07	1·49		·07	·31		·05	3
4				·06			·03	·29	·01	·28			4
5			·07	·19	·15		·39	·08	·02	·30			5
6			·42	·09	·10		·13			·13	·01	·05	6
7			·04	·18	·01		·26					·03	7
8	·40	·07		·66	·15		·41	·15					8
9	·55	·27	·01	·52			·04	·11					9
10	·38	·27	·10	·09		·24	·37					·02	10
11	·20	·03	·14	·37	·26	·28	·10						11
12	·37		·06	·37		·48	·10	·01			·10	·14	12
13	·10	·08	·15	·50		·03					·13	·02	13
14	·03	·05	·90	·30		·23	·05		·54	·42	·27		14
15		·23	·04	·66		·33	·01		·03	·07	·02		15
16				·09	·10	·15	·37		·25	1·03			16
17	·03				·30				·41	·05			17
18	·27			·04	·14	·01		·03	·23				18
19	·05	1·11		·09	·16	·03		·03					19
20		·18		·25		·10	·01			·02		·08	20
21				·01			·15	·01		·01		·11	21
22	·12			·23			·42	·14				·04	22
23		·04					·37	·06				·40	23
24	·07		·34	·03								·18	24
25	·03	·04	·06	·10			·60					·02	25
26	·30		·71	·01	·06		·04				·04	·05	26
27	·20		·43	·08	·63	·34	·13				·07	·41	27
28	1·17		·26	·05	·14	·08	·01					·13	28
29	·14		·27	·02	·23	·01	·21				·13	·68	29
30	·03	☒	·04	·23		·20			·35		·21	·19	30
31	·14	☒	·01	☒	·02	☒	·08	·03	☒	·50	☒	·04	31
TOTAL	4·64	2·40	4·08	6·16	2·84	2·58 ~~2·60~~	6·29	·98	2·02 ~~2·03~~	3·32	·99	3·22	YEAR'S TOTAL 39·52 ~~39·55~~
Days with ·01 in. or more	20	12 ~~13~~	20	28	17	15	25	12	11	13	10	20	203
[illegible]	16	10	16	24	[illegible]	11	21	7	8	11	7	16	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

√

SHROPSHIRE.

CLUN.

1913 —1915

REGIS 13

Kept at CLUN

in the County of SALO

by Revd. H.J. Scott.

*approximately 1° slow (W) of Greenwich
ong. 25 miles S. of Shrewsbury

9. a. m

tion Broome. Salop

uge 5. in.

ge above Ground 1 ft. – in.

,, Sea Level 680. ft.

BRITISH RAINFALL. FORM A.

JAN 1914

IMPORTANT NOTE n. and the result entered to the previous day. If an Observer st universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·02	–	·29	–	·36	–	–	·09	·47	·07	–	1
2	–	·23	·19	·5	·04	–	–	–	·07	·19	·16	·02	2
3	·03	·01	·15	·11	·05	–	–	–	·07	·11	–	·15	3
4	·65	·10	·18	·02	·43	–	–	–	·46	1·47	·07	·57	4
5	·66	·07	·02	–	·12	–	·02	–	·03	·17	·06	·03	5
6	·11	·10	·13	–	·13	·47	·07	–	–	·03	–	·32	6
7	–	·38	·29	–	·28	·10	·11	–	–	·74	·18	·03	7
8	·05	·13	·01	–	·64	·20	·03	–	–	·06	–	–	8
9	–	·44	–	–	·53	·13	·03	·03	·09	–	·20	·02	9
10	·49	–	·03	·02	·23	·55	·11	·11	–	·41	–	–	10
11	·54	–	·02	·04	·09	–	–	·11	–	·03	·35	·01	11
12	–	–	–	·46	·04	·04	–	–	·06	–	·27	–	12
13	·05	–	–	–	·44	–	–	–	·69	–	·33	–	13
14	·43	–	·14	·02	–	–	·01	·04	·03	·10	·08	–	14
15	·23	·01	·45	·12	–	–	–	·07	·09	–	·19	–	15
16	·01	–	1·07	·63	–	–	–	·19	·01	–	–	–	16
17	·01	·01	·50	–	–	–	–	·42	·10	–	·02	–	17
18	·10	–	·05	·30	–	–	·06	–	–	–	·05	–	18
19	·20	–	·26	·28	–	–	·06	–	·03	·26	·03	–	19
20	·17	–	·11	·01	·02	·01	–	–	–	·40	·41	–	20
21	–	–	·60	·05	–	·02	–	–	–	–	·10	–	21
22	·81	–	·12	·23	·12	–	·16	·01	·55	–	–	–	22
23	–	–	1·09	–	–	·16	–	·65	·08	–	·10	–	23
24	·17	·01	–	–	–	·05	–	·01	–	–	·05	–	24
25	–	·03	–	·01	–	·03	–	–	·19	·06	·01	·38	25
26	–	·11	–	·11	–	–	–	–	·02	·01	·02	·02	26
27	–	·01	–	1·59	·04	·01	–	·03	–	·60	–	·03	27
28	·19	–	·05	·37	–	–	–	–	–	·14	–	·28	28
29	–	.	·30	·57	·03	–	–	–	–	·63	–	–	29
30	·28	.	·60	·43	·05	–	–	·03	–	·22	14.	–	30
31	·05	.	–	.	–	.	–	·01	.	·02	.	–	31
Total	5·27	1·66	6·36	5·71	3·28	2·13	·66	1·71	2·66	6·12	2·89	1·86	YEAR'S TOTAL 40·31
Rain Days.	21	15	22	21	17	13	10	13	17	20	21.	12	202

W. 7,500. XI. 12

REGIS 13* approximately 11m slow (W) of Greenwich

BRITISH RAINFALL FORM A.

4 JAN 1914

Long. 25 miles S. of Shrewsbury

Kept at CLUN

in the County of SALOP 3

by Revd H. J. Scott

Time of Observation 9. a. m

Nearest Railway Station Broome. Salop

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 680. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·02	–	·29	–	·36	–	–	·09	·47	·07	–	1
2	–	·23	·19	·5	·04	–	–	–	·07	·19	·16	·02	2
3	·03	·01	·15	·11	·05	–	–	–	·07	·11	–	·15	3
4	·65	·10	·18	·02	·43	–	–	–	·46	1·47	·07	·57	4
5	·66	·07	·02	–	·12	–	·02	–	·03	·17	·06	·03	5
6	·11	·10	·13	–	·13	·47	·07	–	–	·03	–	·32	6
7	–	·38	·29	–	·28	·10	·11	–	–	·74	·18	·03	7
8	·05	·13	·01	–	·64	·20	·03	–	–	·06	–	–	8
9	–	·44	–	–	·53	·13	·03	·03	·09	–	·20	·02	9
10	·49	–	·03	·02	·23	·55	·11	·11	–	·41	–	–	10
11	·54	–	·02	·04	·09	–	–	·11	–	·03	·35	·01	11
12	–	–	–	·46	·04	·04	–	–	·06	–	·27	–	12
13	·05	–	–	–	·44	–	–	–	·69	–	·33	–	13
14	·43	–	·14	·02	–	–	·01	·04	·03	·10	·08	–	14
15	·23	·01	·45	·12	–	–	–	·07	·09	–	·19	–	15
16	·01	–	1·07	·63	–	–	–	·19	·01	–	–	–	16
17	·01	·01	·50	–	–	–	–	·42	·10	–	·02	–	17
18	·10	–	·05	·30	–	–	·06	–	–	–	·05	–	18
19	·20	–	·26	·28	–	–	·06	–	·03	·26	·03	–	19
20	·17	–	·11	·01	·02	·01	–	–	–	·40	·41	–	20
21	–	–	·60	·05	–	·02	–	–	–	–	·10	–	21
22	·81	–	·12	·23	·12	–	·16	·01	·55	–	–	–	22
23	–	–	1·09	–	–	·16	–	·65	·08	–	·10	–	23
24	·17	·01	–	–	–	·05	–	·01	–	–	·05	–	24
25	–	·03	–	·01	–	·03	–	–	·19	·06	·01	·38	25
26	–	·11	–	·11	–	–	–	–	·02	·01	·02	·02	26
27	–	·01	–	1·59	·04	·01	–	·03	–	·60	–	·03	27
28	·19	–	·05	·37	–	–	–	–	–	·14	–	·28	28
29	–	·	·30	·57	·03	–	–	–	–	·63	·4	–	29
30	·28	·	·60	·43	·05	–	–	·03	–	·22	14·	–	30
31	·05	·	–	·	–	·	–	·01	·	·02	·	–	31
Total	5·27	1·66	6·36	5·71	3·28	2·13	·66	1·71	2·66	6·12	2·89	1·86	YEAR'S TOTAL 40·31
Rain Days.	21	15	22	21	17	13	10	13	17	20	21.	12	202

cndly Obr. 16·IV·15 ~~W~~ D L Ca. fa wd. 19·IV·15

[illegible] 7·IV·15

FORM A. BRITISH RAINFALL.

JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Clun

in the County of Salop. 3

by

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 665 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (·05)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·05	–	–	–	–	·16	–	–	·15	·49	1
2	–	–	·01	·01	–	·03	·45	1·42	–	–	·07	·28	2
3	–	–	·01	–	·01	–	1·16	·19	–	–	·41	·44	3
4	·20	–	·07	·13	·20	–	·05	·08	–	–	·01	·25	4
5	·17	–	·05	·21	·07	–	~~·43~~ ·18	·04	–	·01	·74	·77	5
6	·01	·07	·16	·40	·06	–	·17	–	–	–	·25	·01	6
7	–	·17	·02	·05	·08	–	–	·02	–	–	·04	·22	7
8	·02	–	·48	·01	·13	–	·20	·15	·07	–	–	·72	8
9	·05	·06	–	·01	·14	·38	·04	·33	·06	–	–	·04	9
10	–	·26	·06	·16	·08	·89	–	·20	·14	–	–	–	10
11	–	·42	·02	·33	·01	·09	–	·02	·19	–	–	–	11
12	–	1·08	·53	·03	·04	·04	·70	–	·02	–	·50	·72	12
13	–	·16	·12	–	–	–	·02	–	·34	–	·20	·30	13
14	–	·42	·55	–	–	–	·09	–	·08	·52	·34	·19	14
15	·03	·04	·25	–	–	–	–	–	·05	·12	·29	–	15
16	–	–	·29	–	–	–	–	·02	·15	·04	·10	–	16
17	–	·29	·02	–	–	–	–	–	·12	–	–	–	17
18	–	–	·24	–	–	–	–	–	·10	–	–	·59	18
19	–	–	·16	–	–	·06	–	–	·07	–	–	·15	19
20	–	·41	–	–	–	–	·96	–	·04	–	·12	·39	20
21	–	·46	·10	–	–	·09	–	–	–	–	–	·16	21
22	–	·22	·01	–	–	·88	·08	·37	–	·25	–	·02	22
23	–	·13	·02	·01	·10	·08	–	·16	–	·35	–	–	23
24	·09	–	·14	–	–	–	–	–	–	·20	–	–	24
25	– ~~·07~~	–	·07	·02	–	–	·06	·28	–	·04	·07	–	25
26	·02	–	·06	–	–	–	·23	·32	–	·45	·01	·12	26
27	·16	·02	·21	–	–	–	–	–	–	16 ~~·03~~	·28	·58	27
28	·07	·07	–	–	–	–	–	–	–	·03	·84	1·05	28
29	·01	✕	·12	–	·10	–	–	–	–	·17	–	·64	29
30	·28	✕	·17	–	·03	–	–	–	–	–	·27	–	30
31	·07	✕	·10	✕	–	✕	–	·03	✕	·08	✕	·73	31
Total	– ~~1·18~~	·05 ~~4·28~~	– ~~4·09~~	– ~~1·37~~	– ~~1·05~~	– ~~2·54~~	·16 ~~4·39~~	3·79 ~~3·69~~	– ~~1·43~~	·15 ~~2·42~~	·49 ~~4·69~~	(·05) ~~8·86~~	YEAR'S TOTAL ~~40·09~~ ~~39·99~~
Rain Days.	13	~~16~~ 17	~~28~~ 27	12	13	9	~~14~~ 15	~~16~~ 15	13	~~13~~ 14	18	22	~~187~~ 188
	1·18	4·33	4·04	1·37	1·05	2·54	4·55	3·63	1·43	2·57	5·03	8·42	40·14

W. 8,000. X. 14.

FORM C.
BRITISH RAINFALL.
W. 10,000 X. 14.

PLEASE fill in name of place and month.

RAINFALL at Clun *in the Months of* July & August 1914.

DATE	July Inches	August ~~REMARKS ON THE DAYS.~~
1	-	·16
2	·45	1·42
3	1·16	·19
4	·05	·03
5	·13 Sh'd be ·18.	·04
6	·17	-
7	-	·02
8	·20	·15
9	·04	·33
10	-	·20
11	-	·02
12	·70	-
13	·02	-
14	·09	-
15	-	-
16	-	·02
17	-	-
18	-	-
19	-	-
20	·96	-
21	-	-
22	·08	·37
23	-	·16
24	-	-
25	·06	·28
26	·23	·32
27	-	-
28	-	-
29	-	-
30	-	-
31	-	·03
TOTAL	4·39	3·69

Adds to 4·34

Adds to 3·74

No. of Days with Rain

Total 4·39 correct.

all these entries correct
Total should be 3.79

NOTE.—Observations returned on this form should be made at 9 a.m. daily and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

Reading taken Dec 31 1914

·73

H. J. Scott

1st of following month

POST CARD.

ADDITIONAL REMARKS.

OPTIONAL OBSERVATIONS.

Max. Temp. in shade ° on the

Min. ,, ,, ,, ° on the

Temp. in shade, at or below 32° on days.

,, on grass, ,, ,, 32° on days.

SIGNED...

No writing on this side of the line.

POSTAGE
ONE
HALFPENNY.

Dr. H. R. MILL,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Clun.

in the County of Salop.

by Revd. H. J. Scott.

Lat. 52·25·20 Long. 3·1·40

Time of Observation 9·a·m

Nearest Railway Station Broome – 7 miles.

Diameter of Rain Gauge 5· in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 606. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·08	·13	·02	—	·50	—	—	·06	·24	·30	—	·15	1
2	·08	·16	·30	·09	—	·04	—	1·65	·04	·07	—	·22	2
3	·47	·05	·01	·09	—	—	·44	·18	—	—	—	·30	3
4	·02	·50	—	—	·24	—	1·37	—	—	—	—	1.03	4
5	·15	·77	—	·02	—	·05	—	·04	—	—	—	·55	5
6	·08	·12	—	·19	—	—	·94	·15	—	—	—	·10	6
7	·30	·46	—	·03	—	—	·03	·08	—	·02	—	·50	7
8	·27	·57	—	·08	—	—	—	·06	—	—	·15	—	8
9	·16	·37	—	·26	—	—	—	—	—	—	·16	·75	9
10	·46	·02	·03	·15	—	—	—	·13	—	·16	·13	·07	10
11	·03	—	—	—	·09	—	·08	·06	—	·01	1·48	·06	11
12	·07	·04	—	—	·47	—	—	·05	—	·07	1·00	·03	12
13	—	·74	—	·06	·68	—	—	·18	·04	—	—	·09	13
14	·01	—	—	—	—	—	—	·42	·05	·02	·19	·25	14
15	·74	—	—	—	·18	—	·14	·08	—	—	—	·10	15
16	·07	·70	—	—	·57	—	1·23	—	—	—	—	·02	16
17	·04	·48	·04	—	·85	—	—	·06	—	—	—	·01	17
18	·01	·42	·02	—	—	—	—	·02	·—	—	—	—	18
19	—	·06	—	·06	·09	—	·29	—	—	—	—	—	19
20	·11	—	—	—	·03	—	·01	—	—	—	—	·05	20
21	·20	—	—	—	—	—	·23	—	—	·05	—	—	21
22	—	·04	·12	·12	—	—	23	—	—	·12	—	·17	22
23	·03	·06	·12	—	—	·03	·03	—	·01 —	1·12	—	·50	23
24	·01	—	·05	·10	—	—	·01	—	·17 ~~·01~~	·98	—	·47	24
25	—	—	—	—	—	·17	·11	—	— ~~·17~~	·02	·07	·21	25
26	—	·17	—	—	—	— ~~·44~~	·30	—	·02 —	—	—	·75	26
27	—	·10	—	—	—	·44 ~~·04~~	·43	—	— ~~·02~~	·41	—	·20	27
28	—	·27	—	—	—	·04 ~~·01~~	·07	·04	·13	·03	—	·04	28
29	—		—	—	—	·01 ~~·20~~	—	·03	·02	·01	·19	·09	29
30	·10		—	·04	—	·20	—	—	·02	·35	·17	·30	30
31	·02		—	x	—		·15	·11	·	·15	·	·60	31
Total	4·51	6·23	·71	1·29	3·64	·98	6·09	3·40	·74	3·89	3·54	7·61	YEAR'S TOTAL 42·63
Rain Days.	23	21	9	13	10	8	18	18	10	17	9	27	183.

✓

SHROPSHIRE.

CLUNBURY VICARAGE.

1911 – 1912

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REG 1911

Kept at Clunbu

in the County of Salo

by Rev. W.G. Clar

top 5 in.

above Ground 1 ft. in.

„ Sea Level 497 ft.

9 am

on { Name Broome
Distance 2m Direction E

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·11	·01				·38		·01	·09		1
2	–		·		·16		·03	·08	·01	·04	·06	·34	2
3	–		·01		·53			·02	·03		·06	·08	3
4	–		·11	·07s				·12		·02	·17	·51	4
5	·33		·03	·02s				·14		·13	·04		5
6	·16		·07					·07		·02	·07	·47	6
7	·02										·49		7
8	·05		·12								·47	·52	8
9			·09								·66	·14	9
10	·04	·04							·02		·	·61	10
11	·10 S.								·06		·44	·11	11
12			·25						·65		·35	·07	12
13	·03		·02					·01	·02		·04	·18	13
14		·03	·06								·01	·74	14
15		·03	·03								·14	·26	15
16						·19					·13	·09	16
17		·06	·02			·86					·44	·82	17
18		43	·04	·37	·03	·12						·50	18
19				·18		·26	·03	·02	·59	·31	·07	·45	19
20		·05		·10		·01			·05	·02		·34	20
21	·07	·17	·12	–		·01		·29	·03	·64		–	21
22		·05		·02						·34		·55	22
23		·14	·18	·		·14	·01	·10	·33	·07		·19	23
24	·02	·06		–		·02			·01	·08		·17	24
25		·08		·02		·29			·08	·02		·10	25
26		·22		·30	·36	·02		·04		·32	·19	·11	26
27		·14	·21	·08		·03		·31	·15	–	·05	·09	27
28		·17		·23		·		·06	·02	–		·01	28
29			·02			33	·86		·22	·28	·06		29
30			·06		·02	·06	·01		·	·16	·		30
31					·11					·06			31
Total	·85	1·67	1·55	1·40	1·21	2·34	·94	1·64	2·27	2·52	4·03	7·45 7·45	TOTAL for year 27·87
No. of Rain Days	10	14	18	11	16	13	5	13	15	10	20	24	159

9,000, IX. '10.

REG 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Clunbury Vicarage

in the County of Salop 3

by Rev. W. G. Clark-Maxwell

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 497 ft.

Time of Observation 9 am

Nearest Railway Station
Name Broome
Distance 2m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		.11	·01				·38		·01	·09		1
2	–		.		·16		·03	·08	·01	·04	·06	.34	2
3	–		·01		·53			·02	·03		·06	·08	3
4	–		·11	·07s				·12		·02	·17	·51	4
5	·33.		·03.	·02s				·14		·13	·04		5
6	·16		·07					·07		·02	·07	·47	6
7	·02										·49		7
8	·05		·12								·47	·52	8
9			·09								·66	·14	9
10	·04	·04							·02		-	·61	10
11	·10 s.								·06		·44	.11	11
12			·25						·65		·35	·07	12
13	·03,		·02					·01	·02		·04	·18	13
14		·03.	·06								·01	·74	14
15		·03.	·03								·14	·26	15
16						·19					·13	·09	16
17		·06	·02			·86					·44	·82	17
18		43	·04	·37	·03	·12						·50	18
19				·18		·26	·03	·02	·59	.31	·07	·45	19
20		·05		·10		·01			·05	·02		·34	20
21	·07	·17	·12	-		·01		·29	·03	·64		–	21
22		·05		·02						·34		·55	22
23		·14	·18	.		.14.	·01	·10	·33	·07		·19	23
24	·02	·06		-		.02.			·01	·08		·17	24
25		·08		·02		.29			·08	·02		·10	25
26		·22		·30	·36	.02		·04		·32	.19	·11	26
27		·14	·21	·08		.03		·31	·15	–	.05	·09	27
28		·17		·23		.		·06	·02	–		·01	28
29			·02			33	·86		·22	·28	·06		29
30			·06		·02	·06	·01		-	·16			30
31					·11					·06			31
Total	·85	1·67	1·55	1·40	1·21	2·34	·94	1·64	2·27	2·52	4·03	7·45 7·45	TOTAL for year 27·87
No. of Rain Days	10	14	18	11	16	13	5	13	15	10	20	24	159

9,000, IX. '10.

cor for arith 6·III·13

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Clunbury Vicarage

in the County of Salop

by Rev. W. G. Clark-Maxwell

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 497 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Broome
Distance 2 m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·13	20	–	·58	·02	·02	–	–	–	·25 s	1
2	~~·2~~	·02 s	23	–	·05	·34	·07	·01	–	–	–	–	2
3	·02	–	·09	–	·16	20	·01	1·25	·03	–	–	·03	3
4	·18	–	·85	–	·14	–	–	·18	·02	–	·10	·01	4
5	·32	·08	·14	–	·09	·06	–	·30	–	–	–	–	5
6	·18	·09	·03	–	–	·41	–	·35	·03	–	–	·04	6
7	–	·30	·09	–	·13	·43	14	·04	–	–	–	·06	7
8	·44	·19	·18	·02	–	·27	–	·02	–	–	–	–	8
9	·13	·03	·50	·13	–	·24	–	·20	·02	–	·03	·23	9
10	·34	·03	·01	·03	–	·05	·06	·21	~~·02~~	–	·24	–	10
11	·02	·06	–	–	–	–	·02	–	–	–	·23	·48	11
12	·03	·17	·08	·05	–	·04	·02	·02	–	·08	–	·04	12
13	·03	·04	–	–	–	–	–	·09	·01	·01	–	·13	13
14	·06	–	·43	–	·01	·06	–	·03	–	–	·02	·05	14
15	–	·20	·02	–	·30	·32	–	·03	–	–	–	·12	15
16	·77	·02 E	·21	–	·03	–	–	·04	–	–	–	·09	16
17	·78 s	·09	·09	–	–	·02	·02	·29	–	·07	·04	1·16	17
18	·03 s	·02	·06	–	–	–	–	·05	–	·02	·01	·05	18
19	·05	·06	·02	–	·02	·03	·16	·41	·01	·10	–	–	19
20	·05	·01	·47	–	·01	–	·02	·03	–	·25	–	·04	20
21	·01	·04	·23	–	·48	–	–	·50	–	·31	–	–	21
22	·20 s	·08	·03	–	·06	·02	·25	·25	–	·02	–	–	22
23	·10 s	·04	·46	–	–	–	·15	·13	–	–	·12	–	23
24	·11	·02	·05	–	–	·31	·03	·03	–	–	·06	·38	24
25	·01	–	·01	–	–	·12	–	·67	–	–	·38	·38	25
26	–	·15	·08	–	–	–	·22	1·02	–	1·19	·50	·25	26
27	–	·03	·02	–	–	·32	·69	–	–	·99	–	·31	27
28	–	·07	–	–	–	·11	·37	·43	·11	·14	·68	·06	28
29	–	·08	·08	–	–	·09	·22	·13	·43	·17	–	·02	29
30	–	|	·07	–	–	·23	·06	–	–	·28	–	–	30
31	–	|	·20	|	·04	|	·17	·01	|	·02	|	·05	31
Total	3·86	1·84	4·86	·43	1·52	4·35	2·70	6·74	·66	3·65	2·41	4·23	TOTAL for year 37·25
No. of Rain Days.	21	24	28	5	13	21	19	28	8	14	12	22	215

2·70

W. 8,000, X. '11.

SHROPSHIRE
CRAVEN ~~ARMS~~
NEWINGTON HOUSE.

1917 - 1920

REGIS 17

FORM A.
BRITISH RAINFALL

3. JAN 1918

Newington Hous

Kept ~~at~~ near Craven

in the County of Sal

by A. E. Sergeant

Long. 2-50 W

9 am.

ion Craven Arms

f Rain Gauge 8" square

e above Ground 1 ft. 6 in.

„ Sea Level 406 ft.

IMPORTANT NOTE.– measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 23.87

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	1.12	2.06	3.89	4.99	8.11	10.69	12.25	18.01	19.23	21.79	22.77	1
2	0	1.12	2.10	3.92	4.99	8.46	10.69	12.32	18.13	19.23	21.82	22.82	2
3	0	1.12	2.10	4.18	4.99	8.47	10.69	12.39	18.13	19.25	21.95	22.82	3
4	0	1.12	2.10	4.36	4.99	8.47	10.69	12.39	18.14	19.26	21.96	22.82	4
5	0	1.19	2.10	4.36	4.99	8.47	10.69	12.39	18.14	19.65	21.96	22.84	5
6	.05	1.19	2.52	4.57	4.99	8.59	10.69	12.46	18.16	19.84	21.96	22.84	6
7	.05	1.19	2.57	4.57	4.99	8.59	10.69	12.46	18.16	19.95	22.30	22.84	7
8	.24	1.19	2.57	4.57	4.99	8.59	10.73	12.46	18.16	20.04	22.37	22.87	8
9	.72	1.19	2.59	4.62	4.99	8.59	10.82	12.89	18.16	20.31	22.42	23.02	9
10	.72	1.19	2.9	4.64	5.11	8.59	10.82	13.02	18.25	20.39	22.55	23.03	10
11	.90	1.19	3.05	4.69	5.22	8.59	10.82	13.18	18.26	20.39	22.55	23.03	11
12	1.01	1.19	3.06	4.75	5.22	8.59	10.82	13.34	18.26	20.39	22.58	23.03	12
13	1.01	1.19	3.06	4.84	5.85	8.59	10.82	13.42	18.26	20.91	22.58	23.03	13
14	1.01	1.19	3.13	4.87	5.85	8.59	10.82	14.05	18.34	20.91	22.58	23.03	14
15	1.01	1.25	3.25	4.88	5.85	8.59	10.82	14.23	18.34	20.96	22.58	23.06	15
16	1.01	1.25	3.25	4.88	5.89	8.59	11.16	14.42	18.34	20.99	22.58	23.21	16
17	1.01	1.32	3.25	4.96	5.89	9.67	11.16	14.42	18.34	20.99	22.58	23.50	17
18	1.01	1.33	3.25	4.99	6.19	9.67	11.26	15.09	18.42	20.99	22.61	23.50	18
19	1.10	1.53	3.25	4.99	6.28	9.67	11.77	15.17	19.02	21.02	22.61	23.50	19
20	1.11	1.82	3.35	4.99	6.28	9.95	11.77	15.23	19.05	21.02	22.61	23.51	20
21	1.12	1.84	3.50	4.99	6.92	10.03	11.77	15.23	19.17	21.02	22.61	23.51	21
22	1.12	1.91	3.61	4.99	6.95	10.05	11.77	15.25	19.17	21.17	22.63	23.51	22
23	1.12	1.98	3.61	4.99	6.95	10.14	11.77	15.54	19.19	21.23	22.63	23.51	23
24	1.12	1.99	3.61	4.99	7.08	10.15	11.77	15.58	19.19	21.26	22.63	23.51	24
25	1.12	1.99	3.62	4.99	7.09	10.34	11.77	15.60	19.19	21.43	22.66	23.52	25
26	1.12	1.99	3.75	4.99	7.09	10.34	11.77	15.62	19.19	21.46	22.76	23.52	26
27	1.12	1.99	3.75	4.99	7.09	10.42	11.77	16.43	19.23	21.50	22.77	23.52	27
28	1.12	1.99	3.76	4.99	8.05	10.68	12.13	17.37	19.23	21.50	22.77	23.52	28
29	1.12	1.99	3.83	4.99	8.08	10.69	12.13	17.50	19.23	21.50	22.77	23.53	29
30	1.12	X	3.89	4.99	8.08	10.69	12.25	17.54	19.23	21.77	22.77	23.87	30
31	1.12	X	3.89	X	8.08	X	12.25	17.93	X	21.79	X	23.87	31
	1.12	2.06	3.89	4.99	8.11	10.69	12.25	18.01	19.23	21.79	22.77	23.87	YEAR'S TOTAL
Total	~~1.12~~	~~.87~~	~~1.90~~	~~1.10~~	~~3.09~~	~~2.61~~	~~1.56~~	~~5.68~~	~~1.30~~	~~2.56~~	.98	1.10	~~23.87~~
Rain Days.	1.12 8	.94 11	1.83 17	1.10 13	3.12 11	2.58 13	1.56 7	5.76 24	1.22 12	2.56 19	.98 13	1.10 11	23.87 159

W. 8,000, VIII. 16

REGIS 17

3. JAN 1918

FORM A. BRITISH RAINFALL.

Newington House
Kept ~~at~~ near Craven Arms

in the County of Salop

by A. E. Serjeantson

Lat. 52-28 N Long. 2-50 W

Time of Observation 9 am.

Nearest Railway Station Craven Arms

Diameter of Funnel of Rain Gauge 8" square in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 23.87

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	1.12	2.06	3.89	4.99	8.11	10.69	12.25	18.01	19.23	21.79	22.77	1
2	0	1.12	2.10	3.92	4.99	8.46	10.69	12.32	18.13	19.23	21.82	22.82	2
3	0	1.12	2.10	4.18	4.99	8.47	10.69	12.39	18.13	19.25	21.95	22.82	3
4	0	1.12	2.10	4.36	4.99	8.47	10.69	12.39	18.14	19.28	21.96	22.82	4
5	0	1.19	2.10	4.36	4.99	8.47	10.69	12.39	18.14	19.65	21.96	22.84	5
6	.05	1.19	2.52	4.57	4.99	8.59	10.69	12.46	18.16	19.84	21.96	22.84	6
7	.05	1.19	2.57	4.57	4.99	8.59	10.69	12.46	18.16	19.95	22.30	22.84	7
8	.24	1.19	2.57	4.57	4.99	8.59	10.73	12.46	18.16	20.04	22.37	22.87	8
9	.72	1.19	2.59	4.62	4.99	8.59	10.82	12.89	18.16	20.31	22.42	23.02	9
10	.72	1.19	2.9	4.64	5.11	8.59	10.82	13.02	18.25	20.39	22.55	23.03	10
11	.90	1.19	3.05	4.69	5.22	8.59	10.82	13.18	18.26	20.39	22.55	23.03	11
12	1.01	1.19	3.06	4.75	5.22	8.59	10.82	13.34	18.26	20.39	22.58	23.03	12
13	1.01	1.19	3.06	4.84	5.85	8.59	10.82	13.42	18.26	20.91	22.58	23.03	13
14	1.01	1.19	3.13	4.87	5.85	8.59	10.82	14.05	18.34	20.91	22.58	23.03	14
15	1.01	1.25	3.25	4.88	5.85	8.59	10.82	14.23	18.34	20.96	22.58	23.06	15
16	1.01	1.25	3.25	4.88	5.89	8.59	11.16	14.42	18.34	20.99	22.58	23.21	16
17	1.01	1.32	3.25	4.96	5.89	9.67	11.16	14.42	18.34	20.99	22.58	23.50	17
18	1.01	1.33	3.25	4.99	6.19	9.67	11.26	15.09	18.42	20.99	22.61	23.50	18
19	1.10	1.53	3.25	4.99	6.28	9.67	11.77	15.17	19.02	21.02	22.61	23.50	19
20	1.11	1.82	3.35	4.99	6.28	9.95	11.77	15.23	19.05	21.02	22.61	23.51	20
21	1.12	1.84	3.50	4.99	6.92	10.03	11.77	15.23	19.17	21.02	22.61	23.51	21
22	1.12	1.91	3.61	4.99	6.95	10.05	11.77	15.28	19.17	21.17	22.63	23.51	22
23	1.12	1.98	3.61	4.99	6.95	10.14	11.77	15.54	19.19	21.23	22.63	23.51	23
24	1.12	1.99	3.61	4.99	7.08	10.15	11.77	15.58	19.19	21.26	22.63	23.51	24
25	1.12	1.99	3.62	4.99	7.09	10.34	11.77	15.60	19.19	21.43	22.66	23.52	25
26	1.12	1.99	3.75	4.99	7.09	10.34	11.77	15.62	19.19	21.46	22.76	23.52	26
27	1.12	1.99	3.75	4.99	7.09	10.42	11.77	16.43	19.23	21.50	22.77	23.52	27
28	1.12	1.99	3.76	4.99	8.05	10.68	12.13	17.37	19.23	21.50	22.77	23.52	28
29	1.12	1.99	3.83	4.99	8.08	10.69	12.13	17.50	19.23	21.50	22.77	23.53	29
30	1.12	✕	3.89	4.99	8.08	10.69	12.25	17.54	19.23	21.77	22.77	23.87	30
31	1.12	✕	3.89	✕	8.08	✕	12.25	17.93	✕	21.79	✕	23.87	31
	1.12	2.06	3.89	4.99	8.1	10.69	12.25	18.01	19.23	21.79	22.77	23.87	YEAR'S TOTAL
Total	~~1.12~~	~~.87~~	~~1.90~~	~~1.10~~	~~3.09~~	~~2.61~~	~~1.56~~	~~5.68~~	~~1.30~~	~~2.56~~	~~.98~~	~~1.10~~	~~23.87~~
Rain	1.12	.94	1.83	1.10	3.12	2.58	1.56	5.76	1.22	2.56	.98	1.10	23.87
Days.	8	11	17	13	11	13	7	24	12	19	13	11	159

W. 8,000, VIII. 16

Copy

8

under WD

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

10 3. 19

Kept at Newington House Craven Arms

in the County of Salop

by R. E. Seryeantson

Tmoxbay

Lat. 52° 25' N Long. 2.50 W

Time of Observation 9 am

Nearest Railway Station Craven Arms

Diameter of Funnel of Rain Gauge 8 in. Sq

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
(–)

~~Date~~	Jan.	~~Feb.~~	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.36				.	.01	.01	.	.02	1
2				.03				.07	.	.05	.68	,	2
3		.05		.06				.20	.	.	.	.18	3
4		.07		02	.33			.09	.39	.02	.09	.	4
5		02		.	.		.02	.03	.72	.07	.43	.31	5
6		.02		.07	.30		.	.10	.26	.29	.	.	6
7		.03	.01	.13	.		,	.	.	.18	.	.	7
8		.16		.05	.27	.53	.	.	.29	.14	.23	,	8
9	01	.27		.		.		.	.23	.07	.	.	9
10	11	.54		.20		.	.	.	.42		.01	.02	10
11	.02	.07		.11		.12	.49	.	.01	,	.01	.10	11
12	.	.01	.03		.03	.	.19	,	.30	.	.09	.09	12
13	.01	.02	.06		.09	.	.19	.	.06	.01	.	.02	13
14	.	.			11	.	.	,	.16	.01	.	,	14
15	.28				.	.03	.24	.01	.27	.07	.	.09	15
16	.13	.			.	.	.59	.	.15	.01	.	.47	16
17	.41	.		.33	.	.02	.06	.02	.10	.02	.	.10	17
18	.47	.		.	.62	.06	.13	,	.16	.13	.	.10	18
19	.37	.		.	.	.20	.10	.	.53	.01	.	.42	19
20	.06	.	22	.	.	.	.05	.	.02	.	.	.	20
21	.07	.06		.22	.	11	.14	.	.23	.	.	.16	21
22	.09	01		.73	.	.	05	.	.34	.	.	.13	22
23	.01	.			.59	.	08	.01	.07	.05	.	.01	23
24	01	.			.	.01	.05	.04	.03	.	.01	.01	24
25	.	.			.32	.	.05	.34	.02	.	08	.	25
26	.	.			.06	.	.14	.01	.	.	.	.07	26
27	.	.			.	.	.10	.42	.	.02	04	.04	27
28	.	.	.02		.	.	.	.	.22	.	.02	.13	28
29	.	.	.45		.	.	.	.	.	.	.04	.06	29
30	.	X			.	.	.	.	.58	.	.01	.13	30
31	.	X	.32	X	.	X	.	.	X	.	X	.	31
Total	2.05	1.33	.36 ~~1.11~~ 1.47	~~2.31~~ 1.95	2.72	1.08	2.67	.01 ~~1.34~~ 1.35	.01 ~~5.57~~ 5.57	~~1.16~~ 1.15	.02 ~~1.74~~ ~~1.76~~	( ) ~~2.66~~ 2.64	YEAR'S TOTAL 25.74
Rain Days.	14	13	8	17	10	8	17	12 3	24	17 6	13 4	20	168

W. 8,000, IX. 17.

Cor. in Sept by surr. stats. 17.3.19.

8

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
19.1.19

Kept at Newington House, Craven Arms
in the County of Salop.
by R. S. Serjeantson

Lat. 52°-25' N Long. 2°50' W
Time of Observation 9 a.m.
Nearest Railway Station Craven Arms
Diameter of Funnel of Rain Gauge 8 in. 29/
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		2.05	3.38	4.85	6.80	9.52	10.60	13.27	14.62	20.19	21.34	23.10	1
2		2.05	3.38	4.88	6.80	9.52	10.60	13.34	14.62	20.24	22.02	23.10	2
3		2.10	3.38	4.94	6.80	9.52	10.60	13.54	14.62	20.24	22.02	23.28	3
4		2.17	3.38	4.96	7.13	9.52	10.60	13.63	15.01	20.26	22.11	23.28	4
5		2.19	3.38	4.96	7.13	9.52	10.62	13.66	15.73	20.33	22.54	23.59	5
6		2.21	3.38	5.03	7.43	9.52	10.62	13.76	15.99	20.62	22.54	23.59	6
7		2.24	3.39	5.16	7.43	9.52	10.62	13.76	15.99	20.80	22.54	23.59	7
8		2.40	3.39	5.21	7.70	10.05	10.62	13.76	16.28	20.94	22.77	23.59	8
9	.01	2.67	3.39	5.21	7.70	10.05	10.62	13.76	16.51	21.01	22.77	23.59	9
10	.12	3.21	3.39	5.41	7.70	10.05	10.62	13.76	16.93	21.01	22.78	23.61	10
11	.14	3.28	3.39	5.52	7.70	10.17	11.11	13.76	16.94	21.01	22.79	23.71	11
12	.14	3.29	3.42	5.52	7.73	10.17	11.30	13.76	17.24	21.01	22.88	23.80	12
13	.15	3.31	3.48	5.52	7.82	10.17	11.49	13.76	17.30	21.02	22.88	23.82	13
14	.15	3.31	3.48	5.52	7.93	10.17	11.49	13.76	17.46	21.03	22.88	23.82	14
15	.43	3.31	3.48	5.52	7.93	10.20	11.73	13.77	17.73	21.10	22.88	23.91	15
16	.56	3.31	3.48	5.52	7.93	10.20	12.32	13.77	17.88	21.11	22.88	24.38	16
17	.97	3.31	3.48	5.85	7.93	10.22	12.38	13.79	18.98	21.13	22.88	24.48	17
18	1.44	3.31	3.48	5.85	8.55	10.28	12.51	13.79	18.14	21.26	22.88	24.68	18
19	1.81	3.31	3.48	5.85	8.55	10.48	12.61	13.79	18.67	21.27	22.88	25.00	19
20	1.87	3.31	3.70	5.85	8.55	10.48	12.66	13.79	18.69	21.27	22.88	25.06	20
21	1.94	3.37	3.70	6.07	8.55	10.59	12.80	13.79	18.92	21.27	22.88	25.16	21
22	2.03	3.38	3.70	6.80	8.55	10.59	12.85	13.79	19.26	21.27	22.88	25.29	22
23	2.04	3.38	3.70	6.80	9.14	10.59	12.93	13.80	19.33	21.32	22.88	25.30	23
24	2.05	3.38	3.70	6.80	9.14	10.60	12.98	13.84	19.36	21.32	22.89	25.31	24
25	2.05	3.38	3.70	6.80	9.46	10.60	13.03	14.18	19.38	21.32	22.97	25.31	25
26	2.05	3.38	3.70	6.80	9.52	10.60	13.17	14.19	19.38	21.32	22.97	25.38	26
27	2.05	3.38	3.70	6.80	9.52	10.60	13.27	14.61	19.38	21.34	23.01	25.42	27
28	2.05	3.38	3.72	6.80	9.52	10.60	13.27	14.61	19.60	21.34	23.03	25.55	28
29	2.05	3.38	4.17	6.80	9.52	10.60	13.27	14.61	19.60	21.34	23.07	25.61	29
30	2.05	×	4.17	6.80	9.52	10.60	13.27	14.61	20.18	21.34	23.08	25.74	30
31	2.05	×	4.49	×	9.52	×	13.27	14.61	×	21.34	×	25.74	31
Total	2.05	1.33	1.11	2.31	2.72	1.08	2.67	1.34	5.57	1.16	1.74	2.66	YEAR'S TOTAL 25.74
Rain Days.	14	13	7	12	10	8	17	12	24	17	13	21	169

W. 8,000, IX. 17.

2068

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

31 MAR 20

Kept at Newington House, Craven Arms
in the County of Shropshire
by R. E. Seryeantson

Lat. 52' 25 Long 2' 50' W
Time of Observation 9 A.M.
Nearest Railway Station Craven Arms
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25		·04	·13	·05					·10		·44	1
2	·18	·02	·07	·12			·25		·17		·05		2
3			·09		·04		·10				·09	·09	3
4			·31			·08	·08	·37	·12		·01	·16	4
5	·01	·27			·01		·27				·05	·25	5
6	·08	·08	·09								·03	·25	6
7	·16		·08	·01	·02						·05	·02	7
8	·27		·05	·02		·01							8
9	·13			·02					·01		·05		9
10	·07		·44		·13					·05		·15	10
11			·89	·02	·03		·30			·08		·02	11
12	·06		·75			·15				·03			12
13	·04			·05			·01		·59	·12			13
14	·40	·01		·35			·10		·03	·10		·14	14
15	·22	·04		·10	·11			·04		·05		·33	15
16	·13	·50		·13				·15			·02		16
17	·03	·38				·02	·07				·17	·02	17
18	·	·59	·57					·10			·01	·01	18
19	·12	·08	·47			·12	·60	·68	·07		·05		19
20	·29	·34	·49			·03	·02	·11	·10		·08	·09	20
21	·01	·36	·01			·01	·29		·01		·01	·10	21
22							·03		·34			·14	22
23								·03		·49		·01	23
24					·09	·02				·68	·11	·26	24
25	·04			·10	·05	·04		·23			·07	·02	25
26	·01		·04	·06		·05	·01	·09	·04			·38	26
27	·07		·04	·50							·04	·02	27
28	·02	·01	·06	·02				·92				·29	28
29	·04		·01	·06		·01		·03		·18	·01	·11	29
30		✕	·01	·03		·04		·03		·03	·05	·21	30
31		✕		✕		✕			✕	·01	✕		31
TOTAL	2·63	2·68	4·51	1·72	·53	·58	2·13	2·78	1·48	1·92	·95	3·51	YEAR'S TOTAL 25·42
Days with ·01 in. or more	22	12	19	16	9	12	13	12	10	12	18	23	178

WD Ex - 18Ps 2068

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Newington House, Craven Arms
in the County of Salop
by R E Serjeantson

Lat. 52.25 N Long. 2.50 W.
Time of Observation 9 a.m.
Nearest Railway Station Craven Arms
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 25.42

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	25.74	2.63	5.31	9.82	11.54	12.07	12.65	14.78	17.56	19.04	20.96	21.91	1
2	0.25	2.63	5.35	9.95	11.59	12.07	12.65	14.78	17.56	19.14	20.96	22.35	2
3	0.43	2.65	5.42	10.07	11.59	12.07	12.90	14.78	17.73	19.14	21.01	22.35	3
4	0.43	2.65	5.51	10.07	11.63	12.07	13.00	14.78	17.73	19.14	21.10	22.44	4
5	0.43	2.65	5.82	10.07	11.63	12.15	13.08	15.15	17.85	19.14	21.11	22.60	5
6	0.44	2.92	5.82	10.07	11.64	12.15	13.35	15.15	17.85	19.14	21.16	22.85	6
7	0.52	3	5.91	10.07	11.64	12.15	13.35	15.15	17.85	19.14	21.19	23.10	7
8	0.68	3	5.99	10.08	11.66	12.15	13.35	15.15	17.85	19.14	21.24	23.12	8
9	0.95	3	6.04	10.18	11.66	12.16	13.35	15.15	17.85	19.14	21.24	23.13	9
10	1.08	3	6.04	10.12	11.66	12.16	13.35	15.15	17.86	19.14	21.29	23.12	10
11	1.15	3	6.48	10.12	11.79	12.16	13.35	15.15	17.86	19.19	21.29	23.27	11
12	1.15	3	7.37	10.14	11.82	12.16	13.65	15.15	17.86	19.27	21.29	23.29	12
13	1.21	3	8.12	10.14	11.82	12.31	13.65	15.15	17.86	19.30	21.29	23.29	13
14	1.25	3.	8.12	10.19	11.82	12.31	13.66	15.15	18.45	19.42	21.29	23.29	14
15	1.65	3.01	8.12	10 54	11.82	12.31	13.76	15.15	18.48	19.52	21.29	23.43	15
16	1.87	3.05	8.12	10.64	11.93	12.31	13.76	15.19	18.48	19.57	21.29	23.76	16
17	2.00	3.55	8.12	10.77	11.93	12.31	13.76	15.34	18.48	19.57	21.31	23.76	17
18	2.03	3.93	8.12	10.77	11.93	12.33	13.83	15.34	18.48	19.57	21.48	23.78	18
19	2.03	4.52	8.69	10.77	11.93	12.33	13.83	15.44	18.48	19.57	21.49	23.79	19
20	2.15	4.60	9.16	10.77	11.93	12.45	14.43	16.12	18.55	19.57	21.54	23.79	20
21	2.44	4.94	9.65	10.77	11.93	12.48	14.45	16.23	18.65	19.57	21.62	23.88	21
22	2.45	5.30	9.66	10.77	11.93	12.49	14.74	16.23	18.66	19.57	21.63	23.98	22
23	2.45	5.30	9.66	10.77	11.93	12.49	14.77	16.23	19	19.57	21.63	24.12	23
24	2.45	5.30	9.66	10.77	11.93	12.49	14.77	16.26	19	20.06	21.63	24.13	24
25	2.45	5.30	9.66	10.77	12.02	12.51	14.77	16.26	19	20.74	21.74	24.39	25
26	2.49	5.30	9.66	10.87	12.07	12.55	14.77	16.49	19	20.74	21.81	24.41	26
27	2.50	5.30	9.70	10.93	12.07	12.60	14.78	16.58	19.04	20.74	21.81	24.79	27
28	2.57	5.30	9.74	11.43	12.07	12.60	14.78	16.58	19.04	20.74	21.85	24.81	28
29	2.59	5.31	9.80	11.45	12.07	12.60	14.78	17.50	19.04	20.74	21.85	25.10	29
30	2.63	X	9.81	11.51	12.07	12.61	14.78	17.53	19.04	20.92	21.86	25.21	30
31	2.63	X	9.81	X	12.07	X	14.78	17.56	X	20.95	X	25.42	31
TOTAL	2.63	2.68	4.50	1.70	.56	.54	2.17	2.78	1.48	1.91	.91	3.56	YEAR'S TOTAL 25.42 ✓
Days with ·01 in. or more	22	11	18	15	10	11	14	12	10	11	18	24	176 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1984

wd for WS.

Copy by B.R.O.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Newington House Craven Arms

in the County of Salop

by R. E. Serjeantson

Lat. 52° 28′ Long. 2° 50′

Time of Observation 9 am.

Nearest Railway Station Craven Arms

Diameter of Funnel of Rain Gauge 8″ in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ „ „ „ Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·08	·21		·21	·14	·07	·18		·35	1
2	·02			·19			·23		·12	·05		·11	2
3	·08	·01		·28		·02	·71		·07	·30		·04	3
4	·01			·02			·01	·18	·01	·25			4
5			·04	·24	·11		·22			·18		·01	5
6			·35	·02			·11			·29		·03	6
7		·12	·03	·04			·18					·01	7
8	·23			·53	·07		·23	·19					8
9	·47	·05		·37			·19	·02					9
10	15	·10	·05	·15		·12	·20	·02				·02	10
11	·07	·01	·19	·39	·19	·20	·07					·01	11
12	·14		·16	·29		·77	·05	·06			·20	·02	12
13	·11	·02		·16		·06						·03	13
14	·01	·01	·33	·25		·35	·11	·03	·32	·50	·29		14
15		·11	·15	·46	·01	·24			·37	·04			15
16					·06	·06	·27		·07	·84			16
17	·01				·09	·02			·43	·12			17
18	·10			·03	·11	·01		·04	·32				18
19	·09	·44		·09		·06	·01		·03			·04	19
20		·36		·21		·07			·03				20
21							·19			·01		·10	21
22	·03			·11			·07	·14	·01	·01			22
23			·02				·14	·05				·48	23
24	·02		·21	·02					·01			·12	24
25	·06	·04	·11	·08			·38					·01	25
26	·15		·54	·01			·10			·01	·02	·03	26
27	·26		·40	·03	·07	·20	·04				·11	·39	27
28	·69		·22		·04	·09						·05	28
29	·24		·20		·13	·03	·08				·09	·48	29
30	·01		·21	·22	·07	·05	·08		·36		·29	13	30
31	·03		·05		·02		·02			·30		·	31
TOTAL	2.98	1.27	3.28	4.27	1.18	2.35	3.90	·87	2.22	3.08	1.00	2.46	YEAR'S TOTAL 28.86
Days with ·01 in. or more	22	11	18	24	13	16	24	10	14	14	6	20	192
Days with ·04 in. or more	14	7	15	18	11	12	21	7	9	11	5	11	141

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. **Gp.132.** A.&E.W.

1984

not checked

with W D

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Kevington House Craven Arms
in the County of Salop
by R E Serjeantson

Lat. 52.25' Long. 2°-50'
Time of Observation 9 a.m.
Nearest Railway Station Craven Arms
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 406 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil
28.86

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	2.98	4.25	7.53	11.80	12.98	15.33	19.23	20.10	22.32	.30 ✓	26.40	1
2	0	2.98	4.27	7.61	12.01	12.98	15.54	19.37	20.17	22.50	no record kept	26.75	2
3	.02	2.98	4.27	7.80	12.01	12.98	15.77	19.37	20.29	22.55		26.88	3
4	.10	2.99	4.27	8.08	12.01	13.	16.48	19.37	20.36	22.85		26.90	4
5	.11	2.99	4.27	8.16	12.01	13	16.49	19.55	20.37	23.10		26.90	5
6	.11	2.99	4.31	8.34	12.12	13	16.71	19.55	20.37	23.28		26.91	6
7	.11	2.99	4.66	8.36	12.12	13	16.82	19.55	20.37	23.57		26.94	7
8	.11	3.11	4.69	8.40	12.12	13	17	19.65	20.37	23.57		26.95	8
9	.34	3.11	4.69	8.93	12.19	13	17.23	19.74	20.37	23.57		26.95	9
10	.81	3.16	4.69	9.30	12.19	13.	17.42	19.76	20.37	23.57	25.40	26.95	10
11	.96	3.26	4.74	9.45	12.19	13.12	17.62	19.78	20.37	23.57	25.40	26.97	11
12	1.03	3.27	4.93	9.84	12.38	13.32	17.69	19.78	20.37	23.57	25.40	26.98	12
13	1.17	3.27	5.09	10.13	12.38	14.09	17.74	19.84	20.37	23.57	25.60	27	13
14	1.28	3.29	5.09	10.29	12.38	14.15	17.74	19.84	20.37	23.57	25.60	27.03	14
15	1.29	3.30	5.42	10.54	12.38	14.50	17.85	19.87	20.69	24.07	25.89	27.03	15
16	1.29	3.41	5.57	11.00	12.39	14.74	17.85	19.87	21.06	24.11	25.89	27.03	16
17	1.29	3.41	5.57	11.00	12.45	14.80	18.12	19.87	21.13	24.95	25.89	27.03	17
18	1.30	3.41	5.57	11.00	12.54	14.82	18.12	19.87	21.56	25.07	25.89	27.03	18
19	1.40	3.41	5.57	11.03	12.65	14.83	18.13	19.91	21.88	25.07	25.89	27.03	19
20	1.49	3.85	5.57	11.12	12.65	14.89	18.13	19.91	21.91	25.07	25.89	27.07	20
21	1.49	4.21	5.57	11.33	12.65	14.96	18.13	19.91	21.94	25.07	25.89	27.07	21
22	1.49	4.21	5.57	11.33	12.65	14.96	18.32	19.91	21.94	25.08	25.89	27.07	22
23	1.52	4.21	5.57	11.44	12.65	14.96	18.39	20.05	21.95	25.09	25.89	27.17	23
24	1.52	4.21	5.59	11.44	12.65	14.96	18.63	20.10	21.95	25.09	25.89	27.65	24
25	1.54	4.21	5.80	11.46	12.66	14.96	18.63	20.10	21.96	25.09	25.89	27.77	25
26	1.60	4.25	5.91	11.54	12.65	14.96	18.91	20.10	21.96	25.09	25.89	27.78	26
27	1.75	4.25	6.45	11.55	12.65	14.96	19.01	20.10	21.96	25.10	25.91	27.81	27
28	2.01	4.25	6.85	11.58	12.72	15.16	19.05	20.10	21.96	25.10	26.02	28.20	28
29	2.70	4.25	7.07	11.58	12.76	15.25	19.05	20.10	21.96	25.10	26.02	28.25	29
30	2.94	╳	7.27	11.58	12.89	15.28	19.13	20.10	21.96	25.10	26.11	28.73	30
31	2.95	╳	7.48	╳	12.96	╳	19.21	20.10	╳	25.10	╳	28.86	31
TOTAL	2.95	1.30	3.23	4.10	1.38	2.32	3.93	.89	1.86	3.14	1.01	2.75	YEAR'S TOTAL 28.86
Days with ·01 in. or more	21	12	17	24	13	16	24	11	13	14	7 6	21	193 2
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SHROPSHIRE
CRAVEN ARMS
STOKESAY COURT GDNS

1911, 1913-1914

FORM A2.
BRITISH RAINFALL.

8 MAR 1912

REGIS … 9 11

Casella 80

Kept at Stokesay C… p 5 in.

… bove Ground 1 ft. 4 in.

in the County of Shrop… „ Sea Level 431·8 ft.

9 a m

by J K France… Name Onibury

Distance ¾ mile Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10				·04	·16		·03			1
2					·13					·04	·17	·19	2
3	·03				·51						·10	·12	3
4			·09	·04	·02			·03			·18	·48	4
5	·19			·04				·04		·10	·10		5
6	·09							·09				·42	6
7											·42		7
8	·06		·19								·25	·48	8
9	·14										·95	·34	9
10		·10	·20									·31	10
11	·14								·04		·40	·13	11
12			·31						·62		·20		12
13											·03	·38	13
14			·05									·88	14
15											·12	·34	15
16						·11					·08	·04	16
17						·92					·31	·65	17
18		·52		·29								·42	18
19				·16		·97	·05	·03	·23	·26	·03	·52	19
20		·04		·06					·22		·02	·20	20
21		·17						·48		·37		·05	21
22		·15	·12							·32		·52	22
23		·27	·19			·10			·21	·05		·16	23
24		·07				·21				·16		·15	24
25		·11		·04				·10	·05			·12	25
26		·22		·24	·82			·		·21	·21	·14	26
27		·27	·21	·11				·41	·14		·13	·10	27
28		·05		·23		·04					·15		28
29						·15	·29		·20	·24	·02		29
30				·06		·07	·07			·22			30
31			·04		·37		·02	·03		·06			31
Total	55	1·87	1·50	1·27	1·85	2·57	·47	1·37	1·74	2·06	3·87	7·14	TOTAL for year 26·26
No. of Rain Days.	6	11	10	10	5	8	5	9	8	12	19	23	126

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

8 MAR 1912

REGIS 1

Kept at Stokesay Court Gardens

in the County of Shropshire 3

by J K Francis

RAIN GAUGE
Pattern L Cassella 805
Diameter of top 5 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 431·8 ft.

Time of Observation 9 am

Nearest Railway Station
Name Onibury
Distance ¾ mile Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10				·04	·16		·03			1
2					·13					·04	·17	·19	2
3	·03				·51						·10	·12	3
4			·09	·04	·02			·03			·18	·48	4
5	·19			·04				·04		·10	·10		5
6	·09							·09				·42	6
7											·42		7
8	·06		·19								·25	·48	8
9	·14										·95	·34	9
10		·10	·20									·31	10
11	·14								·04		·40	·13	11
12			·31						·62		·20		12
13											·03	·38	13
14			·05									·88	14
15											·12	·34	15
16						·11					·08	·04	16
17						·92					·31	·65	17
18		·52		·29								·42	18
19				·16		·97	·05	·03	·23	·26	·03	·52	19
20		·04		·06					·22		·02	·20	20
21		·17						·48		·37		·05	21
22		·05	·12							·32		·52	22
23		·27	·19			·10			·21	·05		·16	23
24		·07				·21				·16		·15	24
25		·11		·04				·10	·05			·12	25
26		·22		·24	·82			·		·21	·21	·14	26
27		·27	·21	·11				·41	·14		·13	·10	27
28		·05		·23		·04					·15		28
29						·15	·29		·20	·24	·62		29
30				·06		·07	·07			·22			30
31			·04		·37		·02	·03		·06			31
Total	·55	1·87	1·50	1·27	1·85	2·57	·47	1·37	1·74	2·06	3·87	7·14	TOTAL for year 26·26
No. of Rain Days.	6	11	10	10	5	8	5	9	8	12	19	23	126

W. 8,000, X. '11.

S made ✓

cop 30.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
23 JAN 1914

Kept at Stokesay Court Gardens.
in the County of Shropshire
by F. J. Powell.

3

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Onibury.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 9 in.
" " " " Sea Level 431·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·09	0·03	0·12	0·07					0·11		0·08		1
2		0·08	0·10	0·13	0·04				0·03	0·35	0·12		2
3	0·08	0·07			0·45				0·03	0·10		0·20	3
4	0·80				0·13	0·04			0·27	0·23	0·06		4
5	0·25	0·15	0·13		0·18	0·35	0·12			1·43	0·05	0·25	5
6	0·04	0·08	0·28		0·24	0·11	0·12			0·14		0·36	6
7		0·46			0·24	0·25	0·02			0·51	0·20	0·07	7
8		0·10	0·03		0·37	0·05	0·08	0·06		0·19			8
9		0·42		0·04	0·19	0·30		0·43	0·20		0·18	0·02	9
10	0·32			0·52	0·20			0·05		0·27			10
11	0·45			005	0·11	0·02				0·04	0·34	0·02	11
12					0·14						0·20		12
13	0·01		0·27					0·04	0·42		0·38		13
14	0·22		0·59	0·08				0·02	0·06	0·10			14
15	0·07	003	0·74	0·93				0·05	0·15		0·10	0·02	15
16								0·02	0·02				16
17	0·02		0·55	0·20			0·11		0·09				17
18	0·02		0·27	0·13	0·02		0·06		0·05				18
19	0·19		0·10	0·04			0·04			0·16			19
20	0·03		0·41	0·10	0·02					0·15	0·39		20
21			0·13	0·27	0·07		0·17				0·03		21
22	0·71		0·85			0·15		0·75	0·58				22
23						0·05		0·01	0·05		0·12		23
24	0·15										0·06		24
25				0·13				0·05	0·03	0·06			25
26		0·10		0·79					0·10			0·23	26
27	0·01			0·32						0·57		0·18	27
28	0·19		0·27	0·59						0·47			28
29	0·01		0·44	0·53	0·09			0·10		0·36		0·18	29
30				0·02						0·40	0·17		30
31	0·28		0·32		0·15								31
Total	3·93 4 3·94	1·52	5·60	4·94	2·64	1·32	0·72	1·58	2·19	5·53	2·48	1·53	YEAR'S TOTAL 33·98 9
Rain Days.	20	10	17	18	16	9	8	11	15	17	15	10	166

W.7,000, XI. 13

33·99

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

12 JAN 1915

Kept at Stokesay Court Gardens
in the County of Shropshire 3
by F. J. Powell Hd. Gardener

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Onibury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ______ ft. 9 in.
" " " " Sea Level 431·8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							0·70	0·65			0·08	0·13	1
2			0·01		0·02		1·21	0·54				0·26	2
3			0·02	0·13	0·19			0·05				0·26	3
4				0·14	0·02		0·25	0·20			0·47	0·53	4
5			0·08	0·21	0·06		0·04			0·03	0·15		5
6		0·05		0·03	0·07						0·12		6
7		0·23	0·45		0·05	0·03	0·27	0·15				0·54	7
8					0·04	0·53		0·18				0·15	8
9		0·04	0·04	0·14	0·08	0·98		0·08	0·17				9
10		0·24		0·32	0·03	0·08			0·23				10
11		0·42	0·35		0·15						0·39	0·38	11
12		0·56	0·14				0·22		0·28			0·18	12
13		0·21	0·32				0·09		0·05	0·37	0·37	0·18	13
14		0·23	0·18							0·06	0·15		14
15	0·06	0·01	0·15						0·05	0·04			15
16			0·03						0·14				16
17			0·21						0·03			0·57	17
18		0·14	0·15									0·25	18
19		0·01					1·15					0·06	19
20		0·26	0·10									0·26	20
21		0·44				0·07	0·02	0·15		0·24			21
22		0·15			0·19	0·09	0·03	0·22		0·39			22
23		0·17	0·09		0·02					0·22			23
24			0·11					0·50		0·11			24
25	0·09		0·04				0·18	0·22		0·40	0·14	0·19	25
26			0·02							0·15	0·15	0·25	26
27	0·05									0·07	0·55	1·00	27
28	0·04	0·07	0·13		0·05		0·03			0·01	0·12	0·70	28
29	0·03		0·11		0·10					0·17	0·27		29
30	0·01	×	0·16	0·06	0·03					0·04	0·30	0·51	30
31	0·19	×	0·01	×		×	0·15		×	0·05	×	0·06	31
Total	0·47	3·23	2·90	1·03	1·10	1·78	4·34	2·94	0·95	2·35	3·26	6·46	YEAR'S TOTAL 30·81
Rain Days.	7	16	22	7	15	6	13	11	7	15	13	19	151

W. 8,000. X. 14.

151

SHROPSHIRE,
DORRINTON
NETLEY HALL

1913

REGIS

13
1913

FORM A.
BRITISH RAINFALL.
4 MAY 1914

Kept at Netley Hal
in the County of Salop
by Miss J. Hope-Edwar

Long. 2 47
8.30 to 9. a.m.
...ation Dorrington G.W.R.
...auge 5 in.
...ge above Ground 1 ft. 7 in.
Sea Level 351 ft.

IMPORTANT ... previous day. If ... requested to add th... for it at the end ... the selection and p... Organization are giv... Dr. H. R. Mill, 62 ... e result entered to the ... sal rule, he is earnestly ... in the space provided ... nt of rain, ... sh Rainfall ... plication to

Jan. 1, following.
0 0

May 2. 1914

Netley Hall,
Shrewsbury.

Dear Sir

I send the register of rainfall kept here in 1913 as requested, though I fear it is too imperfect to be of use. A certain number of days have been omitted & the amount of rain on such days is added to the following day. This makes it impossible to give the greatest amount registered on any one

---

											Nov.	Dec.	Date.
1	0.0											00	1
2	0.2	16									15	00	2
3	0.6	02									01	15	3
4		02									04	55	4
5	120	08									02	03	5
6	0.7	10									00		6
7	0.2	31									24	30	7
8	0.1											02	8
9	0.0	35									12	02	9
10	1.2	01									03	00	10
11	5.4	02									46	02	11
12		01									27	01	12
13	0.0	02									20	00	13
14	1.8	01									08	00	14
15	0.7											03	15
16	0.1	05									12	00	16
17	0.1	01										01	17
18		00										03	18
19	0.8	00	12									03	19
20	0.8	00	22		00	01	04	00		11	30	00	20
21	0.1	00	04	03	00	00	19	02	01	00	06	00	21
22	4.3	00	00	00	02	10	01	58	45	00		00	22
23	0.1	00	84	00	01	22	00		11	00	09	00	23
24	24	00	00	01	00	00	00	02	00	00	09		24
25	00	02	00	12	00	00	00	00	15		02	02	25
26	00	02	00		00	00	00	08	02	05	00	32	26
27	02	01	12	1124	17	00	00	00	00	54	01		27
28	12	00	26	55	00	00	00	00	00	31	00	06	28
29	02			44	02	00	00	08	00	39		09	29
30	28		60	01	05	00	00		00	25	08	00	30
31	03		42		03		00	02		02		00	31
Total	~~63~~ 3.63	~~121~~ 122	590	476	~~268~~ 269	~~125~~ 145	109	179	176	~~574~~ 474	247	169	YEAR'S TOTAL ~~3397~~
Rain Days.	22	16	20	20	18	11	13	14	16	18	22	16	~~206~~ (~~233~~)
	25	20	24	23	20	11	14	16	18	19	20	17	33.19

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

4 MAY 1914

REGIS

013

Kept at Netley Hall 3
in the County of Salop
by Miss J. Hope-Edwardes (or proxy

Lat. Long. 2 47
Time of Observation 8.30 to 9. a.m.
Nearest Railway Station Dorrington G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 351' ft.

IMPORTANT
previous day. If
requested to add th
for it at the end
the selection and p
Organization are gi
Dr. H. R. Mill, 62

e result entered to the
sal rule, he is earnestly
in the space provided
nt of rain,
sh Rainfall
plication to

Jan. 1, following.
0 0

May 2d. 1914

Netley Hall,
Shrewsbury.

Dear Sir

I send the register of rainfall kept here in 1913 as requested, though I fear it is too imperfect to be of use. A certain number of days have been omitted & the amount of rain on such days is added to the following day. This makes it impossible to give the greatest amount registered on any one

---

											Nov.	Dec.	Date.
	0.0											00	1
2	0.2	16	[illegible]								15	00	2
3	0.6	02									01	15	3
4		02	[illegible]								04	55	4
5	120	08									02	03	5
6	0.7	10	[illegible]								00		6
7	0.2	31	[illegible]								24	30	7
8	0.1											02	8
9	0.0	35	[illegible]								12	02	9
10	1.2	01	[illegible]								03	00	10
11	5.4	02	[illegible]								46	02	11
12		01	[illegible]								27	01	12
13	0.0	02	[illegible]								20	00	13
14	1.8	01	[illegible]								08	00	14
15	0.7											03	15
16	0.1	05	[illegible]								12	00	16
17	0.1	01	[illegible]								[illegible]	01	17
18		00	[illegible]								[illegible]	03	18
19	0.8	00	12								[illegible]	03	19
20	0.8	00	22	[illegible]	00	01	04	00		11	30	00	20
21	0.1	00	04	03	00	00	19	02	01	00	06	00	21
22	4.3	00	00	00	02	10	01	58	45	00		00	22
23	0.1	00	84	00	01	22	00		11	00	09	00	23
24	24	0.0	00	01	00	00	00	02	00	00	09		24
25	00	02	00	12	00	00	00	00	15		02	02	25
26	00	02	00		00	00	00	08	02	05	00	32	26
27	02	01	12	124	17	00	00	00	00	54	01		27
28	12	00	26	55	00	00	00	00	00	31	00	06	28
29	02			44	02	00	00	08	00	39		09	29
30	28		60	01	05	00	00		00	25	08	00	30
31	03		42		03		00	02		02		00	31
Total	~~63~~ 3.63	~~121~~ 1.22	590	476	~~268~~ 2.69	~~126~~ 1.45	109	179	176	~~574~~ 4.74	247	169	YEAR'S TOTAL ~~3397~~
Rain Days.	22	16	20	20	18	11	13	14	16	18	22	16	206 ~~233~~
	25	20	24	23	20	11	14	16	18	14	20	11	33.19

W.7,000, XI. 13

FORM A. BRITISH RAINFALL.

4 MAY 1914

RE

Kept at Netley ... 47 ... 9.a.

in the County of S... ...ringfon G.W.R.

... in.

by Mis J Hope-E... ...und 1 ft. 7 in.

...a Level 351 ft.

day. as the greatest falls
registered occur on days
following ~~on~~ unrecorded ones
Eg. Oct 5. 186
Ap. 27 124
March 16 12

IMPORTANT ... result entered to the previous day. If ... al rule, he is earnestly requested to add th... n the space provided for it at the end o... t of rain, the selection and placing ... h Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.0			05	01	10	00	00	25	02		00	1
2	0.2	16	20	13	01	00	00	00	10	14	15	00	2
3	0.6	02	15	00	66	00	00	02	03	03	01	15	3
4		02	00	00		00	05	00	00		04	55	4
5	120	08	11	00	12	00	06	00	03	186	02	03	5
6	0.7	10	37	00	23	10	39	00	00	06	00		6
7	0.2	31	02	00	37	13	05	00	00	40	24	30	7
8	0.1			01	30	30	02	06	00	05		02	8
9	0.0	35	03	05	08	40	04	60	17	00	12	02	9
10	1.2	01	01	12		00	01	12	00	12	03	00	10
11	5.4	02	00	35	26	02	00	00	00	04	46	02	11
12		01	00		18	02	00	00	03	00	27	01	12
13	0.0	02	25	02	01	00	00	05		00	20	00	13
14	1.8	01	60	16	00	00	11	12	24	08	08	00	14
15	0.7			96	00	00	00	01	09	00		03	15
16	0.1	05	120	02	00	00	00	00	02	00	12	00	16
17	0.1	01	04	10	00	00	06	01	02	00	02	01	17
18		00	30	18	00	00	06	00	00	00	03	03	18
19	0.8	00	12		16	05		00	04	27	03	03	19
20	0.8	00	22	21	00	01	04	00		11	30	00	20
21	0.1	00	04	03	00	00	19	02	01	00	06	00	21
22	4.3	00	00	00	02	10	01	58	45	00		00	22
23	0.1	00	84	00	01	22	00		11	00	09	00	23
24	24	00	00	01	00	00	00	02	00	00	09		24
25	00	02	00	12	00	00	00	00	15		02	02	25
26	00	02	00		00	00	00	08	02	05	00	32	26
27	02	01	12	124	17	00	00	00	00	54	01		27
28	12	00	26	55	00	00	00	00	00	31	00	06	28
29	02			44	02	00	00	08	00	39		09	29
30	28		60	01	05	00	00		00	25	08	00	30
31	03		42		03		00	02		02		00	31
Total	~~63~~ 3.63	~~121~~ 1.22	590	476	~~268~~ 2.69	~~126~~ 1.45	109	179	176	~~574~~ 4.74	247	169	YEAR'S TOTAL ~~3397~~
Rain Days.	22	16	20	20	18	11	13	14	16	18	22	16	~~206~~ ~~233~~
	23	20	24	23	20	11	14	16	18	19	26	17	33.19

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
4 MAY 1914

RE

Kept at Netley ... 47 ... 9. a. ... ringfon G.W.R.

in the County of S ... in.

by Miss J Hope E ... und 1 ft. 7 in.

a Level 351' ft.

IMPORTANT ... result entered to the previous day. If ... al rule, he is earnestly requested to add th ... n the space provided for it at the end ... t of rain, the selection and p ... h Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0 0

day. as the greatest falls
registered occur on days
following on unrecorded ones
e.g. Oct 5. 186
Ap. 27 124
March 16. 120
I hope the record for this year
will be more correct.

Yours truly

J. Hope-Edwardes

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.0			05	01	10	00	00	25	02		00	1
2	0.2	16	20	13	01	00	00	00	10	14	15	00	2
3	0.6	02	15	00	66	00	00	02	03	03	01	15	3
4		02	00	00		00	05	00	00		04	55	4
5	120	08	11	00	12	00	06	00	03	186	02	03	5
6	0.7	10	37	00	23	10	39	00	00	06	00		6
7	0.2	31	02	00	37	13	05	00	00	40	24	30	7
8	0.1			01	30	30	02	06	00	05		02	8
9	0.0	35	03	05	08	40	04	60	17	00	12	02	9
10	1.2	01	01	12		00	01	12	00	12	03	00	10
11	5.4	02	00	35	26	02	00	00	00	04	46	02	11

Ol ✓

373

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

SHROPSHIRE.

ELLESMERE.

"THE GRANGE"

1911 – 1919

REGIST 1

Kept at Ellesmere, 5 in.

in the County of Shropsh ve Ground ft. 10 in.

by Mrs Ashton , Sea Level 340 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·01	·04	·02	1
2				·02	·10			·03		·05		·14	2
3			·05	·02	·46				·03		·21	·06	3
4				·03			·02	·11	·07			·23	4
5			·02	·01	·09			·44		·21	·30		5
6			·05					·07		·05	·10	·18	6
7	·32										·21		7
8	·17		·11								·22	·50	8
9	·03		·03										9
10		·03	·16						·02			·07	10
11			·01						·07		·80	·41	11
12			·30						1·40		·33		12
13		·01	·04							·03	·03	·19	13
14	·02	·06	·03								·02		14
15		·03	·03								·09	·43	15
16			·02			·01				·03	·15	(01) ·21	16
17						·18				·01	·27	·15	17
18				·15	·17	·58				·01		·15	18
19		·03		·06		·05			·11	·25	·15	·47	19
20		·07		·05		·41	·06	·44	·04			·03	20
21		·22	·02			·01		·28		·25		(05) ·50	21
22	·04	·03		·03		·05	·01	·01		·34		·33	22
23		·34	·22			·05			·24	·14		·07	23
24	·02					·05	·02	·15	·21	·35		·02	24
25		·05	·02	·05		·95		·01		·05	·20	·06	25
26		·24		·14		·02				·25		·10	26
27		·28	·06		·06	·16		·90	·40		·07	·02	27
28		·10		·08		·05		·10	·01	·57		·01	28
29				·03		·07	·13		·04	·25			29
30			·03		·01		·07		·01	·02	·03		30
31			·09		·04								31
Total	·60	1·49	1·29	·67	·93	2·64	·31	2·54	2·65	2·87	3·22	3·70	TOTAL for year 22·91
No. of Rain Days	6	13	18	12	7	14	6	11	13	18		23 ~~24~~	158

9,000, IX. '10.

Dl

373

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIST

1

Kept at Ellesmere, The Grange

in the County of Shropshire 4

by Mrs Ashton

Rain Gauge:
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 340 ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·01	·04	·02	1
2				·02	·10			·03		·05		·14	2
3			·05	·02	·46				·03		·21	·06	3
4				·03			·02	·11	·07			·23	4
5			·02	·01	·09			·44		·21	·30		5
6			·05					·07		·05	·10	·18	6
7	·32										·21		7
8	·17		·11								·22	·50	8
9	·03		·03										9
10		·03	·16						·02			·07	10
11			·01						·07		·80	·41	11
12			·30						1·40		·33		12
13		·01	·04							·03	·03	·19	13
14	·02	·06	·03								·02		14
15		·03	·03								·09	·43	15
16			·02			·01				·03	·15	(01) ·21	16
17						·18				·01	·27	·15	17
18				·15	·17	·58				·01		·15	18
19		·03		·06		·05			·11	·25	·15	·47	19
20		·07		·05		·41	·06	·44	·04			·03	20
21		·22	·02			·01		·28		·25		(05) ·50	21
22	·04	·03		·03		·05	·01	·01		·34		·33	22
23		·34	·22			·05			·24	·14		·07	23
24	·02					·05	·02	·15	·21	·35		·02	24
25		·05	·02	·05		·95		·01		·05	·20	·06	25
26		·24		·14		·02				·25		·10	26
27		·28	·06		·06	·16		·90	·40		·07	·02	27
28		·10		·08		·05		·10	·01	·57		·01	28
29				·03		·07	·13		·04	·25			29
30			·03		·01		·07		·01	·02	·03		30
31			·09		·04								31
Total	·60	1·49	1·29	·67	·93	2·64	·31	2·54	2·65	2·87	3·22	3·70	TOTAL for year 22·91
No. of Rain Days	6	13	18	12	7	14	6	11	13	18		23 ~~24~~	158

9,000, IX. '10.

DL [illegible]

Card for arith 7-III-13 obr confirms 12-III-13 D/

370

FORM A2.
BRITISH RAINFALL
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Ellesmere, The Grange

in the County of Shropshire 4

by A. M. Ashton

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06			·14	·01	·03	·02			·18	1
2	·01		·18			·30	·06					·03	2
3	·07					·27	·02	1·10	·03		·06	·06	3
4	·09		·70		·12	·13		·28	·03		·16	·01	4
5		·17	·04		·10	·21		·12	·02		·02	·01	5
6	·32	·09	·02		·08			·26	·01				6
7		·11	·01			·23							7
8	·38	·17	·18	·04	·05	·13		·20	·02				8
9	·10		·01	·19	·05	·88		·10			·03	·16	9
10	·35					·17	·02	·02			·41		10
11	·07	·01			·07		·01	·01			·05	·33	11
12	·03	·38				·03	·02	·15					12
13	·05							·05		·19			13
14	·07		·51		·25	·10		·02	·01				14
15	·05		·08		·11			·05					15
16	·55	·11	·22			·10		·04		·08	·03		16
17	·81	·06	·03				·03	·29			·16	·36	17
18	·18	·02						·35			·02	·02	18
19		·07	·03		·03	·03	·10	·15		·17		·02	19
20	·15	·12	·19		1·03			·03		·08	·02		20
21					·06		·03	·03		·37			21
22	·07				·95		·22	·32			·01	·04	22
23	·09		·30		·01	·03	·21	·11			·10	·08	23
24	·16		·03			·11	·03	·15					24
25		·02				·09		·03			·36	·25	25
26		·15	·09			·01	·20	·55		1·13		·06	26
27						·50	·46	·01		·53	·10	·26	27
28						·01	·55	·23	·05	·25	·84	·02	28
29		·12	·04			·20	·03	·03	·47			·05	29
30	·04		·07			·52					·07	·04	30
31			·29		·46		·52	·05					31
Total	3·64	1·60	3·08	·23	3·37 3.37	4·19	2·52	4·76	·66	2·80	2·44	1·98	TOTAL for year 31·27
No. of Rain Days.	20	14	20	2	14	21	17	28	9	8	16	18	187

W. 8,000, X. '11.

Written 1.4.14 ✓

cndly B. 31.III.14

REGISTER OF RAINFALL IN 1913

28 JAN 1914

FORM A.
BRITISH RAINFALL.

381

Kept at Ellesmere

in the County of Shropshire

by A. M. Ashton

#D 4

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	·02	·15	·06	·15				·15		·22	-	1
2	·04	·12	·16	·01	·02				·02		·10	-	2
3	-	·04	·11		·48		·01			·01	·01	-	3
4	·60		·01		·08						·05	·43	4
5	·35	·05	·04		·18	·34	·05	·14		1·25	·07	-	5
6	·06	·20	·25		·28		1·04			·15	-	·23	6
7	·02	·38	·02		·26	·23	·11			·25	·20	·01	7
8	·02	·25		·01	·09	·08	·02	·04		·27	-	-	8
9	·06	·25	·04	·08	·06		·23	·15	·07		·13	·03	9
10	-				·17	·15	·01	·35	·06	·10	·04	-	10
11	·82			·43	·07	·03		·09		·03	·17	-	11
12	-				·03		·02	·01			·35	·	12
13	-		·23	·02				·05	·10		·18	-	13
14	·08		·62	·01				·15	·02	·10	·05	-	14
15	-	·03	·48	·88				·05			·18	·03	15
16	-		·16	·03				·58			·01	-	16
17	·20		·05	·07		·01	·01				·03	-	17
18	-		·25		·02	·05	·04		·10		·05	-	18
19	·06		·10	·14	·01		·04			·17	·01	·01	19
20	·02		·09	·09			·02			·30	·46	-	20
21	-		·19	·05	·12	·12	·12	·03			-	-	21
22	·32		·70			·03		·93	·43		-	-	22
23	-							·01	·13		·13	-	23
24	·18			·04				·05			·10	·02	24
25	-			·11					·33	·05	·02	·01	25
26	-	·11		·83				·02	·04		-	·33	26
27	-	·01		·35	·01					·35	-	-	27
28	·30		·16	·53	·02					·67	-	·	28
29	·02		·40	·38	·15					·31	-	·	29
30	·27									·22	·02	-	30
31	·03		·40		·31					·05		·	31
Total	3·45	1·46	4·61	4·12	2·51	1·04	1·72	2·65	1·45	4·28 4·28	2·58	1·10	YEAR'S TOTAL 30·97
Rain Days.	18	11	21	19	19	9	13	15	11	16	22	9	183

W. 7,500, XI. ·12

DL 366

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Ellesmere
in the County of Shropshire
by A. M. Ashton

4

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·05				·34 1·60	·70				·39	1
2	·05				·02	·02	·05	·18			·35	·27	2
3				·08	·25		·14	·01		·01	·14	·85	3
4			·01	·12	·33		·11	·03			·53	·33	4
5	·22		·07	·22	·05			·07			·25		5
6	·17	·03		·09	·05				·04		·20	·30	6
7	·02	·03	·32	·01	·25	·12	·04	·10				·24	7
8			·01	·05	·15	·28	·13	·24				·11	8
9	·27	·03	·09	·15	·09	·45		·15	·10				9
10	·02	·09	·10	·11	·02	·24			·17				10
11		·23	·24		·26	·03					·32	·49	11
12		·61	·11				·04		·04		·12	·16	12
13		·25	·20				·06		·13	·55	·31	·16	13
14		·42	·03							·17	·30		14
15		·01	·18								·05	·01	15
16			·09				·01	·01	·19			·08	16
17		·32					·05		·11			·57	17
18			·07						·16			·19	18
19		·01	·03				·33	·12	·21		·05	·07	19
20		·30	·13			·43	·11						20
21		·25	·03			·50				·18			21
22		·12	·05		·04	·10				·12		·24	22
23		·01	·05		·28			·03		·01			23
24			·43				·05	·18		·04	·08		24
25	·24	·03					·14	·23		·64	·05	·43	25
26	·02		·01					·06		·10	·13	·35	26
27	·02	·09									·22	1·12	27
28	·23		·25		·08						·02		28
29			·05		·03					·05	·23	·40	29
30	·02		·05			~~·34~~				·03	·35	·20	30
31	·32		·01		·01		·40			·14		·01	31
Total	1·60	2·83	2·66	·63	1·91	2·17 ~~2·04~~	3·69 ~~3·26~~	2·11	1·15	2·04	3·70	6·97	YEAR'S TOTAL 31·35
Rain Days.	12	17	25	8	15	9 ~~10~~	16 ~~15~~	14	9	12 ~~14~~	18	22	177

W.7,000, XI. 13

81

cndlyB · 23.III.16

2429

~~356~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Ellesmere

~~W.~~ 98

in the County of Shropshire

by A. M. Ashton

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·07	·04		·56			·03	·20	·13	·06	·35	1
2	·09	·10				·02		·63		·10			2
3	·85	·11		·16			·29					·25	3
4	·02	·32		·13	·36		·45					·85	4
5	·05	·06					·04	·01				·50	5
6	·10	·03	·04	·09		·04	·34	·05				·21	6
7	·19						·14						7
8	·13	·28						·21			·07	·55	8
9	·16	·05		·30				·04			·15		9
10	·33			·21						·03	·10	·03	10
11	·03			·01	·35		·08	·13			·65		11
12				·07	·36			·05		·37	1·78	·09	1
13		·32		·06	·25			·12			·32	·04	1
14								·47	·05			·26	14
15	·35				·05			·01				·08	15
16		·35			·50		1·00	·60				·04	16
17		·75			·48								17
18		·49	·07		·15								18
19		·07		·05	·04		·10						19
20	·02						·03	·01				·07	20
21	·22			·05			·19			·03		·01	21
22			·11	·01			·13	·03				·16	22
23		·32				·04	·17			1·00		·20	23
24			·30	·12			·09		·27	·37		·10	24
25				·04		·50	·05			·01	·07	·14	25
26		·23					·18		·07			·48	26
27		·14					·33			·37		1·05	27
28		·14				·30		·18					28
29						·30	·05	·13	·02	·25	·13		29
30	·15	X		·08		·01	·03			·05	·03	·15	30
31	·13	X		X		X	·11	·05	X		X	·46	31
Total	3·32	3·83	·56	1·38	3·10	1·21	3·80	2·75 2·78	·61	2·71	3·36	6·07 ~~5·97~~	YEAR'S TOTAL 32·70
Rain Days.	16	17	5	14	10	7	19	17	5	11	10	22	153

W. 8,000. X. 14.

8L [illegible] 8L 2361 ~~319~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at The Grange, Ellesmere
in the County of Shropshire
by A. M. Ashton

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20		·40		04	09	·14			·02	·16		1
2	·21	·10				·02	·02		40	·65			2
3	·02	·43		04		·17	06		·10		·22	·05	3
4	·03	·05		·12	·56		·08		·05		·43		4
5		·03	·04		·31					·10	·40		5
6	·05	·34	·02		·23		34			·10		·41	6
7	·05		·04		·08	·02	·08			·03		·05	7
8	·09		23		·05					·02		·07	8
9					·28	·10			·08		·06	·05	9
10		·41	·04		·01	·03	·03					·02	10
11		·10	·21	·01	·13								11
12		·04	·07	·01	·13				·03	·02		·03	12
13	·04	·21			·08		·04	·18		·13		·02	13
14		·22	·03	·09				·06		·13			14
15		·04	·39	·22			·13	·01		·03			15
16		·10		·08			·08	·11		·04			16
17	·03			·25				·15	·42	·28			17
18	·01		·04	·10				·02	·32		·30	·20	18
19	·07		·26							·05		·05	19
20	·20		·55	·02									20
21	·05		·35								·97		21
22				·01		·11				·18	·15	·25	22
23								·10		·12		·10	23
24			·03		·49	·70		·20			·37	·11	24
25		·17	·22		·14	·02		·15			·05		25
26	·01	·05				·07		·10	·01	13			26
27		·57				·02			·09	·22			27
28			·02					·05		·13	·03		28
29		·07	·01			·36		·01		·08		·15	29
30		X				·14				·14		·01	30
31		X		X		X			X	·22	X		31
Total	1·06	2·93	2·95	·95	2·53	1·85	1·00	1·14	1·50	2·82	3·14	1·57	YEAR'S TOTAL 23·44
Rain Days.	14	16	18	11	13	13	10	12	9	21	11	15	163

W. 8,000. X. 15.

81

2247
~~301~~

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at The Grange, Ellesmere

in the County of Shropshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·22	·15		·34		·40	·12	~~12~~		·23	1
2		·11				·03		·10			·13	·09	2
3				·17				·02			·08		3
4	·05		·11			·01							4
5	·25		·12	·09						·13	·04		5
6	·10					·15		·25		·90	·20		6
7	·30									·20	·06	·08	7
8				·07	·03			·71		·30	·04	·10	8
9	·38		·11		·17			·07		·37	·43		9
10	·41		·60	·38	·16			·13					10
11				·12	·02			·15		·23	·02		11
12	·09			·08	·88			·10	·05	·08			12
13								·52		·03		·01	13
14					·02			·05		·12			14
15					·13		·03	·61	·03			·18	15
16	·10			·15		1.05		·04				·15	16
17		·03	·04	·04	·54	·05	·40	·70		·03			17
18					·03		·55	·03	·40	·20			18
19		·42	·50			·34							19
20		·04			·26						·08		20
21		·02	·20			·70		·02		·03	·02		21
22						·15		·20	·13	·04			22
23								·15		·18			23
24		·04	·04			·07	·04	·03			·02	·01	24
25		·05	·03			·17		·02		·06	·08		25
26							·01	·42	·07				26
27			·02		1·44	·53		·59		·03			27
28			·05					·08		·31		·03	28
29							·14			·06		·07	29
30		×	·27					·28			·08	·01	30
31		×	·20	×	·02	×	·13	·12	×		×		31
Total	1.68	·71	2.51	1.25	3.70	3.59	1.30	5.79	·80	3.30	1.28	·96	YEAR'S TOTAL 26.87
Rain Days.	8	7	14	9	12	12	7	25	6	18	13	11	143

79

W. 8,000, VIII. 16

8L

Esc 8L

45
~~285~~

FORM A.
BRITISH RAINFALL.
30. 1 19

REGISTER OF RAINFALL IN 1918

Kept at The Grange, Ellesmere
in the County of Shropshire
by A. M. Ashton

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.10		.14					01	.06			1
2		.03		.06				.58		.02	.14	.25	2
3		.02			.43			.02	.45	.12	.01		3
4	.01		.05					.23	.75	.07	.40	.23	4
5				.03	.13			.20	.45	.05	.03		5
6	.03	.30		.25		.09				.42			6
7	.10	.02							.17	.01	.05		7
8		.20					.22		.07	.15			8
9	.01	65		.33		.14	.15		.54	.10	.05		9
10	.05	.01				.01	.09		.10	.01	.06	.08	10
11	.02	.01		.22	.10		.25		.17				11
12	.04			.01			.55		.01			.05	12
13	.05								.09	.02			13
14	.55					.03	.27		.21	.05		.19	14
15	.15						.57		.65	.03		.24	15
16				.13			.37	.03	.18	.01			16
17	.32				.06		.07		.01	.15		.05	17
18	.33		.03			.16	.18		.32	.02		.26	18
19	.13		.05				.17		.02	.05		.34	19
20	.17	.19		.30		.07	.32		.21			.65	20
21	.06	.02		.18	.32				.42			.10	21
22	.04				1.30	.01	.09		.03			.38	22
23	.07				.32		.14		.07		.02		23
24					.08		.18	.06	.05		.11	.10	24
25		.10				.04	.20	.36		.02	.04		25
26							.26	.05	.03			.01	26
27		.11	.14					.35			.10	.04	27
28			.21						.12		.05		28
29			.14						.37		.01		29
30		X	.11	.01					.01		.02	.13	30
31		X	.13	X		X		.07	X	.03	X		31
Total	2.13	1.76	.86	1.66	2.74	.55	4.08	1.95	5.51	1.39	1.09	3.10	YEAR'S TOTAL 26.82
Rain Days.	17	13	8	11	8	8	17	10	26	19	14	16	167

W. 8,000, IX. 17.

81

2·05

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at The Grange, Ellesmere
in the County of Shropshire
by A. M. Ashton

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13		·02	·14					·11			·33	1
2	·05						·08		·10		·05	·05	2
3	·01					·08	·04						3
4					·05	·05	·28	·02	·02			·17	4
5	·03	·24							·01		·03	·13	5
6	·02		·13		·03							·30	6
7	·13		·09									·03	7
8	·17		·03	·05		·03							8
9	·30			·07							·03		9
10			·19							·04		·15	10
11	·03		1·67	·05	·03		·17			·01			11
12			·66	·01		·44			·07	·15			12
13	·19			·35			·01		·12	·42	·04	·08	13
14	·25						·11			·35		·04	14
15	·20									·14		·40	15
16	·05	·82		·15	·30	·03							16
17		·38				·08		·10			·05		17
18			·65	·05	·02			·56	·01		·03	·05	18
19	·08		1·08	·01			·01	·38	·21				19
20	·40	·15	·10						·14		·25	·05	20
21	·05	·20	·01				·29		·01			·10	21
22		·27				·05			1·15			·60	22
23						·08				·95	·08		23
24				·03	·05			·04		·55	·13	·04	24
25	·03			·12	·18	·02		·26	·01		·06	·05	25
26			·08	·13		·08	·03	·02	·05		·04	·40	26
27		·10	·02	·27						·02			27
28	·25	·05	·02	·12				1·27				·32	28
29	·03		·14	·12		·02				·18		·19	29
30	·01	X	·08			·05					·17		30
31		X		X		X			X	·01	X	·10	31
Total	2·41	2·21	4·97	1·67	·66	1·01	1·02	2·65	2·01	2·82	·96	3·58	YEAR'S TOTAL 25·97
Rain Days.	20	8	16	15	7	12	9	8	13	11	12	20	151

W. 6,500. VII. 18. W W C

SHROPSHIRE.

ELLESMERE.

1914 – 1920.

REC 19 14

FORM A2.
BRITISH RAINFALL.
21 JAN 1915

Kept at Elles f top .... in.

in the County of Shro op above Ground .... ft. .... in.

„ ~~Sea Level~~ Ord. datum .... ft.

N. G. K. Jebb, E 9 a.m.

by Shropshire Union ation { Name

Birmin Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.	.	.	.	34	58	.	.	·35	44	1
2	.	.	.	.	03	02	1·60	18	.	.	.	23	2
3	.	.	.	10	27	.	05	.	.	.	60	78	3
4	14	.	03	.	38	.	15	05	.	.	23	32	4
5	15	.	07	50	03	.	11	11	.	.	20	.	5
6	05	04	.	12	06	02	6	.	.	.	.	30	6
7	.	.	31	10	25	08	.	16	.	.	.	35	7
8	.	.	.	.	12	26	30	27	12	.	.	10	8
9	27	.	11	16	13	42	.	14	03	.	.	.	9
10	.	11	.	12	05	20	.	.	20	.	.	.	10
11	.	25	08	.	20	02	.	.	.	.	35	52	11
12	.	55	30	.	.	.	05	.	15	.	17	17	12
13	.	33	21	.	.	.	08	.	.	52	28	17	13
14	.	43	.	.	.	.	.	.	03	15	27	.	14
15	.	.	24	.	.	.	.	.	.	.	09	.	15
16	.	.	.	.	.	.	.	.	25	.	.	09	16
17	.	30	15	.	.	.	08	.	16	.	.	52	17
18	.	.	15	.	.	.	.	.	15	.	.	20	18
19	.	.	05	.	.	.	15	13	22	.	.	08	19
20	.	25	15	.	.	15	40	.	.	.	.	15	20
21	.	30	.	.	.	88	.	.	.	25	.	28	21
22	.	05	08	.	06	15	.	14	.	.	.	10	22
23	.	04	06	.	23	.	.	.	.	.	.		23
24	.	.	38	.	.	.	.	20	.	.	12	.	24
25	21	03	.	.	.	.	17	28	.	68	05	57	25
26	.	.	.	.	.	.	06	06	.	11	16	25	26
27	02	.	.	.	.	.	.	.	.	.	20	1·20	27
28	20	08	26	.	10	.	.	.	.	.	.	30	28
29	04	.	.	.	.	.	.	.	.	.	23	.	29
30	.	.	06	.	.	.	.	.	.	.	29	20	30
31	32	.	.	.	04	.	41	.	.	26	.	.	31
Total	1·40	2·76	2·69	1·10	1·95	2·20	4·01	2·30	1·31	1·97	3·59	7·32	TOTAL for year 32·60
No. of Rain Days.	9	13	17	6	14	10	15	12	9	6	15	22.	148.

W. 8,000, X. '11.

REC 1914

FORM A2.
BRITISH RAINFALL.
21 JAN 1915

Kept at Ellesmere

in the County of Shropshire 4

by N. G. R. Jebb, Engineer
Shropshire Union Rlys & Canal Co
Birmingham

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " ~~Sea Level~~ Ord. datum ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.	.	.	.	34	58	.	.	·35	44	1
2	.	.	.	.	03	02	1·60	18	.	.	.	23	2
3	.	.	.	10	27	.	05	.	.	.	60	78	3
4	14	.	03	.	38	.	15	05	.	.	23	32	4
5	15	.	07	50	03	.	11	11	.	.	20	.	5
6	05	04	.	12	06	02	6	.	.	.	.	30	6
7	.	.	31	10	25	08	.	16	.	.	.	35	7
8	.	.	.	.	12	26	30	27	12	.	.	10	8
9	27	.	11	16	13	42	.	14	03	.	.	.	9
10	.	11	.	12	05	20	.	.	20	.	.	.	10
11	.	25	08	.	20	02	.	.	.	.	35	52	11
12	.	55	30	.	.	.	05	.	15	.	17	17	12
13	.	33	21	.	.	.	08	.	.	52	28	17	13
14	.	43	.	.	.	.	.	.	03	15	27	.	14
15	.	.	24	.	.	.	.	.	.	.	09	.	15
16	.	.	.	.	.	.	.	.	25	.	.	09	16
17	.	30	15	.	.	.	08	.	16	.	.	52	17
18	.	.	15	.	.	.	.	.	15	.	.	20	18
19	.	.	05	.	.	.	15	13	22	.	.	08	19
20	.	25	15	.	.	15	40	.	.	.	.	15	20
21	.	30	.	.	.	88	.	.	.	25	.	28	21
22	.	05	08	.	06	15	.	14	.	.	.	10	22
23	.	04	06	.	23	.	.	.	.	.	.	.	23
24	.	.	38	.	.	.	.	20	.	.	12	.	24
25	21	03	.	.	.	.	17	28	.	68	05	57	25
26	.	.	.	.	.	.	06	06	.	11	16	25	26
27	02	.	.	.	.	.	.	.	.	.	20	1·20	27
28	20	08	26	.	10	.	.	.	.	.	.	30	28
29	04	.	.	.	.	.	.	.	.	.	23	.	29
30	.	.	06	.	.	.	.	.	.	.	29	20	30
31	32	.	.	.	04	.	41	.	.	26	.	.	31
Total	1·40	2·76	2·69	1·10	1·95	2·20	4·01	2·30	1·31	1·97	3·59	7·32	TOTAL for year 32·60
No. of Rain Days.	9	13	17	6	14	10	15	12	9	6	15	22.	148

W. 8,000, X. '11.

2428

FORM A.
BRITISH RAINFALL.

20 JAN

REGISTER OF RAINFALL IN 19~~14~~ 15

Kept at Ellesmere
in the County of Shropshire
by G. R. Jebb, Engineer, Shropshire Union Railways & Canal Co Birmingham.

Lat. 52° 54' 8" N. Long. 2° 53' 28" W.
Time of Observation 9 a.m.
Nearest Railway Station Ellesmere 1m. N.W.
Diameter of Funnel of Rain Gauge 8 in. Glaisher
Height of top of Gauge above Ground 1 ft. - in.
" " " " ~~Sea Level~~ Ord datum 307¾ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	50	08	05	·	50	·	·	04	26	18	·	30	1
2	07	10	23	26	·	·	·	74	·	07	·	05	2
3	68	07	·	02	·	·	36	·	·	·	·	21	3
4	·	30	·	·	37	·	37	05	·	·	·	77	4
5	06	06	02	·	·	05	10	06	·	·	·	47	5
6	10	03	·	08	·	·	41	~~06~~ ·	·	·	·	23	6
7	16	32	·	07	·	·	11	21	·	·	·	19	7
8	10	27	·	·	·	·	·	05	·	·	14	·	8
9	15	05	·	27	·	·	·	~~21~~ ·	·	·	10	58	9
10	33	·	05	22	·	·	·	08	·	·	03	04	10
11	03	·	·	·	16	·	08	05	·	·	64	·	11
12	10	·	·	07	31	·	·	04	·	42	2·05	·	12
13	·	26	·	07	26	·	·	12	·	·	10	09	13
14	·	·	·	·	·	·	·	02	07	·	18	23	14
15	37	·	·	·	06	·	·	20	·	·	16	11	15
16	14	45	·	·	49	·	90	55	·	·	·	·	16
17	·	68	·	·	47	·	·	·	·	·	·	03	17
18	01	40	·	·	16	·	·	·	·	·	·	·	18
19	·	02	·	05	·	·	13	·	·	·	·	·	19
20	03	·	·	·	02	·	03	·	·	·	05	03	20
21	17	·	·	·	·	·	25	·	·	·	·	01	21
22	·	06	14	05	·	·	14	·	·	·	·	15	22
23	·	12	09	·	·	04	23	·	·	1·22	·	19	23
24	03	17	20	14	·	·	09	·	30	41	·	06	24
25	·	·	·	·	·	45	04	·	·	·	·	21	25
26	·	23	·	·	·	·	20	·	08	·	·	49	26
27	·	13	·	·	·	·	47	·	·	38	·	98	27
28	·	17	·	·	·	85	·	17	·	06	·	02	28
29	·	·	·	·	·	21	·	11	·	03	12	04	29
30	10	×	·	10	·	·	·	·	·	21	03	05	30
31	10	×	·	×	·	×	18	07	×	05	×	53	31
Total	3·23	3·97	·78	1·40	2·80	1·60	4·09	2·56	·71	3·03	3·60	6·06	YEAR'S TOTAL 33·83
Rain Days.	19.	20.	7.	12.	10.	5.	17.	16.	4.	10.	11.	25.	156.

W. 8,000. X. 15.

Ex DL

2360

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

12 JAN.

Kept at Ellesmere,
in the County of Shropshire
by H. G. K. Jebb, Engineer
Shropshire Union Rlys + Canal Co
Birmingham.

Lat. 52° 54' 8" N Long. 2° 53' 28" W.
Time of Observation 9 a.m.
Nearest Railway Station Ellesmere 1 m. N.W.
Diameter of Funnel of Rain Gauge 8 in. Glaisher
Height of top of Gauge above Ground 1 ft. – in.
" " " " Ord. datum ~~Sea Level~~ 307 3/4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	26	03	43	·	·	08	17	04	·	07	10	·	1
2	23	10	20	·	04	08	04	·	30	62	15	·	2
3	02	24	04	·	·	·	12	·	24	31	21	·	3
4	·	40	·	16	58	21	18	·	05	11	25	·	4
5	·	02	·	·	28	·	·	·	·	60	09	·	5
6	·	26	·	·	25	·	34	·	·	13	36	05	6
7	10	02	09	·	10	·	12	·	·	09	04	40	7
8	08	·	10	·	11	·	·	·	·	07	·	09	8
9	·	·	·	·	25	24	·	·	04	·	06	·	9
10	·	40	·	·	·	03	·	·	06	04	·	13	10
11	·	10	16	·	12	11	·	·	·	·	·	04	11
12	06	·	08	·	23	·	11	02	·	03	·	·	12
13	03	24	12	·	05	·	·	21	·	08	03	·	13
14	·	08	·	·	07	·	·	13	04	21	·	06	14
15	·	24	36	25	·	·	13	08	·	06	·	·	15
16	·	03	·	12	·	·	08	10	·	08	·	·	16
17	04	05	·	·	·	·	·	09	25	24	·	·	17
18	03	12	05	·	·	·	·	04	30	07	35	·	18
19	15	·	27	07	·	·	·	·	·	04	·	·	19
20	06	·	48	·	·	·	·	·	·	·	78	36	20
21	10	·	25	·	·	11	·	·	·	·	·	07	21
22	·	·	·	·	·	05	·	·	·	20	08	·	22
23	·	·	·	·	·	43	·	12	·	·	25	53	23
24	·	14	·	04	44	05	·	14	·	15	·	10	24
25	03	03	22	·	16	12	·	20	·	·	30	·	25
26	·	·	·	·	·	·	·	05	·	18	06	·	26
27	04	11	·	·	·	·	·	04	13	24	03	·	27
28	·	08	·	·	·	35	·	·	·	13	·	10	28
29	·	31	·	·	·	12	·	03	·	08	·	20	29
30	·	X	·	·	·	·	·	06	·	21	·	·	30
31	·	X	·	X	·	X	·	02	X	33	X	03	31
Total	1·23	3·00	2·85	·64	2·68	1·98	1·29	1·37	1·41	4·37	3·14	2·16	YEAR'S TOTAL 26·12
Rain Days.	14.	20.	14.	5.	13.	13.	9.	16.	9.	25.	16.	13.	167.

W. 8,000, VIII. 16

52° 54′ 8″ N.
2° 53′ 28″ W.

REGISTER OF RAINFALL IN 1917

Tom

FORM A2.
BRITISH RAINFALL.
25. JAN 1918

Kept at Ellesmere

in the County of Salop

by N. G. R. Jebb, Chief Engineer, Shropshire Union Rlys & Canal Co Birmingham

RAIN GAUGE
Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " ~~Sea Level~~ Ord. datum 304¾ ft.

Time of Observation 9 a. m.

Nearest Railway Station
Name Ellesmere
Distance 1 m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	13	21	·	26	·	27	07	·	07	05	1
2	·	·	·	15	·	04	·	20	·	·	19	21	2
3	02	·	·	03	·	·	·	03	·	33	01	·	3
4	06	16	04	·	·	·	·	05	·	89	03	05	4
5	28	·	30	12	·	·	·	13	02	15	12	·	5
6	12	·	07	·	·	16	·	·	·	15	20	·	6
7	25	·	·	·	·	·	·	05	·	26	12	08	7
8	14	·	·	08	·	·	·	80	·	41	03	11	8
9	·	·	15	10	18	·	·	07	·	03	32	·	9
10	41	·	64	12	19	·	·	16	·	02	·	·	10
11	18	·	·	26	·	·	·	27	·	24	04	·	11
12	10	·	·	·	85	·	·	08	06	09	02	02	12
13	·	·	·	08	04	·	·	53	04	05	·	01	13
14	04	·	·	02	08	·	·	03	·	03	03	·	14
15	·	·	·	·	10	·	·	63	·	13	·	13	15
16	03	04	·	11	·	1.20	·	05	·	02	·	16	16
17	·	·	05	06	54	07	51	71	01	03	01	·	17
18	·	·	·	·	04	·	35	02	41	21	·	·	18
19	05	38	45	·	02	33	·	03	03	·	·	·	19
20	·	16	04	·	27	70	24	·	02	·	07	·	20
21	·	05	12	·	08	17	·	01	·	05	02	·	21
22	·	·	·	·	·	·	·	20	09	07	01	·	22
23	·	22	·	·	04	·	·	15	01	03	15	04	23
24	·	·	07	·	·	06	·	06	·	25	09	·	24
25	·	08	06	·	·	15	04	03	·	06	16	·	25
26	·	04	·	·	1·38	16	·	41	10	13	·	·	26
27	·	·	05	·	·	26	16	56	·	·	·	·	27
28	·	·	06	·	·	·	·	08	·	07	·	05	28
29	·	·	·	·	·	·	16	02	·	30	·	07	29
30	·		28	·	·	·	·	27	·	05	13	·	30
31	·		10	·	10	·	·	23	·	02	·	·	31
Total	1·68	1·13	2·61	1·34	3·91	3·56	1·46	6·13	·86	4·67	1·82	·98	TOTAL for year 29·55
No. of Rain Days.	12	8	16	12	14	12	6	29	11	26	20	12	178

Exd [illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Ellesmere

in the County of Salop

by Mr G. R. Jebb, Engineer, Shropshire Union Rlys & Canal Coy, Birmingham.

Lat. 52° 54' 8" N. Long. 2° 53' 28" W.

Time of Observation 9 a. m.

Nearest Railway Station Ellesmere, 1m. N.W.

Diameter of Funnel of Rain Gauge 8 in. Glaisher

Height of top of Gauge above Ground 1 ft. – in.

" " " " Ord. datum ~~Sea Level~~ 307¾ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	12	·	20	·	·	·	12	02	08	26	·	1
2	·	05	·	10	·	·	·	42	·	·	·	26	2
3	·	04	·	02	43	·	·	02	44	·	02	·	3
4	03	04	·	·	·	·	·	11	90	23	41	27	4
5	·	·	·	06	12	·	·	18	36	15	04	01	5
6	·	28	·	26	·	09	·	·	04	54	·	01	6
7	06	03	·	02	10	·	·	·	15	02	05	·	7
8	04	27	·	·	·	·	22	·	20	19	02	·	8
9	08	70	·	35	·	13	15	·	56	07	04	10	9
10	·	01	·	26	·	·	13	·	13	·	06	07	10
11	06	02	·	·	11	·	20	03	05	02	·	06	11
12	·	12	·	05	09	·	77	·	·	·	·	·	12
13	05	02	·	·	·	·	·	·	13	02	·	02	13
14	48	·	·	·	·	·	27	·	15	06	·	15	14
15	22	·	·	·	·	·	61	·	73	06	·	34	15
16	·	·	·	25	·	04	36	03	19	03	·	23	16
17	48	·	·	·	06	·	07	03	03	18	·	29	17
18	32	·	10	·	·	·	35	·	35	·	·	11	18
19	13	·	06	·	·	·	36	·	03	05	·	24	19
20	11	18	·	30	·	25	20	·	22	·	·	91	20
21	06	03	·	19	61	02	·	·	35	·	·	06	21
22	06	·	·	·	1·43	·	12	·	15	·	·	45	22
23	08	·	·	·	24	·	15	·	06	·	05	01	23
24	·	08	·	·	09	·	29	10	05	·	15	06	24
25	·	·	·	02	·	04	27	39	02	·	05	10	25
26	01	·	·	·	·	·	21	08	03	05	·	01	26
27	·	11	18	·	·	·	·	33	15	·	12	04	27
28	·	·	20	·	·	·	·	·	·	·	·	11	28
29	·	·	10	·	·	·	·	·	40	·	·	04	29
30	·	×	20	·	·	·	·	·	02	·	05	15	30
31	·	×	05	×	·	×	·	03	×	03	×	01	31
Total	2·27	2·10	·89	2·08	3·28	·57	4·73	1·84	5·91	1·78	1·32	4·11	YEAR'S TOTAL 30·91
Rain Days.	16	16	7	13	10	6	17	13	27	16	13	26	180

W, 6,500, VII. 18. w w c

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Ellesmere
in the County of Salop
by Mr H. C. Jones (Engineer) Shropshire Union Rlys & Canal Coy Chester

Lat 52°54'8" N Long 2°53'28" W
Time of Observation 9 a m
Nearest Railway Station Ellesmere 1m NW
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Ord Datum 364¾ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	15	·	06	12	07	·	25	·	13	22	08	58	1
2	11	·	29	·	·	·	06	·	08	·	09	04	2
3	·	·	03	·	·	07	04	·	01	·	·	·	3
4	·	03	33	·	05	06	21	03	03	·	·	15	4
5	02	09	·	·	03	·	·	·	02	02	03	13	5
6	04	21	11	·	06	·	·	·	·	·	·	28	6
7	13	·	17	12	·	·	·	·	·	·	·	03	7
8	21	·	04	·	·	·	·	·	·	·	·	·	8
9	29	·	·	05	·	·	·	·	·	·	·	·	9
10	·	·	23	·	·	·	·	·	·	04	·	17	10
11	05	·	1·19	04	03	·	20	·	·	·	·	03	11
12	·	·	45	·	·	50	·	·	08	15	·	·	12
13	19	·	·	10	·	·	·	·	14	45	·	07	13
14	26	·	·	41	·	·	11	·	06	40	·	06	14
15	23	06	02	29	32	·	·	·	·	18	·	35	15
16	04	16	·	02	·	05	·	·	·	·	19	02	16
17	06	97	·	05	·	08	·	11	·	·	06	03	17
18	·	·	77	·	·	·	·	52	01	·	03	·	18
19	05	34	1·03	02	·	04	·	45	21	·	04	01	19
20	38	06	19	·	·	05	07	07	10	·	16	05	20
21	03	28	·	·	·	·	30	·	·	·	10	15	21
22	·	32	·	·	·	·	·	·	·	·	·	56	22
23	·	·	·	·	·	06	·	·	1·03	1·05	08	02	23
24	·	·	·	04	16	03	·	·	·	53	12	01	24
25	02	·	·	10	09	·	·	19	·	02	03	05	25
26	·	03	05	05	·	10	·	03	08	·	·	50	26
27	·	05	·	26	·	01	02	10	·	·	·	·	27
28	06	·	06	05	·	·	·	1·07	·	·	·	38	28
29	10	·	21	07	·	03	·	04	·	16	·	23	29
30	·		13	04	·	06	·	01	·	·	05	15	30
31	·		·		·		·	·		·		10	31
TOTAL	2·42	2·60	5·36	1·83	·81	1·14	1·26	2·62	1·98	3·22	1·06	4·15	YEAR'S TOTAL 28·45
Days with ·01 in. or more	19	12	18	17	8	13	9	11	13	11	13	25	169

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

H. C. J

Exd W.R.B.

15 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Ellesmere
in the County of Salop
by Mr H.C. Jones (Engineer)
Shropshire Union Ry & Canal Co, Chester

Lat 52°-54'-8" N Long 2°-53'-28" W
Time of Observation 9 a.m.
Nearest Railway Station Ellesmere 1 m N.W.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 364·34 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·61.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	07	22	23	.	24	.	13	12	.	25	1
2	.	.	.	19	.	.	07	.	08	11	.	24	2
3	.	15	.	33	07	07	42	.	18	14	.	.	3
4	.	.	.	03	.	.	05	65	08	20	.	.	4
5	.	.	07	.	05	.	25	03	10	57	.	.	5
6	.	.	56	04	02	.	.	.	.	49	.	.	6
7	.	05	.	09	.	.	21	.	.	.	02	.	7
8	23	08	.	49	11	.	28	09	.	.	.	.	8
9	20	09	05	54	.	.	07	11	03	.	.	.	9
10	45	11	05	02	.	.	19	.	.	.	.	11	10
11	26	04	05	18	28	28	04	.	.	.	.	.	11
12	13	02	07	16	.	1·28	10	02	.	.	10	08	12
13	02	12	25	15	.	.	.	01	.	.	06	.	13
14	08	03	43	29	.	56	.	.	43	31	50	.	14
15	.	14	16	33	.	.	05	.	.	06	.	.	15
16	.	.	.	15	16	80	41	.	23	63	.	.	16
17	.	.	.	.	22	03	.	02	21	.	.	.	17
18	28	.	.	05	58	.	08	.	10	.	.	.	18
19	.	1·31	.	11	03	09	.	40	.	.	.	.	19
20	06	11	.	28	.	.	11	.	03	.	.	05	20
21	.	.	.	.	.	.	10	.	.	.	.	22	21
22	04	.	.	04	.	.	52	22	.	.	.	.	22
23	.	.	10	.	.	.	08	.	.	.	.	38	23
24	04	.	46	.	.	.	.	02	.	.	.	22	24
25	.	.	21	02	07	.	45	.	.	.	.	04	25
26	13	.	53	16	88	05	08	.	.	.	.	10	26
27	20	03	18	05	41	23	.	.	.	.	10	28	27
28	56	.	27	07	82	14	03	.	.	.	.	19	28
29	11	.	29	11	1·65	.	22	.	.	.	20	61	29
30	04	✕	14	22	04	12	.	.	45	.	14	29	30
31	04	✕	03	✕	.	✕	10	05	✕	35	✕	.	31
TOTAL	2·87	2·31	3·97	4·32	5·62	3·65	4·45	1·62	2·35	2·98	1·12	3·06	YEAR'S TOTAL 38·62
Days with ·01 in. or more	17	13	19	25	16	11	23	~~10~~ 11	12	10	7	14	~~144~~ 178
Days with ·04 in. or more	16	10	18	22	14	10	22	6	10	10	6	14	158

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SHROPSHIRE.

HOPESAY RECTORY.

1911 – 1913

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REG 1911

Kept at Hopesay R

in the County of Salo

by R. J. Robert

nowdon (9.1

op 5" in.

above Ground 1 ft. – in.

„ Sea Level 565 ft.

9-0

Name Broome

Distance 1½ Direction E

IMPORTANT NOTE.—R be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	·14	– –	–	–	–	·48	– –	·01	·03	·01	1
2	–	–	– –	–	·15	–	–	·06	– –	·03	·06	·24	2
3	–	–	– –	start ·02	·56	–	–	– –	– –	– –	·07	·08	3
4	–	–	·06	·03 S	·01	–	–	·13	·02	·01	21	·44	4
5	·24 S&R	–	·01	·03 S	–	–	–	·16	–	·13	·04	·01	5
6	·13	–	·04	·01	–	–	–	·06	–	·01	·07	·36	6
7	–	–	– –	–	–	–	–	–	–	–	·45	–	7
8	·04	–	·06	–	–	–	–	–	–	–	·35	·45	8
9	·04	–	·11	–	–	–	–	–	–	–	·81	·07	9
10	–	·07	·14	–	–	–	–	–	–	–	·01	·60	10
11	·22 SR	–	– ·	–	–	–	–	–	·06	–	·40	·05	11
12	–	–	·31	–	–	–	–	–	·74	–	·28	·01	12
13	–	–	– ·	–	–	–	–	–	–	–	·03	·25	13
14	–	·02	·07 S	–	–	–	–	–	–	–	·01	·75	14
15	–	·03	·06	–	–	–	–	–	–	–	·15	·20	15
16	–	–	·02	–	–	·16	–	–	–	–	·13	·08	16
17	·	·05	– –	·01	–	1·08 T	–	–	–	–	·42	·71	17
18	–	·44	·04	·31	–	·03	–	–	–	–	·01	·48	18
19	–	·02	– ·	·17	–	·33	–	·02	·46	·20	·07	·33	19
20	–	·03	– –	·05	–	– ·	–	– ·	·20	·04	·01	·35	20
21	–	·29	·07	· –	–	– ·	–	·21	·02	·58	– –	·02	21
22	·06	·01	·02	·01	–	–	–	– ·	– ·	·32	·04	·63 RS	22
23	–	·25	·25	·01	–	·20	–	– –	·34	·02	·01	·26	23
24	·01	·06	– ·	· –	–	·34	–	·07	– –	·11	– ·	·16	24
25	–	·06	– –	·06	–	·02	–	– –	·06	· –	– ·	·11	25
26	–	·19	– –	·23	·38	·02	–	·03	– –	·43	·15	·08	26
27	–	·17	·25 S.R	·07	·01	– –	–	·36	·13	·01	·10 SR	·09	27
28	–	·19	– ·	·13	– ·	·03	–	·06	– ·	–	·04	·01	28
29	–		– ·	– ·	– ·	·20	·70 T	– ·	·18	·24	·01	·01	29
30	–		·03	·03	· –	·05	–	– –	– –	·17	·05	– –	30
31	–		·04		·24		–	– –		·08		– –	31
Total	·76	1·88	1·72	1·17 1·97	1·35	2·46	·70	1·64	2·21	2·39 2·39	4·01	6·84 6·86	TOTAL for year 27·13
No. of Rain Days.	8	15	18	15	6	11	1	11	10	16	27	8	166

W. 8,000, X. '11.

REG 1911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Hopesay Rectory

in the County of Salop 3

by R. I. Robert

RAIN GAUGE
Pattern Snowdon (9.)
Diameter of top 5" in.
Height of top above Ground 1' ft. – in.
" " " Sea Level 565 ft.

Time of Observation 9-0

Nearest Railway Station
Name Broome
Distance 1½ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	–	·14	– –	–	–	–	·48	– –	·01	·03	·01	1
2	–	–	– –	–	·15	–	–	·06	– –	·03	·06	·24	2
3	–	–	– –	sleet ·02	·56	–	–	– –	– –	– –	·07	·08	3
4	–	–	·06	·03 S	·01	–	–	·13	·02	·01	·21	·44	4
5	·24 S&R	–	·01	·03 S	–	–	–	·16	–	·13	·04	·01	5
6	·13	–	·04	·01	–	–	–	·06	–	·01	·07	·36	6
7	–	–	– –	–	–	–	–	–	–	–	·45	–	7
8	·04	–	·06	–	–	–	–	–	–	–	·35	·45	8
9	·04	–	·11	–	–	–	–	–	–	–	·81	·07	9
10	–	·07	·14	–	–	–	–	–	–	–	·01	·60	10
11	·22 SR	–	– –	–	–	–	–	–	·06	–	·40	·05	11
12	–	–	·31	–	–	–	–	–	·74	–	·28	·01	12
13	–	–	– –	–	–	–	–	–	–	–	·03	·25	13
14	–	·02	·07 S	–	–	–	–	–	–	–	·01	·75	14
15	–	·03	·06	–	–	–	–	–	–	–	·15	·20	15
16	–	–	·02	–	–	·16	–	–	–	–	·13	·08	16
17	–	·05	– –	·01	–	1·08 T	–	–	–	–	·42	·71	17
18	–	·44	·04	·31	–	·03	–	–	–	–	·01	·48	18
19	–	·02	– –	·17	–	·33	–	·02	·46	·20	·07	·33	19
20	–	·03	– –	·05	–	– –	–	– –	·20	·04	·01	·35	20
21	–	·29	·07	– –	–	– –	–	·21	·02	·58	– –	·02	21
22	·06	·01	·02	·01	–	–	–	– –	– –	·32	·04	·63 R.S	22
23	–	·25	·25	·01	–	·20	–	– –	·34	·02	·01	·26	23
24	– ·01	·06	– –	– –	–	·34	–	·07	– –	·11	– –	·16	24
25	–	·06	– –	·06	–	·02	–	– –	·06	–	– –	·11	25
26	–	·19	– –	·23	·38	·02	–	·03	– –	·43	·15	·08	26
27	–	·17	S.R ·25	·07	·01	– –	–	·36	·13	·01	·10 SR	·09	27
28	–	·19	– –	·13	– –	·03	–	·06	– –	~~–~~	·04	·01	28
29	–		– –	– –	– –	·20	·70 T	– –	·18	·24	·01	·01	29
30	–		·03	·03	– –	·05	–	– –	– –	·17	·05	– –	30
31	–		·04		·24		–	– –		·08		– –	31
Total	·76	1·88	1·72	1·17 1·47	1·35	2·46	·70	1·64	2·21	2·39 2·39	4·01	6·84 6·86	TOTAL, for year 27·13
No. of Rain Days.	8	15	18	15	6	11	1	11	10	16	27	8	166

W. 8,000, X. '11.

[illegible] 6.III.13

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
7 JAN 1913

Kept at Hopesay Rectory
in the County of Salop 3
by Rev R. J. Roberts

Lat. Long.
Time of Observation 9-0 AM
Nearest Railway Station Broome
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 560 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·12	—	—	·47 T	·01	—	—	—	—	SR ·22	1
2	—	·04 S	·24	—	·01	·23	·06	—	—	—	—	·01	2
3	—	—	·06	—	·18	·19	·01	1·36	·01	—	—	·01	3
4	·19	—	·89	—	·15	—	—	·27	·01	—	·09	·01	4
5	·21	·09 S	·09	—	·08	·09	—	·28	—	—	—	·01	5
6	·21	·10	·08	—	·03	·30	—	·30 T	—	—	—	·02	6
7	—	·26	·06	—	·08	·45	·27	·10	—	.	—	·07	7
8	·40	·19	·15	Sleet ·01	—	·36	—	—	—	—	.	—	8
9	·10	·02	·46	·07	—	·28	—	·21	—	.	·01	·24	9
10	·32	·01	·01	·04	—	·07	·04	·21	—	.	·15	—	10
11	·03	·03	—	—	—	—	·01	·01	—	.	·25	·48	11
12	·04	·19	·09	·03	.	·05	—	·01	—	.	—	·02	12
13	·03	·03	—	—	.	—	—	·08	·01	·06	—	·13	13
14	·06	—	·46	—	—	·09	—	·01	—	—	—	·03	14
15	·03	·18	·03	—	·34	·28	—	—	—	.	—	·07	15
16	·63	·01	·20	—	·01	—	—	·03	—	·03	—	·08 SR	16
17	SR? ·90	·02	·06	—	—	·11	—	·34	—	—	·04	·93	17
18	·15 S	·01	·03	—	—	—	—	·05	—	·01	—	·04	18
19	·04	·07	—	—	·01	·02	·16	·41	—	·11	—	·02	19
20	·05	·01	·38 S	.	[illegible]	—	·01	·01	[illegible]	·20	—	·02	20
21	—	·03	·07	.	·53	—	—	·59	—	·25	—	—	21
22	·62 S	·08	·02	—	·21 (21)	·01	·23	·36	—	·01	—	·06	22
23	·12 S	·04	·44	.	—	·01	·11 T	·19	—	—	·10	·03	23
24	·12 S	—	·04	.	—	·25	·01 T	·02	—	—	·07	·31	24
25	·01 S	·01	—	.	—	·12	—	·58	—	—	·37	·37	25
26	—	·14	·10	.	—	—	·22	1·03	—	1·13	·48	·27	26
27	—	·05	·02	.	—	·27	·63	—	—	·91	—	·30	27
28	—	·06	—	.	—	·09	·45	·38	·05	·15	·65 SR	·04	28
29	—	·07	·05	.	—	·19 T	·10	·13	·56	·16	—	·01	29
30	—		·03	.	—	·19	·04	—	·01	·21	.	—	30
31	—		·24 SR		·17 T		·13	·02		·02		·05	31
Total	4·26	1·74	4·42	·15	1·70	4·12	2·49	6·98	·65	3·25	2·16	3·88	YEAR'S TOTAL 35·80
Rain Days.	20	24	26	4	12	22	17	25	6	13	10	27	206

4·12

W. 7,500, XI. ·12

JL

Cor. for auth. 28.IV.14.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL 31 JAN 1914

502

E

Kept at Hopesay Rectory ~~W.~~ 11 Eb6

in the County of Salop 3

by W. H. Brooks, W. E. Whitehouse

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·03		·04	·04	·01							1
2	·03	·08		·11	·03								2
3	·07	·05			·47								3
4	·69	·11			·13		·02						4
5	·42	·09			·08	·15	·08						5
6	·14	·16			·31	·06	·15						6
7	·02	·40			·57	·15	·04						7
8	·01	·10			·29	·15	·02	·04					8
9		·41		·02	·15	·35	·02	·73					9
10	·20	·01		·04	·03			·09					10
11	·56			·47	·06	·01							11
12				·01	·18								12
13				·01				·02					13
14	·24			·04				·05					14
15	·11	·02		·84				·05					15
16							·02						16
17		·01		·16			·05						17
18	·03			·15	·01		·05						18
19	·17			·04	·02		·05						19
20	·10			·07		·01							20
21				·20	·05		·20						21
22	·68					·11		·66					22
23	·01					·03							23
24	·11			·01									24
25		·04		·06									25
26		·10		1·13	·08			·04					26
27	·02			·43									27
28	·21			·62	·03								28
29				·41	·09			·02					29
30	·28				·02								30
31	·04				·38								31
Total	4·16 ~~4·24~~	1·61		4·86	3·02	1·03	·70	1·70					YEAR'S TOTAL
Rain Days.	22	14		21	20	10	11	9					

W. 7,500, XI. ·12

SHROPSHIRE.

LUDLOW.

"SPRING FIELD"

1919

FORM A. 1. **METEOROLO** … **LL ORGANIZATION.**

RE … **N 1919.**

17 JAN 20

Kept at LUDLOW, S…

in the County of S…

by Alfred A. …

N Long 2° 42′ 39″ W.

…tion 9 A.M. G.M.T.

Station LUDLOW

…nel of Rain Gauge 5 in.

Gauge above Ground 1 ft. – in.

" " Sea Level 302 ft.

IMPORTANT NOTE.— … result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·03	·40	1
2											·03	·03	2
3											·05	·09	3
4											—	·13	4
5											—	·22	5
6											·01	·22	6
7											·07	·01	7
8											·01	—	8
9											—	—	9
10											·03	·30	10
11											—	·03	11
12											·01	·01	12
13											—	·03	13
14											—	·05	14
15											—	·23	15
16											·02	·01	16
17											·16	·01	17
18											·01	·01	18
19											·07	—	19
20											·08	·11	20
21											·02	·08	21
22											—	·14	22
23											·01	·05	23
24											·15	·08	24
25											·02	·02	25
26											—	·42	26
27											—	—	27
28											—	·33	28
29											·06	·36	29
30		X									·20	·37	30
31		X		X		X			X		X	—	31
TOTAL											1·04	3·74	YEAR'S TOTAL —
Days with ·01 in. or more											19	26	

Record commenced 1 Nov 1919

moved from

1 Gladstone Grove
Heaton Moor
Stockport
Lancs

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLO LL ORGANIZATION.

17 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at LUDLOW, Spring Field

in the County of Shropshire

by Alfred A. Barnes C.E.

Lat. 52° 22′ 2″ N Long. 2° 42′ 39″ W.

Time of Observation 9 A.M. G.M.T.

Nearest Railway Station LUDLOW

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 302 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·03	·40	1
2											·03	·03	2
3											·05	·09	3
4											—	·13	4
5											—	·22	5
6											·01	·22	6
7											·07	·01	7
8											·01	—	8
9											—	—	9
10											·03	·30	10
11											—	·03	11
12											·01	·01	12
13											—	·03	13
14											—	·05	14
15											—	·23	15
16											·02	·01	16
17											·16	·01	17
18											·01	·01	18
19											·07	—	19
20											·08	·11	20
21											·02	·08	21
22											—	·14	22
23											·01	·05	23
24											·15	·08	24
25											·02	·02	25
26											—	·42	26
27											—	—	27
28											—	·33	28
29											·06	·36	29
30		X									·20	·37	30
31		X		X		X			X		X	—	31
TOTAL											1·04	3·74	YEAR'S TOTAL —
Days with ·01 in. or more											19	26	

Record commenced 1 Nov 1919

moved from

1 Gladstone Grove Heaton Moor

Stockport Lancs

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2267

LUDLOW HILL CREST

1920- ~~[illegible]~~

Form A. 1. **METEOR** **ORGANIZATION.**

20.

5 JAN 1921

Kept at LUDLO

in the County of

by Alfred C

g 2°42' 39" W

am G.M.T.

LUDLOW

Rain Gauge 5 in.

above Ground 1 ft. - in.

,, Sea Level 302 ft.

IMPORTANT NO entered to the previous day.

If an Observer prefers universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·03	·13	·29	·01	·42	·01	·08	·10	–	·80	1
2	·02	–	·01	·16	–	–	·54	·01	·05	·16	–	·27	2
3	·11	·03	–	·15	–	·02	·54	–	·10	·28	–	·03	3
4	–	–	·01	·01	–	–	·01	·41	·01	·14	–	·01	4
5	–	–	·09	·16	·03	–	·32	·04	·01	·24	–	·01	5
6	–	–	·35	·01	·09	–	·11	–	–	·19	–	·01	6
7	–	–	·04	·05	·01	–	·07	–	–	–	–	·02	7
8	·31	·09	–	·64	·22	–	·33	·14	–	–	–	–	8
9	·39	·02	–	·33	–	–	·03	·04	–	–	–	–	9
10	·38	·05	·06	·11	–	·16	·20	–	–	–	·04	·01	10
11	·13	–	·18	·52	·22	·07	·09	–	–	–	–	–	11
12	·18	·04	·01	·17	–	·68	·03	·22	–	·02	·10	·02	12
13	·08	·02	·16	·19	–	–	–	–	–	–	–	·03	13
14	·03	·02	·60	·32	–	·45	·09	·03	·51	·31	·32	–	14
15	–	·15	·05	·79	–	·35	–	–	·07	–	·02	–	15
16	–	–	–	·09	·19	·09	·25	–	·11	·50	·03	–	16
17	·02	–	–	·01	·17	·01	–	·02	·60	·14	–	–	17
18	·13	–	–	·03	·06	–	·05	·05	·21	–	–	–	18
19	·03	·55	–	·11	–	·11	–	–	·11	–	–	–	19
20	·01	·05	–	·24	–	·14	–	–	·01	–	–	·12	20
21	–	–	–	·01	–	–	·26	–	–	·03	–	·05	21
22	·04	–	–	·06	–	–	·08	·24	–	·01	–	·04	22
23	–	–	·02	–	–	–	·26	·04	–	–	–	·40	23
24	·03	–	·19	·02	–	–	–	·02	–	–	–	·15	24
25	·04	·02	·21	·03	–	–	·70	–	–	–	–	·01	25
26	·18	–	·35	·01	–	–	·06	–	–	–	·09	·06	26
27	·21	·01	·17	·02	·05	·24	·23	–	–	–	·02	·34	27
28	·76	–	·15	·01	·15	·03	·01	–	–	–	–	·10	28
29	·21	–	·14	·01	·30	·01	·12	–	–	–	·11	·55	29
30	·04	X	·23	·17	·06	·16	·01	–	·34	–	·23	·15	30
31	·07	X	·01	X	·05	X	–	·02	X	·22	X	·03	31
Total	3·40 ✓	1·05 ✓	3·06 ✓	4·56 ✓	1·89 ✓	2·53 ✓	4·81 ✓	1·29 ✓	2·21 ✓	2·34 ✓	0·96 ✓	2·71 ✓	Year's Total 30·81 ✓
Days with ·01 in. or more	22	12	21	29	14	15	24	14	13	13	9	22	208 ✓ ✓
Days with ·04 in. or more	16	6	15	18	12	10	19	8	10	10	6	12	142 ✓ ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Form A. 1. **METEOR RGANIZATION.**

5 JAN 1921

REGISTER OF RAINFALL 20.

Kept at LUDLOW, Spring Field (Daily)

in the County of Shropshire

by Alfred A. Barnes C.E. F.R.Met.Soc

Lat. 52° 22′ 2″ N Long. 2° 42′ 39″ W

Time of Observation 9 am G.M.T.

Nearest Railway Station LUDLOW

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 302 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	·13	·29	·01	·42	·01	·08	·10	—	·80	1
2	·02	—	·01	·16	—	—	·54	·01	·05	·16	—	·27	2
3	·11	·03	—	·15	—	·02	·54	—	·10	·28	—	·03	3
4	—	—	·01	·01	—	—	·01	·41	·01	·14	—	·01	4
5	—	—	·09	·16	·03	—	·32	·04	·01	·24	—	·01	5
6	—	—	·35	·01	·09	—	·11	—	—	·19	—	·01	6
7	—	—	·04	·05	·01	—	·07	—	—	—	—	·02	7
8	·31	·09	—	·64	·22	—	·33	·14	—	—	—	—	8
9	·39	·02	—	·33	—	—	·03	·04	—	—	—	—	9
10	·38	·05	·06	·11	—	·16	·20	—	—	—	·04	·01	10
11	·13	—	·18	·52	·22	·07	·09	—	—	—	—	—	11
12	·18	·04	·01	·17	—	·68	·03	·22	—	·02	·10	·02	12
13	·08	·02	·16	·19	—	—	—	—	—	—	—	·03	13
14	·03	·02	·60	·32	—	·45	·09	·03	·51	·31	·32	—	14
15	—	·15	·05	·79	—	·35	—	—	·07	—	·02	—	15
16	—	—	—	·09	·19	·09	·25	—	·11	·50	·03	—	16
17	·02	—	—	·01	·17	·01	—	·02	·60	·14	—	—	17
18	·13	—	—	·03	·06	—	·05	·05	·21	—	—	—	18
19	·03	·55	—	·11	—	·11	—	—	·11	—	—	—	19
20	·01	·05	—	·24	—	·14	—	—	·01	—	—	·12	20
21	—	—	—	·01	—	—	·26	—	—	·03	—	·05	21
22	·04	—	—	·06	—	—	·08	·24	—	·01	—	·04	22
23	—	—	·02	—	—	—	·26	·04	—	—	—	·40	23
24	·03	—	·19	·02	—	—	—	·02	—	—	—	·15	24
25	·04	·02	·21	·03	—	—	·70	—	—	—	—	·01	25
26	·18	—	·35	·01	—	—	·06	—	—	—	·09	·06	26
27	·21	·01	·17	·02	·05	·24	·23	—	—	—	·02	·34	27
28	·76	—	·15	·01	·15	·03	·01	—	—	—	—	·10	28
29	·21	—	·14	·01	·30	·01	·12	—	—	—	·11	·55	29
30	·04	X	·23	·17	·06	·16	·01	—	·34	—	·23	·15	30
31	·07	X	·01	X	·05	X	—	·02	X	·22	X	·03	31
TOTAL	3·40	1·05	3·06	4·56	1·89	2·53	4·81	1·29	2·21	2·34	0·96	2·71	YEAR'S TOTAL 30·81
Days with ·01 in. or more	22	12	21	29	14	15	24	14	13	13	9	22	208
Days with ·04 in. or more	16	6	15	18	12	10	19	8	10	10	6	12	142

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SHROPSHIRE

LYDBURY NORTH

1912, 1915 - 1917

FORM A. BRITISH RAINFALL.

3 - JAN 1913

REGIST 2

Kept at Lydbury N — g. 2°57'.50"

8.0 a.m.

in the County of Salop — Broome

five in.

by Richard Pa — above Ground 1 ft. 0 in.

„ Sea Level 662.47 ft.

IMPORTANT NOTE.—I … nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.17	—	—	.60	.04	—	—	—	—	.79	1
2	—	—	.28	—	—	.31	.05	—	—	—	—	.02	2
3	—	—	—	—	.07	.22	.03	1.23	.02	—	—	—	3
4	.21	.14	1.18	—	.14	—	—	.20	.01	—	.06	.04	4
5	.43	—	.14	—	—	.10	—	.24	—	—	—	.02	5
6	.07	—	—	—	.04	.19	—	.40	—	—	—	.03	6
7	—	.45	—	—	.10	.31	—	—	.01	—	—	.02	7
8	.36	.14	.23	—	—	.27	.23	—	.01	—	—	—	8
9	—	.03	.30	.10	—	.18	.01	.17	—	—	—	.17	9
10	.37	.02	—	.03	—	.74	.03	—	—	—	.21	—	10
11	.02	—	—	—	—	—	.01	.28	—	—	.17	.47	11
12	.03	.13	.09	.04	.01	.04	—	—	—	—	—	.03	12
13	.04	.09	—	—	—	—	—	.09	—	.08	—	.19	13
14	.02	—	.42	—	—	.13	—	.03	—	—	—	.05	14
15	.08	.13	.05	—	.28	.31	—	—	—	—	—	.11	15
16	.58	—	.22	—	.03	—	—	.04	—	.05	—	—	16
17	.75	—	.01	—	—	.15	—	.28	—	—	.07	1.02	17
18	.11	.03	—	—	—	—	—	.02	—	.03	—	.06	18
19	—	—	.07	—	—	.04	.17	.27	—	.13	—	.01	19
20	.09	—	.28	—	.01	—	—	.07	—	.22	—	—	20
21	—	.02	.17	—	.33	—	—	.60	—	.21	—	.03	21
22	.30	.10	—	—	.24	—	.32	.19	—	—	.02	.07	22
23	—	.02	.40	—	—	—	—	.25	—	.02	.08	.01	23
24	.25	—	.03	—	—	.30	.08	.02	—	—	.09	.30	24
25	—	—	.03	—	—	.10	—	.45	—	—	.38	.31	25
26	—	.13	.08	—	—	—	.19	1.49	—	1.14	.63	.34	26
27	—	.05	.05	—	—	.26	.68	—	—	.96	—	.14	27
28	—	.10	—	—	—	.03	.29	.35	.12	.30	—	.04	28
29	—	.12	.06	—	—	—	.20	.22	.41	.19	—	—	29
30	—		.05	—	—	.10	—	—	—	.33	—	—	30
31	—		.19		.03		.18	.02		.06		.07	31
Total	3.71	1.70	4.50	.17	1.28	4.38	2.51	6.91	.58	3.72	1.71	4.34	YEAR'S TOTAL 35.51
Rain Days.	16	16	22	3	11	19	15	22	6	13	9	24	176

W. 7,500, XI. ·12

REGIST 2

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

Kept at Lydbury N
in the County of Salop 3
by Richard Parry

Long. 2°57.50″
Time of Observation 8.0 a.m.
Nearest Railway Station Broome
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 662.47 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.17	—	—	.60	.04	—	—	—	—	.79	1
2	—	—	.28	—	—	.31	.05	—	—	—	—	.02	2
3	—	—	—	—	.07	.22	.03	1.23	.02	—	—	—	3
4	.21	.14	1.18	—	.14	—	—	.20	.01	—	.06	.04	4
5	.43	—	.14	—	—	.10	—	.24	—	—	—	.02	5
6	.07	—	—	—	.04	.19	—	.40	—	—	—	.03	6
7	—	.45	—	—	.10	.31	—	—	.01	—	—	.02	7
8	.36	.14	.23	—	—	.27	.23	—	.01	—	—	—	8
9	—	.03	.30	.10	—	.18	.01	.17	—	—	—	.17	9
10	.37	.02	—	.03	—	.74	.03	—	—	—	.21	—	10
11	.02	—	—	—	—	—	.01	.28	—	—	.17	.47	11
12	.03	.13	.09	.04	.01	.04	—	—	—	—	—	.03	12
13	.04	.09	—	—	—	—	—	.09	—	.08	—	.19	13
14	.02	—	.42	—	—	.13	—	.03	—	—	—	.05	14
15	.08	.13	.05	—	.28	.31	—	—	—	—	—	.11	15
16	.58	—	.22	—	.03	—	—	.04	—	.05	—	—	16
17	.75	—	.01	—	—	.15	—	.28	—	—	.07	1.02	17
18	.11	.03	—	—	—	—	—	.02	—	.03	—	.06	18
19	—	—	.07	—	—	.04	.17	.27	—	.13	—	.01	19
20	.09	—	.28	—	.01	—	—	.07	—	.22	—	—	20
21	—	.02	.17	—	.33	—	—	.60	—	.21	—	.03	21
22	.30	.10	—	—	.24	—	.32	.19	—	—	.02	.07	22
23	—	.02	.40	—	—	—	—	.25	—	.02	.08	.01	23
24	.25	—	.03	—	—	.30	.08	.02	—	—	.09	.30	24
25	—	—	.03	—	—	.10	—	.45	—	—	.38	.31	25
26	—	.13	.08	—	—	—	.19	1.49	—	1.14	.63	.34	26
27	—	.05	.05	—	—	.26	.68	—	—	.96	—	.14	27
28	—	.10	—	—	—	.03	.29	.35	.12	.30	—	.04	28
29	—	.12	.06	—	—	—	.20	.22	.41	.19	—	—	29
30	—		.05	—	—	.10	—	—	—	.33	—	—	30
31	—		.19		.03		.18	.02		.06		.07	31
Total	3.71	1.70	4.50	.17	1.28	4.38	2.51	6.91	.58	3.72	1.71	4.34	YEAR'S TOTAL 35.51 ✓
Rain Days.	16	16	22	3	11	19	15	22	6	13	9	24	176

W. 7,500, XI. 12

Slip made ✓

ently in stats 23.11.16

2395

FORM A. BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Lodge. Lydbury North

in the County of Salop.

by Richard Parry

Lat. 52° 26′ 40″ Long. 2° 57′ 50″

Time of Observation 8 am.

Nearest Railway Station Broome L&N.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 662.47 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.68	.09	—	—	—	—	—	.15	.23	.38	—	—	1
2	.04	.18	.18	.11	.58	—	—	2.30	—	.12		.28	2
3	.71	.04	—	.11	—	.05	.45	.06	—	—	—	.28	3
4	—	.45	—	—	.16	—	1.08	—	—	—	—	1.00	4
5	.04	(.62) .62	—	—	—	.13	—	.03	—	—	—	.73	5
6	.11	.11	—	.13	—	—	.91	.19	—	—	—	.08	6
7	.16	.16	—	.02	—	—	.04	.15	—	—	—	.39	7
8	.20	.20	—	.16	—	—	—	.02	—	—	.17	—	8
9	.34	.34	—	.24	—	—	—	.05	—	—	.15	.59	9
10	.32	.32	—	.17	—	—	—	.02	—	.04	.11	.03	10
11	.03	—	—	.01	.05	—	.05	.11	—	—	1.10	—	11
12	—	—	—	.06	.33	—	—	.03	—	.07	.90	.02	12
13	—	.70	—	—	.52	—	—	.10	—	—	—	.02	13
14	.02	—	—	—	—	—	—	.41	.12	.02	—	.04	14
15	.56	—	—	—	.12	—	—	.05	—	—	.15	.34	15
16	.18	.47	—	—	.48	—	1.35	.01	—	—	—	—	16
17	—	.53	.01	—	.63	—	—	.05	—	—	—	—	17
18	—	.28	.05	—	—	—	—	—	—	—	—	—	18
19	—	.02	—	.06	.11	—	.24	—	—	—	—	—	19
20	.09	—	—	.01	.08	—	—	—	—	—	—	.03	20
21	—	—	—	.03	—	—	.19	—	—	.11	—	—	21
22	.02	.02	.09	.05	—	—	.16	—	—	—	—	.12	22
23	.02	.05	.08	—	—	.01	.04	—	—	1.00	—	.37	23
24	—	—	.07	.11	—	—	.18	—	.20	.84	—	.38	24
25	—	—	—	—	—	.26	.01	—	—	—	—	.37	25
26	—	.10	—	—	—	—	.32	—	.02	—	—	.54	26
27	—	.11	—	—	—	.13	.35	—	—	.42	—	.26	27
28	—	.34	—	—	—	.03	.02	.06	—	—	—	.03	28
29	—		—	—	—	.02	.06	.01	—	.11	.15	.06	29
30	.08	X	—	—	—	.60	.03	—	—	.24	.10	.31	30
31	—	X	—	X	—	X	.11	.08	X	.12	X	.54	31
Total	3.60	5.13	.48	1.27	3.06	1.23	5.59	3.88	.57	3.47	2.83	6.81	YEAR'S TOTAL 37.92
Rain Days.	17	20	6	14	10	8	18	19	4	12	8	23	159

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Lydbury North
in the County of Salop
by Richard Parry

Lat. 52°. 26'. 40" Long. 2°. 57'. 50
Time of Observation 8. a. m
Nearest Railway Station Broome
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 662.47 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.33	—	.04	—	—	.10	.33	—	—	—	.24	—	1
2	.31	.11	.37	—	.07	—	.32	—	.23	1.03	—	—	2
3	.04	.91	—	—	.02	—	.30	—	.08	.22	.33	.03	3
4	.06	.41	—	—	.58	.37	.10	—	.03	.32	.43	—	4
5	.02	.02	.03	—	.40	.04	—	—	—	.21	.10	—	5
6	.08	.24	.03	—	.12	—	.59	—	—	.33	.44	—	6
7	.02	—	.15	—	.15	—	—	—	—	.05	.25	.20	7
8	.03	.06	.13	—	.13	—	—	—	—	.09	.01	.07	8
9	—	—	—	—	.26	.20	—	—	—	—	.02	.02	9
10	.02	—	—	—	—	—	—	—	—	.01	.06	—	10
11	.02	.02	.10	.15	.02	.01	—	—	—	—	—	—	11
12	.07	.02	.03	—	.44	—	.11	.08	—	—	—	—	12
13	—	.15	.20	—	.06	—	—	.57	—	.05	—	—	13
14	—	.44	—	.11	.04	—	—	.81	—	.11	—	—	14
15	—	.71	.29	.15	.07	—	—	.17	—	—	—	—	15
16	—	.22	—	.24	—	—	—	.08	—	.05	—	—	16
17	.06	.13	—	—	—	—	—	.10	.25	.34	—	—	17
18	.03	.05	.10	.09	—	—	—	—	.31	.02	.37	—	18
19	.05	.02	—	.11	—	—	—	.06	—	—	.20	.12	19
20	—	—	.48	.02	—	—	—	—	—	—	.05	—	20
21	.03	—	.57	—	—	—	—	—	—	—	—	.18	21
22	—	—	—	.02	—	—	.22	—	—	.19	.02	.35	22
23	.01	.02	—	.01	—	—	—	.12	—	.06	.06	.25	23
24	—	.45	—	—	.92	.24	—	.10	—	.26	—	.12	24
25	—	.13	.20	—	.25	—	—	.06	—	—	.22	—	25
26	.07	.07	.02	—	.05	.31	—	.10	—	.45	.04	—	26
27	—	.05	.29	—	—	—	—	.05	.63	.81	—	—	27
28	—	.27	.02	—	—	.04	—	.12	—	.10	.05	.27	28
29	—	.16	—	—	—	.31	—	.16	.01	.30	—	.20	29
30	—		—	—	—	.06	—	.10	—	.28	—	.01	30
31	—		—		—		—	.02		.10		—	31
Total	1.25	4.66	3.05	.90	3.58	1.68	1.97	2.70	1.54	5.38	2.89	1.82	YEAR'S TOTAL 31.42
Rain Days.	17	22	17	9	16	10	7	16	7	22	17	12	172

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Kept at The Lodge Lydbury North
in the County of Salop.
by Richard Parry

Lat. 52°26'40" Long. 2°57'50
Time of Observation 8 a m
Nearest Railway Station Broome L&N
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 662.47 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.03	.22	—	.30	—	.05	.32	—	—	.03	1
2	—	—	—	.03	—	.06	—	.02	—	—	—	—	2
3	.01	—	—	.10	—	—	—	.05	—	.08	.08	—	3
4	—	.13	.19	—	—	—	—	—	—	.41	—	.02	4
5	—	—	.28	.27	—	—	—	.06	.02	.12	.11	—	5
6	.06	—	.16	—	—	.06	—	—	—	.15	.21	.01	6
7	.31	—	—	—	—	—	.06	.10	—	.13	.03	—	7
8	.53	—	—	.13	—	—	.12	.30	—	.35	.10	.17	8
9	—	—	.24	.20	.11	—	—	.11	.11	.13	.18	—	9
10	.24	—	.50	.29	.02	—	—	.17	—	.02	—	—	10
11	.06	—	.01	.12	—	—	—	.20	—	.33	.05	—	11
12	—	—	—	—	.91	—	—	.11	—	—	—	—	12
13	.07	—	.08	.06	—	—	—	1.07	.08	—	—	—	13
14	.05	—	.07	—	—	—	—	.09	—	—	—	—	14
15	—	—	—	—	—	—	.41	—	—	.13	—	.26	15
16	.05	—	—	.22	—	.57	.10	—	—	.02	—	.34	16
17	—	—	—	—	.33	.55	.27	.70	.13	.05	.02	—	17
18	.02	—	—	.02	.26	—	.47	.04	.53	—	—	—	18
19	—	.34	.16	—	—	.33	—	.10	.03	—	.03	—	19
20	.03	.23	.10	—	.54	.23	—	—	.24	—	.03	—	20
21	—	—	.12	—	.06	.08	—	—	—	.06	—	—	21
22	—	—	—	—	—	.06	—	.68	.02	.06	—	—	22
23	—	.17	—	—	.15	.02	—	.09	—	.11	—	—	23
24	—	—	—	—	—	.26	—	.10	—	.27	.11	—	24
25	—	.10	.05	—	—	—	—	.09	—	.07	.13	—	25
26	—	—	—	—	.04	.09	—	.92	.07	.07	—	—	26
27	—	—	—	—	.98	.20	.30	.72	—	—	—	—	27
28	—	—	.02	—	.02	—	—	.20	—	—	—	—	28
29	—		.25	—	.03	—	—	.03	—	.37	—	.25	29
30	—	✕	—	—	—	—	—	.50	—	.08	.02	—	30
31	—	✕	.06	✕	.06	✕	.06	.09	✕	.01	✕	—	31
Total	1.43	.97	2.32	1.66	3.57	2.81	1.79	6.59	1.57	3.02	1.10	1.08	YEAR'S TOTAL 27.85
Rain Days.	11	5	16	11	13	13	8	25	10	21	13	7	153

.18

W. 8,000, IX. 17.

SHROPSHIRE.
MINSTERLEY
WALLOP.

1911 – 1915

FORM A2.

BRITISH RAINFALL 4 JAN 1912

REG 1911

Kept at Wallop S

in the County of Shrop

by Mrs Severne

egretti & Zambra

top 8 in.

above Ground 1 ft. 8 in.

" Sea Level 700 ft.

9 a.m

tion { Name Westbury
Distance 4½ Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·13							·1	·5	·1	1
2				·3	·11		·14			·14	·7	·12	2
3			·2	·2	·31			·13	·4		·8	·12	3
4			·10	·3	·1			·10		·1	·42	·25	4
5			·2		·1			·16		·26	·6	·1	5
6	·2		·13					·18		·9	·8	·18	6
7	·1										·25		7
8	·18		·9								·38	·24	8
9	·5		·8								·39	·6	9
10	·3	·17	·6		·4						·3	·57	10
11	·17		·2						·9		·67	·10	11
12		·2	·48		·5				1·50		·71	·1	12
13								·10			·5	·26	13
14		·5	·3								·2	·27	14
15		·15	·2				·1			·7	·9	·24	15
16						·8				·2	·9	·5	16
17		·2			·1	·70					·26	·16	17
18		·33	·1	·23		·41		01				·38	18
19		·1		·11		·68		02	·44	·12	·8	·39	19
20		·3		·15		·2		·58	·6	·7		·39	20
21		·43	·3			·6	·13	01	·16	·35	·1	·4	21
22	·6	·6		·1		·3				·58	·1	·46	22
23	·1	·21	·17		·9	·14			·42	·39		·47	23
24	·1	·12	·1	·1		1·39		·24		·45		·36	24
25		·11		·13		·3	·26		·11	·5		·8	25
26		·10		·21	·3	·1		01		·27	·18	·17	26
27		·24	·22	·14				1·09	·39		·16	·5	27
28		·23	·1	·15		·12		·27			·5	·4	28
29						·7	·32		·60	·67	·2	✓	29
30			·5	·2		·7	·8			·38	·3		30
31					·55		·2			·14			31
Total	·54	2·28	1·68	1·24	1·21	3·81	·96	2·90 2·90	3·81	4·07	4·24	5·43	TOTAL for year 32·17 32·17
No. of Rain Days.	9	16	19	13	10	14	7	13	10	18	25	28	182

W. 8,000, X. '11.

✓

REG 1911

FORM A2.

BRITISH RAINFALL. 4 JAN 1912

Kept at Wallop Shrewsbury

in the County of Shropshire 3

by Mrs Severne

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground 1 ft. 8 in.
" " " Sea Level 700 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Westbury
Distance 4½ Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·13							·1	·5	·1	1
2				·3	·11		·14			·14	·7	·12	2
3			·2	·2	·31			·13	·4		·8	·12	3
4			·10	·3	·1			·10		·1	·42	·25	4
5			·2		·1			·16		·26	·6	·1	5
6	·2		·13					·18		·9	·8	·18	6
7	·1										·25		7
8	·18		·9								·38	·24	8
9	·5		·8								·39	·6	9
10	·3	·17	·6		·4						·3	·57	10
11	·17		·2						·9		·67	·10	11
12		·2	·48		·5				1·50		·71	·1	12
13								·10			·5	·26	13
14		·5	·3								·2	·27	14
15		·15	·2				·1			·7	·9	·24	15
16						·8				·2	·9	·5	16
17		·2			·1	·70					·26	·16	17
18		·33	·1	·23		·41		01				·38	18
19		·1		·11		·68		02	·44	·12	·8	·39	19
20		·3		·15		·2		·58	·6	·7		·39	20
21		·43	·3			·6	·13	01	·16	·35	·1	·4	21
22	·6	·6		·1		·3				·58	·1	·46	22
23	·1	·21	·17		·9	·14			·42	·39		·47	23
24	·1	·12	·1	·1		1·39		·24		·45		·36	24
25		·11		·13		·3	·26		·11	·5		·8	25
26		·10		·21	·3	·1		0·1		·27	·18	·17	26
27		·24	·22	·14				1·09	·39		·16	·5	27
28		·23	·1	·15		·12		·27			·5	·4	28
29						·7	·32		·60	·67	·2		29
30			·5	·2		·7	·8			·38	·3		30
31					·55		·2			·14			31
Total	·54	2·28	1·68	1·24	1·21	3·81	·96	2·90 2·90	3·81	4·07	4·24	5·43	TOTAL for year 32·07 32·17
No. of Rain Days.	9	16	19	13	10	14	7	13	10	18	25	28	182

W. 8,000, X. '11.

✓

corr by annotator 27.11.13 - pr auth

REGISTER ~~W~~ OF D° RAINFALL IN 1912.

FORM A. BRITISH RAINFALL.

4 JAN 1913

Kept at Wallop
in the County of Shropshire 3
by Mrs Severne

Lat. 52° 39' 30"N Long. 3° 1' 0" W.
Time of Observation 9 a.m.
Nearest Railway Station Westbury
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.08			.59	.09	.18	.05	.01		.23	1
2		.03	.18			.86	.12					.04	2
3			.05		.24	.38	.01	1.20	.13			.02	3
4	.56		.55		.23			.34	.02		.16		4
5	.25	.06	.20		.10	.35		.26	.02				5
6	.37	.09	.05		.09			.54				.02	6
7	.05	.12	.04		.09	.71	.06	.65				.03	7
8	.56	.08	.17	.03	.04	.37		.11	.08				8
9	.03		.36	.23		.18	.02	.21			.04	.08	9
10	.24	.02		.01		.17	.10	.20			.34		10
11	.03				.03		.02	.02			.33	.66	11
12	.02	.62	.12	.01		.01	.03	.07				24	12
13	.01							.12		.18	.01	.38	13
14	.03		.72			.02		.02	.03			.18	14
15	.02	.21	.11		.16	.29						.17	15
16	.53	.01	.12		.02			.14	.02	.12		.13	16
17	1.35	.01			.01	.02	.07	.49			.16	.84	17
18	.20	.11	.11			.03		.04		.06		.09	18
19	.06	.08	.01			.05	.30	.24		.13	.01	.01	19
20			.12		.02	.01	.27	.08		.31			20
21		.02	.11		.66		.05	.45		.45		.03	21
22	.36	.18			.69	.01	.29	.46				.12	22
23	.39	.12	.48		.01	.06	.30	.44			.37	.07	23
24	.05	.01	.07			.12	.09	.05			.03	.22	24
25			.10			.19		.33			.46	.43	25
26		.13	.16				.20	.88		1.24	.53	.06	26
27		.03	.07			.29	.63			.72	.11	.40	27
28		.03		.12		.09	.52	.47	.08	.08	.94	.05	28
29		.03	.09			.28	.13	.31	.76	.08		.07	29
30	.03		.03			.51	.02			.17	.04		30
31			.21		(.04)		52.	.07		.09		.03	31
Total	5.14	2.00	4.31.	.40	2.43✓	5.59	3.84	8.37	1.19	3.64 3.64	3.53	4.60	YEAR'S TOTAL 45.94 45.04
Rain Days.	20	21.	25.	5	15✓	23.	21.	27.	9	13	14.	25	218✓

W. 7,500, XI. 12

cordy mm. stats 30·III·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

8 - JAN 1914

Kept at Wallop

in the County of Shropshire

by Mrs Severne

3

Lat. 52° 39' 30N Long. 3° 1' 0" W.

Time of Observation 9 a

Nearest Railway Station Westbury

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·12	·11					·15	·01	03		1
2		·34	·11	·09	·02	·06			·04	·03	·20	·08	2
3	·05	·02	·25		·47			·02	·06	·23		·17	3
4	·73	·05	·01		·10		·05			·19	·09	·50	4
5	1·06	·08	·08		·06	·62		·01	·05	2·35	·06		5
6	·03	·07	·22		·25	·37	·52			·15	·03	·36	6
7		·46	·02		·26	·29	·02			·58	·17	·02	7
8	·01	·18			·46	·49	·01	·31		·06			8
9		·45	·10	·09	·08	·62	·02	·15	·21		·10	·03	9
10	·06		·04	·06	·18	·02	·02	·06		·10			10
11	·43		·01	·59	·13	·09				·05	·31	·04	11
12					·05	·02	·01	·01	·13		·29		12
13	·02		·23	·01			·17	·09	·28		·70		13
14	·09		·73	·13				·03	·03	·19	·12		14
15	·15	·03	·46	·56				·05	·11		·27	·03	15
16			·57	·13				·20	·01		·15		16
17	·06		·15	·22		·02	·07				·09		17
18	·02		·25	·25	·01		·04				·03		18
19	·08		·04	·26		·03	·02		·06	·10	·06		19
20	·14		·31	·16	·01	·02	·02			·83	·83		20
21			·21	·08	·13		·31	·05			·01		21
22	·42		·96		·04	·25		1·45	·73				22
23	·01					·16		·07	·28		·16		23
24	·23			·02		·01					·15	·01	24
25				·16					·26	·06	·04	·03	25
26		·09		1·26	·19				·03			·47	26
27	·02		·02	·46						·37		·19	27
28	·23		·25	·35						·22		·33	28
29			·53	·41				(·05)		·33			29
30	·28									·23			30
31	·20		·51		·64					·02	·13		31
Total	4·34	1·77	6·18	5·40	3·08	3·07	1·28	2·55 ✓	2·43	6·10	4·02	2·26	YEAR'S TOTAL 42·48 ✓
Rain Days.	22	10	24	20	17	15	13.	13.	15	19	22	13	203

W.7,000, XI. 13

W D entd by mm. slats 18.V.15

FORM A. BRITISH RAINFALL.

27 APR 1915

REGISTER OF RAINFALL IN 1914

Kept at Wallop

in the County of Shropshire 3

by Mrs Severne

Lat. 52° 39' 30" N Long. 3° 1' W

Time of Observation 9 a.m.

Nearest Railway Station Westbury

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01		·41				·74	1·22			·03	·25	1
2		·01	·01				1·29	·16			·48	·30	2
3		·02	·01	05	·40		·13	·03				1·07	3
4	·23		·07	·09	·12		·08	·05			1·05	·48	4
5	·16		·17	·22	·08		·06			·01	·17		5
6	·06	·03		·40	·19	·05	·08	·30			·09	·28	6
7		·11	·49	·28	·13	·08	·51	·27				·31	7
8	·06			·02	·10	·47	·06	·42	·08			·03	8
9	·23	·02		·22	·09	·84		·67	·19		·03	·01	9
10	·04	·10	·03	·23	·02	·03			·18		·02		10
11		·29	·23	·04	·23	·10	·11		·08		·76	·43	11
12		1·07	·17				·08		·49		·23	·38	12
13		·18	·30	·01			·11		·11	·46	·51	·29	13
14		·81	·10						·01	·21	·16	·01	14
15			·39					01	·07		·01		15
16		·02	·03						·24				16
17		·18	·19			·20	·03		·11			·88	17
18						·03	·02		·04			·35	18
19		·01	·13				·76		13		·09	·34	19
20		·27	·15			·08	·22					·26	20
21		·20				·18		·25		·07		·08	21
22		·34	·01	·03	·05	·09		·28		·13			22
23			·07			(·07)	·03			·05			23
24			·36	·07			·06	·25		·07	·13		24
25	·13		·01				·03	·70		·79	·06	·47	25
26	·04	·03					·12	·13		·11	·27	·40	26
27	·03									·10	·29	1·76	27
28	·30	·11	·06		·12					·22	·01	·77	28
29	·06		·02		·02					·20	·18	·03	29
30	·04	X	·04	·05				·02		·15	·35	·45	30
31	·26	X	·01	X	·05	X	·29		X	16	X	·11	31
Total	1·65	3·80	3·46	1·71	1·60	2·22✓	4·81	4·76	1·73	2·73	4·92	9·74	YEAR'S TOTAL 43·13
Rain Days.	14	18	24	13	13	12	20	15	12	14	20	24	199✓

W. 8,000. X. 14.

~~H~~ ML cmd by own stats 23.III.16

2448

FORM A.
BRITISH RAINFALL.
11 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Wallop
in the County of Shropshire
by Mrs Severne

Lat. 52°30'30" N. Long. 3° 1' 0" W
Time of Observation 9 a.
Nearest Railway Station Westbury
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.59	.25			.90		.01	.02	(.18)	.25		.19	1
2	.03	.21	.25	.28		.06		2.32		.13		.12	2
3	.78	.08	.03	.12			.40	.35				.22	3
4	.03	.59			.23		.81	.17				1.23	4
5	.04	.23			.04	.02		.17				.22	5
6	.17	.09		.12			.61	.01				.25	6
7	.27	.57		.06			.04	.24				.30	7
8	.18	.23		.15				.04			.27		8
9	.26	.10		.24							.11	.89	9
10	.65		.01	.23			.01	.04		.16	.04	.10	10
11	.04		.01	.01	.03		.16	.53			.88	.06	11
12	.04	.04		.12	.41			.11		.21	1.70	.02	12
13		.84		.04	.74			.28			.05	.07	13
14	.03			.01	.01			.35	.14		.02	.25	14
15	.79				.13		.18				.20	.01	15
16	.18	.38			.65		1.29	.13				.01	16
17		.73			.70			.06				.02	17
18		.70	.07					.19				.01	18
19		.03		.11	.08		.26						19
20	.10			.02	.18			.04		.02		.03	20
21	.20						.29						21
22	.03	.08	.20	.11			.13			.08		.18	22
23	.04	.06	.16			.06	.16			1.04		.47	23
24			.10	.15			.21		.21	.61		.44	24
25			.02			.29	.14				.08	.30	25
26		.07					.44		.13			.62	26
27		.21					.24			.33		.63	27
28		.47			.01	.20		.17	.03	.03		.03	28
29						.20	.19	.08			.14	.08	29
30	.02			.12		.34	.22		.01		.01	.16	30
31	.13						.11	.02		.09		.20	31
Total	4.60	5.96	.85	1.89	4.11	1.17	5.90	5.32	.70 ✓	2.95	3.50	7.11	YEAR'S TOTAL 44.06 ✓
Rain Days.	21	20.	9	16	13.	7	20	20	6 ✓	11	11	28	182 ✓

W. 8,000. X. 15.

MUCH WENLOCK
~~WILLEY PARK~~
SHROPSHIRE
1911- 1920

RE 11

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Willey
in the County of
by per pro Lord Forester

d(Carll
in.
Ground 3 ft. — in.
Sea Level 492 ft.
a.m
Name Linley
Distance 2½ miles Direction E.S.E.

IMPORTANT NOTI … the result entered to the previous day. If an Obs … ersal rule, he is earnestly requested to add the read … ar in the space provided for it at the end of this … ent of rain, the selection and placing … tish Rainfall Organization are given in … pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	.04	—	—	—	.02	—	1
2	—	—	—	—	.08	—	.10	.03	—	.07	.08	.05	2
3	—	—	—	.01	.44	—	—	.08	.02	—	.10	.02	3
4	—	—	.13	.02	.01	—	—	.05	.03	.01	.11	.38	4
5	.08	—	.04	—	—	—	—	.09	—	.12	.01	—	5
6	.11	—	.05	—	—	—	—	.10	—	.05	.05	.37	6
7	—	—	—	—	—	—	—	—	—	—	.35	—	7
8	.12	—	.08	—	—	—	—	—	—	—	.11	.60	8
9	.03	—	.04	—	—	—	—	—	—	—	.64	.03	9
10	—	.11	.07	—	—	—	—	—	—	—	—	.45	10
11	.11	—	.09	—	—	—	—	—	.02	—	.34	—	11
12	—	—	.38	—	—	—	—	—	.68	—	.19	—	12
13	—	—	.02	—	—	—	—	—	—	—	.01	.49	13
14	—	—	.06	—	—	—	—	—	—	—	—	.64	14
15	—	.04	.02	—	—	—	—	—	—	—	.03	.34	15
16	—	.01	—	—	—	.04	—	—	—	.01	.07	.02	16
17	—	—	—	—	.07	1.25	—	—	—	—	.16	.37	17
18	—	.22	—	.20	—	.30	—	—	—	.02	—	.24	18
19	—	.02	—	.08	—	.36	.01	.03	.22	.35	.19	.14	19
20	—	.03	—	.05	—	—	—	.23	.08	.02	—	.38	20
21	—	.16	.07	—	—	—	—	1.90	.20	.15	—	.05	21
22	.04	.03	.05	—	—	.01	—	—	—	.33	.02	.37	22
23	—	.16	.23	—	.01	.22	—	—	.28	.01	—	.15	23
24	—	.09	—	.01	—	.66	—	.04	—	.10	—	.18	24
25	—	.02	—	.03	—	.03	—	—	.02	.06	—	.02	25
26	—	.12	—	.13	.11	.03	—	—	—	.22	.15	.09	26
27	—	.09	.08	.06	—	—	—	.41	.21	—	.11	.12	27
28	—	.13	—	.13	—	—	—	—	—	—	.14	.03	28
29	—		—	—	—	.15	.24	—	.21	.21	.01	.01	29
30	—		.01	.09	—	.16	.02	—	—	.17	.02	—	30
31	—		.13		.09		—	—		.05		—	31
Total	.49	1.24	1.~~55~~ 1.55	.81	.81	3.21	.41	2.96	1.97	1.95	2.91	5.54	TOTAL for year 23.85
No. of Rain Days.	15 4	14	17	11	7	11	5	10	11	17	22	23.~~8~~5	Inches

W. 8,000, X. '11. 6

24 15.50

RE

FORM A2. BRITISH RAINFALL. 4 - JAN 1912

Kept at Willey

in the County of Shropshire 3

by per pro Lord Forester, J. Penson

l(Carell ... in.

Ground 3 ft. – in.

„ „ „ Sea Level 492 ft.

Time of Observation 9. a. m

Nearest Railway Station { Name Linley
Distance 2½ miles Direction ESE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	–	–	.04	–	–	–	.02	–	1
2	–	–	–	–	.08	–	.10	.03	–	.07	.08	.05	2
3	–	–	–	.01	.44	–	–	.08	.02	–	.10	.02	3
4	–	–	.13	.02	.01	–	–	.05	.03	.01	.11	.38	4
5	.08	–	.04	–	–	–	–	.09	–	.12	.01	–	5
6	.11	–	.05	–	–	–	–	.10	–	.05	.05	.37	6
7	–	–	–	–	–	–	–	–	–	–	.35	–	7
8	.12	–	.08	–	–	–	–	–	–	–	.11	.60	8
9	.03	–	.04	–	–	–	–	–	–	–	.64	.03	9
10	–	.11	.07	–	–	–	–	–	–	–	–	.45	10
11	.11	–	.09	–	–	–	–	–	.02	–	.34	–	11
12	–	–	.38	–	–	–	–	–	.68	–	.19	–	12
13	–	–	.02	–	–	–	–	–	–	–	.01	.49	13
14	–	–	.06	–	–	–	–	–	–	–	–	.64	14
15	–	.04	.02	–	–	–	–	–	–	–	.03	.34	15
16	–	.01	–	–	–	.04	–	–	–	.01	.07	.02	16
17	–	–	–	–	.07	1.25	–	–	–	–	.16	.37	17
18	–	.23	–	.20	–	.30	–	–	–	.02	–	.24	18
19	–	.02	–	.08	–	.36	.01	.03	.22	.35	.19	.14	19
20	–	.03	–	.05	–	–	–	.23	.08	.02	–	.38	20
21	–	.16	.07	–	–	–	–	1.90	.20	.15	–	.05	21
22	.04	.03	.05	–	–	.01	–	–	–	.33	.02	.37	22
23	–	.16	.23	–	.01	.22	–	–	.28	.01	–	.15	23
24	–	.09	–	.01	–	.66	–	.04	–	.10	–	.18	24
25	–	.02	–	.03	–	.03	–	–	.02	.06	–	.02	25
26	–	.12	–	.13	.11	.03	–	–	–	.22	.15	.09	26
27	–	.09	.08	.06	–	–	–	.41	.21	–	.11	.12	27
28	–	.13	–	.13	–	–	–	–	–	–	.14	.03	28
29	–		–	–	–	.15	.24	–	.21	.21	.01	.01	29
30	–		.01	.09	–	.16	.02	–	–	.17	.02	–	30
31	–		.13		.09		–	–		.05		–	31
Total	.49	1.24	1.55 1.55	.81	.81	3.21	.41	2.96	1.97	1.95	2.91	5.54	TOTAL for year 23.85
No. of Rain Days.	154	[illegible]	17	11	7	11	5	10	11	17	22	23.85	Inches

W. 8,000, X. '11. 6

24 15.58

✓

cor by mm stats 7-III-13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
3 - JAN

W. 4826

Kept at Willey Park

in the County of Salop 3

by The Lord Forester

Lat. 52.30 Long. 2.30
Time of Observation 9 a m
Nearest Railway Station ~~Linley~~ Ironbridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.05	—	—	.15	.06	.03	.02	.01	—	.34	1
2	—	.01	.05	—	—	.19	.12	.01	—	—	—	.06	2
3	—	—	—	—	.21	.21	.02	.95	.04	—	.06	.10	3
4	.12	—	.54	—	.19	.18	—	.34	—	—	.16	—	4
5	.19	.10	.32	—	.08	.46	—	.32	.02	—	.01	—	5
6	.32	.06	.02	—	—	—	—	.40	—	—	—	—	6
7	—	.12	.01	—	.05	.80	.02	.02	—	—	—	—	7
8	.37	.15	.15	—	.05	.32	.10	.20	.07	—	—	—	8
9	.07	.09	.65	.11	—	.26	—	.31	—	—	—	.18	9
10	.08	.02	—	.02	—	.19	—	.04	—	—	.39	—	10
11	.05	—	—	—	—	—	.01	.06	—	—	.18	.41	11
12	.04	.28	.14	—	—	—	—	—	—	—	.01	.04	12
13	—	—	—	—	—	—	—	.06	—	.03	.01	.02	13
14	.03	—	.34	—	—	—	—	—	.05	—	—	.01	14
15	.17	.05	.28	.02	.40	.32	—	.02	—	—	—	.04	15
16	.71	—	.03	—	.12	.06	—	.02	—	.05	—	—	16
17	.77	—	.03	—	—	.04	—	.27	—	—	.22	.77	17
18	.47	—	.05	—	—	—	—	.02	—	.05	.04	.01	18
19	.08	.04	—	—	.04	.01	.14	.40	—	.06	—	—	19
20	.03	—	.20	—	.04	—	.03	.02	—	.28	.02	.01	20
21	—	.01	.14	—	.62	—	—	.35	—	.34	—	—	21
22	.20	.04	.03	—	.70	.04	.20	.37	—	—	.03	.02	22
23	.11	—	.37	—	—	.11	.60	.16	—	—	.11	.01	23
24	.18	—	.02	—	—	.07	.06	.05	—	—	—	.25	24
25	—	—	—	—	—	.04	—	.53	—	—	.35	.35	25
26	—	.05	.06	—	—	—	.15	.69	—	.91	.32	.04	26
27	—	.04	—	—	—	.35	.68	—	—	.88	—	.15	27
28	—	.03	—	—	—	.01	.39	.37	—	.20	(.61) .61	.12	28
29	—	.03	.04	—	—	.52	.17	.08	.10	.03	.04	.02	29
30	.02		.04	—	—	.35	.03	—	.52	.22	.02	—	30
31	.01		.10		.52		.20	.04		.04		.09	31
Total	4.02	1.12	3.66	.15	3.02	4.68	2.98	6.13	.82	3.10	2.58	3.04	YEAR'S TOTAL 35.30
Rain Days.	~~19~~ 20	16	23	3	12	21	17	27	7	13	17	21	197

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

3 JAN 1914

Kept at Willey Park

in the County of Salop

3

by Lord Forester

Lat. 52-30 Long. 2.30

Time of Observation 9 a.m.

Nearest Railway Station Iron Bridge G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. — in.

" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.02	.07	.15	.04	—	—	—	.16	—	.02	—	1
2	.01	.05	.04	.13	—	—	—	—	.03	.02	.08	—	2
3	.01	.05	.07	—	.68	—	—	—	.03	.15	—	.13	3
4	.88	.16	—	—	.25	—	.05	—	.01	.07	.03	.48	4
5	.43	.06	.07	—	.07	.05	.04	.02	.03	1-30	—	—	5
6	.03	.11	.20	—	.24	.30	.75	—	—	.06	—	.26	6
7	.01	.26	—	—	.20	.09	.20	—	—	.62	.20	.04	7
8	.01	.08	—	.01	.21	.19	.01	.11	—	—	—	—	8
9	—	.35	.12	.03	.10	.23	.09	.72	.13	—	.14	.04	9
10	.06	—	—	.38	.03	.01	—	.05	—	.13	.03	—	10
11	.68	—	—	.55	.12	.07	—	—	—	.03	.24	.01	11
12	—	—	—	—	.11	—	—	—	.03	—	.56	—	12
13	.01	—	.18	.01	—	.01	—	.02	.08	—	.30	—	13
14	.14	.01	.56	.15	—	—	.02	.18	.01	.08	.04	—	14
15	.03	—	.55	.72	—	—	—	.05	.12	—	.14	.02	15
16	—	—	.38	—	—	—	—	—	—	—	—	—	16
17	—	—	.05	.08	—	.02	.08	—	—	—	.01	—	17
18	.01	—	.25	.15	.14	—	.09	—	.04	—	.03	.01	18
19	.10	—	.11	.03	—	.02	.03	—	.07	.01	—	.01	19
20	.04	—	.09	.10	—	—	—	—	—	.04	.22	—	20
21	—	—	.10	.03	.03	—	.16	—	—	—	.25	—	21
22	.55	—	.82	—	.01	.11	—	.78	.57	—	—	—	22
23	—	—	—	—	—	.05	—	.01	.06	—	.10	—	23
24	.13	—	—	.02	—	—	—	—	—	—	.05	—	24
25	—	—	—	.06	—	—	—	—	.13	.01	—	.01	25
26	—	.04	—	.30	.39	—	—	.10	.02	—	—	.23	26
27	—	.01	.02	.25	—	—	—	—	—	.11	—	.02	27
28	.20	—	.35	.32	.04	—	—	—	—	.16	—	.06	28
29	.01		.53	.43	.03	—	—	.02	—	.17	—	—	29
30	.24		—	—	—	—	—	—	—	.63	.05	—	30
31	.01		.38		.03		—	—		—		—	31
Total	3.59	1-10	4.94	3.90	2.72	1-15	1-52	2.06	1-52	3-59	2.49	1-32	YEAR'S TOTAL 29.90
Rain Days.	188 21	12	20	20	18	12	11	11	16	16	18	13	188

W. 7,500, XI. 12

cwd pr auth 1.IV.15 ~~W~~ D.L.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

6 - JAN 1915

Kept at Willey Park

in the County of Salop 3

by Per Pro Lord Forester C. J. Penson

Lat. 52.30 Long. 2.30

Time of Observation 9 a.m

Nearest Railway Station Ironbridge 3½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. — in.

" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.02	.03	—	—	—	.85	.13	—	—	.01	.23	1
2	—	—	—	—	—	—	.52	.73	—	—	.52	.30	2
3	—	—	—	.06	.12	—	.05	—	—	—	.03	.17	3
4	.24	—	—	.11	.08	—	.05	.04	—	—	.70	.50	4
5	.10	—	.08	.10	.11	.02	.19	—	—	.03	.17	—	5
6	—	.02	—	.12	.08	.05	.06	—	—	—	.12	.11	6
7	.06	.09	.39	.03	.10	.10	.09	.15	—	—	—	.48	7
8	—	—	.01	.05	.12	.43	—	.05	.31	—	—	.07	8
9	.22	—	.01	.24	.11	.95	—	.10	—	—	—	—	9
10	.05	.17	—	.36	.10	.19	—	—	.14	—	—	—	10
11	—	.20	.15	.03	.07	.01	—	—	.04	—	.23	.60	11
12	—	.29	.14	—	—	—	.85	—	.43	—	.04	.28	12
13	—	.10	.08	—	—	—	.06	—	.03	.14	.17	.35	13
14	—	.31	.13	—	—	—	.04	—	.02	.13	.24	.02	14
15	.03	.02	.16	—	—	—	—	—	.10	—	—	—	15
16	—	—	.05	—	—	—	.04	—	.05	—	—	.05	16
17	—	.19	.20	—	—	—	.03	—	.02	—	—	.37	17
18	—	—	.08	—	—	.20	.02	—	.07	.09	—	.34	18
19	—	.05	.01	—	—	—	.58	—	.08	—	.12	.16	19
20	—	.15	.24	—	—	.03	.04	—	—	—	—	.27	20
21	—	.33	.03	—	—	.40	.45	.04	—	.14	—	.26	21
22	—	.06	—	—	.19	.04	—	.25	—	.39	—	.01	22
23	—	.05	.05	—	.13	.16	.02	—	—	.07	—	—	23
24	—	—	.06	.02	—	—	.06	.20	—	.07	.05	—	24
25	—	—	—	—	—	—	.09	.16	—	.36	.04	.15	25
26	.03	—	.10	—	—	—	.07	.05	—	.16	.20	.23	26
27	—	—	—	—	—	—	—	—	—	—	.48	.66	27
28	.08	.03	.09	—	.05	—	.09	—	—	—	.01	.62	28
29	.02		.08	—	.20	—	—	—	—	.15	.13	—	29
30	—	✕	.09	—	—	—	—	.10	—	.03	.33	.43	30
31	.10	✕	—	✕	.07	✕	.14	—	✕	.06	✕	.02	31
Total	.93	2.08	2.26	1.12	1.53 1.53	2.58	4.39	2.00	1.29	1.82	3.59	6.68	YEAR'S TOTAL 30.27 30.27
Rain Days.	10 184	16	22	10	14	12	22	12	11	13	18	24	184

W. 8,000. X. 14.

Cardly mm stats 23.11.66

2406

FORM A. BRITISH RAINFALL. 6. JAN 1916

REGISTER OF RAINFALL IN 19 15

Kept at Willey Park
in the County of Shropshire
by The Lord Forester

Lat. 52.30 Long. 2.30
Time of Observation 9 a.m
Nearest Railway Station Iron Bridge - 3½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~4~~ 3 ft. – in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.36	.04	.03	—	.48	—	—	.05	.45	.12	—	.04	1
2	.02	.10	.15	.25	—	.07	—	1.48	.04	.23	—	.10	2
3	1.25	.02	.01	.10	—	—	.45	.11	—	—	—	.22	3
4	.05	.07	—	—	.13	—	.50	.12	—	—	—	.82	4
5	.01	.45	—	.01	—	.02	.01	.03	—	.03	—	.63	5
6	.03	.17	.07	.10	—	—	.79	.07	—	—	—	.02	6
7	.10	.40	—	.04	.02	—	.38	.13	—	—	—	.31	7
8	.08	.15	—	.02	—	—	—	.02	—	—	.04	—	8
9	.07	.03	—	.30	—	—	—	—	—	—	.19	.57	9
10	.19	—	.07	.04	—	—	.03	—	—	.01	.02	.02	10
11	.03	—	—	.02	.16	—	.15	—	—	—	.76	.06	11
12	.04	—	—	.13	.35	—	—	—	—	.08	1.24	—	12
13	—	.46	.02	—	.57	—	—	.43	—	—	—	.02	13
14	—	—	—	—	.01 .01	—	—	.15	—	—	—	.25	14
15	.33	—	—	.03	.09	—	.14	—	.09	—	.15	.08	15
16	.10	.40	—	—	.30	—	1.79	.03	—	—	—	.01	16
17	—	.26	—	—	.38	—	—	—	—	—	—	.03	17
18	.04	.27	.07	—	—	—	—	—	—	—	—	—	18
19	—	.04	—	.03	.12	—	.15	—	—	—	—	—	19
20	.02	—	—	.09	—	—	—	—	—	—	—	.07	20
21	.25	—	—	.01	—	—	.17	—	—	.04	—	.05	21
22	.02	—	.14	.04	—	—	.05	—	—	—	—	.04	22
23	.01	.10	.05	—	—	.07	.50	—	—	.72	—	.37	23
24	—	—	.12	.06	—	—	.13	—	.50	.60	—	.17	24
25	—	—	—	—	—	.43	.25	—	.03	.02	.07	.17	25
26	—	.13	—	—	—	—	.31	—	—	—	—	.30	26
27	—	.16	—	—	—	—	.10	—	—	.24	—	.17	27
28	—	.25	.05	—	—	—	—	.23	.01	.01	—	—	28
29	—		—	—	—	.01	(.45)	.08	—	—	.15	.07	29
30	.09	X	—	.02	—	.18	.20	—	—	.20	.01	.16	30
31	.04	X	—	X	—	X	.08	.10	X	.05	X	.30	31
Total	3.13	3.50	.81	1.29	2.615	.78	6.33	3.03	1.12	2.35	2.63	5.05	YEAR'S TOTAL
Rain Days.	21 ~~172~~	18	11	17	11	6	20	14	6	13	9	26	32.63½ 172

W. 8,000. X. 15.

Ex DL

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN

Kept at Willey Park
in the County of Salop
by John Penson

Lat. 52 30 Long. 2 30
Time of Observation 9 a.m
Nearest Railway Station Iron Bridge G.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	–	.11	–	.05	.05	.27	–	–	.15	.15	–	1
2	.15	.04	.23	–	.04	.01	.19	–	.17	.91	.08	–	2
3	.07	.65	–	.01	.02	–	.20	–	.05	.15	.15	.01	3
4	–	.35	–	.09	.50	.35	.01	–	–	.25	.55	–	4
5	.18	.02	.05	–	.37	.12	.02	–	–	.10	.16	–	5
6	.04	.12	.08	–	.09	.05	.38	–	.01	.14	.40	–	6
7	.04	–	.12	–	.05	.02	.22	–	.03	.08	.13	.35	7
8	–	–	.10	–	.25	–	–	–	–	.08	.04	.20	8
9	–	–	–	–	.40	.03	–	–	–	–	.02	–	9
10	.02	.35	.07	.04	.02	–	–	–	.03	.10	–	.02	10
11	.01	.21	.04	.05	–	.07	.05	–	.16	–	–	.15	11
12	.02	.06	.05	.01	.29	–	.15	.03	.02	.01	–	–	12
13	–	.14	.12	.12	–	–	.04	.16	–	–	–	.07	13
14	–	.20	–	.02	.02	–	–	.10	–	.12	–	–	14
15	–	.47	.46	.05	.07	–	.03	.09	.07	.15	–	–	15
16	.02	.03	.02	.33	.01	–	.10	.18	–	.06	–	–	16
17	.01	.18	–	.15	–	–	.05	.71	.55	.25	–	–	17
18	.02	.04	.01	.18	–	–	–	.03	.21	.03	.35	.12	18
19	.02	–	.27	.20	–	–	–	–	–	–	.43	–	19
20	–	–	.50	–	–	–	–	–	–	–	.04	.21	20
21	–	–	.48	–	.06	–	.17	–	–	–	.04	–	21
22	–	–	–	.10	.01	.04	–	–	–	.12	–	.35	22
23	–	.04	.04	.01	–	–	–	.10	–	.02	.05	.30	23
24	–	.60	–	–	.16	.02	–	.27	–	.20	–	.09	24
25	–	.03	.12	–	.09	.02	–	.13	–	.07	.30	–	25
26	.08	.03	.04	–	–	.07	–	.21	.05	.38	.12	–	26
27	.01	–	.52	–	–	–	–	.08	.08	.90	–	–	27
28	–	.22	.03	–	–	–	–	–	–	.10	.06	.23	28
29	–	.20	–	–	–	.35	–	.35	–	.14	–	.16	29
30	–		–	–	–	.07	–	–	–	.10	–	–	30
31	–		–		–		–	.01		.04		.03	31
Total	.74	3.98	3.46	1.36	2.50	1.27	1.88	2.45	1.43	4.65	3.07	2.29	YEAR'S TOTAL 29.08
Rain Days.	15 199	20	21	14	18	14	14	14	12	25	17	14	198

W. 8,000, VIII. 16

2223

FORM A.
BRITISH RAINFALL.
3. JAN 191[illegible]

REGISTER OF RAINFALL IN 1917

Kept at Willey Park
in the County of Shropshire
by Superior Land Forester. J. Penson

Lat. 52-30 Long. 2-30
Time of Observation 9 a.m
Nearest Railway Station Iron Bridge G.W.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.18	.20	—	.14	—	.76	.30	—	.05	.06	1
2	—	—	—	.20	—	.04	—	.14	—	—	.17	.12	2
3	.07	.06	—	.17	—	.02	—	.07	—	.25	.04	—	3
4	—	—	.33	—	—	—	—	.01	—	.52	—	—	4
5	.39	—	.20	.18	—	—	—	.02	.02	.17	.07	—	5
6	.04	—	.12	—	—	.13	—	—	—	.05	.14	.03	6
7	.35	—	—	—	—	—	—	—	—	.07	.03	.04	7
8	.57	—	—	.14	—	—	.01	.37	—	.30	.12	.15	8
9	—	—	.23	.20	.12	—	—	.20	.03	.15	.31	—	9
10	.40	—	.47	.19	.05	—	—	.12	.01	—	.02	—	10
11	.30	—	.02	.14	—	—	—	.11	—	.15	.03	—	11
12	.02	—	—	.01	.23	—	—	.06	.02	.25	—	—	12
13	.04	—	—	.15	—	—	—	.28	.03	.02	.03	.04	13
14	.03	—	.04	.02	—	—	—	.25	—	.05	—	.11	14
15	.02	—	—	—	.10	—	.54	.07	—	.06	—	.17	15
16	.03	.12	—	.12	—	.15	.10	—	—	—	—	—	16
17	.01	—	.08	.14	.47	.04	.47	.45	.09	.02	—	—	17
18	.05	—	—	.10	.02	—	.57	.40	.64	.08	—	—	18
19	.02	.35	.30	—	.01	.30	—	—	.02	—	—	—	19
20	—	.20	.01	—	.44	.60	.10	.08	.27	—	.02	—	20
21	—	.02	.33	—	.05	.10	—	.01	.02	.05	.10	—	21
22	—	—	.01	—	—	.13	—	.10	—	.11	.08	—	22
23	—	.21	—	—	.20	.01	—	.08	.02	.05	—	.04	23
24	—	.01	.03	—	—	.57	—	.02	—	.20	.12	—	24
25	—	.12	.15	—	—	—	.05	.02	—	.03	.04	—	25
26	—	—	—	—	—	.22	—	.32	—	.08	.12	—	26
27	—	—	.01	—	1.40	.18	.37	.96	.05	—	—	.02	27
28	—	—	.08	—	—	.02	—	.16	.01	.01	—	.19	28
29	—	—	.02	—	—	—	.02	.06	—	.27	—	.01	29
30	—	✕	—	—	—	—	—	.25	—	.03	.01	—	30
31	—	✕	.05	✕	—	✕	—	.07	✕	.02	✕	—	31
Total	2.27	1.09	2.66	1.96	3.09	2.58	2.16	5.44	1.57	2.99	1.50	.98	YEAR'S TOTAL
Rain Days.	18 17	8	19	14	11	15	9	27	13	24	18	12	28.23

W. 8,000, IX. 17.

.99

185

23

FORM A. BRITISH RAINFALL 8.1.

REGISTER OF RAINFALL IN 1918

Kept at Willey Park Gardens
in the County of Shropshire
by Per pro Col Lord Forester, J. Penson

Lat. 52.30 Long. 2.30
Time of Observation 9 a.m
Nearest Railway Station Iron Bridge G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	.02	–	.13	–	–	–	.08	–	.04	.60	–	1
2	–	.02	–	.01	–	–	–	.35	–	–	–	.13	2
3	–	.03	–	–	.26	–	–	.25	.45	–	.03	–	3
4	.02	.03	–	–	–	–	–	.03	.75	.17	.40	.40	4
5	–	–	–	.05	.16	–	–	.07	.13	.13	.01	.01	5
6	–	.13	.04	.18	–	.10	–	–	.03	.26	–	–	6
7	.01	.06	–	.06	.15	–	–	–	.12	.02	.12	–	7
8	.03	.24	–	–	–	–	.06	–	.18	.09	–	–	8
9	.02	.38	–	.20	–	.15	.22	–	.35	.23	–	–	9
10	.09	.08	–	.15	–	–	.30	–	.05	.02	.05	.08	10
11	.01	.01	.16	.01	.07	–	.66	–	.29	–	–	.07	11
12	–	–	.07	–	.15	–	.04	–	.01	.06	–	–	12
13	–	–	–	.01	.08	.02	–	–	.15	.05	–	–	13
14	.25	–	–	–	–	.07	.13	–	.11	.03	–	.20	14
15	.28	–	–	.06	–	–	.45	–	.28	.10	–	.24	15
16	.32	–	–	.39	–	.27	.25	–	.25	.01	–	.12	16
17	.30	–	–	.01	.07	.23	.03	.02	.16	.18	–	.08	17
18	.45	–	.02	–	–	.20	.26	–	.61	.01	–	.16	18
19	.10	.01	.28	–	–	–	.08	–	–	.04	–	.55	19
20	.13	.08	–	.30	–	.08	.02	–	.12	–	.02	.16	20
21	.10	–	–	–	–	–	.06	–	.20	.02	–	–	21
22	.01	–	–	–	.90	–	.10	–	.06	.09	–	.25	22
23	–	–	–	–	.47	.03	.25	–	.04	–	.02	–	23
24	–	.20	–	–	–	–	.04	.03	.07	–	.22	.01	24
25	–	–	–	–	.05	.20	.13	.06	–	–	.03	–	25
26	–	–	–	–	–	–	.76	.03	.18	.02	.03	.07	26
27	–	.05	.01	–	–	–	.02	.36	.21	–	.10	.03	27
28	–	.10	.27	–	–	–	–	–	–	–	.22	.13	28
29	–		.05	–	–	–	–	–	.64	–	.01	.03	29
30	–	X	.27	–	–	–	–	.04	–	–	.22	.15	30
31	–	X	.24	X	–	X	–	–	X	–	X	–	31
Total	2.12	1.44	1.41	1.56	2.36	1.35	3.86	1.32	5.44	1.57	2.08	2.87	YEAR'S TOTAL 24.38
Rain Days.	180 15	15	10	13	10	10	19	11	24	19	15	19	180

W. 8,000, IX. 17.

~~W~~ 911 L [illegible]

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Willey Park Gardens
in the County of Shropshire
by per pro Lord Forester, J. Penson

Lat. 52 30 Long. 2 30
Time of Observation 9 a.m
Nearest Railway Station Ironbridge 3½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	–	.02	.07	.05	–	.12	–	.04	.05	–	.27	1
2	.13	.02	.15	–	–	–	.06	–	.09	.11	.10	–	2
3	.01	–	.05	–	.04	.09	.40	–	.08	–	.04	.05	3
4	–	.40	.22	.02	–	.01	.31	.12	.10	–	.08	.20	4
5	.04	–	–	–	.12	–	–	–	.04	–	–	.04	5
6	.05	–	.08	.08	.25	–	–	–	–	–	.03	.12	6
7	.17	–	.08	–	.01	–	–	–	–	–	.06	.05	7
8	.16	–	.04	.07	–	–	–	–	–	–	–	–	8
9	.11	–	–	.01	–	–	–	–	–	–	.08	–	9
10	–	–	.44	–	–	–	–	–	–	.05	–	.12	10
11	.05	–	1.15	–	.02	–	.25	–	–	.03	–	.04	11
12	–	–	.80	–	–	.37	–	–	.06	.18	–	.01	12
13	.05	.02	–	.13	–	–	.08	–	.75	.25	–	–	13
14	.30	.09	–	.34	–	–	.12	–	.04	.14	–	.09	14
15	.27	.45	–	.39	.18	–	–	–	–	.08	–	.32	15
16	.08	.93	–	.03	–	–	–	.07	–	–	.20	–	16
17	.02	–	–	.04	–	.07	.05	–	–	–	.06	.02	17
18	–	.10	.70	–	–	–	–	.40	–	–	–	.03	18
19	.15	.15	.95	–	–	.15	1.00	.65	.17	–	–	–	19
20	.20	.02	.13	–	–	–	.06	.10	.17	–	.11	.14	20
21	.15	.32	–	–	–	.01	.45	–	.02	–	.06	.15	21
22	–	.29	–	–	–	–	.03	–	.47	–	.02	.45	22
23	–	–	–	–	.14	.15	–	.04	–	1.23	–	.03	23
24	–	–	–	.13	.13	.01	–	–	–	.83	.12	.05	24
25	.10	–	–	.08	–	.05	–	.25	–	.02	–	.06	25
26	–	–	.09	.15	–	.07	–	.01	.09	–	.03	.22	26
27	.06	–	.03	.43	–	–	–	.14	–	–	.06	–	27
28	.04	–	.03	–	–	–	–	.96	–	–	.02	.30	28
29	–		–	.17	–	–	–	.02	–	.42	–	.07	29
30	–		.04	.12	–	.06	–	.02	–	.03	.12	.25	30
31	–		.03		–		–	–		–		.04	31
TOTAL	2.30	2.79	5.03	2.26	.94	1.04	2·93 ~~3.03~~	2.78	2.12	3.42	1.19	3.12	YEAR'S TOTAL 29·92 ~~30.02~~
Days with ·01 in. or more	175	11	18	16	9	11	12	12	13	13	16	24	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

20

.175

1999

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Willey Park Gardens
in the County of Shropshire
by for pro Col Lord Forester / J. Penson

Lat. 52 30 Long 2 30
Time of Observation 9 a.m.
Nearest Railway Station Iron Bridge 3½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 492 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	.03	.15	.21	–	.32	.02	.06	.09	.01	.29	1
2	.02	–	–	.08	–	–	.56	–	.14	.03	–	.10	2
3	.12	.07	–	.13	–	.08	.80	.01	.08	.40	–	–	3
4	–	–	–	.09	.01	–	.04	.21	.05	.34	–	–	4
5	–	–	.04	–	.10	–	.22	.10	.08	.64	–	.04	5
6	–	–	.43	.02	.03	–	.08	–	–	.19	–	.02	6
7	–	–	.07	.08	–	–	.22	–	–	–	–	–	7
8	.45	.10	–	.62	.06	–	.21	.15	.01	.02	–	–	8
9	.38	.05	–	.57	.20	–	.10	.12	–	–	–	–	9
10	.39	.03	–	.08	–	.08	.30	–	–	–	.04	–	10
11	.08	~~.03~~	.18	.17	.32	.41	.07	.01	–	–	–	–	11
12	.18	.03	.05	.35	–	.65	–	.03	–	–	.08	.12	12
13	.04	.04	.09	.21	–	.01	–	–	.01	–	.09	–	13
14	.02	.01	1.07	.17	–	.15	–	–	.32	.06	.22	–	14
15	–	.10	.07	.36	–	.93	.03	–	.08	.23	–	–	15
16	–	–	–	.07	.55	.33	.34	–	.32	.68	–	–	16
17	–	–	–	.02	.08	–	–	.01	.04	.06	–	–	17
18	.28	–	–	.07	.10	–	.02	.02	–	–	–	–	18
19	.01	.63	–	.02	.04	.09	–	.03	–	–	–	–	19
20	–	.45	–	.58	–	.19	.01	–	–	–	–	.08	20
21	–	–	–	.02	–	–	.02	.10	–	.02	–	–	21
22	.09	–	–	.08	–	–	.13	.10	–	–	–	–	22
23	–	–	.03	.02	–	–	.17	.04	–	–	–	.53	23
24	–	–	.13	.03	–	–	–	.05	–	–	–	.13	24
25	.05	.08	.18	.08	.01	–	.01	–	–	–	.07	–	25
26	.10	–	.26	.01	–	–	–	–	–	–	.02	.05	26
27	.19	–	.07	.17	.57	.18	.03	–	–	.03	–	.37	27
28	.01	–	.09	.09	.10	.06	–	–	–	–	–	.06	28
29	1.27	–	.27	–	.48	.02	.07	–	–	–	.08	.56	29
30	.10	X	.01	.14	.04	.07	.01	–	.32	–	.10	.11	30
31	.09	X	–	X	.02	X	.01	–	X	.48	X	.01	31
TOTAL	3.87 ~~2.64~~	1.59	3.07	4.48	2.92	3.25	3.77	1.00	1.51	3.27	.71	2.47	YEAR'S TOTAL 31.91 ~~32.91~~
Days with ·01 in. or more	19	11	17	28	17	14	23	15	12	14	9	14	193
Days with ·04 in. or more	15	8	14	21	13	12	15	8	10	10	7	12	145

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Ind
IX. 15

REGISTER

SHROPSHIRE

MUNSLOW.

1914 – 1917

FORM A.
BRITISH RAINFALL.
6 SEP 1915

Kept at Munslow

in the County of Shropsh

by Joan Powell.

1'30

5 am

Craven Arms

5 in.

e Ground 1 ft. 2 in.

Sea Level 488 ft.

IMPORTANT NOTE.—Rain the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	–	3	·52	·56	·7	–	·10	·19	1
2	–	–	–	–	–	–	·66	·35	–	·1	·45	·25	2
3	–	–	–	·8	21	–	·1	·3	–	·1	–	·10	3
4	–	–	·2	·12	3	–	·12	·10	–	–	·60	·48	4
5	·10	–	·6	·19	7	–	·60	·1	–	·4	·18	·1	5
6	·13	05	–	·4	13	·2	·7	·14	·4	–	·4	·19	6
7	·7	·13	·89	·1	16	·9	·17	·2	–	–	·4	·31	7
8	·03	–	–	–	2	·66	–	·13	–		–	·7	8
9	·02	·05	·4	·8	11	1·04	–	·3	·2	–	·2	–	9
10	·28	·20	·4	·32	7	·2	–	–	·27	–	–	–	10
11	2	·37	·24	–	10	·1	–	–	·2	–	·38	·59	11
12	–	·39	·18	–	–	–	·12	–	·32	–	·12	·35	12
13	–	·14	·27	–	–	–	·10	–	3	·44	·26	·24	13
14	–	·15	·18	–	–	–	·2	–	–	·14	·15	–	14
15	·3	·01	·23	–	–	–	–	·1	·4	·4	·7	·1	15
16	–	–	–	–	–	–	–	–	·10	–	–	–	16
17	–	·27	–	–	–	–	·6	–	·4	–	–	·47	17
18	–	·01	–	–	–	·56	·3	–	·2	–	–	·24	18
19	–	·01	–	–	–	–	·71	–	·4	–	·12	·19	19
20	–	·21	·14	–	–	·8	·4	–	–	–	–	·16	20
21	–	·53	–	–	·28	·8	·2	·7	–	·14	–	·5	21
22	–	·08	·2	–	–	·6	–	·26	–	·29	–	–	22
23	–	·13	·5	–	–	·2	·3	·10	–	·22	–	–	23
24	–	–	·20	–	–	–	·4	·20	–	·4	–	–	24
25	·4	–	–	–	–	–	·4	·10	–	·45	·8	·12	25
26	·5	–	–	–	–	–	1	–	–	·13	·38	·31	26
27	·5	–	–	–	–	–	–	–	–	~~–~~	·50	·80	27
28	·3	·19	·10	–	·9	–	–	–	–	–	·1	·48	28
29	·4	·02	·12	–	·11	–	–	–	–	·25	·23	–	29
30	–	✕	·10	–	–	–	–	–	–	·4	·28	·40	30
31	·15	✕	–	✕	·1	✕	·15	–	✕	–	✕	·10	31
Total	1·04	2·94 ~~2·92~~	2·88 ~~2·70~~	·84	1·39 ~~1·49~~	2·67	3·52 ~~3·62~~	2·11 ~~1·84~~	1·01 ~~·94~~	2·24 2·23	4·01 4·11	6·11	YEAR'S TOTAL 30·78 30·51
Rain Days.	14	17 8	18 7	7	13	12	20	15	11	13 4	17 9	22 3	~~179~~ 183

W. 8,000. X. 14.

[illegible] IX. 15

REGISTER [redacted]

FORM A. BRITISH RAINFALL. 6 SEP 1915

Kept at Munslow

in the County of Shropshire

by Joan Powell

Lat. '30

Time of Observation 9·15 am

Nearest Railway Station Craven Arms

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 488 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	–	–	3	·52	·56	·7	–	·10	·19	1
2	–	–	–	–	–	–	·66	·35	–	·1	·45	·25	2
3	–	–	–	·8	21	–	·1	·3	–	·1	–	·10	3
4	–	–	·2	·12	3	–	·12	·10	–	–	·60	·48	4
5	·10	–	·6	·19	7	–	·60	·1	–	·4	·18	·1	5
6	·13	05	–	·4	13	·2	·7	·14	·4	–	·4	·19	6
7	·7	·13	·89	·1	16	·9	·17	·2	–	–	·4	·31	7
8	·03	–	–	–	2	·66	–	·13	–	–	–	·7	8
9	·02	·05	·4	·8	11	1·04	–	·3	·2	–	·2	–	9
10	·28	·20	·4	·32	7	·2	–	–	·27	–	–	–	10
11	2	·37	·24	–	10	·1	–	–	·2	–	·38	·59	11
12	–	·39	·18	–	–	–	·12	–	·32	–	·12	·35	12
13	–	·14	·27	–	–	–	·10	–	3	·44	·26	·24	13
14	–	·15	·18	–	–	–	·2	–	–	·14	·15	–	14
15	·3	01	·23	–	–	–	–	·1	·4	·4	·7	·1	15
16	–	–	–	–	–	–	–	–	·10	–	–	–	16
17	–	·27	–	–	–	–	·6	–	·4	–	–	·47	17
18	–	01	–	–	–	·56	·3	–	·2	–	–	·24	18
19	–	01	–	–	–	–	·71	–	·4	–	·12	·19	19
20	–	·21	·14	–	–	·8	·4	–	–	–	–	·16	20
21	–	·53	–	–	·28	·8	·2	·7	–	·14	–	·5	21
22	–	·08	·2	–	–	·6	–	·26	–	·29	–	–	22
23	–	·13	·5	–	–	·2	·3	·10	–	·22	–	–	23
24	–	–	·20	–	–	–	·4	·20	–	·4	–	–	24
25	·4	–	–	–	–	–	·4	·10	–	·45	·8	·12	25
26	·5	–	–	–	–	–	1	–	–	·13	·38	·31	26
27	·5	–	–	–	–	–	–	–	–	–	·50	·80	27
28	·3	·19	·10	–	·9	–	–	–	–	–	·1	·48	28
29	·4	02	·12	–	·11	–	–	–	–	·25	·23	–	29
30	–	×	·10	–	–	–	–	–	–	·4	·28	·40	30
31	·15	×	–	×	·1	×	·15	–	×	–	×	·10	31
Total	1·04	2·94 ~~2·92~~	2·88 ~~2·70~~	·84	139 ~~149~~	2·67	3·52 ~~3·62~~	2·11 ~~1·84~~	1·01 ~~·94~~	2·24 2·23	4·01 ~~4·11~~	6·11	YEAR'S TOTAL 30·96 30·51
Rain Days.	14	1~~7~~8	1~~8~~7	7	13	12	20	15	11	1~~3~~4	1~~7~~9	2~~2~~3	~~179~~ 183

W. 8,000. X. 14.

LMC

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at Munslow Rectory
in the County of Shropshire
by Miss Joan Powell

Lat. 52°–52°30′ Long. 3°–2°30′
Time of Observation 9·30
Nearest Railway Station Craven Arms
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·45	·10	·0	·0	·56	·0	·01	·05	·29	·17	·03	·05	1
2	·05	15	·15	·28	·00	·10	·00	1·28	·01	·14	·00	·09	2
3	·76	·05	·01	·11	·00	·00	·40	·18	·00	·01	·00	·15	3
4	·04	·12	·00	·00	·29	·00	·34	·27	·00	00	·00	·85	4
5	·02	·43	·00	·01	·00	·02	·00	·04	·00	·00	·00	·57	5
6	·04	·04	·02	·19	·00	·00	·64	·17	·00	·00	·00	·03	6
7	·11	·31	·00	·06	·00	·00	·09	·15	·00	·00	·00	·42	7
8	·10	·28	·00	·06	·00	·00	·00	·04	·00	·00	·28	·00	8
9	·21	·08	·00	·22	·00	·00	·00	·00	·00	·00	·09	·55	9
10	·30	·01	·00	·12	·00	·00	·00	·03	·00	·05	·00	·00	10
11	·06	·00	·03	13	·06	·00	·01	·02	·00	·00	·96	·25	11
12	·00	·16	·00	·10	·40	·00	·00	·07	·00	·16	·99	·02	12
13	·00	1·15	·00	·05	·59	·00	·00	·09	·00	·00	·00	·05	13
14	·01	·02	·00	·00	·00	·00	·01	·30	·00	·00	·00	·25	14
15	·40	·00	·00	·00	·08	·00	·10	·10	·01	·00	15	·09	15
16	·14	·56	·00	·00	·27	·00	1·18	·69	·00	·00	·00	·02	16
17	·00	·25	·00	·00	·49	·00	·00	·00	·00	·00	·00	·00	17
18	·00	·26	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	18
19	·00	·02	·04	·00	(·12)	·00	·17	·00	·00	·00	·00	·00	19
20	·10	·00	·00	·04	·00	·00	·01	·00	·00	·00	·00	·05	20
21	·27	·00	·00	·00	·01	·00	·37	·00	·00	·05	·00	·02	21
22	·04	·05	·12	·00	·00	·00	·15	·00	·00	·00	·00	·08	22
23	·00	·16	·08	·00	·00	·02	·35	·00	·00	·85	·00	·44	23
24	·02	·00	·03	·08	·00	·00	·16	·00	·41	·59	·00	·28	24
25	·00	·00	·00	·00	·00	·52	·50	·00	·02	·00	·02	·17	25
26	·00	·07	·00	·00	·00	·07	·30	·00	·04	·32	·00	·21	26
27	·00	·00	·00	·00	·00	·07	·20	·00	·01	·00	·00	·15	27
28	·00	·00	·02	·00	·00	·06	·00	·15	·06	·16	·00	·02	28
29	·00	·42	·00	·00	·00	·07	·06	·09	·00	·00	·10	·07	29
30	·11	X	·00	·00	·00	·50	·26	·01	·00	·03	·07	·20	30
31	·12	X	·00	X	·00	X	·11	·07	X	·20	X	·31	31
Total	3·35	4·69	·50	1·45	2·87	1·43	5·42	3·80	·85	2·73	2·69	5·39	YEAR'S TOTAL 35·17
Rain Days.	20	21	9	13	10	9	21	19	8	12	9	26	147

W. 8,000. X. 15.

2325

~~W DL~~ and for auth

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Munslow

in the County of Shropshire

by Joan Powell

Lat. 52½ Long. 3

Time of Observation 9·30 during "Summer Time" at 9·30

Nearest Railway Station Craven Arms

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 475 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	5	·01	·12	00	·00	·09	·42	·00	·00	·18	·08	·00	1
2	1	·06	·41	·00	·05	·00	·37	·00	·13	·83	·22	·00	2
3	0	·65	·00	·00	17	·03	·03	·00	·02	·18	15	·03	3
4	2	·30	·00	·03	·29	·30	·01	·00	·00	·11	23	·00	4
5	5	·01	·01	·00	·17	·04	·00	·00	·00	·15	13	·00	5
6	9	·20	·05	·00	·13	·02	·40	·00	·00	·11	·30	·02	6
7	4	·02	·14	·00	11	·00	·23	·00	·05	·15	·13	·26	7
8	3	·0·1	·11	·00	·15	·00	·00	·00	·00	·06	·12	·06	8
9	0	·03	·00	·00	·02	·13	·00	·00	·00	·00	·03	·03	9
10	3	·54	·10	·02	00	·01	·00	·00	01	·01	·01	·00	10
11	1	·02	·13	·08	·05	·04	·04	·00	·01	·00	·00	·04	11
12	5	·16	·07	·01	·39	·00	·10	·05	·00	·02	·00	·00	12
13	0	·39	·11	·08	·00	·00	·01	·15	·01	·00	·00	·05	13
14	0	·49	·05	·03	·03	·00	·00	·04	·00	·00	·00	·00	14
15	0	·13	·05	·15	·10	00	·04	·10	·00	·00	·00	·00	15
16	2	·19	·00	·28	·04	00	·04	·03	·00	·10	·00	·00	16
17	6	·04	·00	·14	·00	·00	·00	·00	·30	·10	·00	·00	17
18	4	·00	·05	·03	·00	·00	·00	·00	·26	·00	·00	·06	18
19	6	·00	·07	·13	·00	·00	·00	·00	·00	·05	·18	·00	19
20	4	·00	·00	·01	·00	·00	·00	05	·00	·00	·04	·18	20
21	0	·00	·38	·01	·05	·00	·00	·00	·00	·00	·00	·06	21
22	0	·00	·01	·13	·01	·08	·00	·00	·00	·08	·00	·28	22
23	1	·04	·02	·01	·00	·10	·00	·12	·00	·00	·00	·11	23
24	0	·50	·01	·00	·50	·11	·00	·05	·00	·35	·00	·00	24
25	0	·07	·15	·00	·01	·00	·00	·23	·00	·00	·16	·00	25
26	8	·10	·01	·00	·02	·13	·00	·30	·00	·35	·00	·00	26
27	3	·12	·60	·00	·00	·01	·00	·08	·26	·63	·05	·23	27
28	0	·40	·00	·00	·05	·06	·00	·00	·05	·15	·06	·03	28
29	0	·26	·01	·00	·01	·25	·00	·33	·00	10	·00	·01	29
30	0		·00	·00	·00	19	·00	·00	·00	·09	·00	·00	30
31	0		·00		·00		·00	·02		·25		·01	31
100ths Total	·78 ·72	4·83 4·74	2·66	1·14	2·35	1·59	1·69	1·55	1·10	4·05	1·89	1·45	YEAR'S TOTAL. 24·85 24·93
Rain Days.	18	24	22	15	20	16	11	13	10	21	15	16	201

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

4 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Munslow
in the County of Shropshire
by Joan Powell

Lat. 52 Long. 53
Time of Observation 9·30 am
Nearest Railway Station Craven Arms
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·17	—	·19	—	·39	·44	—	·09	·05	1
2	·01	—	·01	·01	—	·02	—	·05	·01	—	·04	·03	2
3	·04	·08	—	·26	—	·01	—	·06	—	—	—	—	3
4	—	—	·12	—	—	—	—	—	—	·52	—	—	4
5	·11	—	·14	·22	—	—	—	·29	·04	·05	·15	—	5
6	—	—	·35	—	—	·15	—	·01	—	·10	·31	—	6
7	·41	—	—	—	—	—	—	·23	—	·18	·05	·03	7
8	·54	—	—	·11	—	—	·03	·32	—	·43	·11	·11	8
9	—	—	·12	·02	·19	—	—	·16	·04	·03	·31	—	9
10	·31	—	·36	·10	·03	—	—	·12	·03	—	—	—	10
11	·14	—	—	·17	—	—	—	·25	—	·25	·05	—	11
12	·07	—	—	·08	·75	—	—	·05	·03	·33	·01	·01	12
13	—	—	·02	·04	—	—	—	·50	·03	·02	—	—	13
14	·01	—	·20	·02	—	—	—	·25	—	·05	—	—	14
15	·01	—	—	—	·05	—	·38	·51	—	—	—	—	15
16	·02	·15	·01	·11	·01	·24	—	·07	—	·01	—	·30	16
17	—	—	·01	·03	·45	·25	·78	·55	·09	·02	—	·01	17
18	—	—	—	·01	·02	—	·05	·06	·70	·01	·03	—	18
19	—	·45	·36	—	—	·37	—	·04	·01	—	·01	—	19
20	—	·09	·01	—	·43	·63	—	—	·15	—	—	—	20
21	—	·01	·20	—	·01	·12	—	·06	·01	—	·02	—	21
22	—	·07	—	—	—	·02	—	·16	—	·10	—	—	22
23	—	·10	—	—	·16	·05	—	·18	·04	·25	—	—	23
24	—	—	—	—	—	·25	—	·02	—	·08	·10	—	24
25	—	·02	·15	—	·11	·01	—	·08	—	(·08)	·08	—	25
26	—	—	·01	—	—	·16	—	·70	—	·09	·02	—	26
27	—	—	·01	—	1·25	·20	·38	1·08	—	—	·01	—	27
28	—	—	·04	—	—	·02	—	·11	—	·01	—	—	28
29	—	✕	·07	—	—	—	—	·05	—	·25	—	·35	29
30	—	✕	·01	—	—	—	·01	·56	—	—	—	·01	30
31	—	✕	·07	✕	·05	✕	—	·28	✕	·04	✕	—	31
Total	1·67	·97	2·27	1·35	3·51	2·69	1·63	7·19	1·62	2·91	1·39	·90	YEAR'S TOTAL 28·10
Rain Days.	11	8	20	14	13	16	6	29	13	21	16	9	176

W. 8,000, IX. 17.

151

SHROPSHIRE.

NEWPORT

EDGMOND

1911 – 1920

FORM A.
BRITISH RAINFALL.
24 JAN 1912

REGI 9 11

Kept at Edgmond

in the County of Salop

by John Boden

ong.

tion Newport. Salop.

9. A.m.

uge 8 in.

ge above Ground 1 ft. — in.

" Sea Level 261 ft.

NOTE.—Rain should be measured day. Full instructions for the measurement of rain and particulars as to the Britis *ules for Rainfall Observers,"* sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	-	·04	-	·12	03	-	-	·02	-	1
2	-	-	-	-	09	-	06	02	-	09	·11	·07	2
3	-	-	-	s ·01	·34	-	-	·11	03	-	12	·04	3
4	·01	-	08	-	-	-	·02	04	02	·01	·08	—	4
5	·05	-	·06	-	·01	-	-	·27	-	·20	-	·11	5
6	·15	-	·03	-	-	-	-	·21	-	·01	·03	·21	6
7	·02	-	-	-	-	-	-	-	-	-	·20	—	7
8	·10	-	·13	-	-	-	-	-	-	-	·18	·50	8
9	·02	-	·04	-	-	-	-	-	-	-	·76	·05	9
10	-	·07	·12	-	-	-	-	-	-	-	·01	·39	10
11	·09	-	-	-	-	-	-	-	·02	-	·31	—	11
12	-	01	·51	-	-	-	-	-	39	-	·19	·01	12
13	·01	-	-	-	-	-	-	-	-	-	·01	·40	13
14	·01	·01	·04	-	-	-	-	-	-	-	-	·50	14
15	-	·03	·01	-	-	-	-	-	-	·01	·03	·22	15
16	-	·01	01	-	-	·04	-	-	-	·03	09	·01	16
17	-	-	01	-	·14	·40	·01	-	-	-	·15	·27	17
18	-	·26	-	·10	-	·22	-	-	-	·01	-	·15	18
19	-	·02	-	03	-	·23	·01	·05	·40	·29	·21	·09	19
20	-	·11	-	·05	-	-	·01	·17	·16	07	-	·34	20
21	-	·22	·01	-	-	-	·01	28	06	·10	-	·01	21
22	·01	·02	01	·02	-	-	-	·03	-	·36	·03	·34	22
23	·01	07	·19	-	·01	·19	-	-	·14	·03	-	·17	23
24	-	06	-	13	-	·78	-	·06	-	21	-	·06	24
25	-	·12	-	·17	·01	03	-	-	06	01	01	·02	25
26	-	05	-	19	·07	·03	-	-	-	·22	·14	·09	26
27	-	24	07	02	-	-	-	·82	·23	-	02	·13	27
28	-	·11	-	·17	-	-	-	-	-	·01	09	·01	28
29	=	—	-	-	-	·14	·05	-	·26	·19	·01	·02	29
30	-	—	·02	-	-	09	-	-	-	·17	(·03)	—	30
31	-	—	·04	—	·04	—	-	-	—	·06	—	·01	31
Total	·48	1.42	1.39	·79	·75	2.15	·29	2·09	1·77	2·08	2·83 ✓	4·22	TOTAL for year 20-26
No. of Rain Days	·11	·16	18	·10	9	·10	8	12	11	19	23 ✓	26	173 ✓

6,000, XI. '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

REG 9 11

FORM A.
BRITISH RAINFALL.
24 JAN 1912

Kept at Edgmond
in the County of Salop. 4
by John Bodenham.

Lat. Long.
Nearest Railway Station Newport. Salop.
Time of Observation 9. A m.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 261 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	-	·04	-	·12	03	-	-	·02	-	1
2	-	-	-	-	09	-	06	02	-	09	·11	·07	2
3	-	-	-	s ·01	·34	-	-	·11	03	-	12	·04	3
4	·01	-	08	-	-	-	·02	04	02	·01	·08	—	4
5	·05	-	·06	-	·01	-	-	·27	-	·20	-	·11	5
6	·15	-	·03	-	-	-	-	·21	-	·01	·03	·21	6
7	·02	-	-	-	-	-	-	-	-	-	·20	—	7
8	·10	-	·13	-	-	-	-	-	-	-	·18	·50	8
9	·02	-	·04	-	-	-	-	-	-	-	·76	·05	9
10	-	·07	·12	-	-	-	-	-	-	-	·01	·39	10
11	·09	-	-	-	-	-	-	-	·02	-	·31	—	11
12	-	01	·51	-	-	-	-	-	39	-	·19	·01	12
13	·01	-	-	-	-	-	-	-	-	-	·01	·40	13
14	·01	·01	·04	-	-	-	-	-	-	-	-	·50	14
15	-	·03	·01	-	-	-	-	-	-	·01	·03	·22	15
16	-	·01	01	-	-	·04	-	-	-	·03	09	·01	16
17	-	-	01	-	·14	·40	·01	-	-	-	·15	·27	17
18	-	·26	-	·10	-	·22	-	-	-	·01	-	·15	18
19	-	·02	-	03	-	·23	·01	·05	·40	·29	·21	·09	19
20	-	·11	-	·05	-	-	·01	·17	·16	07	-	·34	20
21	-	·22	·01	-	-	-	·01	28	06	·10	-	·01	21
22	·01	·02	01	·02	-	-	-	·03	-	·36	·03	·34	22
23	·01	07	·19	-	·01	·19	-	-	·14	·03	-	·17	23
24	-	06	-	13	-	·78	—	·06	-	21	-	·06	24
25	-	·12	-	·17	·01	03	-	-	06	01	01	·02	25
26	-	03	-	19	·07	·03	-	-	-	·22	·14	·09	26
27	-	24	07	02	-	-	-	·82	·23	-	02	·13	27
28	-	·11	-	·17	-	-	-	-	-	·01	09	·01	28
29	=	—	-	-	-	·14	·05	-	·26	·19	·01	·02	29
30	-	—	·02	-	-	09	-	-	-	·17	(·03)	—	30
31	-	—	·04	—	·04	—	-	-	—	·06	—	·01	31
Total	·48	1.42	1.39	·79	·75	2.15	·29	2·09	1·77	2·08	2.83 ✓	4·22	TOTAL for year 20-26 ✓
No. of Rain Days	·11	·16	18	·10	9	·10	8	12	11	19	23 ✓	26	173 ✓

6,000, XI. '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

✓

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Edgmond

in the County of Salop 4

by John Bodenham

RAIN GAUGE Pattern
Diameter of top 8 in.
Height of top above Ground One ft. in.
" " " Sea Level 261 ft.

Time of Observation 9 am

Nearest Railway Station Name Newport
Distance 2 m Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.01	.01	-	-	18	.01	.16	.14	-	.01	16	1
2	-	~~1~~ .15	[illegible]	.01	.01	.19	.13	—	01	—	—	05	2
3	.06	—	.13 .02	—	.02	.22	.01	.83	.07	—	04	06	3
4	.13	—	.56	—	.19	.33	-	.07	.—	—	36	—	4
5	.17	.07	.27	—	04	.43	-	.26	05	—	02	—	5
6	~~.12~~	.05	.01	—	.07	-	-	.13	.03	.01	—	—	6
7	~~.40~~	.07	.01	—	.17	.63	.01	.06	-	-	—	01	7
8	34 .34	.11	.15	.04	.05	34	.03	.30	.20	—	—	—	8
9	.07	.02	.54	.13	—	.61	-	.23	-	—	04	06	9
10	.12	.02	.01	.01	—	34	—	59	-	—	29	01	10
11	.04	.03	.01	—	.01	—	-	.06	-	.01	11	59	11
12	.05	.14	.17	—	-	—	.02	—	-	-	03	09	12
13	—	.01	—	-	-	.03	-	04	.01	.04	01	01	13
14	.04	—	.45	-	-	.09	-	.02	.01	.01	-	02	14
15	.13	.15	.10	.01	.46	.32	-	.01	—	-	-	06	15
16	.59	—	.06	-	.07	02 .02	-	17	-	.03	01	01	16
17	.67	.04	.03	-	.-	.15	.02	.34	-	.-	15	29	17
18	.04	—	.09	-	-	—	-	.01	-	.05	06	—	18
19	.06	.05	—	-	.01	.02	.09	.19	-	.03	01	01	19
20	.02	.01	.16	-	.07	-	.08	.05	-	.20	03	—	20
21	—	.04	.13	-	.40	-	-	.16	-	.46	05	02	21
22	.12	.07	—	-	.36	.04	.20	.45	-	-	—	07	22
23	.03	.04	.29	-	-	.—	.27	.30	-	—	19	04	23
24	.13	—	.02	-	-	-06	.11	.16	-	.01	—	19	24
25	—	—	—	-	-	.08	-	.25	-	—	21	34	25
26	-	.09	.04	-	-	.02	.15	.74	-	.64	17	01	26
27	—	.01	.01	-	-	.30	.37	—	-	.77	02	14	27
28	—	.02	.01	-	-	.01	.27	.30	.80	.20	62	02	28
29	—	.02	.02	-	-	.05	.10	.01	.10	.02	16	01	29
30	.02		.01	-	.07	.49	.04	—	-	.07	03	—	30
31	.02		.21	-	.19		.29	.11	.	—	—	02	31
Total	3.25	1.04	3.54	.20	2.19	4.93	2.20	6.00	1.42	2.55	2.62	2.26	TOTAL for year 32.20
No. of Rain Days.	21	21	27	5	16	23	18	27	10	15	22	24	229

W. 8,000, X. '11.

✓ Ex DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
20 JAN 1914

Kept at Edgmond.
in the County of Salop 4
by John Bodenham.

Lat. 52° 46′ 40″ Long. 2° 24′ 50″
Time of Observation 9 A.M.
Nearest Railway Station Newport Salop
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 261 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	·06	·07	·02	—	·01	—	·37	—	·03	—	1
2	·01	·04	·04	·08	—	·02	—	—	·01	·04	·05	—	2
3	·02	·02	·11	—	·48	—	·03	—	·02	·34	—	·11	3
4	·87	·03	·01	—	·10	—	·05	—	—	·02	·04	·38	4
5	·32	·05	·09	—	·07	·25	·53	—	·01	1·32	·05	·02	5
6	·03	·28	·14	—	·26	·11	·02	—	—	·06	·02	·16	6
7	·01	·07	·01	—	·12	·03	·02	—	—	·52	·21	·02	7
8	—	·08	—	·01	·09	·10	·19	·08	·01	·03	·01	—	8
9	—	·35	·17	·06	·10	·22	—	·29	·06	—	·10	·03	9
10	·06	—	—	·28	·03	·04	—	·22	—	·04	·04	—	10
11	s ·69	·01	—	·34	·09	·02	—	·01	—	·09	·15	·02	11
12	—	—	—	—	·04	·02	·09	—	·01	·01	·58	—	12
13	s ·01	—	·28	—	—	—	—	·09	·11	—	·21	—	13
14	·11	·01	·60	·12	—	—	—	·17	—	·11	·01	—	14
15	·03	·07	·37	·52	—	—	—	—	·05	·01	·12	·03	15
16	·01	—	·33	·01	—	—	·23	·10	·10	—	·01	—	16
17	·02	·01	·04	·04	—	·03	—	—	·07	—	·01	—	17
18	—	—	·17	·06	—	—	·05	—	—	—	—	·02	18
19	·06	—	·05	—	·02	·08	·02	—	·06	·02	·01	·01	19
20	·04	—	·15	·01	—	—	—	—	—	·05	·19	—	20
21	—	—	·01	·07	·03	—	·04	·05	—	—	·12	—	21
22	·51	—	·80	—	—	·11	—	·94	·46	—	·01	—	22
23	—	—	·01	·01	—	·02	—	·04	·18	—	·11	·02	23
24	·17	—	—	—	—	—	—	·03	—	·01	·05	·03	24
25	—	—	—	·06	—	—	—	—	·11	·02	—	—	25
26	—	·08	—	·14	·18	—	—	·08	·01	·01	·01	·21	26
27	·01	·01	·01	·28	—	—	—	—	—	·10	·01	·01	27
28	·16	—	·34	·34	·02	—	—	—	—	·11	—	s ·09	28
29	·01		·35	·46	·04	—	—	·05	—	·13	—	·03	29
30	·19		—	—	·01	—	—	—	—	·59	·04	—	30
31	·01		·30		·17		—	—		·03		—	31
Total	3·35	·92	4·44	2·96	1·87	1·05	1·28	2·15	1·64	3·66	2·19	1·19	YEAR'S TOTAL 26·70
Rain Days.	22	15	23	19	18	13	12	13	16.	22	25	16	214

W.7,000, XI. 13

Exc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at Edgmond
in the County of Salop 4
by John Bodenham

Lat. 52°46'40" Long. 2°24'50"
Time of Observation 9 a.m.
Nearest Railway Station Newport-Sal
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 261 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·02	·06	–	–	·01	·46	·49	–	·02	–	·13	1
2	·01	–	–	–	–	–	·34	·54	–	·05	·31	·19	2
3	–	–	·02	·03	·15	–	·07	·04	–	–	·02	·46	3
4	·17	–	·01	·10	·07	–	·06	·02	–	–	·56	·47	4
5	·11	–	·16	·03	·09	·03	·11	·03	–	·01	·06	·01	5
6	·03	·01	–	·11	·05	·01	·10	·01	–	–	·10	·11	6
7	·01	·04	·41	·05	·10	·09	·09	·19	–	–	·01	·24	7
8	·01	–	–	·13	·18	·29	·02	·07	·06	–	–	·01	8
9	·43	·01	·02	·06	·09	·66	–	·21	·04	–	–	·01	9
10	·05	·09	·04	·25	·06	·21	–	–	·26	–	–	–	10
11	–	·43	·15	·06	·07	–	–	–	·03	–	·37	·46	11
12	·01	·19	·17	–	–	·01	·39	–	·31	–	·12	·14	12
13	–	·08	·09	–	–	–	·05	–	·02	·11	·22	·29	13
14	–	·22	·06	–	–	–	·04	–	·01	·14	·16	·06	14
15	·01	·03	·17	–	–	–	–	–	·03	·01	·07	·03	15
16	–	–	·11	–	–	–	·15	–	·07	–	–	·03	16
17	–	·14	·19	–	–	–	·04	–	·07	–	–	·25	17
18	–	–	·02	–	–	·09	·03	–	·18	·05	–	·30	18
19	–	·03	·01	–	–	–	·26	–	·37	–	·10	·11	19
20	–	·10	·09	–	–	·05	·66	–	–	–	–	·36	20
21	–	·29	·01	–	–	·10	·12	·36	–	·13	–	·41	21
22	–	·07	·06	–	·24	·14	–	·18	–	·25	–	–	22
23	–	·01	·03	–	·05	·01	·01	–	–	·03	·01	–	23
24	–	–	·09	·01	·02	–	·21	·27	–	·04	·09	–	24
25	·06	–	–	·02	–	–	·10	·27	–	·46	·05	·27	25
26	–	–	·08	–	–	–	·04	·06	–	·13	·12	·22	26
27	·07	–	·01	–	–	–	–	–	–	·01	·27	·67	27
28	·23	·06	·06	–	·01	–	–	–	–	·08	·01	·42	28
29	·01		·02	–	·12	–	–	–	–	–	·07	–	29
30	–	╳	·01	–	·02	–	–	–	–	·01	·32	·34	30
31	·04	╳	·01	╳	–	╳	·19	–	╳	·01	╳	·01	31
Total	1·25	1·82	2·16	·85	1·32	1·70	3·54	2·74	1·45	1·54	3·04	6·00	YEAR'S TOTAL 27·41
Rain Days.	15	17	27	11	15	13	22	14	12	17	20	26	209

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Edgmond
in the County of Salop
by John Bodenham

Lat. 32° 46' 40" Long. 2° 24' 50"
Time of Observation 9 a m
Nearest Railway Station Newport Salop
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 261 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·27	·14	·47 (·07)	–	·41	–	·03	·02	·36	·11	–	·04	1
2	·03	·09	·17	·26	–	·12	–	1·17	–	·19	–	·07	2
3	·99	·01	·04	·11	–	–	·31	–	–	–	–	·17	3
4	01	·06	–	–	·13	–	·75	–	–	–	–	·77	4
5	07	·35	·03	–	–	–	02	04	–	·04	–	·36	5
6	·07	·09	·03	·03	–	–	52	·04	–	–	–	·07	6
7	·11	·39	–	·02	·32	–	·17	·02	–	–	·01	·22	7
8	·10	09	–	·01	–	–	–	·17	–	–	02	–	8
9	·07	·02	–	·35	–	–	–	·10	–	–	·16	·42	9
10	·26	–	·10	·05	–	–	–	–	–	–	56	·01	10
11	·01	–	–	·03	·31	–	14	01	–	–	·85	·06	11
12	·12	–	–	·17	·31	–	·02	·25	–	·21	30	–	12
13	·01	·37	·01	–	34	–	–	·17	–	–	·14	·05	13
14	·02	–	–	·01	·01	–	–	·24	·07	·01	04	·14	14
15	·29	·17	–	·06	·07		18	·12	–	–	·14	06	15
16	·04	·18	–	·01	·24		2·31	·17	–	–	–	·01	16
17	–	·22	–	–	·29		–	·05	–	–	–	–	17
18	·01	04	·03	–	–		–	–		–	~~·01~~	–	18
19	–	–	02	·03	10		·19	–	–	–	–	–	19
20	·05	·01	–	·06	–		·12	–	–	–	·01	·07	20
21	s ·34	·01	–	·02	–		·22	–	·02	·03	–	·09	21
22	·02	·10	·19	·02	–		04	–	–	–	01	·02	22
23	·05	–	·06	–	–	·05	·14	–	–	·59	–	·17	23
24	–	–	05	·11	–	–	·14	–	·39	·23	–	·23	24
25	–	–	01	–	–	·62	06	–	–	·03	·03	·27	25
26	01	·04	–	–	–	·01	·36	–	04	–	–	·29	26
27	–	·09	–	–	–	–	·24	–	·01	·22	–	·21	27
28	–	·12	01	–	–	–	–	·16	–	·02	–	–	28
29	–	—	–	–	01	·16		·10	–	–	·10	·05	29
30	·04	—	–	·05	–	·50	35	·01	–	22	·01	·04	30
31	·09	—	–	—	–	—	·02 09	·02	—	·09		·42	31
Total	308	2·59	·82	1·40	2·54	1·46	6·42	2·86	·89	2·01	2·38	4·31	YEAR'S TOTAL 30·76
Rain Days.	25	20	14	18	12	6	22	18	6	13	14	25	193

W. 7,500, XI. ·12

2354

Exd

REGISTER OF RAINFALL IN 1916

FORM A2.
BRITISH RAINFALL.

13 JAN 1917

Kept at Edgmond

in the County of Salop

by John Bodenham.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 261 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Newport-Salop.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.4	·03	·34	–	–	12	28	–	–	06	11	–	1
2	22	09	.15	–	02	09	11	–	14	64	02	–	2
3	–	–	02	03	–	02	04	–	08	22	17	–	3
4	.10	62	01	04	01	19	–	–	–	04	24	–	4
5	–	33	01	–	48	16	01	–	–	09	20	–	5
6	23	14	03	–	17	03	36	–	01	05	25	06	6
7	05	–	02	–	·21	01	29	–	–	04	09	·29	7
8	06	02	10	–	06	–	–	–	–	07	–	·17	8
9	01	–	02	–	05	02	–	–	–	–	02	·02	9
10	01	31	02	04	29	01	01	–	–	19	–	·06	10
11	–	17	03	11	02	07	01	–	04	–	–	·06	11
12	01	10	03	01	01	–	20	09	–	05	–	–	12
13	04	10	14	03	27	–	01	42	–	02	–	·225	13
14	–	·26	02	04	01	–	–	16	–	09	–	·01	14
15	–	30	34	07	07	–	06	04	04	15	–	–	15
16	03	07	09	13	19	–	02	30	–	04	–	–	16
17	05	13	–	26	01	–	06	1·02	47	21	–	·12	17
18	01	12	01	11	–	–	–	01	30	13	38	–	18
19	02	01	20	02	–	–	–	06	02	–	42	055	19
20	01	–	61	03	–	–	–	01	–	–	01	·06	20
21	·04	–	·22	–	05	–	17	–	–	–	–	·235	21
22	–	·01	–	02	–	05	–	–	–	14	–	·215	22
23	·04	·04	·03	06	~~–~~	02	–	15	–	02	05	·02	23
24	–	·39	–	–	05	–	–	13	–	11	–	·14	24
25	–	02	·13	–	21	–	–	06	03	08	43	–	25
26	·07	04	02	–	01	08	–	02	03	16	06	–	26
27	01	02	24	–	–	08	–	30	05	49	–	·01	27
28	–	·24	05	–	–	–	–	–	–	07	·01	·20	28
29	–	15	–	–	–	51	–	–	–	19	–	·16	29
30	–		–	–	–	23	–	16	–	18	–	–	30
31	–		–		–		–	–		19		·05	31
Total	1·05	3·71	2·88	1·00	2·19	1·69	1·63	2·93	1·21	3·72	2·46	2·14	TOTAL for year ✓ 26·61
No. of Rain Days	19	24	25	15	19	16	14	15	11	26	15	19	218

9,000, IX. '10.

Exd M JS

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Edgmond
in the County of Salop
by Wm Bevan

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Newport (Salop)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level not known ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.04	—	.09	.01	—	—	—	.03	.04	.34	.23	1
2	—	.03	—	.03	—	—	—	.50	—	.02	.01	—	2
3	—	—	—	—	.16	—	—	.12	.25	.05	.25	—	3
4	.01	.05	—	—	—	—	—		1.11	.01	—	.32	4
5	—	—	—	.03	.14	—	—	.22	.06	.14	—	—	5
6	—	.09	.02	.40	.13	.10	—	—	—	.05	—	—	6
7	—	.09	—	.04	—	.09	—	.01	.21	.04	.11	—	7
8	—	.26	—	—	—	—	.02	—	—	.20	.02	.01	8
9	.01	.42	—	.18	—	.17	(?)	—	.59	.41	—	—	9
10	.11	.09	—	.36	—	—	.76	—	.07	.02	.07	.13	10
11	.05	—	.15	—	—	—	.02	—	.22	—	—	.05	11
12	—	.03	.04	—	.20	—	.36	—	.01	.06	—	—	12
13	.01	—	—	—	.02	.03	—	—	.12	.02	—	.01	13
14	.27	.01	—	—	—	.07	.08	—	.31	.08	—	.24	14
15	.80	—	—	.04	.04	.02	.35	—	.30	—	—	.28	15
16	.05	—	—	.20	—	.12	.09	—	.07	.01	—	.17	16
17	.22	—	—	.01	.02	.01	.05	—	.44	.17	—	.19	17
18	.25	—	.03	—	—	.12	.04	.01	.54	.01	—		18
19	.02	.01	.20	.05	—	—	.06	—	—	.08	—	.45	19
20	.02	.06	—	.34	—	.10	.02	—	.16	—	.01	.36	20
21	.04	—	—	.26	—	.01	.10	—	.20	.02	—	.20	21
22	—	—	—	—	2.08	—	.27	—	.02	.04	—	.19	22
23	—	—	—	—	.42	.01	.16	—	.08	.01	—	—	23
24	—	.15	—	—	—	—	—	.06	.08	—	.09	.06	24
25	—	—	—	—	.09	.07	.27	.32	—	—	.03	—	25
26	—	—	—	—	—	—	.21	.02	.03	—	.03	—	26
27	—	.10	—	—	—	—	.01	.33	.24	—	.17	.05	27
28	—	.07	.37	—	—	—	—	—	—	—	.21	.10	28
29	—	X	.07	—	—	—	—	—	.53	—	.01	.09	29
30	—	X	.24	—	—	—	—	—	.01	—	.11	.19	30
31	—	X	.08	X	—	X	—	.02	X	—	X	—	31
Total	1.86	1.50	1.20	2.03	3.31	.92	2.87	1.61	5.78	1.48	1.46	3.32	YEAR'S TOTAL 27.34
Rain Days.	13	15	9	13	11	13	18	11	24	20	14	20	181

away from home
arrangements made
quantity roughly divided

W. 6,500, VII. 18. w w c

~~W~~ ML

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Edgmond

in the County of Salop

by Wm Bevan

Lat. 52·48 Long.

Time of Observation 9 a.m.

Nearest Railway Station (Newport – Salop)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	—	·14	—	·23	—	·08	—	—	·20	1
2	—	·01	·10	·03	—	—	·18	—	·09	—	·12	—	2
3	·22	—	—	—	—	·14	·37	—	·07	·09	·02	·05	3
4	·03	·01	·24	—	—	·03	·03	·18	·07	·02	—	·18	4
5	·03	·25	—	·02	·12	—	—	—	—	—	—	—	5
6	·07	—	·08	—	·25	—	—	—	—	—	·01	—	6
7	·15	—	·26	·04	—	—	—	—	—	—	·06	—	7
8	·15	—	—	—	—	·05	—	—	—	—	—	·09	8
9	·06	—	—	·09	—	—	—	—	—	—	—	—	9
10	—	—	·39	—	—	—	—	—	—	·05	—	·08	10
11	·02	—	1·26	·01	·05	—	·20	—	—	·03	·01	—	11
12	—	—	·45	—	—	·44	—	—	—	·05	·02	·02	12
13	·09	—	—	·09	—	—	—	—	·69	·32	—	·01	13
14	·36	—	—	·16	—	—	·13	—	—	·24	—	·02	14
15	·39	·03	—	·48	—	—	—	·02	—	·13	—	·18	15
16	—	·57	—	—	—	·03	—	·01	—	—	·25	—	16
17	·04	·33	—	—	—	—	—	—	—	—	·04	·01	17
18	—	—	·74	·01	—	—	·06	·64	—	—	·01	·10	18
19	·06	·27	·82	—	—	·15	·71	·28	·15	—	·13	—	19
20	·17	·03		—	—	·01	—	—	·24	—	·50	·18	20
21	—	·26	—	—	—	—	·39	—	·03	—	·10	·14	21
22	—	·36	—	—	—	—	·02	—	·56	—	·01	·97	22
23	—	—	—	—	—	·17	—	·09	—	1·45	·01	·01	23
24	—	—	—	—	·15	·05	—	—	—	·38	·13	·03	24
25	·09	—	—	·16	·11		—	·34	—	—	—	—	25
26	—	—	·10	·18	—	·06	—	·06	·08	·01	—	·24	26
27	·21	—	·01	·22	—	—	—	·14	—	—	—	—	27
28	—	—	—	·03	—	—	—	·54	—	—	—	·31	28
29	·04		(·20)	—	—	·05	—	·08	—	·29	—	·13	29
30	—		—	·08	—	·08	—	·01	—	·02	·09	·10	30
31	·01		—		—		—	—		—		·05	31
TOTAL	2·24	2·12	4·65	1·60	·82	1·20	2·32	2·36	2·06	3·08	1·51	3·10	YEAR'S TOTAL 27·06
Days with ·01 in. or more	19	10	13	14	6	13	10	12	10	13	16	21	157

not seen proper time

only seen once

seen once

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2014

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 192

4 JAN 192

Kept at Edgmond

in the County of Salop

by Wm Bevan

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Newport Salop.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·01	·13	·13	·02	·25	·03	·14	·06	—	·20	1
2	·03	—	—	not seen +✓	—	—	·81	—	·12	·03	—	·09	2
3	—	·06	—	+✓ ·60	·01	·03	·62	—	·14	·19	—	·01	3
4	—	—	—	·05	·01	—	·01	·56	·13	·29	—	—	4
5	—	—	—	—	·03	—	·22	·04	·31	·50	—	—	5
6	—	—	·05	·05	·02	—	·03	—	—	·62	—	·01	6
7	—	—	·03	+✓ not seen	—	—	·28	—	—	·01	·01	—	7
8	·30	·08	—	+✓ ·51	·11	—	·15	·25	—	—	—	—	8
9	·27	·05	—	·64	—	—	·07	·25	·04	—	—	—	9
10	·24	·07	·09	·26	—	—	·21	—	—	—	·05	—	10
11	·22	·01	·03	·25	·33	·19	·06	·01	—	—	—	·08 Snow	11
12	·11	—	—	·15	·03	1·12	·03	—	—	—	·02	·09	12
13	·07	—	·04	·12	—	·02	—	—	—	—	·20	—	13
14	·03	·07	·66	·12	—	·56	·03	—	·58	·12	·20	—	14
15	—	·10	—	·14	—	·03	·01	—	—	·16	—	—	15
16	—	—	·04	·15	·33	·27	·27	—	—	·51	—	—	16
17	·01	—	—	—	+✓	—	—	—	·43	—	—	—	17
18	·27	—	—	·05	+✓ ·25	·02	—	·03	·13	—	—	—	18
19	—	1·42	—	·04	·17	·06	—	·04	·07	—	—	—	19
20	—	·01	—	·31	—	·12	·01	·03	·01	—	—	·04	20
21	—	—	—	·04	—	—	·20	·05	—	—	—	—	21
22	·04	—	—	·11	—	—	·40	·13	—	—	—	—	22
23	—	—	·03	·03	—	—	·09	·08	—	—	—	·33	23
24	·06	—	—	·02	—	—	—	·04	·01	—	—	·35	24
25	·01	·09	·37	·05	—	·04	·35	—	—	—	—	—	25
26	·24	·05	·30	·02	—	—	·02	—	—	—	—	—	26
27	+	·03	(·03)	·12	·83	·25	·01	—	—	—	·06		27
28	1·66 + Snow	—	not seen + ·32	·09	·51	·14	—	—	—	—	—	·47	28
29	—	—	~~[illegible]~~	·04	·20	·02	·18	—	—	—	—	·46	29
30	·11	✕	—	·21	·10	·08	·01	—	·29	—	·14	·18	30
31	·01	✕	·03	✕	—	✕	·01	—	✕	·41	✕	·03	31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	3·68	2·04	2·03	4·30	3·06	2·97	4·33	1·54	2·40	2·90	·68	2·34	32·27
Days with ·01 in. or more	18	12	15	28	16	16	25	13	13	11	7	13	187
Days with ·04 in. or more	13	9	9 ~~10~~	25 ~~24~~	11 ~~10~~	10	15	9	11	9	5	10	136 ~~135~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

Cor. for anth 22·1

REGIST

SHROPSHIRE.
NEWPORT
CHETWYND PARK.

1911 – 1920

FORM A2.
BRITISH RAINFALL
9 JAN 1912

Kept at Chetwynd Park far

in the County of Shropshi

by H. Sherwood

5 in.

e Ground 1 ft. in.

Sea Level 250 ft.

a.m

Name Newport Salop

Distance 2½ m Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			-01	-03	.04		-18	-03			.03		1
2					-05		-07	-02		-09	-06	-10	2
3					-33			-11	-04		.14		3
4	-01		-09				03	-08	-04	-02	.08	-05	4
5	-03		-08		-02			-38		-18	.01	-15	5
6	-15		-07					-18		-01	.02	-01	6
7	-03										.21	-20	7
8	-10		-14								.19	-47	8
9	-03		-12								.68	-03	9
10		-06	.13						-01			-39	10
11	-12		-01					-02	-03		.32	-01	11
12		-02	-47		-02				-39		.21		12
13											.01	.35	13
14		-02	.04				-01					-45	14
15		-04	-02							-03	-03	-22	15
16		-01	-01			-04				-01	-07	-01	16
17			-01		-05	45					-16	-26	17
18		-22		-09		20				-01		-16	18
19		-02		-04		27	-01	-06	-35	-34	.25	-08	19
20		-14		-05				-46	-13	-11		-31	20
21		-19	-01					-26	-03	-11		-01	21
22	-01	-02	.02	-04			-02	-01		-45	03	-35	22
23		-09	-09		-02	-19			.16	-07		-11	23
24		-08		.04		-86		-06		-21		-07	24
25		-12		-18	-01	-03			.06	-02		-02	25
26		-08		-23	-10	-05			.01	-18	14	-10	26
27		-28	.08	-02				-83	-26		05	-14	27
28		-15		-21					-01		11	-01	28
29						.12	09		.14	-24	02	-02	29
30			-02	-02		-13				-19	01		30
31			-03		-02					-04		-02	31
Total	-48	1-45	1-45	-95	-66	2,34	-41	2.50	1,66	2,31	2,83	4-10	TOTAL for year 21·14
No. of Rain Days.	8	16	19	11	10	10	7	13	14	18	22	27.	21.04

W. 8,000, X. '11.

145

cor. for auth 22·

REGIST

FORM A2.
BRITISH RAINFALL
3 JAN 1912

Kept at Chetwynd Park Gardens
in the County of Shropshire 4
by H. Sherwood

RAIN GAUGE
Pattern
Diameter of top ~~4~~ 5 in.
Height of top above Ground 1 ft. in.
,, ,, ,, Sea Level 250 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Newport Salop
Distance 2½ ms Direction S S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			-01	-03	-04		-18	-03			,03		1
2					-05		-07	-02		-09	-06	-10	2
3					-33			-11	-04		,14		3
4	-01		-09				03	-08	-04	-02	.08	-05	4
5	-03		-08		-02			-38		-18	,01	-15	5
6	-15		-07					-18		-01	,02	-01	6
7	-03										,21	-20	7
8	-10		-14								,19	-47	8
9	-03		-12								.68	-03	9
10		-06	·13						-01			39	10
11	-12		-01					-02	-03		,32	,01	11
12		-02	-47		-02				-39		,21		12
13											.01	,35	13
14		-02	·04				-01					-45	14
15		-04	-02							-03	-03	-22	15
16		-01	-01			-04				-01	-07	-01	16
17			-01		-05	45					-16	-26	17
18		-22		-09		20				-01		-16	18
19		-02		-04		27	-01	-06	-35	-34	.25	-08	19
20		-14		-05				-46	-13	-11		-31	20
21		-19	-01					-26	-03	-11		-01	21
22	-01	-02	.02	-04			-02	-01		-45	03	-35	22
23		-09	-09		-02	-19			,16	-07		-11	23
24		-08		.04		-86		-06		-21		-07	24
25		-12		-18	-01	-03			.06	-02		-02	25
26		-08		-23	-10	-05			,01	-18	14	-10	26
27		-28	,08	-02				-83	-26		05	-14	27
28		-15		-21					-01		11	-01	28
29						,12	09		,14	-24	02	-02	29
30			-02	-02		-13				-19	01		30
31			-03		-02					-04		-02	31
Total	-48	1-45	1-45	-95	-66	2,34	-41	2.50	1,66	2,31	2,83	4-10	TOTAL for year 21·14
No. of Rain Days.	8	16	19	11	10	10	7	13	14	18	22	27.	21.04

W. 8,000, X. '11.

cod by Park g. 7-III-13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

Kept at Chetwynd Park Gardens

in the County of Shropshire 4

by N. Sherwood

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 250 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Newport Salop
Distance 2 mile Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02	.02			.18	.01	(.10)	.07			.14	1
2		.03	.13	.02	.0~~2~~1	.25	.11		.01			.05	2
3	.11		.02		.03	.21	.01	.84	.05		.06	.08	3
4	.14		.53		.11	.31		.06			.41		4
5	.15	.07	.26		.06	.43		.25	.05		.02		5
6	.37	.05	.01		.08			.12	.02				6
7		.07			.13	.38	.01	.02	.04			.02	7
8	.38	.11	.17	.05	.04	.31	.05	.38	.20			.01	8
9	.06	.01	.55	.19	.01	.58		.25			.08	.20	9
10	.12	.01		.02		.41		.78			.25	.02	10
11	.06	.02	.02					.35			.11	.56	11
12	.05	.17	.19		81						.03	.08	12
13	.01	.02				.04		.04		.06	.01	.01	13
14	.05		.52			.09		.02	01			.03	14
15	.13	.18	.14	.02	.46	.34		.01				.07	15
16	.60		.11		.11	.02		.16		.07	01	.01	16
17	*.54	.04	.03		.01	.18	.04	.41			15	.30	17
18	.10		.09					.03		.06	08	.04	18
19	.06	.03			.01	.01	.10	.23		.04	01	.01	19
20	.04	.04	.12		.11		.08	.09		.21	03		20
21		.10	.12		.42			.12		.50	05	.01	21
22	.11	.02			27	.04	.23	.48				.09	22
23	.03	.01	.32				.37	.35			20	.01	23
24	16	.	.03			.09	.17	.16			~~19~~	.19	24
25		.07				.12		.25			22~~[illegible]~~	.38	25
26		.02	.03				.21	.79		.70	19~~[illegible]~~	.04	26
27		.03	.02			.29	.35			.81	04	.26	27
28			.01				.27	.34	.07	.18	89 89	.02	28
29						.01	.16	.03	.57	.02	01	.02	29
30			.01		.10	.38	.03	.07		.03	03		30
31	.02		.25		.31		.35	.10		.01			31
Total	3.29	1.12	3.70	.30	2.28	4.67	2.55	6.77	1.09	2.69	2.88	2.65	33.99
No. of Rain Days.	21	21	~~25~~ 24	5	18	21	17	27	10	12	~~22~~ 21	25	222

* melted snow

W. 8,000, X. '11.

Ex DS

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. [illegible] JAN 1914

Kept at Chetwynd Park Gardens

in the County of Shropshire 4

by H. Sherwood

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station 2½ miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01	.06	.08	.02				.39		.02		1
2	.01	.08	.06	.07			.01		.03	.07	.05		2
3	.02	.02	.12		.46				.04	.19		.18	3
4	.79	.05	.04		.09		.02				.05	.42	4
5	.28	.07	.07		.05	.21	.04		.01	1.42	.05	.04	5
6	.05	.15	.14		.26	.11	.83			.08	.02	.24	6
7	.01	.09	.01		.11	.07	.06			.37	.21	.15	7
8		.09		.01	.09	.10	.02	.09		.01		.02	8
9		.33	.19		.15	.24	.13	.33	.04		.13	.05	9
10	.03			.06	.03	.08		.22		.05	.05		10
11	.65	.02		.11	.05	.03				.10	.12	.01	11
12				.41	.04			.01		.01	.48	.01	12
13	.02		.28				.08	.08	.14		.21		13
14	.08	.01	.60	.15				.16		.12	.02		14
15	.03	.06	.33	.51				.01	.09	.01	.12 ~~.01~~	.03	15
16	.01		.37	.04				.02	.12		.01		16
17	.02		.04	.08		.02	.15		.10		.01	.01	17
18	.02	.01	.14	.06			.06				~~[illegible]~~	.01	18
19	.06		.10		.02	.05	.02		.07	.02	.01	.02	19
20	.06		.06	.06						.03	.21 ~~.14~~		20
21			.02	.02	.08		.03	.07			.14		21
22	.49		.88			.11		100	.53		~~[illegible]~~	~~[illegible]~~	22
23						.01		.01	.21 ~~[illegible]~~		.12	.08	23
24	.24			.02					~~.01~~		.06	.01	24
25				.07					.10	.03	.02		25
26		.10		.16	.34			.08	.01		~~[illegible]~~	.20	26
27	.01	.01	.01	.27						.12	.02	.04	27
28	.21		.37	.33	.02					.08	.02	08	28
29	.01		.35	.50	.05			.06		.12	.02		29
30	.19		.01		.03					.63	.03		30
31	.02		.31		.28					.02			31
Total	3,31	1,10	4.56	3,01	2,17	1,03	1,45	2,14	1,88	3,48	2,20	1.60	YEAR'S TOTAL 27.93
Rain Days.	23	15	23	19	18	11	12	13	14	19	25	18	210

W. 7,500, XI. 12

Exc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Chetwynd Park Gardens
in the County of Shropshire. 4
by N. Sherwood

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Newport Salop
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01	.03				.36	.63		.02		.15	1
2							.49	.37			.29	.17	2
3			.02	.03	.17		.07	.04			.04	.53	3
4	.21		.01	.09	.18		.08	.02			.56	.53	4
5	*.12		.13	.03	.11	.04	.10	.03		.01	.07		5
6	*.04			.07	.07		.07	.02			.06	.11	6
7	.01	.04	.42	.04	.05	.08	.06	.20			.01	.27	7
8	.04			.19	.18	.29	.02	.10	.12			.01	8
9	.46	.01	*.04	.06	.09	.71		.29	.02			.02	9
10	.06	.09	↑.05	.25	.07	.17			.26				10
11		.42	.12	.08	11				.06		.41	.47	11
12		.17	.18			.02	.31		.33		.11	.15	12
13		.09	.11				.05		.03	.12	.25	.31	13
14		.33	07				.08		.01	.13	.16	.10	14
15	.02		.20						.03	.01	.02	.05	15
16			.15				.26		.06			.03	16
17		.15	*.21				.05		.09			.27	17
18			.02			.15	.05		.09	.04		.34	18
19		.03	.02				.21		.38		.10	.13	19
20		.09	.09			.06	.23					↑.30	20
21		.32	.05			.06	.22	.22		.12		*.46	21
22		.07	.14		.24	.12		.23		.26			22
23			.05		.13	.09	.08			.02			23
24		.02	.08	.01	.01	.01	.15	.26		.05	11		24
25	.06						.05	.34		.45	07	.36	25
26			.14					37		.12	15	.22	26
27	.08									.01	26	.69	27
28	.24	07	.05		.02						02	.37	28
29			.03		.12					.08	07		29
30		X	.02			.01					28	.31	30
31	.05	X	.01	X	.05	X	.22		X	.01	X	.01	31
Total	1,39	1,91	2,41	.85	1,60	1,81	3,21	3,12	1,48	1,45	3,04	6,36	YEAR'S TOTAL 28.63
Rain Days.	12	15	26	10	15	13	21	14	12	15	19	25	197

W. 8,000. X. 14. * Rain & Snow. ↑ Melted Snow.

ExM'c

2425

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
6. JAN 1916

Kept at Chetwynd Park Gardens, Newport ~~Salop~~

in the County of Shropshire

by N. Sherwood

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Newport Salop

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-27	.14	.08		.44		.05	.06	.51	.11		.05	1
2	.04	.08	.20	-26		.12		1.10		.15		.07	2
3	*1,05	.01	.06	-10			.30	.01		.01		.18	3
4	.01	.06			.13		.90	.04				.82	4
5	.09	.30	.02					.07		.03		.33	5
6	-08	.07	.04	.04			.65	.01				.12	6
7	-15	.36		.05	.14		.19	.16				.23	7
8	.12	.11		.01				.12			.04		8
9	.04	.02		.31							.37	↑.40	9
10	.27		.09	.05			.01				.24	.01	10
11	.03			.02	.16		.13	.34		.01	.54		11
12	-14			.19	.24		.02	.15		.14	.93	*.09	12
13	-01	↑-34	.01	.01	.33			.11			↑.20	.05	13
14	.02	-01		.02	.01			.05	.07	.01	↑.07	.15	14
15	.33			.05	.08		.20	.28			↑.16	.06	15
16	-03	.15			.24		2,53	02				.01	16
17		.18			.29								17
18	01	-20	.01										18
19		.12	.01	.10	.10		.24						19
20	05		.20	.04			.05					.08	20
21	*.37		.07	.02			.23		.04	.03		.08	21
22		↑.02	.08	.03			.04					.02	22
23	.03	↑.10				.03	.18			.57		.88	23
24				.12			.06		.35	.21		.24	24
25				.01		.58	.06		.02	.03	.05	.26	25
26	.01	-05				.03	.38		.11			.29	26
27		-08					.20		.02	.24		.24	27
28		.13						.18		.06		.01	28
29						.02	.31	.12			10	.05	29
30	-06	X	.03	.06		.79	.01	.01		.21		.02	30
31	.13	X		X		X	.08	.01	X	.08	X	.43	31
Total	3,34	2,53	-90	1.49	2,16	1,57	6,82	2,84	1.12	1,89	2,70	4,47	YEAR'S TOTAL 31,83
Rain Days.	23	20	13	19	11	6	22	18	7	15	10	26	190

W. 8,000. X. 15. * Rain & Snow. ↑ Snow, (melted)

Exc 82

2357

FORM A. BRITISH RAINFALL.

11 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Chetwynd Park Gardens
in the County of Shropshire
by N. Sherwood

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Newport Salop
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .. in.
" " " " Sea Level 250. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07	.02	*.34		.03	.18	.20			.06	.14		1
2	.25	.12	*.16			.27	.18		.14	.65	.03	.03	2
3	.01	.53		.03		.06	.04		.06	.21	.15		3
4	.06	*.31	↑.01	.06	.47	.22				.08	.30		4
5		.02			.17	.15				.13	.11		5
6	.23	.16	↑.04		.21	.02	.49		.02	.11	.21		6
7	.04		↑.01		.07	.02	.20			.06	.12	.30	7
8	.07	.06	*.12		.05					.05	.03	.14	8
9	.01	.01	~~.04~~		.27	.12					.02	.06	9
10		.34	↑.04	.06	.03	.02	.03		.02	.30	.01	*.05	10
11	.01	*.15	*.01	.16	.01	.03			.03			↑.12	11
12	.01	.13	.04	.01	.31		.21	.14	.01	.04			12
13	.06	.11	.16	.03	.01			.43		.01		↑.15	13
14		*.33		.08	.07		.01	.16		.05		.01	14
15		.27	.32	.07	.20		.09	.04	.04	.17			15
16	.04	*.11	.10	.14	.02			.19		.09			16
17	.05	.14		.24			.01	1.04	.51	.25			17
18	.01	.16	.01	.19			.06	.03	.31	.13	.40	*.14	18
19	.03	.02	.18	.03				.13	.03		.37		19
20	.03		.63	.02	.01						.02	.03	20
21	.04		.36		.03		.32					.04	21
22		*.03	.01	.11		.06				.12		*.21	22
23	.03	*.04	.03	.06				.12		.03	.04	↑.27	23
24		↑.35			.15	.07		.13		.11		*.15	24
25		*.03	.09		.09			.07	03	.08	.44		25
26	.03	↑.03	03			.06		.23	02	.14	.03		26
27	.01	.03	↑.35			.06		.26	07	.52	.01		27
28		*.27	.01							.09	.02	18	28
29		*.10				.52		.13		.15		22	29
30		X				.21				.20		02	30
31		X		X		X		.02	X	.19	X	06	31
Total	1.09	3.87	3,05	1.29	2,20	2,09	1.84	3,12	1.29	4.02	2,45	2.18	YEAR'S TOTAL 28.49
Rain Days.	20	26	22	15	18	16	12	15	13	26	18	18	219

W. 8,000, VIII, 16 * Snow & Rain. ↑ Melted Snow.

2242

FORM A.
BRITISH RAINFALL
9. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Chetwynd Park Gardens

in the County of Shropshire

by N. Sherwood

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station 2½ Miles

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			-02	↑-06		-17	[illegible]	-51	-08		-06	↑-18	1
2	-03			↑-11		-03	[illegible]	-03	-01		-06	↑-09	2
3	-03	↑-08		03		-01	[illegible]	-08		42	-13	*-03	3
4	-18	↑-02	↑-15				[illegible]	-05		1,09	-01	-01	4
5	-25		*-14	*-16			[illegible]	-04	-02	-30	-08		5
6	-04		↑-02			-10	[illegible]			-11	-24		6
7	-48						[illegible]	-01		-07	-9	-14	7
8	*-57			*-17		-06	[illegible]	-38		-51	-10		8
9			↑-15	*-10	-11		[illegible]	-25		-14	-28		9
10	*-37		35	*-6	-11			-11	-05		-06		10
11	-20			↑-17				-11	-01	-17	-03		11
12	*-13		-[illegible]		-58			-32	-03	-14	-03	-02	12
13	-01			-05				-17	-08	-02			13
14	↑-04		-01	-03	-07			-06				-09	14
15	↑-02				-04		-16	-08		-06		-09	15
16	-01	-08		-22		-20	-01			-08		*-23	16
17		-02	-06	-16	-20	-87	-52	-43	-04	-08			17
18	-01	-01		-06	-08		-38	-28	-64	-05			18
19	-02	-41	*-73		-03	-18		-01	-02		-02		19
20	-02	-31	-01		-24	-22		-03	-15		-22		20
21		-03	↑29	-01	-38	-05		-03		-07	-08		21
22					-01	-01		-08	-13	-23	-03		22
23		-29			-13	-01		-05		-22			23
24		-01	-04			-37		-05		-35		-03	24
25		-07	-11					-07		-03	13		25
26			-01			-05		-45	-10	-09	59		26
27			-01		1-78	-15	-25	-96			01		27
28			-08			-01		-46		-01			28
29								-30		-47		-24	29
30			-29				-01	-31		-15	-05		30
31	-02		*-06					-08		-01			31
Total	2.43	1.33	2.53	1.39	3,76	2,49	1,33	5,59	1,36	4,79	2,30	1,15	YEAR'S TOTAL 30,45
Rain Days.	18	11	18	14	13	16	6	29	13	23	29	11	192

W. 8,000, IX. 17.

↑ Melted Snow * Snow & Rain

Ex 8 [illegible]

39

FORM A.
BRITISH RAINFALL.
7 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at Chetwynd Park Gardens, Newport Salop

in the County of Shropshire

by N. Sherwood

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Newport Salop

Diameter of Funnel of Rain Gauge 5 in. in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.04		.11	.02				.04	.04	.32		1
2		.05		.04				.51		.03	.01	.25	2
3		.01			.15			.11	.43	.09	.01		3
4	.03	.07						.03	.92	.13	.24	.34	4
5		.01		.06	.16			.22	.13	.09	.01	.01	5
6	.03	.09	.01	.39				.01		.21	.10		6
7		.13		.07	.08	.17		.03	.28	.04	.03		7
8		.27				.07	.02		.13	.10	.01		8
9	.02	.47		.21			.41		.58	.28	.07	.01	9
10	.11	.06		.28		.20	.36		.11	.03		.15	10
11	.07	.05	.16	01	.05		.08		.15			.05	11
12	↑.02	.06					.20		.03	.08			12
13	↑.03	.01	.04		.18		.01		.16	.07			13
14	*.27		.01			.14	.12		.39	.04		.22	14
15	↑.47		28	.06	.05		.43		.27	.02		.36	15
16	↑.02			.15		.21	.09		.20	.01		.06	16
17	.23			.01	.03	.~~21~~ 04	.05	.02	.32	.~~12~~		.09	17
18	.27					.~~04~~ 13	.07		.54	.~~11~~ 02		.17	18
19	.03	.01		.04		.~~13~~	.06			.11		.49	19
20	.05	.06		.41		.09	.10		.15			.44	20
21	.06			.24			.08		.24	.02		.13	21
22	.01				1,72		.27		.02	.05		.29	22
23					.60		.18		.15	.01	.05	.02	23
24		.13					.02	.09	.05		.08	*.10	24
25					.08	.14	.13	.40	.01		.03	*.01	25
26							.15	.05	07	.03	.11	02	26
27		.11					.05	.40	.40		.16	.03	27
28		.11	.43								.26	.14	28
29			.13						.55		.01	.12	29
30		X	.28	.02				.09	02		.11	.20	30
31		X	.10	X		X		.02	X		X	~~3.70~~	31
Total	1,72	1,74	1,44	2,10	3,12	1.19	2,88	1.98	6,34.	1.50	1.61	3.70	YEAR'S TOTAL 29,32
Rain Days.	16	18	9	15	11	9	20	13	26	21	17	23	198

* Snow & Rain. ↑ Melted Snow

Gt-Rl

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at Chetwynd Park Gardens
in the County of Shropshire
by N. Sherwood

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station 2½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-18		-01	-01	-22		-29		-11	-17		-21	1
2	-12	-01	-11				-13	-02	-06	-03	-07	-05	2
3	-04		-02		-07	-15	-21		-12		-05	-07	3
4	-01	-01	-26		-01	05	-07	-12	-08			-12	4
5	-08	-22	-[illegible]	-02	-10							-10	5
6	-07		-09		-21						-01	-15	6
7	-17		-19	-04							-05	-15	7
8	-13		05			-05					-01		8
9	-06			-10									9
10			-36	01							-02	-06	10
11	02		-97	01	-07		-18			-09		-01	11
12			*-76	02		-44				-07	-04	-01	12
13	-10			10			-05		-86	-37		-01	13
14	-42			15			-09			-24	-01	-01	14
15	-32	-02		50				-02		-20		-19	15
16	02	*-58				-04					-23	-01	16
17	09	*-39		03		-15		-02	-07		-12	-01	17
18			*-63				-02	-57	-16		-01	-20	18
19	09	-25	*-68			-15	-64	-37	-21		-07		19
20	-21	-10	*-18			-02	-07	-07	-05		*-39	-12	20
21	-01	-23				-03	-26		-70		-13	-22	21
22		-20					-01				-01	1.03	22
23						-18		-02		1,46	-01	-02	23
24	-01				-15	-01				-51	-12	-03	24
25	09			15	-10	-01		-35		-02	-04	-05	25
26	04		-14	*-25		-06		-05				-24	26
27	*-14		-02	*-31		-02		-10			-04	-04	27
28	-08		-01	-03				-59				-29	28
29	-04		-09	-06		-08		06		-34		-13	29
30	-02	X	-06	-09		-09		01		-02	-04	-07	30
31		X	-01	X		X	-01		X	-01	X	-08	31
TOTAL	2,56	2,01	4,64	1.88	-93	1.53	2,03	2.37	2,42	3,56	1.47	3.53	YEAR'S TOTAL 28.93
Days with ·01 in. or more	25	10	19	17	8	16	13	14	10	13	20	27	193

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

192

W M L cnf fr all the surrounding sts

2017

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

4 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Chetwynd Park Gardens, Newport
in the County of Shropshire
by N. Sherwood

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Newport Salop
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

* R. & snow. & M.S.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.01	.02	.13	.12	.02	.37	.01	.10	.07		.18	1
2			.01	11			.67		.13	.05		.10	2
3		.08		.48	.01	.05	.69	.69	.11	.20		.02	3
4	.03			.05	.02		.01		.04	.33		.01	4
5			.04	.02	.04		.13	.05	.58	.84			5
6			*.26	.06	.02		.06			.28		.01	6
7	.02		*.03	.06	~~.11~~		.25				.01		7
8	*.28	.11		.45	.14		.20	.24					8
9	.29	.05	.01	.64			.07	.40	.06				9
10	.28	.07	.07	.22			.24				.04	02	10
11	.15	.01	.02	.22	.35	.23	.08	.02			.03	.05	11
12	.12		.01	.16	02	1.45	.05	.01			.10	.10	12
13	.09	.04	.06	.13		.01	.01				.19		13
14	.01	.05	*.51	.15		.53	.03		.61	.12	.20	.01	14
15		.09	*04	.11		.05	.02		.05	.13	.04		15
16		.01		.17	.33	.29	.28		.11	.51			16
17			.01		.12				.35				17
18	.28			.04	.16	.02	.04	.03	.09				18
19	.02	1.41		.03	.25	.07	~~02~~	.03	.05				19
20	.02	.01		.39		.13	.02 ~~21~~		.07				20
21	.02	.01		.05			.21 ~~17~~	.06	.01			.06	21
22	.05			.08			17 ~~33~~	.16					22
23	.01	.01	.03	02			.33	.05				.38	23
24	.06		.14	.03			~~48~~	.05				.34	24
25	.01	.08	.25	.09		~~.44~~ ·04	.48 ~~03~~	.01	.01			.01	25
26	.25	.02	.25	.04			.03 ~~02~~				.08		26
27	.23	.04	.11	.16	.88	.24	.02 ~~01~~					.30	27
28	*1,05	.01	.12	.05	.50	.17	.01 ~~17~~					.07	28
29	.05		.21	.04	.23	.01	.17				.08	.50	29
30	.05	╳	.04	.27	.05	.14	.05		32		.07	.17	30
31	.05	╳	.07	╳	.03	╳	05	.03	╳	36	╳	.07	31
TOTAL	~~3,41~~ 3,50	2,11	2.31	4,45	3,27	3.45	4,74	1,84	2,69	2,89	.84	2,40	YEAR'S TOTAL 34·49 ~~34,40~~
Days with ·01 in. or more	~~25~~ 24	18	22	29	17	16	~~29~~ 28	15	16	10	10	18	~~215~~ 224
Days with ·04 in. or more	16	10	14	25	~~10~~ 12	12	20	8	14	10	8	~~10~~ 12	~~157~~ 161

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20.\Gp.132. A.&E.W.

NEWPORT
CHETWYND PARK
SHROPSHIRE
1911 - 1920

REC

BR. FORM A2. RAINFALL.
2 - JAN 1912

Kept at Chetwyn ... in.
... round 1 ft.
in the County of Salo ... a Level 240 ft. 2305
by Em Bow ... ns
... me Newport-Salop
... stance 2 Direction

IMPORTANT NOTE. ... he result entered to the previous day. If an Obs... rsal rule, he is earnestly requested to add the readi... in the space provided for it at the end of this ... nt of rain, the selection and placing ... sh Rainfall Organization are given in "~~Rules for Rainfall Observers~~," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.03			.20	.04			.03		1
2					.04		.05	.02	.01	.06	.05	.13	2
3					.05			.11	.02		.13		3
4	.01		.07		.33		.03	.07	.05	.02	.07	.05	4
5	.24		.09					.31		.17	.01	.15	5
6	.15		.04		.02			.33		.01	.02	.01	6
7	.01										.21	.20	7
8	.10		.16								.18	.26	8
9	.02		.10								.65	.04	9
10		.09	.14						.01			.37	10
11	.12							.01	.03		.30	.01	11
12		.01	.47		.02				.38		.21		12
13											.01	.35	13
14	.01	.01	.04				.01					.45	14
15		.04	.12						.03	.03	.03	.21	15
16		.01	.01			.04			.31	.01	.06	.02	16
17			.01		.05	.45					.16	.26	17
18		.26		.08		.20				.01		.15	18
19		.02		.04		.25	.01	.07	.38	.39	.25	.08	19
20		.15		.05				.41	.14	.10		.31	20
21		.19	.01				.02	.26	.02	.11		.02	21
22	.01	.01	.02	.04						.45	.03	.35	22
23		.09	.19		.02	.21			.16	.06		.16	23
24		.09		.04		.74		.06		.21		.06	24
25		.13		.18	.01	.03			.06	.01		.02	25
26		.08		.24	.10	.05				.18	.15	.10	26
27		.25	.08	.01				.83	.23		.04	.14	27
28		.16		.24					.01		.09	.01	28
29						.13	.09			.23	.02	.03	29
30			.02	.01		.12				.20	.01		30
31			.03		.02					.04		.02	31
Total	.47	1.61	1.50	.96	.66	2.35	.41	2.42	1.59	2.31	2.74	4.16	TOTAL for year 21.18
No. of Rain Days	9	16	19	11	10	10	7	12	15	18	22	27	174

9,000, IX '10.

√ U

REC

B.R. FORM A2. RAINFALL.
2 - JAN 1912

Kept at Chetwynd
in the County of Salop. 4
by E M Borough

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 240 ft. 2305

Time of Observation 9 a.m.

Nearest Railway Station
Name Newport - Salop
Distance 2 Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·03			·20	·04			·03		1
2					·04		·25	·12	·01	·06	·15	·13	2
3					·05			·11	·02		·13		3
4	·01		·02		·33		·03	·07	·05	·02	·07	·05	4
5	·04		·29					·31		·17	·01	·15	5
6	·15		·04		·02			·26		·01	·02	·01	6
7	·01										·21	·20	7
8	·10		·14								·18	·26	8
9	·02		·10								·65	·04	9
10		·08	·14						·01			·37	10
11	·12							·01	·03		·30	·01	11
12		·01	·41		·02				·38		·21		12
13											·01	·35	13
14	·01	·01	·04				·01					·45	14
15		·04	·12						·03	·03	·03	·21	15
16		·01	·01			·04			·01	·01	·06	·02	16
17			·01		·05	·15					·16	·26	17
18		·26		·08		·20				·01		·15	18
19		·02		·04		·35	01	·07	·38	·39	·25	·08	19
20		·15		·05				·41	·14	·10		·31	20
21		·19	·01				·02	·26	·02	·11		·02	21
22	·01	·01	·02	·04						·14	·03	·35	22
23		·09	·17		·02	·21			·16	·05		·16	23
24		·09		·04		·84		·06		·21		·06	24
25		·13		·15	·01	·03			·06	·01		·02	25
26		·05		·24	·10	·05				·18	·15	·10	26
27		·25	·08	·01				·53	·23		·04	·14	27
28		·16		·24					·01		·09	·01	28
29						·13	·09			·23	·02	·03	29
30			·02	01		·12				·20	01		30
31			·03		·02					·04		02	31
Total	·47	1.61	1·50	·96	·66	2.35	·41	2·42	1·59	2·31	2·74	4·46	TOTAL for year 21·18
No. of Rain Days	9	16	17	11	10	10	7	12	15	18	22	27	174

9,000, BX '10.

Corr for auth 7-III-13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL

6 JAN
2305

Kept at Chetwynd Park

in the County of Shropshire 4

by Mrs Borough

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 240 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Newport Salop
Distance 2 Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		-03	-02			-17		-11	-07			-15	1
2		-02	-14	-02	-01	-23	-11		-01			-06	2
3	-11		-02		-02	-22		-83	-05		05	-06	3
4	-14		-53		-14	-32		-06			-41		4
5	-12	-06	-26		-06	-43		-25	-04		-02		5
6	-39	-05	-01		-08			-13	-01				6
7		-07			-14	-40	-01	-02	-03			-02	7
8	-32	-11	-17	-06	-04	-25	-08	-36	-21			-01	8
9	-06	-01	-56	-19		-61		-22			-08	-05	9
10	-10			-02		-43		-51			-26	-02	10
11	-07	-03	-02					-27			-11	-57	11
12	-05	-14	-18		-01						-03	-08	12
13	-01	-02				-02		-03		-05	-01	-01	13
14	-05		-52			-09		-01	-01			-04	14
15	-13	-17	-13	-02	-48	-34		-01				-08	15
16	-59		-10		-09	-01		-20		-07	-01	-01	16
17	-28	-05	-04			-18	-02	-41			-15	-30	17
18	-10		-09					-02		-06	-06	-04	18
19	-06	-04			-01	-01	-10	-19		-04	-01	-01	19
20	-02		-13		-10		-08	-12		-21	-04		20
21	-10	-04	-14		-42			-12		-46	-05	-01	21
22	-03	-09			-26	-04	-22	-49				-09	22
23	-15	-04	-32				-32	-34			-20	-01	23
24			-03			-08	-23	-16				-11	24
25						-10		-25			-23	-34	25
26		-07	-04				-21	-72		-70	-19	-04	26
27		-01	-02				-35			-83	-04	-19	27
28		-02	-01			-29	-28	-34	-08	-17	-85	-08	28
29						-01	-16	-02	52	-01	-01	-01	29
30	-02		-01		-10	-35	-03	-01		-04	-03		30
31			-25		-31		-37	-11		-01		-02	31
Total	2-98 2.90	1-06 1.10	3-74	-31	2-27	4 58	2 57	6-31	1-03	2-65 2.65	2-84	2-45 2.41	TOTAL for year 32.71
No. of Rain Days	21	19	24	5	16	21	15	28	10	12	21	26	218

9,000, IX. '10.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
6 - JAN 1919

Kept at Chetwynd Park
in the County of Shropshire
by Mrs Borough

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Newport
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 240 ft.

2305

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		-01	-08	-08	-02				-45		-03		1
2	-01	-08	-06	-07			-01		-02	-07	-05		2
3	-02	-02	-13		-48				-03	-19		snow -20	3
4	-82	-05	-04		-10		-02				-06	-42	4
5	-28	-07	-08		-04	-15	-03		-01	1-43	-06	-04	5
6	-04	-14	-15		-25	-11	1-00			-08	-01	-24	6
7	-01	-09	-01		-11	-05	-03			-39	-20	-15	7
8		-10		-01	-09	-10	-02	-09		-01	-01	-02	8
9		-35	-20	-06	-16	-24	-13	-39	-05		-13	-06	9
10	-03			-11	-02	-08		-22		-06	-05		10
11	-59	-02		↑-39	-34	-03				-09	-12	-01	11
12					-04			-01			-48	-01	12
13	-01		-23				-06	-08	-14		-21		13
14	-07	-01	↑-63	-16				-16		-12	-03		14
15	-13	-07	-35	-51				-01	-09	-01	-13	-03	15
16			↑40	-02				-07	-12		-01		16
17	-02	-02	-04	-07		-02	-17		-08		-01	-01	17
18	-01		-16				-06					-01	18
19	-06		-09		-01	-04	-02		-07	-02	-01	-02	19
20	-05		-12	-07						-03	-23		20
21	-48		-01	-01			-03	-07			-14		21
22	~~-2~~		-86			-11	-	1-01	-53				22
23								-02	-20		-12	-08	23
24	-24			-02							-06		24
25				-08					-10	-02	-02		25
26		-11		-18	-33			-09				-21	26
27	-01	-01	-01	-28						-20	-01	snow -03	27
28	-19		-18	-34	-02					-08	-01	-12	28
29	-01		-34	-46	-04			-06		-09	-01	-	29
30	-19		-01		-04					-65	-04	-	30
31	-02		-31		-23					-02		-	31
Total	3-19	1-25 1-15	451	2-94	2-31 2.31	-93 93	1-58	2-28	1-89	3-56	2-24	1-66	YEAR'S TOTAL 28.24
Rain Days.	22	15	23	18	17	10	12	13	13	18	16	17	204

W. 7,500, XI. 12

and for audit 1. IV. 15

REGISTER OF RAINFALL IN 19 14

W 3L

FORM A.
BRITISH RAINFALL.
JAN 1915
2305

Kept at [illegible] Park 4
in the County of [illegible]
by [illegible]

Lat. .... Long. ....
Time of Observation [illegible]
Nearest Railway Station [illegible]
Diameter of Rain Gauge [illegible] in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		-01	-03				-35	-46		-02		-14	1
2							-54	-57			[illegible]	-17	2
3			-02	-03	-17		-06	-04			-05	-52	3
4	21		-01	-04	-16		-07	-01			-55	-42	4
5	-12		-14	-03	-12	-04	-11	-03		-01	-07		5
6	-02			-07	-07		-05	-02			-66	-11	6
7	-01	-03		-04	-05	-09	-07	-20			-01	-27	7
8	-04		-44	-21	-18	-28	-02	-10	-10			-01	8
9	-45	-01	-03	-06	-9	-68		-29	-01			-02	9
10	-05	-10	-04	-27	-7	-17			-27				10
11		-39	-12	-09	-8				-05		-40	-47	11
12		-18	-19			-01	-33		-34		-11	-14	12
13		-10	-09				-07		-02	-11	-28	-32	13
14		-32	-08				-12		-01	-13	-16	-09	14
15	-02		20						-02		-12	-06	15
16			-15				-26		-07			-03	16
17		-16	-24						-09			-25	17
18			-02			-14	-03		-08	-04		-33	18
19		-03	-02				-20		-38		-19	-15	19
20		-09	-10			-06	-23					-32	20
21		-31	-01			-06	-26	-28		-12		-46	21
22		-07	-14		-25	-22		-23		-27			22
23		-02	-05		-13	-09	-08			-03			23
24			-07	-01	-01	-01		-26		-03	-11		24
25	-06						-15	-32		-46	-07	-34	25
26			-14				-04	-28		-12	-15	[illegible]	26
27	-09									-01	-27	-64	27
28	-25		-06	-02							[illegible]	-41	28
29			-02	-12						-07	-07		29
30			-02		12	·01					-29	-32	30
31	-06	-08	-01		4		-23			-01		-01	31
Total	1-38	1,90	2-44	-99	1-54	1-86	3-27	3,09	1-44 1·44	1-43	3-16	6-22	YEAR'S TOTAL 28-72 28·72
Rain Days.	12	15	26	12	14	18	20	14	12	14	19	25	196

W.7,000, XI. 13

cond for auth 23-III-16

2024

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4 JAN 1916

2305

Kept at Chetwynd Park
in the County of Shropshire
by Mrs Borough

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Newport-Salop
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25	·14	·07		·46		·05	·06	·50	·11		·05	1
2	·04	·08	·20	·25		·14		1·06		·16		·06	2
3	1·16	·01	·05	·12			·32	·01		·01		·18	3
4	·01	·06			·14		·82	·03				·80	4
5	·09	·32	·02			·01		·06		·02		·34	5
6	·08	·07	·03	·04			·70	·01				·09	6
7	·15	·38		·03	·14		·22	·17				·24	7
8	·13	·10		·01				·13			·03	~~·40~~	8
9	·01	·02		·31							·39	·40	9
10	·30		·09	·04			·01				·23	·01	10
11	·03			·02	·20		·13	·32		·01	·54	·10	11
12	·14			·20	·26		·02	·15		·16	·88		12
13	·01	·34	·02		·33			·15			·20	·05	13
14	·02			·01	·01			·05	·07	·01	·07	·16	14
15	·30			·05	·09		·21	·22			·15	·06	15
16	·01	·16			·23		2·54	·02				·01	16
17		·18			·25								17
18	·01	·21											18
19		·12	·01	·08	·10		·25						19
20	·06		·01				·05					·09	20
21	·39			·02			·23		·03			·08	21
22		·01	·20	·02			·04					·02	22
23	·04	·10	·07			·03	·18			·55		·20	23
24			·07	·13			·07		·35	·22		·26	24
25						·58	·06		·02	·03	·05	·26	25
26	·01	·05				·01	·38		·09			·31	26
27		·08					·20		·01	·24		·24	27
28		·13						·19		·05		·01	28
29						·02	·31	·11			·10	·05	29
30	·06	╳	·03	·06		·76	·01	·01		·20		·03	30
31	·12	╳		╳		╳	·09	·01	╳	·09	╳	·51	31
Total	3·42 3·42	2·53 2·56	·87	1·39	2·24 2·21	1·55	6·89	2·76	1·04 1·07	1·86	2·64	4·65 4·61	YEAR'S TOTAL 31·82 31·83
Rain Days.	23	19	13	16	11	7	22	18	6 7	14	10	28	185

W. 8,000. X. 14.

W. P. E 2356

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 2 JAN 19

Kept at Chetwynd Park
in the County of Shropshire
by Mrs Burton Borough

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Newport Salop
Diameter of Funnel of Rain Gauge 5 in. 2305
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 2-40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	fale -04	-02	-35		-03	-18	-23			03	-14		1
2	-28	-11	-16			-25	-18		-15	-68	-03	-03	2
3	-01	-60		-02		-05	-04		-05	-22	-14		3
4	-06	-31	-01	-06	-50	-22				-05	-27		4
5		-02			-16	-17				-11	-11		5
6	-22	-18	-04		-22	-01	-49		-02	-12	-23		6
7	-04		-01		-06	-02	-20			-06	-11	-35	7
8	-08	-03	-13		-06	-10				-05	-02	-13	8
9	-01				-28	-12	-03				-02	-06	9
10		-32	-04	-06	-03	-02			-02	-32		-05	10
11	-01	-18	-01	-16	-01	-05			-03			-14	11
12	-01	-14	-04	-01	-33		-21	-13	-01	-04			12
13	-06	-10	-15	-03	-01		01	-44		-01		-16	13
14		-30		-07	-07			-15		-06		-01	14
15		-29	-31	-08	-20		09	-04	-04	-16			15
16	-05	-10	-10	-14	-02		-01	-19		-10			16
17	-05	-14		-26			-05	-83	-50	-25			17
18	-01	-16	-02	-20				-04	-30	-12	-40	-14	18
19	-02	-01	-18	-03				-18	-03		-37		19
20	-03		-63		-01						-03	-03	20
21	-04		-27		-03		-27					-04	21
22		-03		-08		-06	~~-02~~			-10	-02	-21	22
23	-03	-04	-03	-06				-13		-03	-06	-30	23
24		-31			-16	-02		-13		-10	-01	-15	24
25		-02	-09		-10			-07	-03	-10	-46		25
26	-06	-02	-04		-01	-06		-24	-02	-14	-04		26
27	-01	-03	-31			-07		-27	-07	-48			27
28		-25								-09	-03	-15	28
29		-10				-56		-13		-17		-23	29
30		╳				-20		-02		-19		-02	30
31		╳		╳		╳			╳	-19	╳	-06	31
Total	1-12 ✓	3-81 ✓	2-92 ✓	1-26	2 29 ✓	2-16	1-81 ✓	2-99	1-27	3-97	2-49	2-26	YEAR'S TOTAL 28-35
Rain Days.	20 ✓	-25 ✓	20 ✓	-14 ✓	19 ✓	17	12 ✓	15	13 ✓	-26	18	18	217 ✓

W. 8,000. X. 15.

2241

FORM A.
BRITISH RAINFALL.

3. JAN. 1918

REGISTER OF RAINFALL IN 1917

Kept at Chetwynd Park
in the County of Shropshire
by Mrs Burton Borough

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Newport Salop
Diameter of Funnel of Rain Gauge 5 in. 2305
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			-02	snow -06		-19		-52	-06		-05	-15	1
2	-03			snow -12		-04		-03			-07	-15	2
3	-03	-07		-02				-48		-38	-12	-04	3
4	-19	-02	snow -09					-02		1-11	-01		4
5	-27		snow -14	-19				-02	-02	-28	-06		5
6	-04		snow -01			-08				-15	-26		6
7	-52							-01		-06	-09	-12	7
8	-56			[illegible] -17		-06		-40		-49	-10	-23	8
9			snow -07	[illegible] -12	-10			-19		-09	-30		9
10	-37		-36	snow -09	-11			-10	-05		-04		10
11	-25			-21				-10	-01	-15	-03		11
12	-14				-62			-38	-03	-14	-02	-02	12
13	-03			-05				-15	-06	-12			13
14	-03		-01	-03	-06			-08				-09	14
15	-01				-03		-20	-07		-03		-07	15
16	-01	-08		-21		-30	-01					-23	16
17			-06	-17	-19	-70	-58	-49	-02	-08			17
18	-03	-01		-07	-08		-30	-34	-64	-05			18
19		-41	-75		-04	-16			-01				19
20		29	snow -01		-23	-22		-05	-16		21		20
21		-03	-27	-01	-36	-04		-02		-06	-09		21
22					-01			-09	-13	-22	-03		22
23		-29			-14	-01		-03		-22		-05	23
24		-01	-05			-39		-05		-34			24
25		-07	-10					-07		-05	-15		25
26			-01		1-89	-05		-44	-10	-07	-68		26
27			-01			-15	-23	-89					27
28			-07			-01		-45		-01			28
29							-02	-06		-45		-25	29
30		X	-27				-01	-29		-15	-05		30
31	-02	X	-06	X		X		-09	X		X		31
Total	2-53	1-28	2-36	~~1-62~~ 1·52	3-86	2-40	1-35	5-91	1-31	4-70 4·60	2-36	1-40	YEAR'S TOTAL ~~30-88~~ 30-68
Rain Days.	16	10	18	14	13	14	7	28	12	22	18	11	183

W. 8,000, VIII. 16

38

FORM A. BRITISH RAINFALL.

4. 1.

REGISTER OF RAINFALL IN 1918

Kept at *Chetwynd Park*

in the County of *Shropshire*

by *Mrs Burton Borough*

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Newport Salop

Diameter of Funnel of Rain Gauge 5 in. 2305

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04		·10	·02				·03	·04	·31		1
2		·05		·03				·49		·03		·25	2
3		·01			·13			·10	·43	·10	·01		3
4	·03	·06						·03	·84	·13	·24	·34	4
5		·01		(·04)	·16			·21	·10	·11	·01	·01	5
6	·03	·08	·01	·40		·23		·01		·22			6
7		·11		·06	·08	·04		·03	·36	·04	·10		7
8		·27					·02		·14	·10	·03		8
9	·02	·47		·25		·21	·32		·57	·27	·01	·02	9
10	·11	·07		·21			·42		·11	·03	·07	·15	10
11	·07	·05	·16	·01	·05		·09		·15			·05	11
12	↑·03	·06	·05		·17		·20		·02	·09			12
13	↑·03	·01							·15	·07			13
14	*·26					·16	·09		·36	·04		·23	14
15	↑·42			·06	·05		·42		·27	·01		·38	15
16	↑·02			·15		·25	·08		·20			·03	16
17	·22			·01	·04	·03	·04	·02	·44	·16		·09	17
18	·27		·02			·14	·07		·53	·02		·17	18
19	·03	·01	·25	·03			·06			·11		·50	19
20	·05	·06		·50		·10	·20		·14			·42	20
21	·05			·22		·01	·08		·23	·02		·10	21
22					1·64	·04	·27		·02	·05		·31	22
23					·62	(·01) (·06)	·12		·15	·01	·04	·02	23
24		·13					·01	·09	·04		·07	·08	24
25					·09	·11	·13	·39	·01		·03	*·01	25
26							·13	·05	·08	·03	·07	·07	26
27		*·11				·01	·03	·40	·36		·16	·03	27
28		*·11	·43						·01		·25	·15	28
29			·13						·52			·13	29
30		✕	·26	·02				·08	·02		·11	·21	30
31		✕	·10	✕		✕		·01	✕		✕		31
Total	1·64	1·71	1·41	2·09	3·05	1·34	2·84	1·91	6·28	1·68	1·51	3·45	29·21 YEAR'S TOTAL 29·21
Rain Days.	15	18	9	15	11	13	19	13	27	21	15	23	199

W. 8,000, IX. 17.

↑ melted Snow * Snow & Rain

2091

FORM A.
BRITISH RAINFALL
9 JAN

REGISTER OF RAINFALL IN 1919.

Kept at Chetwynd Park

in the County of Shropshire

by Mrs Burton Borough

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Newport Salop
Diameter of Funnel of Rain Gauge 5 in. 2305
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	**Jan.**	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	~~Fb~~			↑-01						-17			
1	-16	-01			-22		-25		-11	-02		-21	1
2	-10	-01	-11				-13	-03	-09		-07	-06	2
3	-04		-01				-21		-12		-05	-06	3
4	-01	-01	-25		-07	-16	-05	-13	-09			-14	4
5	-03	↑-21		-03	-12	-05						-11	5
6	-07		-09		-21						-01	-16	6
7	-17		-20	-04							-05		7
8	-14		-05			-05							8
9	-05			-08	-01							-07	9
10			-36	-01							↑-02	-02	10
11	-03		-95	-01	-07		-19	[illegible]					11
12			*-76	-02		-45				-07	↑-04		12
13	-11			-08			-05		-80	-37		-01	13
14	-40	-01		-15			-09			-22	↑-01	-02	14
15	-32	-03		-49				-02		-18		-20	15
16	-02	×-56				-03		-01			-24	-01	16
17	-10	-29		-02		-16		-02			-12	-01	17
18			*-62				-03	-58	-07		-01	-19	18
19	-09	-25	*-67			-16	-71	-32	-15		-08		19
20	-20	-11	*-15				-07	-07	-22		+-41	-10	20
21		-23				-02	-26		-05		-12	-26	21
22		-22					-01		-60		-01	1-03	22
23						-20		-03		1-54	-01	-02	23
24	-01				-17	-01				-47	-13	-05	24
25	-09			-21	-10	-01		-35		-02	-04	-05	25
26	*-05		-14	-23		-06		-06				-24	26
27	↑-15		-01	-31		-01		-13			-04	-04	27
28	↑-11		-02	-02				-57				-29	28
29	-04		↑-10	-05		-08		-05		-38		-13	29
30	↑-02	X	*-06	-09		-09				-02	-04	-07	30
31		X	-01	X		X	-01		X	-01	X	-09	31
Total	2-51	1-94	4-56	1-85	-97	1-54	2-06	2-37	2-30	3-59	1-50	3-44	YEAR'S TOTAL 28-93
Rain Days.	24	12	18	17	8	15	13	14	10	13	19	26	189

W, 6,500, VII. 18. W W C * S&R ↑M Snow

↑M.S. * S&R 3·64 28·83

W [illegible] [illegible] 2516

8 JAN 1921 2305

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Chetwynd Park
in the County of Shropshire
by Mrs Burton Borough

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Newport - Salop
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

melted snow *

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01	·02	·12	·14	·02	·28		·11	·07		·19	1
2			·01	·09			·74		·11	·05		·10	2
3	·03	·08		·56	·01	·05	·62		·11	·31		·01	3
4				·05	·02		·01	·69	·06	·45			4
5			·04	·02	·04		·15		·59	·90			5
6			·28	·05	·01		·06			·25		·01	6
7	·02		·06	·06			·24						7
8	·30	·12		·45	·15		·17	·25			·01		8
9	·28	·05	·01	·61			·05	·40		·01			9
10	·28	·07	·08	·21			·24		·06		·04	·01	10
11	·17	·07	·03	·23	·35	·25	·08	·02			·01	·03	11
12	·13		·01	·15	·02	1·40	·03	·01			·09	13	12
13	·09	·05	·06	·12		·01					·16		13
14	·01	·05	*·63	·15		·51	·03		·64	·14	·31	·01	14
15		·11	*·05	·11		·05	·01		·06	·13	·05		15
16			·02	·17	·35	·28	·29		·09	·48			16
17	·01		·01		·12				·33				17
18	·29			·05	·18	·01	·07	·03	·10				18
19	·02	1·39		·03	·26	·08		·02	·06				19
20	·02	·01		·41		·13	·02		·07			·01	20
21	·02	·02		·04			·20	·05				·05	21
22	·05			·09			·17	·16				·36	22
23		·01	·04	·02			·32	·04					23
24	·07		·15	·03				·05				·35	24
25	·02	·08	·22	·09		·03	·47					·02	25
26	·25	·02	·24	·04			·02						26
27	·20	·04	·09	·17	·85	·25	·02				·09	·30	27
28	*1·10		·12	·04	·52	·14	·01					·07	28
29	·06		*·23	·03	·27	·01	·18				·08	·48	29
30	·05	╳	·02	·26	·05	·12	·01		·33		·07	·20	30
31	·05	╳	·08	╳ 4·45	·03	╳	·05	·03	╳	·37	╳	·07	31
TOTAL	3·51	2·18	2·50	4·[illegible]5	3·37	3·34	4·54	1·75	2·72	3·16	·91	2·40	YEAR'S TOTAL 34·83
Days with ·01 in. or more	23	16	23	29	17	16	27	12	14	11	10	18	216
	15	11	15		12	10	18	7	14	10	8	11	155

4·54

melted snow

2·26

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

NEWPORT
AGRICULTURAL
COLLEGE
SHROPSHIRE

1911 - 1920

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

2304

REG

Kept at Harper Adam
in the County of Shrop
by Prin. P. Hedwort

P. Harris & Co. (Brum)
in.
und 1 ft. – in.
Level 220 ft.
me Newport. (Salop)
stance 3 m. Direction S.E.

IMPORTANT NOTE.- … e result entered to the previous day. If an Obser… al rule, he is earnestly requested to add the readin… in the space provided for it at the end of this … nt of rain, the selection and placing … sh Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·04		·13	·03			·02		1
2					·04		·04	·02		·09	·07	·09	2
3					·30			·13			·11	·03	3
4			·07					·05	·06	·01	·06	·15	4
5	·02		·06					·32		·18			5
6	·13		·03					·19			·01	·17	6
7											·18		7
8	·09		·13								·19	·42	8
9			·04								·66	·05	9
10	·10	·06	·11						·02		·02	·33	10
11									·03		·30		11
12			·44						·44		·18		12
13											·01	·37	13
14		·02	·04									·42	14
15		·03	·01							·01	·02	·18	15
16						·03				·01	·05	·01	16
17					·06	·49					·14	·23	17
18		·22		·08		·23						·13	18
19		·01		·02		·14		·05	·35	·25	·21	·06	19
20		·11		·03				·22	·10	·10		·30	20
21		·19	·01				·01	·15	·04	·09		·01	21
22		·01		·01						·45	·02	·30	22
23		·05	·19			·15			·15	·05		·14	23
24		·07		·02		·49		·04		·22		·06	24
25		·11		·17		·01			·04	·01		·02	25
26		·08		·21	·06	·03				·17	·13	·07	26
27		·22	·06	·01				·74	·22		·63	·12	27
28		·11		·21							·10	·01	28
29		X				·10	·05		·24	·20	·01	·02	29
30		X	·01			·10				·17			30
31		X	·03	X	·05	X			X	·10	X		31
Total	·34	1·28	1·23	·76	·55	2·10	·23	1·94	1·69	2·11	2·52	3·69	TOTAL for year 18·44
No. of Rain Days.	~~4.~~	~~14~~	~~14~~	~~9~~	~~6~~	~~10~~	~~4~~	~~11~~	~~11~~	~~16~~	~~21~~	~~24~~	~~144~~

W. 8,000, X. '11.

REG

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

2304

Kept at Harper Adams Ag. College

in the County of Shropshire 4

by Prin. P. Hedworth Foulkes

Rain Gauge
Pattern [illegible] P. Harris & Co. (Brum)
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 220 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Newport. (Salop)
Distance 3 m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·04		·13	·03			·02		1
2					·04		·04	·02		·09	·07	·09	2
3					·30			·13			·11	·03	3
4			·07					·05	·06	·01	·06	·15	4
5	·02		·06					·32		·18			5
6	·13		·03					·19			·01	·17	6
7											·18		7
8	·09		·13								·19	·42	8
9			·04								·66	·05	9
10	·10	·06	·11						·02		·02	·33	10
11									·03		·30		11
12			·44						·44		·18		12
13											·01	·37	13
14		·02	·04									·42	14
15		·03	·01							·01	·02	·18	15
16						·03				·01	·05	·01	16
17					·06	·49					·14	·23	17
18		·22		·08		·23						·13	18
19		·01		·02		·18		·05	·35	·25	·21	·06	19
20		·11		·03				·22	·10	·10		·30	20
21		·19	·01				·01	·15	·04	·09		·01	21
22		·01		·01						·45	·02	·30	22
23		·05	·19			·15			·15	·05		·14	23
24		·07		·02		·49		·04		·22		·06	24
25		·11		·17		·01			·04	·01		·02	25
26		·08		·21	·06	·03				·17	·13	·07	26
27		·22	·06	·01				·74	·22		·63	·12	27
28		·11		·21							·10	·01	28
29		X				·10	·05		·24	·20	·01	·02	29
30		X	·01			·10				·17			30
31		X	·03	X	·05	X			X	·10	X		31
Total	·34	1·28	1·23	·76	·55	2·10	·23	1·94	1·69	2·11	2·52	3·69	TOTAL for year 15·44
No. of Rain Days.	~~4.~~	~~14~~	~~14~~	~~9~~	~~6~~	~~10~~	~~4~~	~~11~~	~~11~~	~~16~~	~~21~~	~~24~~	~~144~~

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

23 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at HARPER ADAMS AGRICULTURAL COLLEGE,

in the County of NEWPORT, SALOP. 4

by P. Hedworth Foulkes B.Sc. Principal

Rain Gauge Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 220 ft. 230
Time of Observation 9 a.m.
Nearest Railway Station Name Newport (Salop)
Distance 3m. Direction SE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	Trace	Trace	—	—	·15	·01	·15	·14	—	—	·11	1
2	—	Trace	·14	—	Trace	·19	·10	—	Trace	—	—	·05	2
3	·05	—	·02	—	Trace	·23	Trace	·78	·06	—	·03	·05	3
4	·12	—	·51	—	·16	·30	—	·07	Trace	—	·36	—	4
5	·10	·04	·27	—	·06	·43	—	·21	·02	—	·01	—	5
6	·37	·03	Trace	—	·07	—	—	·17	Trace	—	—	—	6
7	~~·37~~	·06	Trace	—	·12	·42	Trace	·05	·02	—	—	·01	7
8	·30	·08	·15	·04	·04	·24	·05	·30	·19	—	—	—	8
9	·07 ~~·09~~	·02	·55	·11	—	·56	—	·21	—	—	·04	·06	9
10	·08	Trace	—	Trace	—	·37	—	·70	—	—	·28	·01	10
11	·07	·02	Trace	—	—	—	—	·05	—	—	·08	·53	11
12	·04 ~~·04~~	·13	·16	—	—	—	Trace	—	—	Trace	·01	·08	12
13	Trace	Trace	—	—	—	—	—	·01	Trace	·02	—	Trace	13
14	·04	—	·44	—	—	·10	—	—	Trace	·02	—	·01	14
15	·10	·16	·10	Trace	·46	·37	—	—	—	—	Trace	·06	15
16	·44	Trace	·07	—	·06	Trace	—	·15	—	·03	·15	—	16
17	·60	·03	·04	—	—	·13	·02	·34	—	—	·05	·28	17
18	·10	Trace	·06	—	—	—	—	·01	—	·04	Trace	—	18
19	·05	·05	—	—	Trace	Trace	·06	·20	—	·02	·02	Trace	19
20	·02 ~~·02~~	—	·15	—	·02	—	·06	·07	—	·20	·04	·04	20
21	—	·03	·15	—	·38	—	Trace	·13	—	·46	—	Trace	21
22	·11	·06	—	—	·31	·04	·18	·45	—	Trace	·22	·06	22
23	·02	·02	·28	—	—	Trace	·36	·32	—	—	—	·02	23
24	·13	—	·01	—	—	·07	·10	·08	—	—	·21	·16	24
25	—	—	—	—	—	·14	—	·28	—	—	·15	·34	25
26	—	·04	·02	—	—	Trace	·14	·64	—	·57	—	Trace	26
27	—	·01	·01	—	—	·30	·37	—	—	·77	—	·16	27
28	—	·02	Trace	—	—	—	·29	·32	·08	·12	·78	—	28
29	—	Trace.	Trace	—	—	·03	·15	·02	·69	·01	·03	·02	29
30	Trace	X	Trace	—	·06	·42	·02	·08	—	·06	—	—	30
31	Trace.	X	·26	X	·17	X	·30	—	X	—	X	Trace	31
Total	~~3·06~~" 2·81	·80"	3·38"	·15"	1·99" 1·91	~~4·4~~ 4·48"	2·21	~~5·09~~ 5·79	1·20"	2·32"	2·46"	~~2·06~~" 2·05	TOTAL for year 29·56
No. of Rain Days.	19	16	19	2	12	18	14 15	26	7	12	16	18	

W. 8,000, X. '11.

Total days 177

✓

cnd by [illegible] stats 30.III.14

REGISTER OF RAINFALL IN 1913

#D8

FORM A. BRITISH RAINFALL.
26 JAN 1914
2304

Kept at Harper Adams Agricultural College Newport Salop

in the County of Salop

by Staff.

4

Lat. Long.
Time of Observation 9. A.M
Nearest Railway Station Newport Salop
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·05	·07	·01						·01		1
2		·07	·03	·04		·01			·38	·02	·03		2
3		·02	·10		·40				·02	·10		·15	3
4	·9	·04	·01		·08		·03		·01~~5~~		·03	·37	4
5	·26	·05	·07		·52	·23	·05			1·62	·03	·01	5
6	·03	·12	·10		·26	·09	·43			·05		·14	6
7		·06			·10	·05	·03			·50	·18		7
8		·08	·03		·08	·08	·01	·06		·01			8
9		·31	·13	·05	·10	·21	·17	·42	·05		·09	·04	9
10				·25	·04	·04		·22		·03	·01		10
11				·37	·04	·01				·06	·10		11
12	·56				·02						·46	·01	12
13		·02	·24				·08	·08	·10		·20		13
14	·11		·56	·13				·17		·09			14
15	·02	·05	·30	·51					·03		·13	·02	15
16			·37	·01					·08				16
17		·01	(·05) ·05	·06		·01	·18	·13	·07		·01		17
18			·14	·05			·05						18
19	·06		·06			·09	·01		·05	·10		·01	19
20	·03		·10	·04						·02	·18		20
21			·01	·02	·03		·03	·05			·11		21
22	·43		·76			·10		·73	·48				22
23						·01~~5~~		·23	·18		·11	·02	23
24	·17							·01			·05	·03	24
25				·05				—	·11	·01			25
26		·12		·11	·46			·08				·21	26
27				·25						·09		·01	27
28	·15		·27	·32				—		·10		·09	28
29		×	·32	·43	·05			·04		·08		·03	29
30	·18	×								·49	·03		30
31	·01	×	·33	×	·14	×			×	·01	×		31
Total	2·91	·95	4·03	2·76	2·24	·93~~5~~	1·07	2·22	1·56~~5~~	3·38	1·76	1·44	YEAR'S TOTAL [illegible]
Rain Days.	~~13~~	~~12~~	~~21~~	~~14~~	~~15~~	~~12~~	~~11~~	~~11~~	~~12~~	~~17~~	~~17~~	~~14~~	

W. 7,500, XI. ·12

Ex D.S.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

12 JAN 1915

2304

4

Kept at HARPER ADAMS AGRICULTURAL COLLEGE, NEWPORT, SALOP.
in the County of —
by P. Hedworth Foulkes B.Sc. Principal

Lat. 52° 46, 40. Long. 2° 25. 30.
Time of Observation 9 a.m.
Nearest Railway Station Newport, Salop
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	trace	.03	-	-	-	.47	.60	-	.02	-	.13	1
2	trace	-	-	-	-	-	.28	.33	-	.03	.28	.17	2
3	trace	-	.01	.03	.14	-	.06	.04	-	-	.02	.53	3
4	.18	-	trace	.08	.14	-	.06	.01	-	-	.54	.49	4
5	.12	-	.14	.03	.08	.01	.12	.02	-	.01	.04	trace	5
6	.03	trace	-	.09	.06	trace	.04	.02	-	-	.12	.09	6
7	.02	.01	.40	.07	.05	.09	.06	.21	-	-	-	.25	7
8	trace	-	-	.09	.22	.27	trace	.05	.05	trace	-	-	8
9	.44	trace	.02	.04	.05	.63	-	.20	.03	-	-	trace	9
10	.01	.07	.02	.22	.06	.19	-	-	.22	-	-	-	10
11	-	.49	.09	.07	.07	-	-	-	.01	-	.37	.35	11
12	-	.12	.16	-	-	trace	.41	-	.32	-	.11	.13	12
13	-	.06	.08	trace	-	-	.06	-	.02	.11	.22	.28	13
14	trace	.22	.06	-	trace	-	.15	-	-	.10	.15	.05	14
15	.01	.02	.13	-	-	-	-	-	.03	trace	.01	.03	15
16	trace	trace	.14	-	-	-	.16	-	.06	-	-	.04	16
17	-	.10	.21	-	-	-	.02	-	.06	-	-	.24	17
18	-	-	trace	-	-	.19	.04	-	.20	.04	-	.30	18
19	-	.02	.03	-	-	-	.22	-	.32	-	.08	.14	19
20	-	.11	.07	-	-	.04	.66	-	-	-	-	.25	20
21	-	.30	trace	-	-	.07	.12	.29	-	.10	-	.43	21
22	-	.05	.06	-	.26	.08	-	.19	-	.22	-	-	22
23	-	trace	.03	-	.04	.01	.02	-	-	.02	-	.02	23
24	-	-	.10	-	.02	trace	.13	.28	-	.02	.07	-	24
25	.04	trace	-	.02	-	-	.09	.32	-	.44	.05	.34	25
26	-	.01	.06	-	-	-	.06	.05	-	.11	.13	.20	26
27	.06	-	trace	-	-	-	-	-	-	trace	.25	.70	27
28	.22	.05	.03	-	.01	-	-	-	-	-	.01	.38	28
29	trace	╳	.01	-	.10	-	-	-	-	.05	.05	-	29
30	-	╳	trace	-	-	-	-	-	-	trace	.26	.28	30
31	.03	╳	-	╳	.01	╳	-	-	╳	do	╳	.01	31
Total	1.16	1.63	1.88	.74	1.31	1.58	3.23	2.61	1.32	1.27	2.76	5.83	YEAR'S TOTAL 25.32
Rain Days.	11	14	21	10	15	10	21 20	14	11	13	18	24	182

W. 8,000. X. 14.

2421
2304

FORM A.
BRITISH RAINFALL
17. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Harper-Adams Agric. College, Newport.
in the County of Shropshire.
by P. Hedworth Foulkes (Principal)

Lat. 52° 46′ 40″ Long. 2° 25′ 30″
Time of Observation 9 a.m.
Nearest Railway Station Newport. (3 miles)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ~~·16~~

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	·14	·06		·40		·02	·02	·49	·10			1
2	·05	·07	·17	·26		·11	·33	1·10		·18		·12	2
3	1·00		·03	·11			·83	·01				·14	3
4	·01	·05			·18			·02				·76	4
5	·09	·25	·02			·01	·35	·05		·03		·25	5
6	·07	·03	·02	·03			·15	·02				·07	6
7	·11	·24		·03	·30			·16				·23	7
8	·10	·06						·12			·02		8
9	·08	·01		·24							·32	·36	9
10	·23		·10	·05			·15	·01			·13		10
11	·02			·01	·24		·03	·29			·55	·05	11
12	·12			·18	·18			·13		·16	·81		12
13		·23		·01	·30			·23			·15	·07	13
14	·01			·07				·21	·07			·13	14
15	·30				·06		·17	·14				·02	15
16	·03	·13			·25		2·24	·04					16
17		·15			·28								17
18	·01	·22	·02										18
19		·02		·06	·10		·19						19
20	·06			·01	·01						·17	·07	20
21	·18			·02			·20					·06	21
22	·10	·02	·21				·30					·07	22
23	·03	·20	·06			·03	·23			·58		·09	23
24		·10	·06	·13			·12		·39	·20		·19	24
25		·01	·01			·61	·18			·02	·02	·27	25
26		·03					·40		·07			·26	26
27		·07					·22			·21		·18	27
28		·13						·19		·02		·01	28
29		✕				·07	·40	·04			·10	·04	29
30	·02	✕		·04		·43	·01			·20		·05	30
31	·07	✕		✕		✕	·06	·01	✕	·05	✕	·18	31
Total	2·95	2·16	·76	1·25	2·30	1·26	6·58	2·79	1·02	1·75	2·27	3·67	YEAR'S TOTAL 28·76
Rain Days.	22	20	11	15	11	6	20	18	4	11	9	23	170

W. 8,000. X. 15.

~~W~~ 8L c/d by own stats 2353

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 2304

Kept at HARPER ADAMS AGRICULTURAL COLLEGE, NEWPORT, SALOP.
in the County of
by R Hedworth Foulkes, Principal

Lat. 52° 46' 40" Long. 2° 25' 30"
Time of Observation 9 A.M
Nearest Railway Station Newport (Salop) 19. 1917
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15	·02	·32	–	–	·11	·20	–	–	·06	·01	0	1
2	·14	·05	~~·32~~ 21	–	–	·06	·15	–	·14	·64	·02	0	2
3	–	·57	–	·02	–	·05	·01	–	·07	·20	·01	0	3
4	·06	·36	·02	·02	·48	·22	–	–	–	·05	·03	0	4
5	–	–	–	–	·17	·11	–	–	–	·08	·01	0	5
6	·21	·13	·03	–	·20	–	·42	–	·01	·05	·01	0	6
7	·04	–	·01	–	·08	–	·23	–	–	·02	·01	·03	7
8	·06	–	·15	–	·05	–	–	–	–	·05	–	·14	8
9	–	·03	–	–	·26	·02	–	–	–	–	–	·04	9
10	–	·23	·08	·04	·01	·07	·01	–	–	·21	–	·05	10
11	–	·25	·01	·09	·01	·02	–	–	·03	–	–	·15	11
12	–	·10	·02	–	·30	–	·20	·15	–	·04	–	–	12
13	·03	·13	·12	·02	·01	–	·01	·44	–	·01	–	–	13
14	–	·26	·03	·03	·06	–	–	·16	–	·03	–	·01	14
15	–	·21	·35	·09	·20	–	·06	·03	·02	·17	–	–	15
16	·02	·07	·10	·12	–	–	–	·29	–	·03	–	–	16
17	·03	·13	–	·21	–	–	–	·98	·43	·23	–	–	17
18	–	·12	·05	·11	–	–	–	·02	·27	·14	·45	–	18
19	·01	–	·12	·02	–	–	–	·05	·03	–	·34	–	19
20	–	–	·64	·04	–	–	·34	–	–	–	–	–	20
21	–	–	·23	–	·04	–	·04	–	–	·14	–	·15	21
22	–	–	–	·02	–	·08	–	–	–	–	–	·08	22
23	–	·07	·02	·04	–	–	–	·15	–	·01	·02	·16	23
24	–	·25	–	–	·17	·03	–	·12	–	·11	–	·36	24
25	–	·03	·09	–	·10	–	–	·05	–	·06	·48	·14	25
26	·08	·03	·01	–	–	–	–	·20	·06	·16	–	–	26
27	·01	–	·30	–	–	·14	–	·24	·05	·55	–	–	27
28	–	·12	–	–	–	–	–	–	–	·04	·01	·18	28
29	–	·12	–	–	–	·53	–	·15	–	·14	–	·21	29
30	–	✕	–	–	–	·21	–	–	–	·02	–	–	30
31	–	✕	–	✕		✕		–	✕	·02	✕	·04	31
Total	·84	3·28	2·91 ✓	·87	2·14	1·68	1·70	3·03 ✓	1·11	3·26	1·40 ✓	1·74	YEAR'S TOTAL 23·96
Rain Days.	12	21	21	14	15	13	11	14	10	26	12	14	18~~3~~5

W. 8,000, VIII. 16

2238

FORM A. BRITISH RAINFALL. 2304

6. FEB 1918

end for auth

REGISTER OF RAINFALL IN 1917

Kept at HARPER ADAMS AGRICULTURAL COLLEGE, NEWPORT, SALOP.
in the County of
by P. Hedworth Foulkes, B.Sc., Principal

Lat. 52° 46' 40" Long. 2° 25' 30"
Time of Observation 9 a.m.
Nearest Railway Station Newport. Salop
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. = in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.10	—	.03	—	.50	.11	.00	.05	.17	1
2	.02	—	—	.15	—	.12	—	.05	—	.00	.04	.12	2
3	.03	—	—	.03	—	—	—	.30	—	.37	.06	.03	3
4	.18	—	—	—	—	—	—	.03	—	1.11	.00	.00	4
5	.27	—	.25	.18	—	—	—	.12	—	.28	.06 ~~[illegible]~~	.00	5
6	—	—	—	—	—	.11	—	—	—	.12	.23	.00	6
7	.38	—	—	—	—	.06	—	—	—	.04	.02	.09	7
8	.63	—	—	.11	—	—	—	.42	—	.41	.08	.19	8
9	—	—	[illegible]	.13	.09	—	—	.16	—	.13	.25	.00	9
10	.33	—	.50	.06	.07	—	—	.12	.05	.00	.05	.00	10
11	.29	—	—	.20	—	—	—	.12	—	.13	.02	.00	11
12	.07	—	—	.01	.57	—	—	.22	.01	.14	.01	.01	12
13	.02	—	—	.05	—	—	—	.30	.06	.00	.00	.00	13
14	—	—	—	.02	.04	—	—	.10	—	.02	.00	.07	14
15	—	—	—	—	.03	—	.20	.12	—	.02	.00	.07	15
16	—	.02	—	.06	—	.32	—	—	—	.00	.00	.20	16
17	—	—	—	.12	.30	.69	.30	.28	.03	.06	.00	—	17
18	—	—	—	.06	.04	—	.50	.25	.63	.05	.00	—	18
19	.06	.42	—	—	.02	.19	—	—	.02	.00	.00	—	19
20	—	.29	.70		.26	.23	.02	—	.12	.00	.19	—	20
21	—	—	.13	—	.26	.02	—	.03	—	.06	.10 ~~.10~~	—	21
22	—	—	—	—	—	—	—	.05	.10	.21	.02	.04	22
23	—	.31	—	—	.10	—	—	.02	.00	.17	—	.02 ~~[illegible]~~	23
24	—	[illegible]	.24 ~~.23~~	—	—	.35	—	.03	.00	.24	—	.00	24
25	—	.10	1	—	—	—	.02	.05	.00	.06	.15	.00	25
26	—		—	—	—	.01	—	.40	.10	.05	.44 ~~.47~~	.00	26
27	—		—	—	1.70	.13	.27	.90	.00	.00	.0	—	27
28	—		.08	—	—	—	—	.37	.00	.00	.0	—	28
29	—	╳	—	—	—	—	—	.04	.00	.34	.0	.16	29
30	—	╳	.19	—		—	—	.27	.00	.25	.06	.00	30
31	—	╳	.04	╳		╳	—	.03	╳	.00	╳	.00	31
Total	2.19	1.14	2.1[illegible] ~~[illegible]~~	1.28	3.45	2.26	1.81	5.28	1.23	4.26	1.83	1.17	YEAR'S TOTAL ~~[illegible]~~
Rain Days.	11	5	9	~~15~~ 14	12	12	6	26	10	21	17	12	156

27·58

W. 8,000, IX. 17.

Exd C & E

37

2304

BRITISH RAINFALL FORM A.

REGISTER OF RAINFALL IN 1918

Kept at HARPER ADAMS AGRICULTURAL COLLEGE,

in the County of NEWPORT, SALOP

by P. Hedworth Foulkes Principal.

Lat. 52° 46′ 40″ Long. 2° 25′ 30″

Time of Observation 9 a.m.

Nearest Railway Station Newport (Salop)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.04	.04	.07	.01	.00	Trace	–	.02	.03	.37	.00	1
2	.00	.02	–	.03	–	.00	–	.43	–	.00	.00	.24	2
3	.00	.01	–	.00	.20	.00	–	.12	.36	.08	Trace	–	3
4	.01	.05	–	.00	–	.00	–	.02	1.05	.12	.30	.31	4
5	–	.01	–	.01	.11	.00	–	.17	.08	.10	Trace	Trace	5
6	–	.06	.01	.40	.00	.11	–	Trace	–	.25	–	–	6
7	Trace	.10	–	.03	.10	.06	–	"	.16	.03	.69	.00	7
8	"	.07	0	.00	.00	.00	Trace	–	.12	.08	.03	.00	8
9	"	.35	0	.17	.00	.14	.55	–	.47	.23	.00	Trace	9
10	.11	.05	00	.39	.00	.00	.35	–	.10	.01	.05	.12	10
11	.04	.03	12	Trace	.06	.00	.20	–	.21	.00	.00	.05	11
12	Trace	.03	.03	.00	.14	.00	.20	–	Trace	.06	.00	–	12
13	.01	.00	.00	.00	Trace	.03	Trace	–	.13	.06	.00	–	13
14	.24	.00	.00	.00	"	.12	.13	Trace	.33	.04	.00	.19	14
15	.38	.00	.00	.01	.03	Trace	.39	–	.27	.00	.00	.30	15
16	.02	.00	.00	.16	.00	.16	.26	–	.18	.00	.00	.06	16
17	.22	.00	.00	Trace	.00	Trace	.08	Trace	.19	.21	.00	.08	17
18	.24	.00	.01	.00	–	.09	.04	.00	.49	Trace	.00	.15	18
19	.01	.01	.27	.03	0	.00	.05	.00	.00	.08	.00	.40	19
20	.02	.05	.00	.37	.00	.07	Trace	.00	.18	Trace	.00	.42	20
21	.04	.00	.00	.23	.00	Trace	.05	.00	.25	.03	.00	.15	21
22	Trace	.00	.00	.00	2.00	.01	.27	Trace	.01	.02	.00	.20	22
23	"	.00	.00	.00	.49	Trace	.18	.00	.08	Trace	.00	–	23
24	–	.13	.00	–	.00	.00	–	.08	.06	.00	.09	.04	24
25	–	Trace	.00	–	.07	.06	.10	.35	.00	.00	.02	–	25
26	–	–	.00	–	Trace	–	.18	Trace	.02	.01	.02	–	26
27	–	.11	.00	–	.00	Trace	Trace	.34	.28	–	.16	.05	27
28	–	.04	.36	–	.00	–	–	.00	.00	–	.19	.09	28
29	–		.11	–	.00	–	–	.00	.51	–	Trace	.01	29
30	–		.34	–	.00	–	–	.02	.01	–	.12	.02	30
31	–		.07		.00		–	.00		–		–	31
Total	1.34	1.16	1.36	1.90	3.21	.85	3.03	1.53	5.56	1.44	1.44	2.88	YEAR'S TOTAL 25.70
Rain Days.	12	17	10	12	10	10	15	8	24	17	11	18	164

W. 6,500, VII. 18. W W C

2304

19 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at HARPER ADAMS AGRICULTURAL COLLEGE NEWPORT, SALOP

in the County of

by P. Hedworth Foulkes Principal.

Lat 52° 46′ 40″ Long 2° 25′ 30″

Time of Observation —

Nearest Railway Station Newport Salop

Diameter of Funnel of Rain Gauge 5″ in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·02

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16			·03	·12		·21		·07	·10		·21	1
2	·11		·11				·14		·02		·08	·03	2
3	·02				·06	·12	·35		·07		·05	·05	3
4	·		·24			·01	·03	·10	·04		—	·15	4
5	02	·25			·08						—	·08	5
6	·13		·07		·17						·01	·07	6
7	·13		·16	·02							·05	—	7
8	·14		·03			·04					—	—	8
9	·05			·08							—	—	9
10			·36								·02	·05	10
11	·01		1.00				·19			·30	—	—	11
12			·67		·01	·42				·05	·02	—	12
13	·11			·04			·04		1·02	·33	—	·03	13
14	·38			·15			08			·18	·02	—	14
15	·33	·02		·45				·02		·18	—	·19	15
16	·01	·68				·03					·27	·01	16
17	·02	·32				·13					·07	—	17
18			·61				·01	·51			—	·12	18
19	·07	·21	·60			·14	·66	·39	·14		·12	—	19
20	·17	·08	·16				·05	·07	·24		·47	·23	20
21		·19					·32		·02		—	·10	21
22		·29					·01		·59		·01	·99	22
23						·10		·01		1·37	·01	—	23
24					·15					·35	·21	·02	24
25	·07		·07	·11	·09	05		·32		·01	·03	·03	25
26	·02			·10		04		·06	·04	~~·04~~	·01	·22	26
27	·21			·32				·07			·04	—	27
28	·04			·03				·61			—	·30	28
29	·03		·17	·05				·03		·27	—	·10	29
30	·01		·03	·07		·07		·01		·01	·04	·10	30
31										~~·07~~		·02	31
TOTAL	2·24	2·04	4·28	1·45	·68	1·15	2·09	2·20	2·25	3·15	1·53	3·10	YEAR'S TOTAL ~~26·16~~ 26·14
Days with ·01 in. or more	22	8	14	12	7	11	12	12	10	11	~~1·53~~ ~~14~~ 18	~~3·10~~ 21	~~154~~ 158

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

card for WD

2304

2 FEB 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at HARPER ADAMS
in the County of AGRICULTURAL COLLEGE, NEWPORT, SALOP,
by

Lat. 52° 46' 40" Long. 2° 25' 30"
Time of Observation 9. am
Nearest Railway Station Newport Salop
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. = in.
„ „ „ „ Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·03

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·05	-	·03	·23	·04	·05	·05	·02	·27	·43	·07	1
2	-	-	·03	·15	·11	·02	·33	-	·12	·08	-	·20	2
3	Trace	-	Trace	·07	-	-	·88	-	·13	·02	-	·10	3
4	·02	·08	-	·38	Trace	·04	·78	-	·13	·21	-	Trace	4
5	-	-	-	·05	·01	-	·01	·67	·05	·26	Trace	Trace	5
6	-	Trace	·04	·08	·02	-	·15	·03	·31	·50	-	-	6
7	-	-	·28	·04	·01	-	·03	-	-	·65	-	Trace	7
8	-	-	·03	·05	Trace	-	·30	-	-	Trace	Trace	Trace	8
9	·3	·09	Trace	·45	·10	-	·15	·26	-	Trace	-	-	9
10	·27	·05	·02	·63	-	-	·05	·34	·04	-	-	Trace	10
11	·26	·07	·07	·40	-	·03	·20	-	-	-	·05	·03	11
12	·13	Trace	·03	·27	·34	·17	·06	Trace	-	-	-	·02	12
13	·11	Trace	Trace	·18	·02	1·16	·08	·01	-	-	·09	-	13
14	·08	·07	·06	·12	-	·03	-	-	-	-	·21	Trace	14
15	-	·02	·56	·15	-	·52	·03	-	·56	·10	·15	-	15
16	·01	·10	-	·12	-	·02	Trace	-	·07	·13	·05	-	16
17	-	Trace	·01	·15	·33	·22	·27	-	·08	·55	-	-	17
18	Trace	-	Trace	Trace	·10	-	-	-	·28	Trace	-	-	18
19	·26	-	-	·03	·11	·01	·09	·02	·13	-	-	-	19
20	Trace	1·50	-	·03	·24	·07	-	·03	·06	-	-	·02	20
21	·01	·01	-	·28	-	·11	·01	-	Trace	-	-	·03	21
22	Trace	Trace	-	·18	-	-	·20	·04	-	·01	-	Trace	22
23	·02	·01	-	·10	-	-	·15	·18	-	Trace	-	-	23
24	Trace	Trace	·03	·05	-	-	·31	Trace	-	-	-	·34	24
25	·07	-	·11	Trace	-	-	-	·03	-	-	-	·29	25
26	Trace	·09	·20	·07	-	·04	·42	Trace	-	-	-	Trace	26
27	·25	·02	·25	·02	-	-	·01	-	-	-	·05	Trace	27
28	·21	·03	·12	·12	·69	·24	·01	-	-	-	·02	·31	28
29	Snow 1·05	-	·10	·11	·38	·14	-	-	-	-	-	·05	29
30	·04		·21	·03	·25	Trace	·21	-	-	-	·07	·45	30
31	·04		·01		·06		·02	-		-		·14	31
TOTAL	·05 3·18 ~~3·15~~	- 2·14 ~~2·19~~	·03 2·19 ~~2·16~~	·23 4·54 ~~4·34~~	·04 2·81 ~~3·00~~	·05 2·87 ~~2·86~~	·05 4·80	·02 1·63 ~~1·66~~	·27 2·23 ~~1·98~~	·43 2·94 ~~2·78~~	·07 ·76 ~~1·12~~	·03 2·04 ~~2·08~~	YEAR'S TOTAL 32·13 ~~32·12~~
Days with ·01 in. or more	18	13 ~~14~~	19 ~~18~~	28	16	16	25	11	13	11	9	13	192
Days with ·04 in. or more	14 ~~13~~ ~~11~~	8 9	11 ~~12~~	24 ~~23~~	12	11	18	5 ~~6~~ ~~7~~	13 ~~12~~	9	8	8 ~~9~~	~~138~~ 141

The Rainfall at Agricultural College, Newport, Salop

measured on the morning of January 1st, 1921

was ·03

Signed P. Hedworth Foulkes

This form should be folded so as to bring the printed address outside and returned to the Superintendent. The communication should contain nothing of the nature of a letter.

PRINTED PAPER.

ON HIS MAJESTY'S SERVICE

NEWPORT
8 PM
24 MR 25
SALOP

Postage ½d
if containing
nothing in
the nature
of a letter.

THE SUPERINTENDENT,

BRITISH RAINFALL ORGANIZATION,

62, CAMDEN SQUARE,

LONDON, N.W.1.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~20

Kept at HARPER ADAMS COL. NEWPORT.

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·03	·15	·11	·02	·33	–	·12	·08	–	·20		1
2	–	–	–	·07	–	–	·88	–	·13	·02	–	·10		2
3	·02	·08	–	·38	–	·04	·78	–	·13	·21	–	–		3
4	–	–	–	·05	·01	–	·01	·67	·05	·26	–	–		4
5	–	–	·04	·08	·02	–	·15	·03	·31	·50	–	–		5
6	–	–	·28	·04	·01	–	·03	–	–	·65	–	–		6
7	–	–	·03	·05	–	–	·30	–	–	–	–	–		7
8	·30	·09	–	·45	·10	–	·15	·26	–	–	–	–		8
9	·27	·05	·02	·63	–	–	·05	·34	·04	–	–	–		9
10	·26	·07	·07	·40	–	·03	·20	–	~~·04~~	–	·05	·03		10
11	·13	–	·03	·27	·34	·17	·06	–	–	–	–	·02		11
12	·11	–	–	·18	·02	1·16	·08	·01	–	–	·09	–		12
13	·08	·07	·06	·12	–	·03	–	–	–	–	·21	–		13
14	–	·02	·56	·15	–	·52	·03	–	·56	·10	·15	–		14
15	·01	·10	–	·12	–	·02	–	–	·07	·13	·05	–		15
16	–	–	·01	·15	·33	·22	·27	–	·08	·55	–	–		16
17	–	–	–	–	·10	–	–	–	·28	–	–	–		17
18	·26	–	–	·03	·11	·01	·09	·02	·13	–	–	–		18
19	–	1·50	–	·03	·24	·07	–	·03	·06	–	–	·02		19
20	·01	·01	–	·28	–	·11	·01	–	–	–	–	·03		20
21	–	–	–	·18	–	–	·20	·04	–	·01	–	–		21
22	·02	·01	–	·10	–	–	·15	·18	–	–	–	–		22
23	–	–	·03	·05	–	–	·31	–	–	–	–	·34		23
24	·07	–	·11	–	–	–	–	·03	–	–	–	·29		24
25	–	·09	·20	·07	–	·04	·42	–	–	–	–	–		25
26	·25	·02	·25	·02	–	–	·01	–	–	–	·05	–		26
27	·21	·03	·12	·12	·69	·24	·01	–	–	–	·02	·31		27
28	1·05	–	·10	·11	·38	·14	–	–	–	–	–	·05		28
29	·04	–	·21	·03	·25	–	·21	–	–	–	·07	·45		29
30	·04	X	·01	·23	·06	·05	·02	–	·27	–	·07	·17		30
31	·05	X	·03	X	·04	X	·05	·02	X	·43	X	·03		31
TOTAL	3·18	2·14	2·19	4·54	2·81	2·87	4·80	1·63	2·23	2·94	·76	2·04	Year's Total 32·13	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(Signed) .... (P.T.O.)

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

911

NEWPORT

ASTON HALL

SHROPSHIRE

1911 - 1920

Kept at Asto

in the County of Sh

by Colonel

op 5 in.
above Ground ft. 16 in.
„ Sea Level 280 ft. (about)
9 a.m.
ion { Name Newport, Salop
Distance 1050 yds Direction E

IMPORTANT and the result entered to the previous day. If an universal rule, he is earnestly requested to add the g year in the space provided for it at the end of surement of rain, the selection and p e British Rainfall Organization are give on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.01	—	.05	—	.09	.04	—	—	.02	—	1
2	—	—	—	—	.06	—	.08	.01	—	.08	.15	.10	2
3	—	—	—	—	.37	—	—	.16	.02	—	.13	.03	3
4	—	—	.08	—	—	—	.03	.06	.04	—	.08	.18	4
5	.09	—	.07	—	.01	—	—	.17	—	.16	—	.01	5
6	.18	—	.04	—	—	—	—	.21	—	.09	.02	.27	6
7	.01	—	—	—	—	—	—	—	—	—	.21	—	7
8	.11	—	.13	—	—	—	—	—	—	—	.18	.59	8
9	.03	—	.04	—	—	—	—	—	—	—	.76	.04	9
10	—	.09	.14	—	—	—	—	—	.02	—	.01	.34	10
11	.09	—	—	—	—	—	—	—	.02	—	.30	—	11
12	—	—	.52	—	—	—	—	—	.42	—	.20	—	12
13	—	—	—	—	—	—	—	—	—	—	.02	.35	13
14	—	.02	.04	—	—	—	.02	—	—	.02	—	.55	14
15	—	.03	.02	—	—	—	—	—	—	.02	.02	.23	15
16	—	.01	.01	—	—	.06	—	—	—	.02	.10	.02	16
17	—	—	.02	—	.08	.59	—	—	—	—	.18	.43	17
18	—	.22	—	.07	—	.25	—	—	—	.02	—	.12	18
19	—	.02	—	.08	—	.34	.02	.04	.11	.32	.21	.07	19
20	—	.14	—	.06	—	—	—	.23	.16	.03	—	.33	20
21	—	.17	—	—	—	—	—	.43	.11	.11	—	.02	21
22	—	.01	.02	.02	—	—	—	.02	.01	.32	.03	.33	22
23	.02	.07	.16	—	.02	.28	—	—	.14	.04	—	.25	23
24	—	.07	—	.05	—	.79	—	.06	—	.22	—	.05	24
25	—	.11	—	.17	.01	.04	—	—	.08	.02	.01	.03	25
26	—	.15	—	.19	.06	.04	—	—	—	.22	.16	.08	26
27	—	.24	.08	.06	—	—	—	.55	.27	—	.03	.14	27
28	—	.12	—	.16	—	.01	—	—	—	—	.10	.02	28
29	—	—	—	—	—	.14	.09	—	.18	.20	.01	.02	29
30	—	—	.03	—	—	.11	—	—	—	.16	.01	—	30
31	—	—	.03	—	.02	—	—	—	—	.03	—	.01	31
Total	.53	1.47	1.44	.86	.68	2.65	.33	1.98	1.58	2.08	2.94	4.61	TOTAL for year 2[illegible].55 21.15
No. of Rain Days.	7	15	17	9	9	11	6	12	13	18	23	26	166

W. 8,000, X. '11.

911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Aston Hall, Newport

in the County of Shropshire 4

by Colonel R Leeke

Pattern

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground ft. 16 in.
" " " Sea Level 280 ft. (about)

Time of Observation 9 a.m.

Nearest Railway Station
Name Newport, Salop
Distance 1050 yds Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.01	—	.05	—	.09	.04	—	—	.02	—	1
2	—	—	—	—	.06	—	.08	.01	—	.08	.15	.10	2
3	—	—	—	—	.37	—	—	.16	.02	—	.13	.03	3
4	—	—	.08	—	—	—	.03	.06	.04	—	.08	.18	4
5	.09	—	.07	—	.01	—	—	.17	—	.16	—	.01	5
6	.18	—	.04	—	—	—	—	.21	—	.09	.02	.27	6
7	.01	—	—	—	—	—	—	—	—	—	.21	—	7
8	.11	—	.13	—	—	—	—	—	—	—	.18	.59	8
9	.03	—	.04	—	—	—	—	—	—	—	.76	.04	9
10	—	.09	.14	—	—	—	—	—	.02	—	.01	.34	10
11	.09	—	—	—	—	—	—	—	.02	—	.30	—	11
12	—	—	.52	—	—	—	—	—	.42	—	.20	—	12
13	—	—	—	—	—	—	—	—	—	—	.02	.35	13
14	—	.02	.04	—	—	—	.02	—	—	.02	—	.55	14
15	—	.03	.02	—	—	—	—	—	—	.02	.02	.23	15
16	—	.01	.01	—	—	.06	—	—	—	.02	.10	.02	16
17	—	—	.02	—	.08	.59	—	—	—	—	.18	.43	17
18	—	.22	—	.07	—	.25	—	—	—	.02	—	.12	18
19	—	.02	—	.08	—	.34	.02	.04	.11	.32	.21	.07	19
20	—	.14	—	.06	—	—	—	.23	.16	.03	—	.33	20
21	—	.17	—	—	—	—	—	.43	.11	.11	—	.02	21
22	—	.01	.02	.02	—	—	—	.02	.01	.32	.03	.33	22
23	.02	.07	.16	—	.02	.28	—	—	.14	.04	—	.25	23
24	—	.07	—	.05	—	.79	—	.06	—	.22	—	.05	24
25	—	.11	—	.17	.01	.04	—	—	.08	.02	.01	.03	25
26	—	.15	—	.19	.06	.04	—	—	—	.22	.16	.08	26
27	—	.24	.08	.06	—	—	—	.55	.27	—	.03	.14	27
28	—	.12	—	.16	—	.01	—	—	—	—	.10	.02	28
29	—	—	—	—	—	.14	.09	—	.18	.20	.01	.02	29
30	—	—	.03	—	—	.11	—	—	—	.16	.01	—	30
31	—	—	.03	—	.02	—	—	—	—	.03	—	.01	31
Total	.53	1.47	1.44	.86	.68	2.65	.33	1.98	1.58	2.08	2.94	4.61	TOTAL for year [illegible] 21.15
No. of Rain Days.	7	15	17	9	9	11	6	12	13	18	23	26	166

W. 8,000, X. '11.

Cord pr mitte 7·III·13 W 1520

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

1913

Kept at Aston Hall - Newport

in the County of Shropshire 4

by Colonel R Leeke

RAIN GAUGE
Pattern Howard's Raingauge
Diameter of top 5 in.
Height of top above Ground ft. 16 in.
" " " Sea Level 280 ft. abt.

Time of Observation 9 a.m

Nearest Railway Station
Name Newport - Shropshire
Distance 1050 yds Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	.02	.04	–	–	.18	.01	.07	.15	–	.01	.16	1
2	–	–	.13	.02	.01	.25	.10	–	.01	–	–	.06	2
3	.06	–	.07	–	.04	.21	.01	.88	.11	–	.04	.05	3
4	.12	–	.62	–	.16	.41	–	.09	–	–	.38	–	4
5	.18	.10	.30	–	.03	.44	–	.24	.04	.02	.02	–	5
6	.45	.04	–	–	.08	–	–	.09	–	–	–	–	6
7	–	.07	.02	–	.15	.91	.02	.16	.03	–	–	–	7
8	.37	.13	.23	.04	.05	.18	.01	.33	.18	–	–	–	8
9	–	.05	.57	.14	–	.55	–	.26	–	–	.07	.08	9
10	.22	–	–	.01	–	.43	–	.69	–	–	.29	–	10
11	.04	.03	.02	–	.04	–	–	.07	–	.02	.11	.59	11
12	.07	.13	.17	.01	–	–	.02	–	–	–	.03	.09	12
13	–	.01	–	–	–	.04	–	.03	–	.04	.02	.01	13
14	.06	–	.44	–	–	.11	–	.02	.01	–	–	.03	14
15	.14	.11	.11	.02	.48	.34	–	.01	–	–	–	.08	15
16	.67	–	.13	–	.08	.02	–	.14	–	.05	.01	–	16
17	.55	.02	.03	–	–	.17	.02	.37	–	–	.16	.30	17
18	.15	–	.10	–	–	–	–	.02	–	.06	.05	–	18
19	.07	.06	–	–	.01	–	.11	.22	–	.04	–	.02	19
20	.03	–	.16	–	.12	–	.05	.03	–	.18	.03	–	20
21	–	.04	.20	–	.44	–	–	.16	–	.40	.05	–	21
22	.12	.06	–	–	.34	.03	.21	.46	–	–	–	.09	22
23	.05	–	.33	–	–	–	.31	.32	–	.01	.17	–	23
24	.14	–	–	–	–	.06	.11	.20	–	.01	–	.23	24
25	–	–	.03	–	–	.08	.15	.22	–	.01	.23	.33	25
26	–	.09	–	–	–	–	.38	.57	–	.65	.22	.03	26
27	–	–	.06	–	–	.30	.24	–	–	.82	.03	.14	27
28	–	.03	–	–	–	.03	.10	.32	.09	.16	.80	.04	28
29	–	.03	–	–	–	.05	.04	.03	.70	.02	.01	.01	29
30	–	–	.03	–	.07	.42	.27	–	–	.08	.03	–	30
31	.04	–	.15	–	.22	–	–	.11	–	–	–	.01	31
Total	3.53	1.02 ~~.98~~	3.94	.24	2.32	5.21	2.16	6.11	1.32	2.57	2.76	2.35	TOTAL for year 33.53 33.53
No. of Rain Days.	19	17	22	6	16	21	18	27	9	16	21	19	211

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

9 - JAN 1914

Kept at Aston Hall - Newport

in the County of Shropshire 4

by Colonel R Leeke

Lat. 52° 45′ 29″ Long. 2° 23′ 0″ W

Time of Observation 9 a.m.

Nearest Railway Station Newport - Salop

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level about 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.06	.07	.05	—	—	—	.26	—	.04	—	1
2	—	.04	.04	.08	—	—	.01	—	.01	.04	.06	—	2
3	.02	.01	.15	—	.48	—	—	—	.03	.18	—	.17	3
4	.83	.02	—	—	.14	—	.03	—	—	—	.04	.35	4
5	.33	.06	.09	—	.07	.12	.05	—	—	1.28	.03	.03	5
6	.03	—	.19	—	.28	.12	.68	—	—	.05	.02	.17	6
7	.01	.17	—	—	.13	.06	.07	—	—	.45	.26	.01	7
8	—	.08	.04	.02	.09	.12	.02	—	.01	.01	—	—	8
9	—	.30	.17	.07	.17	.25	.17	.09	.05	—	.15	.05	9
10	.06	—	—	.20	.05	.03	—	.28	—	.05	.06	—	10
11	.65	.02	—	.49	.02	.03	—	.19	—	.09	.14	—	11
12	—	—	—	—	.04	—	—	—	—	—	.52	—	12
13	—	—	.25	.01	—	—	.01	—	.12	—	.23	—	13
14	.12	.04	.65	.15	—	—	—	.09	—	.11	.02	—	14
15	.04	.04	.41	.58	—	—	—	.19	.07	—	.12	.02	15
16	—	—	.36	—	—	—	—	—	.15	—	.01	—	16
17	—	—	.06	.04	—	.02	.21	.06	.07	—	.01	—	17
18	—	—	.20	.06	—	—	.07	—	—	—	—	.01	18
19	.07	—	.04	.01	.02	.06	.03	—	.09	—	.01	.02	19
20	.04	—	.16	.09	—	—	—	—	—	.03	.17	—	20
21	—	—	.03	—	.03	—	.03	.05	—	—	.16	—	21
22	.58	—	.81	—	—	.12	—	1.03	.48	—	—	—	22
23	—	—	.05	—	—	.02	—	.02	.14	—	.12	.02	23
24	.17	—	—	.02	—	—	—	.04	—	—	.04	.03	24
25	—	—	—	.06	—	—	—	—	.09	.02	—	—	25
26	—	.06	—	.26	.03	—	—	.08	.01	.02	—	.22	26
27	—	.02	.02	.27	—	—	—	—	—	.35	—	.02	27
28	.15	—	.31	.38	.03	—	—	—	—	.08	.01	.13	28
29	.01	—	.35	.46	.04	—	—	.06	—	.04	—	—	29
30	.19	—	—	—	.07	—	—	—	—	.67	.03	—	30
31	.03	—	.28	—	.08	—	—	—	—	.02	—	—	31
Total	3.33	.86	4.72	3.32	1.82	.95	1.38	2.18	1.58	3.49	2.25	1.25	YEAR'S TOTAL 27.13
Rain Days.	17	12	22	19	18	11	12	12	14	17	22	14	190

W.7,000, XI. 13

E:c D L

REGISTER OF RAINFALL IN 1914.

Kept at Aston Hall Newport
in the County of Shropshire 4
by Colonel R Leeke

Lat. 52° 45′ 29″ Long. 2° 23′ 0″ W.
Time of Observation 9 a.m
Nearest Railway Station Newport Salop
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ...... ft. 11 in.
" " " " Sea Level about 280 ft.

FORM A. BRITISH RAINFALL. 2 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.01	.03	—	—	.01	.48	.29	—	.02	—	.19	1
2	.01	—	.01	—	—	—	.69	.41	—	.02	.33	.19	2
3	—	—	.02	.04	.15	—	.07	.02	—	—	.03	.32	3
4	.20	—	.02	.13	.10	—	.04	—	—	—	.58	.42	4
5	.13	—	.15	.05	.04	.04	.15	.07	—	.02	.08	—	5
6	.01	.01	—	.11	.08	—	.04	—	—	—	.13	.12	6
7	—	.07	.44	.02	.10	.14	.06	.23	—	—	—	.25	7
8	.01	—	—	.16	.26	.32	.09	.04	.09	—	.01	.01	8
9	.44	.02	.03	.10	.10	.71	—	.16	.05	—	—	—	9
10	.06	.10	.05	.29	.06	.19	—	—	.29	—	—	—	10
11	—	28	.22	.03	.05	.01	—	—	—	—	.36	.48	11
12	—	.18	.17	—	—	—	.35	—	.32	—	.12	.14	12
13	—	.10	.10	—	—	—	.05	—	.04	.11	.21	.34	13
14	—	.25	.07	—	—	—	.09	—	—	.11	.18	.09	14
15	—	—	.20	—	—	—	—	—	.07	.01	.05	.02	15
16	.01	—	.09	—	—	—	.16	—	.08	—	—	.03	16
17	—	.20	.26	—	—	—	.05	—	.09	—	—	.33	17
18	—	—	.04	—	—	.16	.05	—	.10	—	—	.32	18
19	—	.05	.02	—	—	—	.28	—	.43	—	.10	.12	19
20	—	.12	.09	—	—	.05	.47	—	—	—	—	.28	20
21	—	.32	.01	—	—	.19	.32	.07	—	.14	—	.35	21
22	—	.06	.06	—	.25	.25	—	20	—	.33	—	—	22
23	—	.01	.03	—	.07	—	.02	—	—	.04	.02	—	23
24	—	—	.11	.02	.04	—	.16	.26	—	.04	.09	—	24
25	.03	—	—	—	—	—	.08	.26	—	.46	.05	.21	25
26	—	—	.13	—	—	—	.03	.05	—	.16	.23	.23	26
27	.07	—	—	—	—	—	—	—	—	.01	.29	.66	27
28	.25	.07	.06	—	.02	—	—	—	—	—	.01	.44	28
29	.01	—	.03	—	.11	—	—	—	—	.07	.05	—	29
30	—	X	.04	—	.02	—	—	—	—	—	.29	.39	30
31	.04	X	—	X	—	X	.17	—	X	.01	X	.02	31
													YEAR'S TOTAL
Total	1.27	1.85	2.48	.95	1.45	2.07	3.90	2.06	1.56	1.55	3.21	5.95	28.30
Rain Days.	13	16	26	10	15	11	22	12	10	15	20	24	194

W. 8,000. X. 14.

2420

FORM A.
BRITISH RAINFALL
3. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Aston Hall - Newport
in the County of Shropshire
by Colonel Ralph Leeke

Lat. 52.45.29 Long. 2.23.0 W
Time of Observation 9 a.m
Nearest Railway Station Newport - Shropshire
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.27	.17	.06	—	.43	—	.02	.03	.27	.11	—	.07	1
2	.04	.09	.17	.23	—	—	—	1.05	—	.18	—	—	2
3	1.04	.01	.05	.14	—	.13	.34	—	—	—	—	.23	3
4	.01	.07	—	—	.09	—	.65	.03	—	—	—	.77	4
5	.07	.39	.03	—	—	—	.04	.04	—	.03	—	.41	5
6	.06	.05	.03	.04	—	—	.73	—	—	—	—	.04	6
7	.11	.40	—	.02	.18	—	.20	.17	—	—	—	.25	7
8	.13	.10	—	—	—	—	—	.16	—	—	.05	—	8
9	.06	.05	—	.35	—	—	—	—	—	—	.33	.42	9
10	.27	—	.09	.04	—	—	—	—	—	—	.15	—	10
11	.01	—	—	.02	.30	—	.17	.09	—	—	.60	.10	11
12	.14	—	—	.19	.20	—	.06	.19	—	.19	.82	—	12
13	—	.35	.01	—	.37	—	—	.22	—	—	.17	.04	13
14	.03	—	—	—	.02	—	—	.20	.08	—	.04	.14	14
15	.31	—	—	.07	.02	—	.27	.12	—	—	.15	.06	15
16	.03	.17	—	—	.06	—	2.45	.06	—	.01	—	.01	16
17	—	.21	—	—	.27	—	—	—	—	—	—	—	17
18	.01	.30	.01	—	.30	—	—	—	—		—	—	18
19	.06	.03	—	.11	—	—	.18	—	—	—	—	—	19
20	—	—	—	.04	.09	—	.06	—	—	—	—	.08	20
21	.44	—	—	.02	—	—	.23	—	—	.02	—	.08	21
22	—	—	.20	.02	—	—	.08	—	—	—	—	.02	22
23	.03	.10	.08	—	—	.66	.32	—	—	.65	—	.17	23
24	—	—	.05	.10	—	—	.08	—	.36	.23	—	.21	24
25	—	—	—	—	—	.66	.02	—	—	.03	.05	.29	25
26	.01	.04	—	—	—	—	.27	—	.01	—	—	.31	26
27	—	.10	—	—	—	—	.26	—	—	.30	—	.20	27
28	—	.10	.02	—	—	—	—	.20	—	.03	—	—	28
29	—	—	—	—	—	.08	.21	.09	—	—	.11	.06	29
30	.03	✕	—	.06	—	.45	.03	.01	—	.23	—	.04	30
31	.09	✕	—	✕	—	✕	.08	.02	✕	.09	✕	.31	31
Total	3.25	2.73	.80	1.45	2.33	1.38	6.75	2.68	.72	2.10	2.47	4.31	YEAR'S TOTAL 30.97
Rain Days.	22	18	12	15	12	5	22	16	4	13	10	23	172

W. 8,000. X. 15.

Exd P.S.C.

2352

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Aston Hall - n. Newport
in the County of Shropshire
by Colonel R Leeke

Lat. 52. 45. 30 Long. 2. 23. 0 W
Time of Observation 9 a.m
Nearest Railway Station Newport - Shropshire
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level about 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.03	.34	—	.01	.13	.04	—	—	.05	.13	—	1
2	.21	.07	.18	—	—	.12	.04	—	.15	.75	.02	—	2
3	—	.63	—	—	.01	.03	.18	—	.06	.24	.12	—	3
4	.10	.31	.01	.03	.52	.29	.05	—	—	.05	.31	—	4
5	.01	.01	—	.05	.18	.15	—	—	—	.09	.12	—	5
6	.24	.19	.04	—	.21	—	.02	—	.02	.06	.32	—	6
7	.05	—	.03	—	.09	.01	.42	—	—	.07	.11	—	7
8	.06	—	.12	—	.04	—	.12	—	—	.08	—	.57	8
9	—	—	—	.19	.30	.03	—	—	—	—	.02	.03	9
10	—	.34	.04	.02	.03	.01	—	—	—	.13	—	—	10
11	.01	.15	.02	.03	.01	.11	.02	—	.04	—	—	.15	11
12	—	.10	.05	.02	.37	—	.01	.06	—	.07	—	—	12
13	.04	.11	.14	.08	—	—	.22	.49	—	.03	—	.16	13
14	—	.34	—	—	.07	—	.03	.13	—	.15	—	.01	14
15	—	.25	.36	—	.16	—	—	.11	.05	.14	—	—	15
16	.05	.09	.09	.12	—	—	.07	.28	—	.07	—	—	16
17	.05	.14	—	.28	—	—	.02	.92	.52	.21	—	—	17
18	.03	.16	.02	.14	—	—	.06	.02	.32	.14	.41	.15	18
19	.03	—	.18	—	—	—	—	.05	.01	—	.35	—	19
20	.02	.01	.66	.05	—	—	—	—	—	—	.02	.06	20
21	.04	—	.23	—	.04	—	—	—	—	—	—	.14	21
22	—	.02	—	.11	—	.05	.12	—	—	.14	—	.22	22
23	—	.05	.04	—	—	—	—	.12	—	.03	.06	.31	23
24	.03	.48	—	—	.15	—	—	.14	—	.10	—	.16	24
25	—	.03	.16	—	.11	—	—	.10	.03	.09	.41	—	25
26	.08	.04	.02	—	.02	.05	—	.09	.03	.17	.06	—	26
27	—	.03	.34	—	—	.05	—	.16	.07	.54	—	—	27
28	—	.29	.01	—	—	—	—	—	—	.07	.02	.15	28
29	—	.13	—	—	—	.39	—	.19	—	.17	—	.20	29
30	.01	X	—	—	—	.39	—	—	—	.26	—	—	30
31	—	X	—	X	—	X	—	—	X	.21	X	.07	31
Total	1.10 ✓	4.00 ✓	3.08 ✓	1.12 ✓	2.32 ✓	1.81 ✓	1.42 ✓	2.86 ✓	1.30 ✓	4.11 ✓	2.48 ✓	2.38 ✓	YEAR'S TOTAL 27.98 ✓
Rain Days.	18 ✓	24 ✓	21 ✓	12 ✓	17 ✓	14 ✓	15 ✓	14 ✓	11 ✓	26 ✓	15 ✓	14 ✓	201 ✓

W. 8,000, VIII. 16

2237

FORM A.
BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Aston Hall

in the County of Shropshire

by Colonel R Leeke

Lat. 52° 45' 29" N Long. 2° 23' 0" W

Time of Observation 9 a.m.

Nearest Railway Station Newport Salop

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ' ft. 11 in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.05	.11	—	.17	—	.63	.29	—	.06	.26	1
2	.03	—	—	.16	—	.05	—	.03	—	—	.09	.12	2
3	.05	.07	—	.02	—	.01	—	.06	—	.39	.13	.04	3
4	.16	—	.17	—	—	—	—	.03	—	1.20	.01	—	4
5	.25	—	.16	.14	—	—	—	—	.02	.20	.05	—	5
6	.01	—	.02	—	—	.06	—	—	—	.15	.34	—	6
7	.40	—	—	—	—	—	—	—	—	.05	.05	.08	7
8	.43	—	—	.16	—	—	—	.44	—	.40	.09	.22	8
9	—	—	.15	.10	.08	—	—	.17	—	.20	.27	—	9
10	.32	—	.43	.07	—	—	—	.08	.06	.01	.04	—	10
11	.22	—	—	.16	—	—	—	.11	.01	.19	.03	—	11
12	.09	—	—	—	.64	—	—	.17	.02	.16	—	—	12
13	—	—	—	.01	—	—	—	.13	.07	.02	—	.03	13
14	.04	—	—	.02	.05	—	—	.20	—	—	—	.08	14
15	.02	—	—	—	.08	—	.24	.01	—	.08	—	.11	15
16	.02	.08	—	.07	—	.56	.01	—	—	.01	—	.21	16
17	—	—	—	.16	.28	.17	.42	.77	.05	.02	—	—	17
18	—	—	—	.04	.06	—	.41	.19	.61	.05	—	—	18
19	—	.32	.70	—	.03	.18	—	—	.02	—	—	—	19
20	.03	.22	—	—	.27	.18	.03	.01	.04	—	.27	—	20
21	—	.03	.32	.01	.25	.14	—	.04	—	.05	.10	—	21
22	—	—	—	—	.01	.02	—	.09	.14	.21	—	—	22
23	—	.25	—	—	.14	.01	—	.08	.01	.21	—	.04	23
24	—	.01	.04	—	—	.74	—	.03	—	.28	.04	.03	24
25	—	.07	.08	—	—	.03	—	.08	—	.12	.10	—	25
26	—	—	—	—	—	.10	—	.45	.13	.04	.54	—	26
27	—	—	.01	—	1.74	.12	.20	1.14	—	—	—	—	27
28	—	—	.05	—	—	.02	—	.53	—	—	—	—	28
29	—	—	—	—	—	—	.02	.01	—	.35	—	.25	29
30	—	X	.07	—	—	—	—	.26	—	.06	.07	—	30
31	.02	X	.04	X	—	X	—	.05	X	.01	X	—	31
Total	2.09	1.05	2.29	1.23	3.63	2.56	1.33	5.79	1.47	4.46	2.28	1.47	YEAR'S TOTAL 29.65
Rain Days.	15	8	14	14	12	16	7	26	13	24	17	12	178

W. 8,000, IX. 17.

174

~~W~~ M&S

FORM A. BRITISH RAINFALL.

9. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Aston Hall. Newport

in the County of Shropshire

by Colonel R Leeke

Lat. 52.45.29 Long. 2.23.0.W

Time of Observation 9 a.m

Nearest Railway Station Newport Salop

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 280 ft. about

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.07	—	.11	—	—	—	—	.04	.04	.36	—	1
2	—	.04	—	.07	—	—	—	.49	.02	.03	—	.22	2
3	—	.03	.01	—	.21	—	—	.11	.32	.01	.02	—	3
4	.03	.03	—	—	—	—	—	.04	.98	.16	.29	.39	4
5	—	.01	—	.05	.15	—	—	.16	.08	.07	.02	—	5
6	[illegible]	.09	.03	.46	—	.14	—	—	.01	.22	—	—	6
7	.01	.11	—	.05	.08	.10	—	.01	.24	.03	.12	.01	7
8	.01	.23	—	—	—	—	.02	—	.31	.11	.02	—	8
9	.02	.44	—	.18	—	.21	.36	—	.47	.24	—	—	9
10	.11	.08	—	.40	—	—	.25	—	.10	.03	.09	(.14)	10
11	.08	.04	.18	.02	.14	—	.10	—	.20	.04	—	.06	11
12	.02	.03	.11	—	.14	—	.25	—	.02	.05	—	—	12
13	.02	.01	—	—	.04	.03	—	—	.14	.07	—	—	13
14	.28	—	—	—	—	.03	.08	.01	.27	.03	.03	.20	14
15	.67	—	—	.07	.04	—	.41	—	.28	.03	—	.32	15
16	.03	—	—	.29	—	.21	.09	—	.21	—	—	.08	16
17	.26	—	—	—	.04	.04	.05	.02	.32	.18	—	.09	17
18	.26	—	.03	—	—	.15	.03	—	.53	.02	—	.26	18
19	.03	.02	.20	.07	—	—	.06	—	—	.09	—	.33	19
20	.05	.05	—	.40	—	.11	.43	—	.14	—	.03	.40	20
21	.08	—	—	.29	—	.02	.07	.01	.17	.04	—	.12	21
22	—	—	—	—	1.90	.01	.28	—	.03	.10	.02	.36	22
23	—	—	—	—	.55	.01	.08	—	.09	.02	.08	—	23
24	—	.16	—	—	—	—	.01	.06	.07	—	.03	.04	24
25	—	—	—	—	.09	.07	.18	.30	.01	—	.05	—	25
26	—	—	—	—	.02	—	.25	.04	.07	.02	.18	.06	26
27	.01	.14	.01	—	—	—	.01	.35	.21	—	.25	.05	27
28	—	.04	.39	—	—	—	—	—	—	—	.03	.09	28
29	—	—	.09	—	—	—	—	—	.61	—	—	.11	29
30	—	✕	.28	—	—	—	—	—	.03	—	.07	.20	30
31	—	✕	.11	✕	—	✕	—	.04	✕	—	✕	—	31
Total	1.97 ✓	1.62 ✓	1.44 ✓	2.46 ✓	3.40 ✓	1.13 ✓	3.01 ✓	1.64 ✓	5.97 ✓	1.63 ✓	1.69 ✓	3.53 ✓	YEAR'S TOTAL 29.49 ✓
Rain Days.	17 ✓	18 ✓	11 ✓	13	12	13 ✓	19 ✓	13 ✓	28 ✓	22 ✓	17 ✓	20	203 ✓

W. 8,000, IX. 17.

Ex. [illegible] 2096

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Aston Hall - Newport
in the County of Shropshire
by Colonel R Leeke

Lat. 52° 45' 23" Long 2° 23' 0" approximate
Time of Observation 9 a.m.
Nearest Railway Station Newport Salop
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 280 ft. about

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22	.03	.02	.07	.17	–	.31	–	.08	.13	.01	.21	1
2	.14	.03	.11	.01	.03	–	.11	.02	.38	.02	.07	.03	2
3	.04	–	.01	–	.09	.15	.34	–	.11	–	.09	.18	3
4	–	.02	.22	–	–	.04	–	.34	.08	–	.01	.08	4
5	.06	.29	–	.03	.11	–	.10	–	.02	–	–	.07	5
6	.08	–	.08	.04	.24	–	–	–	–	–	.03	.12	6
7	.23	–	.16	–	–	–	–	–	–	–	.05	.01	7
8	.13	–	.04	–	–	.06	–	–	–	–	–	–	8
9	.08	–	–	.10	–	–	–	–	–	–	.01	–	9
10	–	–	.37	–	–	–	–	–	–	.08	.03	.17	10
11	.02	–	1.04	.01	.05	–	–	–	–	.04	–	.05	11
12	–	–	.93	.03	–	.48	.20	–	.02	.10	.04	.01	12
13	.09	–	–	.06	–	–	.01	–	.55	.34	–	.01	13
14	.34	.04	–	.17	–	–	.06	–	–	.24	–	.03	14
15	.30	.03	–	.36	–	–	.08	.02	–	.15	.02	.23	15
16	.01	.79	–	.08	–	.02	–	.05	–	–	.24	–	16
17	–	.31	–	.03	–	.18	–	–	–	–	.10	.02	17
18	–	–	.66	–	–	–	–	.52	.02	–	–	.11	18
19	.15	.25	1.08	–	–	.15	.02	.46	.12	–	.15	–	19
20	.19	.09	.18	–	–	.02	.82	.09	.16	–	.45	.09	20
21	.04	.25	–	–	–	–	.08	–	.04	–	.11	.22	21
22	–	.41	.01	–	–	–	.47	–	.53	–	–	.96	22
23	–	–	–	–	–	.15	.02	.05	–	1.57	.02	.03	23
24	–	–	–	–	.19	.02	–	–	–	.50	.14	.05	24
25	.08	–	–	.13	.12	–	–	.35	–	.03	.03	.02	25
26	–	–	.10	.14	–	.08	–	.06	.05	–	.01	.19	26
27	.18	–	–	.42	–	.03	–	.07	–	–	.03	.04	27
28	.03	–	–	.02	–	–	–	.59	–	–	–	.39	28
29	–	–	.23	.06	–	.08	–	.06	–	.32	–	.15	29
30	.03		.04	.09	–	.11	–	.02	–	–	.04	.16	30
31	–		–		–		–	–		.03		.04	31
TOTAL	2.44	2.54	5.28	1.80	1.00	1.57	2.62	2.70	2.16	3.55	1.68	3.67	YEAR'S TOTAL 31.01 ✓
Days with ·01 in. or more	20	12	17	18	8	14	13	14	13	13	21	27	190 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2013

B.R. Form B1.

METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.
To be filled and returned to
THE SUPERINTENDENT,
BRITISH RAINFALL ORGANIZATION,
62, CAMDEN SQUARE, LONDON, N.W.1
Copies of this form will be supplied with pleasure.

JAN 192

RAINFALL IN 1921

NOTE.—Records taken in millimetres should not be entered on this form

At Aston Hall Newport

In the County of Shropshire

Rain Gauge — Diameter of Funnel Five in.

Height of Top — *Above Ground* ft. 11 in.

Height of Top — *Above Sea Level* 280 ft

PLEASE FILL IN

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches	Inches	Date.	·01 in. or more	·04 in. or more
JAN.	3.57	1.10	28th	21	15
FEB.	2.23	1.42	19th	15	10
MAR.	2.12	.56	14th	19	15
APR.	4.61	.64	9th	29	24
MAY	3.25	.89	27th	16	13
JUNE	3.60	1.32	12th	17	12
JULY	4.77	.81	2nd	26	22
AUG.	1.56	.39	9th	13	10
SEPT.	2.53	.48	14th	15	13
OCT.	3.32	.86	6th	15	10
NOV.	.90	.24	14th	11	8
DEC.	2·71 2.72	.55	23rd	17	12
Total	35.17	893		214	164

Signed Ralph

Titles Colonel

[Please fill in the other side also.

✓

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

Ordnance Survey

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height. '	Distance. '	Direction.
Wall	.10	15	N.W
Hedge	4.0	14	S

In order that the position may be accurately entered on a map please mention

Latitude 52° 45' 26" **N.**

Longitude 2° 23' 0"

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Newport Salop	1050 yds	E
Church	Church Aston	175	S.E.E

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

(47Rs) (100843 Wt. 19620/409 Gp. 163 32000 10-20
W & S Ltd.

[illegible] 2013

3 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Aston Hall - Newport
in the County of Shropshire
by Colonel Ralph Leeke

Lat. 52° 45′ 29″ Long. 2° 23′ 0″
Time of Observation 9 a.m.
Nearest Railway Station Newport - Salop
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.02	.14	.16	—	.19	—	.14	.08	—	.21	1
2	.04	—	—	.13	.02	.04	.81	—	.14	.07	—	.15	2
3	.03	.07	—	.42	—	.02	.65	—	.16	.23	—	—	3
4	—	—	—	.08	—	—	.04	.52	.05	.43	—	—	4
5	—	—	.06	.02	.07	—	.19	.04	.40	.35	—	—	5
6	—	—	.27	.05	.03	—	.05	—	—	.86	—	.04	6
7	—	—	.04	.09	.04	—	.28	—	—	.02	.02	—	7
8	.32	.10	—	.46	.13	—	.29	.16	—	.01	—	—	8
9	.29	.05	.01	.64	—	—	.07	.39	.04	—	—	—	9
10	.28	.08	.09	.20	—	.02	.30	—	—	—	.07	—	10
11	.12	.03	.05	.28	.36	.25	.06	.04	—	—	.01	.03	11
12	.11	—	—	.22	.03	1.32	.04	.02	—	—	.11	.21	12
13	.10	.07	.07	.16	—	.01	—	—	—	—	.11	.02	13
14	—	.04	.56	.16	—	.63	.04	—	.48	.09	.24	—	14
15	.01	.09	.05	.19	—	.07	—	—	.04	.19	.05	—	15
16	—	—	.02	.12	.39	.45	.27	—	.11	.52	—	—	16
17	.01	—	—	—	.11	—	.01	.01	.33	.01	—	—	17
18	.27	—	—	.02	.14	.03	—	.04	.15	—	—	—	18
19	.02	1.42	—	.04	.09	.07	—	.03	.10	—	—	—	19
20	—	.02	—	.29	—	.16	.01	—	.03	—	—	.03	20
21	.03	—	—	.08	—	—	.26	.05	—	—	—	.07	21
22	—	—	—	.18	—	—	.16	.13	—	.02	—	.02	22
23	—	—	.04	.01	—	—	.32	.09	—	—	—	.55	23
24	.08	.03	.15	.03	—	—	—	.04	—	—	—	.25	24
25	.03	.14	.18	.06	—	.07	.39	—	—	—	—	—	25
26	.27	.05	—	.03	—	—	.04	—	—	—	.03	.01	26
27	.26	.03	.08	.13	.89	.24	.02	—	—	—	.06	.36	27
28	1.10	—	.11	.09	.50	.08	.01	—	—	.01	—	.06	28
29	.08	.01	.25	.04	.21	.03	.18	—	.03	—	.13	.48	29
30	.04	×	.02	.25	.08	.11	.04	—	.33	—	.07	.18	30
31	.08	×	.05	×	—	×	.05	—	×	.43	×	(.04)	31
TOTAL	3.57	2.23	2.12	4.61	3.25	3.60	4.77	1.56	2.53	3.32	.90	2.71 ~~2.72~~	YEAR'S TOTAL 35.17
Days with ·01 in. or more	21	15	19	29	16	17	26	13	15	15	11	17	214
Days with ·04 in. or more	15	10	15	24	13	12	22	10	13	10	8	12	164

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2313

SALOP, NORTON IN HALE SCHOOL

1915 - 30

REG

FORM A. BRITISH RAINFALL.

3 JAN 17

27'

Kept at Norton ... m

... rton in Hales N.S.R.

in the County of S

... auge Five in.

by Chas. Cha

... Ground 1 ft. 3 in.

... Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·01	·42	–	–	·04	·13	–	–	·02	·11	–	1
2	·18	·21	·13	–	–	·04	·48	–	·20	·50	·02	–	2
3	·03	·43	–	·02	–	·05	·17	–	·23	·31	·12	·03	3
4	–	·41	–	·05	·46	·30	·02	–	·02	·02	·29	–	4
5	–	·04	–	–	·14	·08	·01	–	–	·40	·07	–	5
6	–	·24	·06	–	·25	·04	·28	–	·01	·03	·38	·04	6
7	·09	–	·03	–	·08	·02	·22	–	–	·13	·05	·31	7
8	–	–	·09	–	·02	–	·01	–	–	–	–	–	8
9	·10	–	–	–	·32	·26	–	–	–	–	·02	·16	9
10	·02	·24	·04	·08	·02	–	·02	–	·15	·02	–	·04	10
11	–	·36	–	·23	·01	·09	·02	–	·09	–	–	·05	11
12	·02	·02	·03	–	·52	·01	·23	·02	·05	·08	–	·06	12
13	·05	·27	·14	·08	·02	–	–	·16	–	·03	–	·13	13
14	·02	·23	–	·09	·07	–	–	·29	–	·02	–	–	14
15	–	·18	·32	·05	·14	–	·12	·18	·05	·39	–	–	15
16	–	·03	·14	·21	·01	–	·04	·07	·02	·07	–	–	16
17	·03	·15	–	·25	–	–	·07	·26	·49	·21	·42	–	17
18	·02	·30	–	·21	–	–	–	·03	·31	·02	·42	·53	18
19	·12	·02	·11	·06	–	·01	–	–	·05	–	–	·42	19
20	·04	–	·48	·05	–	–	–	·12	·01	–	–	–	20
21	·06	–	·29	–	·06	–	·06	–	–	–	·11	·13	21
22	–	·04	–	–	–	·10	–	–	–	·10	·16	–	22
23	·03	·07	·04	–	–	–	–	·08	–	·01	·18	–	23
24	–	·22	–	–	–	·02	–	·18	·03	1·10	·06	–	24
25	–	–	–	–	·21	·05	–	·02	·05	–	–	–	25
26	·03	–	·20	–	·10	·06	–	·06	–	·12	·02	–	26
27	–	·03	·02	–	–	·03	–	·25	–	·37	–	–	27
28	–	·16	–	–	–	–	–	·02	–	·08	–	–	28
29	–	·16	·01	–	–	·68	–	·02	–	·18	–	·31	29
30	–	X	–	–	–	·02	–	–	–	·02	–	–	30
31	–	X	–	X	–	X	–	–	X	·31	X	·12	31
Total	·88	3·82	2·55	1·38	2·43	1·90	1·88	1·76	1·76	4·54	2·43	2·63	YEAR'S TOTAL 24·96
Rain Days.	16	22	14	12	16	18	15	15	15	24	15	13	198

REGISTER OF

FORM A.
BRITISH RAINFALL.

3 JAN

Kept at Norton-in-Hales
in the County of Salop
by Chas. Chadwick

Lat. 52° 57' Long. 2° 27'
Time of Observation 9. a.m
Nearest Railway Station Norton-in-Hales N.S.R.
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·01	·42	—	—	·04	·13	—	—	·02	·11	—	1
2	·18	·21	·13	—	—	·04	·48	—	·20	·50	·02	—	2
3	·03	·43	—	·02	—	·05	·17	—	·23	·31	·12	·03	3
4	—	·41	—	·05	·46	·30	·02	—	·02	·02	·29	—	4
5	—	·04	—	—	·14	·08	·01	—	—	·40	·07	—	5
6	—	·24	·06	—	·25	·04	·28	—	·01	·03	·38	·04	6
7	·09	—	·03	—	·08	·02	·22	—	—	·13	·05	·31	7
8	—	—	·09	—	·02	—	·01	—	—	—	—	—	8
9	·10	—	—	—	·32	·26	—	—	—	—	·02	·16	9
10	·02	·24	·04	·08	·02	—	·02	—	·15	·02	—	·04	10
11	—	·36	—	·23	·01	·09	·02	—	·09	—	—	·05	11
12	·02	·02	·03	—	·52	·01	·23	·02	·05	·08	—	·06	12
13	·05	·27	·14	·08	·02	—	—	·16	—	·03	—	·13	13
14	·02	·23	—	·09	·07	—	—	·29	—	·02	—	—	14
15	—	·18	·32	·05	·14	—	·12	·18	·05	·39	—	—	15
16	—	·03	·14	·21	·01	—	·04	·07	·02	·07	—	—	16
17	·03	·15	—	·25	—	—	·07	·26	·49	·21	·42	—	17
18	·02	·30	—	·21	—	—	—	·03	·31	·02	·42	·53	18
19	·12	·02	·11	·06	—	·01	—	—	·05	—	—	·42	19
20	·04	—	·48	·05	—	—	—	·12	·01	—	—	—	20
21	·06	—	·29	—	·06	—	·06	—	—	—	·11	·13	21
22	—	·04	—	—	—	·10	—	—	—	·10	·16	—	22
23	·03	·07	·04	—	—	—	—	·08	—	·01	·18	—	23
24	—	·22	—	—	—	·02	—	·18	·03	1·10	·06	—	24
25	—	—	—	—	·21	·05	—	·02	·05	—	—	—	25
26	·03	—	·20	—	·10	·06	—	·06	—	·12	·02	—	26
27	—	·03	·02	—	—	·03	—	·25	—	·37	—	—	27
28	—	·16	—	—	—	—	—	·02	—	·08	—	—	28
29	—	·16	·01	—	—	·68	—	·02	—	·18	—	·31	29
30	—	×	—	—	—	·02	—	—	—	·02	—	—	30
31	—	×	—	×	—	×	—	—	×	·31	×	·12	31
Total	·88	3·82	2·55	1·38	2·43	1·90	1·88	1·76	1·76	4·54	2·43	2·63	YEAR'S TOTAL 24·96
Rain Days.	16	22	14	12	16	18	15	15	15	24	15	13	198

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

26 MAY 1913

REGIS

912

SHROPSHIRE.
OSWESTRY
BRON-Y-GARTH.

1912

Kept at Penissa
Bronygarth
in the County of ~~Denbi~~
by Samuel J
for Pro

Long.
9 a.m.
ation Chirk
auge in.
uge above Ground ft. in.
„ Sea Level About 400 ft.

IMPORTANT NOTE.— m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·10) estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·38			·52	·58	·03		·10	·25	1
2						·06	·10					·14	2
3						·25	·11					·06	3
4	·03		·63		·10	·24		1.50	·10			·11	4
5	·20		1.15		·08	·13		·69	·02		·07		5
6			·03		·06	·21		·12	·01			·08	6
7	·50							·33				·03	7
8	·25		·03		·06	·45	·01	·12	·02			·36	8
9	·45		·29	·05		·18		·15					9
10	·13		·54	·22		·31	·01	·06			·12	·15	10
11	·60			·03		·39	·05	·28			·22		11
12	·1.4						·08	·02			·48	·42	12
13	·07	1.73				·11	·12	·11				·06	13
14	·1.2					·01		·05				·17	14
15	·08		·29			·04				·12			15
16	·1.8	·11			·17	·14		·03				·10	16
17	·2.9				·12	·09		·10				·18	17
18			·80			·14		·29			·12	·12	18
19			·55					·11				·05	19
20	·7.0					·02	·03	·33		·10		·03	20
21			·16				·02	·04		·04			21
22		·38	·04		·67		·10	·03		·50		·10	22
23			·35		1.21	·06	·15	·32				·08	23
24	·2.2	·19				·05	·29	·18				·06	24
25			·14			·18	·06	·18			·25	·21	25
26			·07			·16	·06				·49	·40	26
27		·25				·02	·09	·53		1·76		·11	27
28						·48	·62			·55	·51	·15	28
29		·18	·02			·04	·36	·26	·19	·29	·30	·07	29
30			·11			·23	·09	·10	·40	·20	·18	·04	30
31			·01		·49		·06			·26		·03	31
	–	·10	·38	–	–	·52	·58	·03	–	·10	·25	·10	
Total	~~3.96~~	~~2.84~~	~~5.31~~	~~·68~~	~~2.96~~	~~3.99~~	~~2.93~~	~~5.51~~	~~·77~~	~~3.82~~	~~2.84~~	~~3.56~~	YEAR'S TOTAL ~~40.17~~
Rain Days.	15	~~6~~ 7	18	~~4~~ 3	9	~~24~~ 25	20	25	6 ~~7~~	~~9~~ 10	11	26	~~175~~ 175
	3·96	2·94	5·59	·30	2·96	4·51	2·99	5·96	·74	3·92	2·99	3·41	40·27

W. 7,500, XI. 12

REGIS 912

FORM A.
BRITISH RAINFALL.

26 MAY 1913

Kept at Penissa
Bronygarth, Oswestry,
in the County of ~~Denbigh~~ SALOP.
by Samuel Jones
for Prof. Fraser Story.

Long.
Time of Observation 9 a.m.
Nearest Railway Station Chirk
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level About 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(·10)
estd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.10	.38			.52	.58	.03		.10	.25	1
2						.06	.10					.14	2
3						.25	.11					.06	3
4	.03		.63		.10	.24		1.50	.10			.11	4
5	.20		1.15		.08	.13		.69	.02		.07		5
6			.03		.06	.21		.12	.01			.08	6
7	.50							.33				.03	7
8	.25		.03		.06	.45	.01	.12	.02			.36	8
9	.45		.29	.05		.18		.15					9
10	.13		.54	.22		.31	.01	.06			.12	.15	10
11	.60			.03		.39	.05	.28			.22		11
12	.14						.08	.02			.48	.42	12
13	.07	1.73				.11	.12	.11				.06	13
14	.12					.01		.05				.17	14
15	.08		.29			.04				.12			15
16	.18	.11			.17	.14		.03				.10	16
17	.29				.12	.09		.10				.18	17
18			.80			.14		.29			.12	.12	18
19			.55					.11				.05	19
20	.70					.02	.03	.33		.10		.03	20
21			.16				.02	.04		.04			21
22		.38	.04		.67		.10	.03		.50		.10	22
23			.35		1.21	.06	.15	.32				.08	23
24	.22	.19				.05	.29	.18				.06	24
25			.14			.18	.06	.18			.25	.21	25
26			.07			.16	.06				.49	.40	26
27		.25				.02	.09	.53		1.76		.11	27
28						.48	.62			.55	.51	.15	28
29		.18	.02			.04	.36	.26	.19	.29	.30	.07	29
30			.11			.23	.09	.10	.40	.20	.18	.04	30
31			.01		.49		.06			.26		.03	31
	–	.10	.38	–	–	.52	.58	.03	–	.10	.25	.10	
Total	~~3.96~~	~~2.84~~	~~5.31~~	~~.68~~	~~2.96~~	~~3.99~~	~~2.93~~	~~6.51~~	~~.77~~	~~3.82~~	~~2.84~~	~~3.56~~	YEAR'S TOTAL ~~40.17~~
Rain Days.	15	~~6~~ 7	18	~~4~~ 3	9	2~~4~~5	20	25	6 ~~7~~	~~9~~ 10	11	26	17~~5~~ 5
W. 7,500, XI. 12	3.96	2.94	5.59	.30	2.96	4.51	2.99	5.96	.74	3.92	2.99	3.41	40.27

REG

2312

—

OSWESTRY, BOYS SENIOR SCHOOL

1916 – 20

782706

FORM A.
BRITISH RAINFALL.

5. APR. 1917

W.

Kept at Oswestry Coun

a. m.

in the County of Shr

Oswestry

by E. Compton (He
of

Gauge 5 in.

Ground 1 ft. — in.

Sea Level 450 ft.

IMPORTANT NOT … he result entered to the previous day. If an Ob … rsal rule, he is earnestly requested to add the read … following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·35	·01	1·31		·01	·14			·40	·12	·31		1
2	·41	·15	·18			·09	·40		·50	·80	·04		2
3	·05	·25	·13	·02		·19	·06		·17	·40	·09	·10	3
4	·08	·19	·08	·06	·48	·17	·18		·20	·90	·12		4
5		·23			·21	·10	·10			·96	·34	~~·08~~	5
6	·14	·14	·02		·19	·02	·32			·20	·41		6
7	·08	·09	·02		·20	·08	·13			·09	·15	·29	7
8	·05	·05	·08		·08		·18			·03	·05	·12	8
9	·		·09		·20		·25		·05		·10		9
10	·03	·35	·05	·02	·02		·04		·17	·10		·14	10
11	·04		·13	·06	·12							·02	11
12	·06		·08	·03	·19	·10	·14	·10		·05		·02	12
13	·04		·18	·16	·23			·22		·21			13
14		·25	·04					·08		·23			14
15		·45	·35	·04				·07		·16			15
16	·02	·13		·11			·04	·26	·09	·03			16
17	·05	·12		·40			·01	·06	·15	·25	·43		17
18	·05		·16	·23				·02	·38	·05	·01	·50	18
19	·24	·07	·13	·35							·20	~~·20~~	19
20	·23	·05	·41								·44	·16	20
21			·23			·02				·11	·	·01	21
22	·10			·03		·10				·15			22
23	·08		·04	·04		·03		·14		·04	·12	·29	23
24		·01	·03	·09	·78	·16		·26		·46	·09	·21	24
25			·19		·24	·03					·56	·01	25
26	·03	·04	·03			·14			·03	·14			26
27	·02	·08		·01		·02		·20	·26	·03		·26	27
28		·49			·10					·05	·02	·20	28
29		·17	·02			·36		·02		·13			29
30		✕	·02							·73			30
31		✕		✕		✕			✕	·50	✕		31
Total	2·15	3·32	4·00	1·65	3·05	1·75	1·82	1·43	2·40	6·92	3·48	2·34	YEAR'S TOTAL 34·31
Rain Days.	20	20	24	15	14	16	12	11	11	26	17	15	207

W. 8,000. X. 15.

REG

FORM A.
BRITISH RAINFALL.
5. APR. 1917

Kept at Oswestry Council Boys' School
in the County of Shropshire.
by E. Compton (Head Master) & Boys' of Gardening Class.

Lat. 52° 50' N. Long. 3° W.
Time of Observation 9 a. m.
Nearest Railway Station Oswestry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·35	·01	1·31		·01	·14			·40	·12	·31		1
2	·41	·15	·18			·09	·40		·50	·80	·04		2
3	·05	·25	·13	·02		·19	·06		·17	·40	·09	·10	3
4	·08	·19	·08	·06	·48	·17	·18		·20	·90	·12		4
5		·23			·21	·10	·10			·96	·34	·01	5
6	·14	·14	·02		·19	·02	·32			·20	·41		6
7	·08	·09	·02		·20	·08	·13			·09	·15	·29	7
8	·05	·05	·08		·08		·18			·03	·05	·12	8
9			·09		·20		·25		·05		·10		9
10	·03	·35	·05	·02	·02		·01		·17	·10		·14	10
11	·04		·13	·06	·12							·02	11
12	·06		·08	·03	·19	·10	·14	·10		·05		·02	12
13	·04		·18	·16	·23			·22		·21			13
14		·25	·04					·08		·23			14
15		·45	·35	·04				·07		·16			15
16	·02	·13		·11			·04	·26	·09	·03			16
17	·05	·12		·40			·01	·06	·15	·25	·43		17
18	·05		·16	·23				·02	·38	·05	·01	·50	18
19	·24	·07	·13	·35							·20	~~·20~~	19
20	·23	·05	·41								·44	·16	20
21			·23			·02				·11		·01	21
22	·10			·03		·10				·15			22
23	·08		·04	·04		·03		·14		·04	·12	·29	23
24		·01	·03	·09	·78	·16		·26		·46	·09	·21	24
25			·19		·24	·03					·56	·01	25
26	·03	·04	·03			·14			·03	·14			26
27	·02	·08		·01		·02		·20	·26	·03		·26	27
28		·49			·10					·05	·02	·20	28
29		·17	·02			·36		·02		·13			29
30		X	·02							·73			30
31		X		X		X			X	·50	X		31
Total	2·15	3·32	4·00	1·65	3·05	1·75	1·82	1·43	2·40	6·92	3·48	2·34	YEAR'S TOTAL 34·31
Rain Days.	20	20	24	15	~~2~~14	16	12	11	11	26	17	15	207

W. 8,000. X. 15.

2245

FORM A.
BRITISH RAINFALL.

FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Oswestry Council Boys' School

in the County of Shropshire

by Boys of Gardening Class under direction of Mr E. Compton Head Master

Lat. 52°50' N Long. 3° W.

Time of Observation 9 a.m.

Nearest Railway Station Oswestry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·08	·22		·22		·16	·09		·08	·37	1
2	·01	·29	·02	·06		·09		·09			·09	·19	2
3	·01	·18				·06				·34	·23	·01	3
4	·02	·18	·06			·01				·66	·04	·03	4
5	·15		·21	·02		·11		·18		·07	·30		5
6	·17		·13							·54	·30		6
7	·33		·08	·03				·02		·18	·19	·15	7
8	·09			·05				·25		·64	·14	·07	8
9			·26	·24	·18			·11	·06	·08	·39		9
10	·34		·58	·39				·04		·02	·04		10
11	·24			·27				·27		·32	·02		11
12	·19			·06	·70			·22		·08			12
13	·03			·08	·08			·49		·12			13
14	·02			·03				·05		·02			14
15	·02			·02	·12		·06	·15		·18		·03	15
16				·23		·05		·09				·22	16
17	·02			·09	·48	·19	·40	·79		·06		·02	17
18	·01	·04		·01	·19			·03	·44	·05		·19	18
19		·50	·47		·06	·41		·03			~~[illegible]~~		19
20		·18	·04		·07	1·19	·71		·08		·14	·03	20
21	·01		·09		·06			·04		·07	·07		21
22		·01			·18	·55		·23		·09			22
23	·02	·05	~~·09~~					·17	·04	·09	·02		23
24		·09	·09 ~~·03~~			·03	·01	·15		·50	·07	·03	24
25		·17	·03		·03	·25	·18	·03			·33		25
26			~~·03~~			·30	·06	·49	·12		·14		26
27			·03 ~~·10~~		1·61	·51	·17	·58					27
28			·10 ~~·02~~				·06	·37					28
29			·02 ~~·20~~				·10	·04		·63		·07	29
30		✗	·20 ~~·16~~					·30		·12		·08	30
31		✗	·16	✗	·10	✗		·26	✗	·02	✗	·09	31
Total	1·72	1·69	2·65	1·80	3·86	3·97	1·75	5·66	·83	4·91	2·59	1·58	YEAR'S TOTAL 33·01
Rain Days.	18	10	18	15	13	14	9	24	6	22	17	15	184

W. 500, IX. 17.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL
1 . 3 . 19

Kept at Oswestry Council Boys' School
in the County of Shropshire
by Boys' Council School Oswestry
E. Compton (on B.)

Lat. ______ Long. —
Time of Observation 9 a.m.
Nearest Railway Station Oswestry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 450. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

~~Date.~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·11		·24	·02			·04	·03	·08	·29		1
2		·06		·07				·21	·04	·01		·34	2
3		·02			·42			·21	·39	·02	·02		3
4		·07							1·08	·32	·52	·24	4
5		·01	·01	·07	·17			·34	·53	·31	·04	·01	5
6	·02	·56	·02	·07				·04	·06	·52		·01	6
7	·10	·08	·01	·01	·12	·03			·22	·03	·06	·04	7
8	·10	·39		·02			·14		·14	·09		·02	8
9	·17	1·04		·22		·23	·22		·73	·10	·08	·07	9
10	·04	·07		·12			·24		·56	·02		·09	10
11		·02		·02	·06		·13		·10			·07	11
12		·14		·06	·11		·15		·09			·04	12
13	·98			·03	·02				·16	·02		·07	13
14	·10					·03	·40		·28	·06		·27	14
15	·83					·04	·19		·93	·03		·28	15
16	·37			·02		·01	·75	·02	·27	·08		·12	16
17	·25			·02	·06	·03	·26	·02	·13	·07		·31	17
18	·45		·12			·24	·09		·27	·06		·18	18
19	·18		·08	·06			·20		·05	·03		·38	19
20	·18	·21		·25		·07	·01		·33	·02		·84	20
21	·07	·16		·29	·67		·02		·61	·08		·12	21
22	·03				·16		·17		·04			·55	22
23	·16				·35		·35		·04		·02	·05	23
24	·01	·11				·02	·31	·12	·05		·12	·12	24
25						·03	·31	·44	·03		·02	·00	25
26	·02				·16			·09	·03		·04	·05	26
27	·01	·04	·18					·17	·20		·03	·10	27
28		·07	·25				·14		·02		·04	·19	28
29			·15				·22		·39		·02	·28	29
30		X	·22				·24	·01	·01		·01	·14	30
31		X	·14	X		X		·01	X	·02	X	·04	31
Total	3·17	3·16	1·18	1·67	2·32	·73	4·54	1·72	7·81	1·97	1·31	5·02	YEAR'S TOTAL 34·60
Rain Days.	9	17	10	16	12	10	20	13	30	20	14	29	210

W, 6,500, VII. 18. w w c

21·3

FORM A.
BRITISH RAINFALL.
13 MAR 20

REGISTER OF RAINFALL IN 1919

Kept at Oswestry Council Boys' School
in the County of Shropshire
by Boys' Council School Oswestry

Lat. 52°50 N Long. 3° W
Time of Observation 9 a.m
Nearest Railway Station Oswestry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24		·04	s ·08	·05		·23		·08	·23	·02	·54	1
2	·15		·22	·17	·05		·03		·11		·11	·03	2
3	·38		·04	·01	·03	·14	·29		·01		·03	·05	3
4		s ·02	·32					·05	·05			·18	4
5		s ·32							·06		·12	·29	5
6	·01		·22		·04						·03	·15	6
7	·04		·20	·03							·1		7
8	·16		·03			·03							8
9	·55		·01	·05							·02	·01	9
10	·05		·21		·01					·04		·18	10
11	·03		s 1·30		·03					·07	·02	·12	11
12		·09	s ·77		·03		·08		·11	·12	·03	·01	12
13	·26		·01	·19			·05		·05	·39		·07	13
14	·26			·40						·24		·09	14
15	·24			·66	1·04							·46	15
16	·07	·11		·05		·03					·09	·01	16
17	·03	s ·82				·04		·14			·18		17
18	·01	s ·77	s 1·09			·07		·57	·03		·08	·10	18
19	·09		·31			·04		·29	·05		·35	·01	19
20	·33	·36	·03			·02			·17			·13	20
21		·01					·17		·13			·19	21
22		·42				·02			·74		·03	·43	22
23		·05				·14				1·02	·09	·03	23
24	·01			·02	·16	·03				·65	·19	·08	24
25	·02			·17		·01		·41	·02	·02	·05	·04	25
26	·03	·02	·15	·06		·03		·15		·03	·12	·58	26
27	s ·11		·08	·26				·11					27
28	·10			s ·03		·01		1·40				·51	28
29	·04		·04	s ·04		·01		·04		·21		·23	29
30		✕	·08	·04		·06				·02	·25	·18	30
31	·01	✕	·05	✕		✕		·02	✕		✕	·07	31
Total	3·22	2·99	5·30	2·26	1·44	·68	1·85	2·88	1·61	3·04	1·81	4·77	YEAR'S TOTAL 30·85
Rain Days.	24	11	20	~~16~~ 16	9	15	6	10	13	12	18	2[illegible]	181

W. 6,500, VII. 18. w w c

2020

28 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Oswestry Council Boys' School
in the County of Shropshire
by E. Compton, Head Master.

Lat. 52°50' N. Long. 3° W.
Time of Observation 9 a.m.
Nearest Railway Station Oswestry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·15	·04	·12	·65		·27	·02	·07	·11		·29	1
2	·01	·03		·27	·02		·15		·06	·13		·25	2
3	·04	·13		·49	·16	·05	·62		·13	·14			3
4				·01	·01		·05	·78	·01	·77			4
5		·19	·12		·09		·16	·10	·07	·10		·06	5
6		·03	·28	·06	·03		·02			·39		·03	6
7	·01	·02	·10	·11	·05		·22						7
8	·39	·03		·48	·15		·06	·08					8
9	·24	·19		·62			·04		·02	·02			9
10	·59	·43	·07	·02		·03	·38	·09					10
11	·47	·07	·11	·38	·45	·25	·06						11
12	·23	·03	·05	·14		T. 1·59	·06	·02	·01		·11	S. ·07	12
13	·23		·14	·24		·10					·08		13
14	·03		S. 1·13	·26		T. ·17	·07		·53	·34	·70	·02	14
15			·02	·62		T. ·44			·05	·29	·04		15
16	·06	·01	·04	·08	·25	·30	·57		·30	·55	·02		16
17	·10			·04	·34	·07	·03	·02	·40				17
18	·07		·01	·21	·58		·02	·03	·03				18
19		S. 1·19		·13	·09	·04		·19	·05				19
20	·01			·19		·02	·07		·01			·14	20
21				·02			·33	·05				·31	21
22	·03	·08		·09			·54	·06					22
23		·01	·04	·05			·05	·04				S. ·51	23
24	·04		·54	·03			·01	·01			·02	·17	24
25	·01	·05	·15	·04	·02	·01	·89					·06	25
26	·13	·01	·07	·05	·07	·04	·09			·02		·11	26
27	·19		1·06	·21	·39	·41	·02					·23	27
28	·39		·09	·01	·09	·13					·12	·17	28
29	·36	·01	·25	·38	T. 1·19	·06	·17				·30	·84	29
30		✕	·37	·12		·13	·01		·39		·22	·35	30
31	·04	✕	·15	✕	·02	✕	·05	·02	✕	·62	✕	·01	31
TOTAL	3·67	2·66	4·83	5·47	4·65	3·64	5·01	1·51	2·13	3·48	1·61	3·62	YEAR'S TOTAL 42·48
Days with ·01 in. or more	22	16	21	29	19	17	27	14	15	12	9	17	220
	16	9	19	24	14	14	21	8	18	10	7	14	166

(44,283). Wt.21,958—213. 7500. 10/19. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL
2 JAN 18

REGIST 17

SHROPSHIRE

OSWESTRY.

"PARK HALL CAMP"

1917

Kept at Park Hall Cam ong. W. 3° 3'
8 A.M.
in the County of Salop on Oswestry
Rain Gauge 5 in.
by J. J. Talor Lieut 4th Royal e above Ground 1 ft. – in.
" Sea Level 400. ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·04	·29	·	·23	·	·17	·32	·	·08	·22	1
2	·	·	·01	·03	·	·09	·	·11	·	·	·22	·16	2
3	·01	·07	·	·01	·	·04	·	·01	·	·28	·09	·03	3
4	·03	·04	·17	·	·	·	·	·05	·	·65	·05	·03	4
5	·16	·	·18	·07	·	·	·	·14	·01	·24	·26	·	5
6	·06	·	·25	·	·	·08	·	·	·	·14	·27	·	6
7	·31	·	·	·01	·	·	·	·01	·	·43	·09	·18	7
8	·18	·	·	·14	·	·	·	·30	·02	·61	·10	·10	8
9	·	·	·34	·13	·16	·	·	·04	·02	·02	·43	·01	9
10	·34	·	·69	·53	·15	·	·	·18	·	·03	·	·	10
11	·18	·	·	·13	·	·	·	·28	·	·32	·04	·	11
12	·14	·	·	·04	·68	·	·	·16	·06	·07	·	·	12
13	·	·	·	·06	·07	·01	·	·60	·07	·08	·	·	13
14	·	·	·	·07	·	·	·	·05	·	·02	·	·05	14
15	·02	·	·	·	·08	·	·03	·07	·	·16	·	·10	15
16	·	·01	·	·18	·	·03	·	·09	·	·	·	·15	16
17	·	·	·01	·06	·51	·18	·31	·88	·	·05	·	·01	17
18	·	·	·	·01	·09	·	·72	·04	·42	·08	·	·	18
19	·	·46	·39	·	·01	·47	·	·01	·01	·	·	·	19
20	·	·22	·10	·	·26	·68	·38	·	·04	·	·11	·	20
21	·	·02	·10	·	·04	·06	·	·09	·	·07	·03	·	21
22	·	·	·	·	·	·02	·	·20	·04	·08	·	·	22
23	·	·14	·	·02	·13	·	·	·17	·01	·09	·	·01	23
24	·	·03	·02	·	·	·04	·01	·14	·	·38	·13	·01	24
25	·	·06	·09	·	·	·20	·06	·02	·	·10	·19	·	25
26	·	·	·	·	·	·22	·04	·58	·11	·12	·11	·	26
27	·	·	·02	·	1·53	·45	·18	·58	·	·	·	·	27
28	·	·	·08	·	·	·	·	·24	·	·01	·01	·03	28
29	·	·	·01	·	·	·	·11	·10	·	·39	·	·19	29
30	·	X	·26	·	·	·	·	·31	·	·13	·12	·02	30
31	·	X	·20	X	·07	X	·	·06	X	·01	X	·	31
Total	1·43	1·05	2·96	1·78	3·78	2·80	1·84	5·68	1·13	4·56	2·33	1·30	YEAR'S TOTAL 30·64
Rain Days.	10	9	18	16	13	15	9	29	12	25	17	16	189

W. 8,000, VIII. 16

REGIST

17

FORM A. BRITISH RAINFALL
2 JAN 1918

Kept at Park Hall Camp Oswestry
in the County of Solop
by J. J. Talor Lieut & Q.M. 4th Royal North Lancs. Regt.

Long. W. 3° 3'
Time of Observation 8 A.M.
Nearest Railway Station Oswestry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·04	·29	·	·23	·	·17	·32	·	·08	·22	1
2	·	·	·01	·03	·	·09	·	·11	·	·	·22	·16	2
3	·01	·07	·	·01	·	·04	·	·01	·	·28	·09	·03	3
4	·03	·04	·17	·	·	·	·	·05	·	·65	·05	·03	4
5	·16	·	·18	·07	·	·	·	·14	·01	·24	·26	·	5
6	·06	·	·25	·	·	·08	·	·	·	·14	·27	·	6
7	·31	·	·	·01	·	·	·	·01	·	·43	·09	·18	7
8	·18	·	·	·14	·	·	·	·30	·02	·61	·10	·10	8
9	·	·	·34	·13	·16	·	·	·04	·02	·02	·43	·01	9
10	·34	·	·69	·53	·15	·	·	·18	·	·03	·	·	10
11	·18	·	·	·13	·	·	·	·28	·	·32	·04	·	11
12	·14	·	·	·04	·68	·	·	·16	·06	·07	·	·	12
13	·	·	·	·06	·07	·01	·	·60	·07	·08	·	·	13
14	·	·	·	·07	·	·	·	·05	·	·02	·	·05	14
15	·02	·	·	·	·08	·	·03	·07	·	·16	·	·10	15
16	·	·01	·	·18	·	·03	·	·09	·	·	·	·15	16
17	·	·	·01	·06	·51	·18	·31	·88	·	·05	·	·01	17
18	·	·	·	·01	·09	·	·72	·04	·42	·08	·	·	18
19	·	·46	·39	·	·01	·47	·	·01	·01	·	·	·	19
20	·	·22	·10	·	·26	·68	·38	·	·04	·	·11	·	20
21	·	·02	·10	·	·04	·06	·	·09	·	·07	·03	·	21
22	·	·	·	·	·	·02	·	·20	·04	·08	·	·	22
23	·	·14	·	·02	·13	·	·	·17	·01	·09	·	·01	23
24	·	·03	·02	·	·	·04	·01	·14	·	·38	·13	·01	24
25	·	·06	·09	·	·	·20	·06	·02	·	·10	·19	·	25
26	·	·	·	·	·	·22	·04	·58	·11	·12	·11	·	26
27	·	·	·02	·	1·53	·45	·18	·58	·	·	·	·	27
28	·	·	·08	·	·	·	·	·24	·	·01	·01	·03	28
29	·	·	·01	·	·	·	·11	·10	·	·39	·	·19	29
30	·	X	·26	·	·	·	·	·31	·	·13	·12	·02	30
31	·	X	·20	X	·07	X	·	·06	X	·01	X	·	31
Total	1·43	1·05	2·96	1·78	3·78	2·80	1·84	5·68	1·13	4·56	2·33	1·30	YEAR'S TOTAL 30·64
Rain Days.	10	9	18	16	13	15	9	29	12	25	17	16	189

W. 8,000, VIII. 16

FORM A2.
BRITISH RAINFALL.

4

10 JAN 1972

OSWESTRY
MOUNT RESERVOIR
SHROPSHIRE
1911 - 1920

RE l.

Kept at Mount Reserv "Negretti & Zambra
5 in.
in the County of Salop Ground 1 ft. – in.
Sea Level 698 ft.
by G. William Lav a.m.
Boro' W Name Oswestry
Distance ½ m Direction S.E.

IMPORTANT NOT the result entered to the previous day. If an Ol versal rule, he is earnestly requested to add the reac ar in the space provided for it at the end of thi ent of rain, the selection and placin tish Rainfall Organization are given in ~~"Rules for Rainfall Observers,"~~ ~~sent post free on~~ application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05		·03		·06				·03	·07	1
2				snow ·01	·09		·02	·06		·15		·20	2
3			·02	snow ·01	·57		·01	·04	·04		·19	·03	3
4			·02					·15	·02		·42	·23	4
5	·15		·02	snow ·01	·01			·59		·26	·07	·04	5
6	·26		·06					·13		·03	·04	·18	6
7											·42		7
8	·24		·12								·30	·47	8
9	·01		·09								·30	·09	9
10	·01	·07	·13		·04				·03		·03	·40	10
11	Rain & Snow ·12	·02	·01		·05				·08		·47	·02	11
12			·29		·05				1·30		·23	·06	12
13			·01						·01	·02	·03	·13	13
14		·05	·02						·02		·07	·32	14
15		·08	·02			·01				·06	·16	·26	15
16		·02		·03		·31	·02			·06	·20	·08	16
17		·01				·84					·36	·22	17
18		·22		·14		·20			·18	·03		·40	18
19	·02	·08		·06		·47			·04	·26	·13	·30	19
20		·06		·12		·03	·01	1·05		·32		·13	20
21		·18	·02	·01		·08	·05	·36		·23		·05	21
22		·07	·02	·03		·06		·01		·43		Rain & Snow ·53	22
23		·38	·16	·01	·01	·04	·01	·02	·39	·23		·30	23
24	·02	·05		·01		·17		·12		·38		·24	24
25		·15		·07		·03			·40	·06		·03	25
26		·17		·12	·06	·01	·12	·03		·30	·13	·08	26
27		·34	·05	·09				·69	·22	·01	·06	·09	27
28		·11		·06		·03		·10					28
29		X		·01		·02	·46	·02	·10	·84		·02	29
30		X	·04	·01		·08	·01		·02	·22	·02		30
31		X	·14	X	·08	X	·01		X	·02	X		31
Total	·83	206	1·29	·80	·99	2·38	·78	3·37	2·85	3·91	3·66	4·97	TOTAL for year 27·89
No. of Rain Days	~~8~~	~~17~~	~~19~~	~~17~~	~~10~~	~~15~~	~~11~~	~~14~~	~~14~~	~~19~~	~~20~~	~~27~~	~~191~~

2

9,000, IX. '10.

4

10 JAN 1912

FORM A2.
BRITISH RAINFALL.

RE

Kept at Mount Reservoirs, Oswestry
in the County of Salop
by G. William Lacey C.E.
Boro' Engineer & Surveyor

4

n "Negretti & Zambra

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 698 ft.

Time of Observation 9·0·a.m.

Nearest Railway Station
Name Oswestry
Distance ½m Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05		·03		·06				·03	·07	1
2				snow ·01	·09		·02	·06		·15		·20	2
3			·02	snow ·01	·57		·01	·04	·04		·19	·03	3
4			·02					·15	·02		·42	·23	4
5	·15		·02	snow ·01	·01			·59		·26	·07	·04	5
6	·26		·06					·13		·03	·04	·18	6
7											·42		7
8	·24		·12								·30	·47	8
9	·01		·09								·30	·09	9
10	·01	·07	·13		·04				·03		·03	·40	10
11	Rain Snow ·12	·02	·01		·05				·08		·47	·02	11
12			·29		·05				1·30		·23	·06	12
13			·01						·01	·02	·03	·13	13
14		·05	·02						·02		·07	·32	14
15		·08	·02			·01				·06	·16	·26	15
16		·02		·03		·31	·02			·06	·20	·08	16
17		·01				·84					·36	·22	17
18		·22		·14		·20			·18	·03		·40	18
19	·02	·08		·06		·47			·04	·26	·13	·30	19
20		·06		·12		·03	·01	1·05		·32		·13	20
21		·18	·02	·01		·08	·05	·36		·23		·05	21
22		·07	·02	·03		·06		·01		·43		Rain & Snow ·53	22
23		·38	·16	·01	·01	·04	·01	·02	·39	·23		·30	23
24	·02	·05		·01		·17		·12		·38		·24	24
25		·15		·07		·03			·40	·06		·03	25
26		·17		·12	·06	·01	·12	·03		·30	·13	·08	26
27		·34	·05	·09				·69	·22	·01	·06	·09	27
28		·11		·06		·03		·10					28
29		×		·01		·02	·46	·02	·10	·84		·02	29
30		×	·04	·01		·08	·01		·02	·22	·02		30
31		×	·14	×	·08	×	·01		×	·02	×		31
Total	·83	206	1·29	·80	·99	2·38	·78	3·37	2·85	3·91	3·66	4·97	TOTAL for year 27·89
No. of Rain Days	~~8~~	~~17~~	~~19~~	~~17~~	~~10~~	~~15~~	~~11~~	~~14~~	~~14~~	~~19~~	~~20~~	~~27~~	~~191~~

9,000, IX. '10.

cor by [illegible] 7.III.13

4

REGISTER OF RAINFALL IN 1912.

FORM A. BRITISH RAINFALL.

1 FEB 1913

Kept at Mount Reservoirs, Oswestry

in the County of Salop. 4

by G. William Lacey, C.E., Borough Engineer

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Oswestry

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 698 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·05		·01	·08	·07	·01	·03			Rain + Snow ·27	1
2		snow ·01	·27		·01	·17	·08					·03	2
3	·03		·03		·06	·25	·03	1·24	·07			·05	3
4	·18		·68	·01	·12	·03		·31	·03		·12		4
5	Rain + Snow ·16	snow ·15	·02		·06	·22		·10	·03			·02	5
6	Rain + Snow ·42	·12	·02		·08	·01		·30	·01			·02	6
7	·02	·12	·02		·04	·22	·02	·05				·03	7
8	Rain + Snow ·82	·24	·15	·04	·04	·11		·41	·04			·02	8
9	·19	·04	·43	·20	·07	·35		·08		·01	·05	·15	9
10	·37		·02	·05		·62	·10	·15		·01	·20	·01	10
11	·08	·01			·04		·08	·01			·40	·41	11
12	·05	·30	·03			·03	·07	·17				·10	12
13	·02	·01				·04		·03		·27		·18	13
14	·15		·20			·05		·02	·02			·04	14
15	·06	·16	·10		·17	·17		·02				·13	15
16	·70	·05	·13		·12	·05		·08		·10	·02	·01	16
17	snow ·54	·17	·05			·09		·33			·16	·40	17
18	snow ·21	·03	·08			·01	·01	·18		·02	·01	·02	18
19	·06	·13	·04			·03	·06	·35		·09	·01	·04	19
20	·08		snow ·33		·04		·03	·02		·14	·01	·02	20
21	–	·01	·19		·65		·04	·04		·29		·07	21
22	·03	·22			·88	·03	·19	·33			·04	·10	22
23	·08	·03	·42		·01	·10	·27	·09			·20	·06	23
24	·14		·03		·01	·15	·07	·17		·14	·01	·20	24
25	·02	·02	·10			·13	·07	·11		·01	·42	·25	25
26		·17	·06			·02	·19	·44		1·49	·29	·15	26
27		·02	·03			·46	·40			·60	·01	·28	27
28		·09		·03		·06	·83	·30	·12	·19	Rain + snow ·70		28
29		·07	·05			·07	·09	·04	·42	·13		·07	29
30	·05	X	·15			·37	·04			·22	snow ·08		30
31	·03	X	Rain + Snow ·23	X	·34	X	·61	·04	X	·04	X	·11 ~~·07~~	31
Total	4·49	2·17	3·91	·33	2·75	3·92	3·35	5·42	·77	3·75	2·73	3·24	YEAR'S TOTAL 36·83
Rain Days.	24	22	27	5	18	27	21	28	9	16	17	27 25	241

242

W. 7,500, XI. 12

referred 7·4·14

Cor. by dav. 3. IV. 14

4

FORM A.
BRITISH RAINFALL
17 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Mount Reservoirs, Oswestry

in the County of Salop

by G. William Lacey, C.E. Boro' Engineer

4

Lat. .... Long. ....

Time of Observation 9·0 am

Nearest Railway Station Oswestry

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 698 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·06	·28	·04	·02				·06		·25		1
2		·19	·23	·02	·07	·07				·04	·18	·02	2
3	·01	·05	·18		·32			·01	·05	·02		rain+snow ·28	3
4	·51	·27	·04		·03	·03				·07	·06	rain+snow ·56	4
5	·35	·08	·07		·23	·30	·01	·04	·02	2·06	·07	·05	5
6	·12	·23	·22		·30	·12	·45			·18		·28	6
7	·01	·44	·03		·26	·28	·04			·46	·27	·01	7
8	·03	·28		·03	·09	·10	·04	·04		·25	·01		8
9		·28	·05	·07	·09	·43	·19	·17	·11		·23	·04	9
10	rain+snow ·24	·01	·02	·08	·27	·01		·12		·29	·07		10
11	snow 1·00	·01		·42	·13	·05		·09		·10	·33	·06	11
12				·01	·14	·03		·02	·13	·01	·33		12
13			·20	·02	·01		·04	·03	·15		·25		13
14	·10		·54	·04			·02	·05	·03	·13	·07		14
15	·05	·02	·60	1·07				·03	·03		·33	·02	15
16	·01		rain+snow ·22	·05		·02	·01	·09			·02		16
17	·18		·06	·13			·02	·01			·11		17
18	·02		·32	·27	·03	·03	·03				·06		18
19	·06		·08	·01	~~·11~~ ·01	·01	·02		·09	·14	·04	·01	19
20	·13		·16	·15	·01	·01	·01			·20	·57		20
21			·14	·20	·18		·20	·11		·01	·02		21
22	rain+snow ·48		·50		~~·19~~ ·01	·19	·01	·80	·41				22
23	·01		·04		~~·10~~	·10		·16	·22		·16	·01	23
24	·21			·04	~~·01~~	·01		·01			·14		24
25		·01		·18	-				·24	·12	·04		25
26		·07		1·14	·05			·03	·07	·01		·38	26
27	·02	·02		·28	-					·31		snow ·18	27
28	·43		·15	·54	·03					·21		snow ·17	28
29	·02	X	·27	·37	·15			·06		·28			29
30	·44	X	·01	·02	·01					·20	·04		30
31	rain+snow ·08	X	·32	X	·35	X			X	·05	X		31
Total	4·51	2·02	4·73	5·18	2·79 ~~1·89~~	1·89	1·09	1·87	1·61	5·14	3·65	2·07	YEAR'S TOTAL 36·55
Rain Days.	~~23~~	~~15~~	~~[illegible]~~	~~23~~	~~23~~ ✓	~~17~~	~~14~~	~~18~~	~~13~~	~~21~~	~~23~~	~~14~~	~~228~~ ✓ 224

W.7,000, XI. 13

6Y 918 4

FORM A. BRITISH RAINFALL.

12 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Mount Reservoirs

in the County of Salop 4

by G William Lacey, C.E., Boro' Engineer Oswestry.

Lat. 52° 52′ 0″ N Long. 3° 3′ 58″ W.

Time of Observation 9.0 am

Nearest Railway Station Oswestry

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground one ft. in.

" " " " Sea Level 698 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·41

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06			·06	·74	·41			·01	·32	1
2		·02	·02		·04	·01	·80	·12			·29	·35	2
3		·02	·05	·15	·37		·05	·01			·02	·88	3
4	·22		·03	·27	·39		·19	·01			·45	·44	4
5	snow ·12		·11	·16	·09		·26			·02	·19	·05	5
6	snow ·08	·04		·27	·10		·01	·02			·29	·33	6
7	·05	·03	·37	·01	·18	·13	·11	·11				·25	7
8	·03	·02		·01	·30	·30	·07	·38				·11	8
9	·19	·05	snow ·05	·15	·08	·42		·25	·04		·02		9
10	·04	·12	snow ·08	·08	·03	·02			·18		·01	·01	10
11		·22	·29	·01	·20	·04	·02		·09		·39	·42	11
12		·60	·15			·01	·24		·26		·17	·17	12
13		·28	·28				·05		·05	·35	·48	·20	13
14		·50	·05		·01				·01	·13	snow ·42	·01	14
15		·04	·34					·02			·01	·05	15
16		·03	·10				·05		·18			·02	16
17	·02	·37	·17				·13		·23			·73	17
18			snow+sleet ·09			2·62	·01		·11	·01		·27	18
19		·02	·04				·61	·03	·27		·01	·14	19
20		·36	·21			·11	·09					snow ·23	20
21		·25	·03			·20		·01		·09	·01	·04	21
22		·32	·01		·06	·13		·14		·24		·01	22
23		·06	·06			·01	·02			·02		·01	23
24	·02	·01	·26	·04			·12	·15		·08	·07		24
25	·35		·03		·01		·10	·29		·71	·05	·51	25
26			·07				·05	·14		·15	·13	·38	26
27		·02	·01							·04	·25	rain+snow 1·07	27
28	·29	·12	·17		·11					·04	·05	rain+snow ·39	28
29	·18		·07		·03					·08	·38	·03	29
30	·06		·09					·03		·03	·40	·29	30
31	·46		·02		·03		·39	·01		·06			31
Total	2·11	3·50	3·31	1·15	2·03	4·06	4·11	2·13	1·42	2·05	4·10	7·71	YEAR'S TOTAL 37·68
Rain Days.	~~14~~	~~22~~	~~29~~	~~10~~	~~16~~	~~13~~	~~21~~	~~17~~	~~10~~	~~15~~	~~22~~	~~28~~	~~247~~

W. 8,000. X. 14.

4 2427

FORM A. BRITISH RAINFALL.

18 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Mount Reservoirs
in the County of Salop
by G. William Lacey C.E. Boro' Engineer Oswestry

Lat. 52° 52 Long. 3° 3' 58" W.
Time of Observation 9·0 am
Nearest Railway Station Oswestry
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 698 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·28

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·41	·13	·18		·43			·10	·19	·15		·31	1
2	·06	·27	·21	·23		·01		1·68	·01	·12		·06	2
3	·30	·21	·02	·09			·22	·01		·01		·17	3
4	·02	·15			·30	·01	·16		·02			·84	4
5	·08	·08	·03	·01	·03	·03	·07	·09				·57	5
6	·22	·15	·04	·17			·38					·17	6
7	·19	·41		·06			·03	·27				·13	7
8	·30	·11		·02				·04			·05	·02	8
9	·11	·15		·21				·03		·01	·07	Rain + Snow ·62	9
10	·56	·01	·02	·17			·01	·15		·04	·04	·04	10
11	·05		·01	·01	·11		·07	·02			Rain + Snow ·85	·02	11
12	·06	·01		·05	·20		·01	·02		·23	Rain + Snow 2·03	Snow ·03	12
13		Rain + snow ·36		·04	·21			·06		·04	·04	·08	13
14	·02	·01		·02				·25	·09	·01	·06	·47	14
15	·65			·02	·11		·01				Rain + Snow ·17	·17	15
16	·32	·46			·65		1·10	·41			·01	·03	16
17	·02	·77			·50		·01	·07				·04	17
18	·04	·79	Snow ·08		·01								18
19		·04		·08	·18		·13					·01	19
20	·08			·03	·11		·01	·01				·02	20
21	Rain + Snow ·22	·01			·01		·30			·63		·01	21
22	·01	Snow ·06	·13	·05		·01	·11			·08		·14	22
23		Snow ·25	·11	·01		·04	·29		·05	·94		·22	23
24			·21	·12		·03	·25		·09	·61		·18	24
25			·02	·01		·44	·17			·03	·07	·13	25
26		·40					·23		·07			·63	26
27		·19					·24			·33		·82	27
28		·20						·08		·14		·02	28
29		X			·01	·37	·01	·06	·02		·11	·04	29
30	Rain + Snow ·08	X		·09		·06	·09	·01	·02	·14	·02	·09	30
31	·16	X		X		X	·24	·10	X	·07	X	·42	31
Total	3·96	5·22	1·06	1·49	2·86	1·00	4·14	3·46	·56	2·98	3·52	6·50	YEAR'S TOTAL 36·75.
Rain Days.	22	23	12	20	14	9	23	19	9	17	12	30	210.

W. 8,000. X. 15.

Exd L 4 2359

FORM A. BRITISH RAINFALL.
10 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Mount Reservoirs, Oswestry
in the County of Salop.
by G. William Lacey. C.E, Boro' Engineer Oswestry.

Lat. 52° 52' Long. 3° 3' 58" W
Time of Observation 9 am.
Nearest Railway Station Oswestry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 698 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·01	R+S ·42	.	·01	·17	·21	.	.	·05	·24	.	1
2	·30	·12	·55 S	.	.	·13	·03	.	·58	·85	·03	.	2
3	·03	·19	·02 S	·01	.	·01	·02	.	·25	·36	·22	R+S. ·11	3
4	·07	·18	·01 S	·01	·35	·33	·21	.	·02	·16	·23	.	4
5	·01	·04	·06 S	.	·32	·03	.	.	.	·70	·17	.	5
6	·05	·27	·01 S	.	·29	·03	·35	.	·01	·26	·43	·01	6
7	·07	Rain+Snow ·02	·04 S	.	·03	·04	·37	.	.	·11	·12	·30	7
8	·03	R+S. ·06	·26 S	.	·05	.	·01	.	.	·04	·03	·14 S	8
9	·02	Snow ·01	·01 S	.	·23	·05	.	.	·17	·01	·10	R+S. ·11	9
10	·03	·35	·04 S	·01	·03	.	·02	.	·12	·06	·01	·05 S.	10
11	·02	·11	·17 S	·03	·11	·09	.	.	·01	.	.	·02	11
12	·04	·05	R+S ·09	·03	·34	.	·15	·09	.	·02	.	·01	12
13	·05	·16	·18	·18	·03	.	·01	·19	.	·07	·01	·01	13
14	.	R+S. ·17	·04	·01	·04	.	.	·10	.	·11	·01	·01	14
15	·01	·42	R+S. ·36	·11	·01	.	·03	·16	.	·08	.	.	15
16	·02	·08	·01	·10	.	.	·01	·11	.	·03	.	.	16
17	·07	·09	.	·60	.	.	·02	·24	·08	·26	.	·01	17
18	·01	·10	·05	·23	.	.	.	·05	·39	·03	·46 S	·30 S	18
19	·19	·01	·16	·01	.	.	.	·03	·01	·01	R+S. ·63	·01 S	19
20	·06	.	R+S. ·45	.	.	.	.	.	.	.	·02	·12	20
21	·15	.	R+S. ·13	·01	.	·01	·10	.	.	.	·01	·08	21
22	·01	.	·01	·06	.	·10	·01	.	.	·27	.	·14 S	22
23	·02	.	·03	·06	.	·06	.	·14	.	·05	·24	R+S. ·16	23
24	·01	·21 S.	·01	·12	·88	·07	.	·21	.	·40	·01	R+S ·09	24
25		·05	R+S. ·20	.	·29	·04	·01	·19	.	·01	·45	·02	25
26	·02	·04 S	·01	.	·03	·15	.	·04	·02	·10	·07	·01	26
27	·02	·17 S	.	.	·22	·01	·03	·06	·27	·26	.	·02	27
28	·01	·24 S	.	.	.	.	.	.	·01	·20	·01	·10	28
29	.	·13	·01	.	.	·35	.	·04	.	·11	.	·26	29
30	.	X	·01	.	.	·11	.	.	.	·29	.	·06	30
31	.	X	.	X	.	X	.	·05	X	·47	X	·05	31
Total	1·60	3·28	3·34	1·58	3·26	1·78	1·59	1·70	1·94	5·37	3·50	2·20	YEAR'S TOTAL 31·14
Rain Days.	26	25	27	16	17	18	17	15	13	28	21	25	248

W. 8,000, VIII. 16

4 2244

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 24 JAN 1918

Kept at Moors Reservoirs, Oswestry

in the County of Salop

by G. William Lacey, C.E., Boro' Engineer Oswestry

Lat. 52°50' Long. 3°3'58" W

Time of Observation 9 a.m.

Nearest Railway Station Oswestry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 698 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07	Snow ·34		·21		·14	·27		·10	Snow ·14	1
2	·02		·03	S. ·08		·25		·14	·01		·18	S. ·05	2
3	·02	Snow ·12	·01	S ·01		·09		·01		·29	·11	S ·01	3
4	·02	S ·12	Snow ·16					·04		·67	·05	S ·03	4
5	·19		R+S. ·24	S ·11				·20	·01	·17	·27		5
6	·07		S ·29			·11		·01		·15	·31	·01	6
7	Rain+Snow ·23							·01		·31	·19	·11	7
8	R+S. ·13			R+S. ·16		·01		·25	·01	·45	·11	·11	8
9			S. ·26	S ·10	·12			·06	·05	·04	·35	·02	9
10	·29		·71	S ·28	·14			·16		·05	·01		10
11	·29			S ·19				·23		·29	·04		11
12	S ·21			S ·06	·78			·24	·07	·10			12
13	S ·03			·09	·01			·53	·09	·12			13
14	S. ·02			·06				·03		·03			14
15	S. ·03			·01	·09		·04	·20		·19		R+S. ·14	15
16	S. ·03	·01		·10		·05		·10	·02	·01		S ·17	16
17	·01	·01	·02	·08	·40	·24	·35	·70	·01	·11			17
18			·01	·04	·08		·57	·06	·38	·04			18
19	S ·01	·52	R+S. ·35		·12	·32		·02	·01		·01		19
20	S. ·04	·18	R+S. ·06		·28	·70	·58		·05		·09		20
21		·01	S. ·14		·05	·07		·02		·07	·05		21
22			S ·01			·03		·29	·04	·03	·01		22
23		·13			·17			·23	·01	·05		·03	23
24		·10	·02			·06		·09		·32	·13	·04	24
25		·13	R+S. ·13			·28	·08	·02		·10	H.R.S. ·29		25
26		·01	S ·01			·20	·05	·53	·09	H.R.S. ·14	·15		26
27			·02		1·44	·42	·21	·58			·01		27
28			·05		·01	·01	·01	·34		·03	·02	S ·03	28
29		✕	S ·02		·01		·11	·10		·36		R+S. ·26	29
30		✕	R+S. ·26				·01	·34		·16	·06	S ·01	30
31		✕	R+S ·26	✕	·09	✕		·14	✕	·01	✕		31
Total	1·64	1·34	3·13	1·71	3·79	3·05	2·01	5·81	1·12	4·29	2·54	1·16	YEAR'S TOTAL 31·59
Rain Days.	17	11	22	15	15	16	10	30	15	26	21	15	213

W. 8,000, IX. 17.

·41

41

FORM A.
BRITISH RAINFALL.
4.1.19

Ex MR 4

REGISTER OF RAINFALL IN 1918

Kept at Mount Reservoirs, Oswestry

in the County of Salop

by G. William Lacey. Boro' Engineer, Oswestry

Lat. 52°52′ Long. 3°3′58″ W.

Time of Observation 9 am

Nearest Railway Station Oswestry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 698 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·08		·30	·01			·03	·04	·08	·35	·01	1
2		·07		·10				·26		·02	·01	·19	2
3		·02			·38			·08	·29	·02			3
4	·02	·05						·01	·75	·31	·55	·23	4
5				·11				·23	·46	·33	·03	·01	5
6		·58	·03	·25	·24	·01		·04	·06	·45		·01	6
7	Snow. ·10	·13	·01	·02	·14	·05			·13	·06	·05	·04	7
8	Snow. ·04	·22					·14		·13	·12	·01		8
9	Snow. ·11	39		·19		·30	·15		·66	·10	·09	·07	9
10	·12	·06		·09			·19		·14	·04	·12	·09	10
11	·05	·01		·04	·07		·20		·06			·06	11
12	Snow. ·02	·12			·13		·21		·11			·01	12
13	Snow. ·02				·01	·03			·18	·04		·08	13
14	Snow+Rain 65				·02	·07	·51		·26	·06		·20	14
15	Snow. ·39					·01	·86		·94	·04		·40	15
16	Snow. ·02					·01	·48	·01	·25	·14		·14	16
17	Snow+Rain ·39				·17	·07	·06	·05	·14	·07		·29	17
18	·44		·14			·29	·11		·30	·06		·20	18
19	·24		·07	·03			·23		·06	·03		·16	19
20	·21	·26		Rain+Snow ·31		·09			·38		·01	·90	20
21	·08	·05		Rain+Snow ·31	Rain+Hail ·53		·02		·60			·11	21
22	·06				·19	·03	·19		·04			·50	22
23	·19				·41		·28		·06		·01	·01	23
24	·01	·14			·01		·45	·17	·05		·16	Snow. ·06	24
25					·16	·05	·33	·42	·03		·02		25
26	·02						·25	·06	·03			·04	26
27	·01	Rain+Snow. ·05	21					·17	·09		·14	·04	27
28		Rain+Snow. ·09	·15						·01		·05	·21	28
29		X	·14						·36			·02	29
30		X	·26						·02	·01	·02	·12	30
31		X	·13	X		X		·02	X	·02	X	·01	31
Total	3·19	2·32	1·14.	1·75	2·47	1·01	4·66	1·55	6·63	2·00	1·62	4·21	YEAR'S TOTAL 32·55
Rain Days.	~~21~~	~~16~~	~~9~~	~~11~~	~~14~~	~~12~~	~~17~~	~~13~~	~~29~~	~~19~~	~~15~~	~~28~~	~~204~~

W. 6,500, VII. 18. w w c

4

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Mount Reservoirs, Oswestry
in the County of Shropshire
by G. William Lacey Boro' Engineer Oswestry

Lat. 52° 52' Long. 3° 3' 58" W.
Time of Observation 9am
Nearest Railway Station Oswestry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 698 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	·	·05	Snow. ·18	·06	·01	·17	·	·09	·23	·	·52	1
2	·17	·	·21	·	·04	·	·01	·	·11	·	·03	·02	2
3	·	·	·01	·	·05	·13	·20	·	·	·	·12	·04	3
4	·	Snow. ·03	Snow. ·33	·	·	·01	·22	·06	·05	·	·01	·11	4
5	·	·36	·	·	·03	·	·04	·	·06	·	·03	·06	5
6	·01	·06	·19	·	·03	·	·	·	·	·	·07	·09	6
7	·06	·	·17	·04	·	·	·	·	·	·	·	·03	7
8	·24	·	·04	·	·	·06	·	·	·	·	·	·	8
9	·54	·	·02	·05	·	·	·	·	·	·	·01	·	9
10	·04	·	·14	·	·01	·	·	·	·	·06	Snow. ·01	·21	10
11	·02	·	R&S. 1·03	·06	·04	·	·18	·	·	·01	·	·01	11
12	·	·	Snow. ·50	·01	·	·17	·	·	·18	·14	·05	·	12
13	·24	·		·14	·	·	·02	·	·01	·13	·	·10	13
14	·26	·	·	·42		·	·05	·	·02	·21	Snow. ·01	·03	14
15	·28	·11	·02	·56	1·27		·	·	·	·09	·	·42	15
16	·07	Snow. ·77		·04	·01	·04	·	·	·	·	·07	·01	16
17	·04	Snow. ·79	·	·	·	·09	·	·15		·	·15	·01	17
18	·01	·	Snow. ·87	·	·09	·	·06	·40	·02	·	·03	·07	18
19	R&S. ·11	Snow. ·41	Snow. ·96	·05	·	·05	·02	·44	·12	·	·19	·01	19
20	·31	·01	Snow. ·30	·	·	·03	·	·05	·17	·	R&S. ·15	·14	20
21	·	·43	Snow. ·05	·	·	·	·23	·01	·03	·	·02	·19	21
22	·	·07	Snow. ·01	·	·	·01	·01	·	·67	·	·01	·09	22
23		·	·			·14	·		·01	·88	·11	·01	23
24	·	·	·	·	·07	·02	·	·	·	·70	·21	·03	24
25	·02	·	·	·14	·08	·02	·	·28	·02	·02	·05	·04	25
26	Snow. ·03	·02	·11	Snow ·07	·	·04	·02	·05	·05	·03	R&S. ·07	·46	26
27	Snow. ·12	·01	Snow. ·08	Snow. ·28	·	·01	·	·04	·	·	·01	·01	27
28	Snow. ·07	·	·02	Snow. ·06	·		·	1·18	·	·	·	·46	28
29	Snow. ·04	✕	Snow. ·01	·03	·	·02		·07	·	·10	·	·18	29
30	Snow. ·04	✕	Snow ·06	·06	·	·08		·	·	·02	·24	·22	30
31	Snow. ·05	✕	Snow. ·06	✕		✕		·01	✕	·	✕	·01	31
Total	2·93	3·07	5·24	2·19	1·78	·93	1·23	2·74	1·61	2·62	1·65	3·58	Year's Total 29·54
Days with ·01 in. or more	23	12	23	16	12	17	13	12	15	13	22	28.	206.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4/ 2019

8 JAN 1921

FORM A. 1. METEOROLOGICAL ~~OFFICE.~~—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Mount Reservoirs, Oswestry.
in the County of Shropshire
by G. William Lacey. Bo' Engineer, Oswestry

Lat. 52° 52′ Long. 3° 3′ 58″ W.
Time of Observation 9 am.
Nearest Railway Station Oswestry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 698 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·06	·23	·33	·	·36	·01	·06	·14	·01	·27	1
2	Snow ·01	·03	·	·15	·02	·	·11	·	·09	·07	·	·24	2
3	R+S. ·02	·08	·	·44	·06	·06	·64	·03	·14	·08	·	·03	3
4	·	·	·	·01	·01	·	·06	·73	·02	·77	·	·	4
5	·	·01	·12	·	·07	·	·13	·06	·08	·09	·	·	5
6	·	·	·35	·04	·03	·	·02	·	·	·41	·	·02	6
7	·01	·04	Snow. ·04	·09	·05	·	·19	·	·	·01	·	·	7
8	R+S ·12	·04	Snow. ·01	·52	·21	·	·05	·08	·01	·02	·	·	8
9	·12	·05	·	·55	·	·	·10	·08	·02	·01	·01	·	9
10	·58	·41	·03	·01	·	·01	·40	·	·	·	·01	·05	10
11	·26	·05	R+S. ·08	·43	·30	·28	·04	·	·	·	·	·	11
12	·24	·04	·07	·23	·01	1·33	·09	·02	·01	·	·05	Snow. ·09	12
13	R+S. ·12	·05	R+S. ·32	·14	·	·11	·	·01	·	·	·04	·	13
14	·01	·03	R+S. ·64	·26	·	·17	·05	·	·50	·39	·53	·01	14
15	·	·19	R+S. ·04	·35	·	·43	·	·	·09	·07	·02	·	15
16	·	·	·01	·17	·27	·19	·54	·	·29	·73	·01	·	16
17	·03	·	·	·	·24	·07	·03	·02	·33	·02	·	·	17
18	·17	·	·01	·11	·64	·	·05	·07	·02	·	·	·	18
19	·01	R+S ·98	·	·15	·07	·06	·	·10	·03	·	·	·	19
20	·02	·03	·	·07	·	·02	·04	·06	·01	·	·	·06	20
21	·	·	·	·02	·	·01	·31	·05	·	·	·	·27	21
22	·01	·	·	·10	·	·	·46	·06	·	·	·	·11	22
23	·	·	·03	·01	·	·	·09	·04	·	·	·	R+S. ·48	23
24	·03	·	·42	·02	·	·	·	·01	·	·	·01	·27	24
25	·	·05	·12	·10	·02	·02	·85	·	·	·	·	·02	25
26	·14	·	·45	·04	·13	·13	·08	·	·	·	·05	·02	26
27	·14	·02	·19	·21	·44	·34	·02	·	·	·	·06	·30	27
28	R+S. ·68	·	·31	·01	·04	·13	·	·	·	·	·02	·17	28
29	·11	·	·23	·11	·65	·04	·11	·	·	·	·25	·85	29
30	·14	✕	·31	·43	·02	·12	·02	·	·40	·	·14	·27	30
31	·07	✕	·	✕	·02	✕	·05	·02	✕	·52	✕	·02	31
TOTAL	3·04	2·10	3·84	5·00	3·63	3·52	4·89	1·45	2·10	3·33	1·21	3·55	YEAR'S TOTAL 37·66 ✓
Days with ·01 in. or more	22	16	21	28	21	18	26	17	16	14	14	19	232 ✓
Days with ·04 in. or more	13	11	16	22	14	14	22	10	9	10	7	13	161 ✓

OSWESTRY
KNIGHTON RESERVOIR
SHROPSHIRE
1911 – 1920

-Lat. 52° 51' 9" N.
-Long. 2° 23' 40" W.

3

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

11

nowdon.

Kept at Knigh

5 in.

bove Ground 1 ft. 0 in.

in the County of S

" ~~Sea Level~~ Ord. Datum 351 ft.

9 a.m

by Mr G.K. Jebb
Shro

n Name Market Drayton
Distance 6 m. Direction N.W.

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the g year in the space provided for it at the end of surement of rain, the selection and p British Rainfall Organization are given in on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	02	·	·	·	07	·	·	·	04	·	1
2	·	·	02	·	10	·	04	09	·	12	08	10	2
3	·	·	·	·	48	·	·	10	09	·	16	09	3
4	·	·	10	·	04	·	·	04	04	06	12	14	4
5	18	·	05	·	·	·	·	28	·	17	11	·	5
6	13	·	05	·	·	·	·	14	·	·	05	17	6
7	02	·	·	·	·	·	·	·	·	·	24	·	7
8	12	·	18	·	·	·	·	·	·	·	12	50	8
9	·	·	07	·	·	·	·	·	·	·	40	05	9
10	·	09	13	·	·	·	·	·	02	·	·	47	10
11	15	·	·	·	·	·	·	05	·	·	34	·	11
12	·	·	40	·	·	·	·	·	45	·	30	03	12
13	·	·	·	·	·	·	·	01	·	·	04	30	13
14	·	04	06	·	·	·	·	·	·	·	·	34	14
15	·	·	·	·	·	·	·	·	·	·	05	22	15
16	·	10	·	·	·	09	04	·	·	·	10	03	16
17	·	·	·	·	11	66	·	·	·	·	15	25	17
18	·	15	·	09	·	21	·	·	·	05	·	15	18
19	·	10	·	05	·	16	·	05	36	55	37	08	19
20	·	15	·	04	·	·	·	30	21	04	·	34	20
21	·	29	03	·	·	·	07	16	·	07	·	·	21
22	·	01	·	03	·	04	·	02	·	43	02	39	22
23	·	14	11	·	·	16	·	·	22	14	·	24	23
24	·	10	·	06	·	1·11	·	07	·	20	·	07	24
25	·	11	·	20	·	06	·	·	12	04	·	10	25
26	·	20	·	21	14	10	·	·	·	17	15	15	26
27	·	19	07	05	·	·	·	64	27	03	02	17	27
28	·	14	·	22	·	·	·	·	02	·	·	·	28
29	·	·	·	04	·	12	24	·	09	32	11	·	29
30	·	·	04	·	·	16	·	·	·	31	05	·	30
31	·	·	02	·	·	·	·	·	·	·	·	·	31
Total	·60 ✓	1·81 ✓	1·35 ✓	·99 ✓	·87 ✓	2·87 ✓	·46 ✓	1·95 ✓	1·89 ✓	2·70 ✓	3·02 ✓	4·38 ✓	TOTAL for year 22·89 ✓
No. of Rain Days.	5 ✓	14 ✓	15 ✓	10 ✓	5 ✓	11 ✓	5 ✓	13 ✓	11 ✓	15 ✓	21 ✓	22 ✓	147.

W. 8,000, X. '11.

Lat. 52° 51' 9" N.
Long. 2° 23' 40" W.

11

3

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

Kept at Knighton Reservoir
in the County of Shropshire. 4
by Mr G.K. Jebb Engineer
Shropshire Union Rlys & Canal Co.
Birmingham

RAIN GAUGE
Pattern Snowdon.
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " ~~Sea Level~~ Ord. Datum 351 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Market Drayton
Distance 6 m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	02	·	·	·	07	·	·	·	04	·	1
2	·	·	02	·	10	·	04	09	·	12	08	10	2
3	·	·	·	·	48	·	·	10	09	·	16	09	3
4	·	·	10	·	04	·	·	04	04	06	12	14	4
5	18	·	05	·	·	·	·	28	·	17	11	·	5
6	13	·	05	·	·	·	·	14	·	·	05	17	6
7	02	·	·	·	·	·	·	·	·	·	24	·	7
8	12	·	18	·	·	·	·	·	·	·	12	50	8
9	·	·	07	·	·	·	·	·	·	·	40	05	9
10	·	09	13	·	·	·	·	·	02	·	·	47	10
11	15	·	·	·	·	·	·	05	·	·	34	·	11
12	·	·	40	·	·	·	·	·	45	·	30	03	12
13	·	·	·	·	·	·	·	01	·	·	04	30	13
14	·	04	06	·	·	·	·	·	·	·	·	34	14
15	·	·	·	·	·	·	·	·	·	·	05	22	15
16	·	10	·	·	·	09	04	·	·	·	10	03	16
17	·	·	·	·	11	66	·	·	·	·	15	25	17
18	·	15	·	09	·	21	·	·	·	05	·	15	18
19	·	10	·	05	·	16	·	05	36	55	37	08	19
20	·	15	·	04	·	·	·	30	21	04	·	34	20
21	·	29	03	·	·	·	07	16	·	07	·	·	21
22	·	01	·	03	·	04	·	02	·	43	02	39	22
23	·	14	11	·	·	16	·	·	22	14	·	24	23
24	·	10	·	06	·	1·11	·	07	·	20	·	07	24
25	·	11	·	20	·	06	·	·	12	04	·	10	25
26	·	20	·	21	14	10	·	·	·	17	15	15	26
27	·	19	07	05	·	·	·	64	27	03	02	17	27
28	·	14	·	22		·	·	·	02	·	·	·	28
29	·	·	·	04	·	12	24	·	09	32	11	·	29
30	·	·	04	·	·	16	·	·	·	31	05	·	30
31	·	·	02	·	·	·	·	·	·	·	·	·	31
Total	·60 ✓	1·81 ✓	1·35 ✓	·99 ✓	·87 ✓	2·87 ✓	·46 ✓	1·95 ✓	1·89 ✓	2·70 ✓	3·02 ✓	4·38 ✓	TOTAL for year 22·89 ✓
No. of Rain Days.	5 ✓	14 ✓	15 ✓	10 ✓	5 ✓	11 ✓	5 ✓	13	11 ✓	15 ✓	21 ✓	22	147.

W. 8,000, X. '11.

3

FORM A.
BRITISH RAINFALL.

11 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Knighton Reservoir

in the County of Shropshire 4

by Mr G.R. Jebb. Engineer
Shropshire Union Railways & Canal Co
Birmingham

Lat. 52° 51′ 9″ N. Long. 2° 23′ 40″ W
Time of Observation 9 a.m.
Nearest Railway Station Market Drayton 6 NW.
Diameter of Rain Gauge 5 in. "Snowden"
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " ~~Sea Level~~ Ord Datum 351 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·	·	22	·	34	04	·	·	18	1
2	·	·	24	·	·	19	17	·	·	·	·	09	2
3	20	·	·	04	·	·	·	68	05	·	04	11	3
4	16	·	57	02	15	57	·	11	07	·	62	·	4
5	24	·	·	·	09	37	·	20	09	·	04	·	5
6	29	17	09	·	06	·	·	24	04	·	·	·	6
7	·	06	·	·	10	31	·	03	06	·	·	·	7
8	39	15	14	·	04	17	·	51	17	·	·	·	8
9	·	03	56	24	01	60	·	25	·	·	09	10	9
10	24	~~04~~	·	·	·	29	02	34	·	·	30	02	10
11	02	04	01	·	·	·	·	02	·	·	07	41	11
12	06	19	25	·	·	·	·	·	·	·	·	04	12
13	·	·	·	·	·	03	·	·	·	08	·	·	13
14	07	·	57	·	·	04	·	06	·	·	·	02	14
15	12	16	24	02	50	25	·	04	·	·	·	14	15
16	·	·	10	·	16	02	·	16	·	05	·	·	16
17	·	05	05	·	·	36	07	42	·	·	21	26	17
18	1·01	·	04	·	·	·	·	01	·	04	05	·	18
19	1·10	04	02	·	02	02	13	13	·	·	·	·	19
20	04	·	15	·	10	·	14	32	·	31	10	·	20
21	·	04	23	·	45	·	·	04	·	49	05	·	21
22	09	19	·	·	22	11	20	59	·	·	·	13	22
23	07	03	37	·	·	19	46	45	·	·	26	02	23
24	09	·	06	·	·	14	26	10	·	·	·	16	24
25	·	·	·	·	·	44	·	30	·	·	27	31	25
26	·	10	05	·	·	·	37	80	·	75	31	·	26
27	·	02	06	·	·	42	38	·	07	80	04	15	27
28	·	07	04	·	·	·	46	53	49	16	91	·	28
29	·	02	·	·	·	04	25	09	·	02	·	·	29
30	·	·	03	·	17	09	05	·	·	01	05	·	30
31	·	·	22	·	13	·	45	10	·	·	·	06	31
Total	4·19 ✓	1·36 ✓	4·09 ✓	0·32 ✓	2·20 ✓	4·87 ✓	3·41 ✓	6·86 ✓	1·08 ✓	2·71 ✓	3·41 ✓	2·20 ✓	YEAR'S TOTAL 36·70 ✓
Rain Days.	16 ✓	16 ✓	22 ✓	4 ✓	14 ✓	21 ✓	14 ✓	26 ✓	9 ✓	10 ✓	16 ✓	16 ✓	184 ✓

W. 7,500, XI. 12

3

FORM A.
BRITISH RAINFALL.

15 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Knighton Reservoir 4 R
in the County of Shropshire
by Mr. G. R. Jebb C.E. Shropshire Union Rlys & Canal Co. Birmingham

Lat. 52° 51' 9" N. Long. 2° 23' 40" W.
Time of Observation 9 a.m.
Nearest Railway Station Market Drayton 6 m. N.W.
Diameter of Rain Gauge 5 in. Snowden
Height of top of Gauge above Ground 1 ft. — in.
" " " " Ord Datum. ~~Sea Level~~ 351 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	17	11	·	·	·	·	32	·	·	·	1
2	·	12	07	06	·	·	·	·	03	03	14	·	2
3	·	02	18	·	57	04	·	·	·	15	·	23	3
4	81	10	·	·	13	·	04	·	·	·	10	48	4
5	22	05	04	·	06	46	05	·	·	1·26	06	05	5
6	08	10	16	·	28	12	1·18	·	·	15	09	15	6
7	·	16	·	·	12	09	10	·	·	29	19	04	7
8	·	14	11	·	09	15	·	06	·	02	·	·	8
9	·	26	12	08	16	21	10	14	08	·	12	09	9
10	10	·	·	09	04	05	·	19	·	04	04	·	10
11	45	·	·	49	07	04	·	·	·	11	12	05	11
12	·	·	·	·	04	·	·	·	·	·	29	·	12
13	·	·	28	·	·	·	19	06	18	·	22	·	13
14	10	·	59	18	·	·	·	16	·	14	03	·	14
15	03	09	44	77	·	·	·	·	07	·	16	04	15
16	·	·	30	·	·	·	·	05	02	·	02	·	16
17	·	·	03	16	·	·	09	·	07	·	·	·	17
18	·	·	25	10	·	·	08	·	24	·	·	·	18
19	07	·	06	02	06	10	·	·	15	16	·	·	19
20	06	·	12	10	·	·	·	·	·	04	50	·	20
21	·	·	03	04	07	·	13	16	·	·	07	·	21
22	56	·	80	·	·	11	·	91	42	·	·	·	22
23	·	·	·	·	·	01	·	03	25	·	13	14	23
24	19	·	·	07	·	·	·	·	·	·	07	04	24
25	·	·	·	09	·	·	·	·	14	·	·	·	25
26	·	17	·	12	·	03	·	·	03	·	·	28	26
27	·	05	·	32	·	·	·	06	·	11	·	09	27
28	27	·	32	40	03	·	·	·	·	10	·	·	28
29	·		34	46	06	·	·	07	·	04	·	·	29
30	26	·	·	09	·	·	·	·	·	60	06	·	30
31	·	·	34	·	15	·	·	·	·	·	·	·	31
Total	3·20 ✓	1·26 ✓	4·75 ✓	3·75 ✓	1·93 ✓	1·41 ✓	1·96 ✓	1·89 ✓	2·00 ✓	3·24 ✓	2·41 ✓	1·68 ✓	YEAR'S TOTAL. 29·48 ✓
Rain Days.	13 ✓	11 ✓	20 ✓	19 ✓	15 ✓	12 ✓	9 ✓	11 ✓	13 ✓	15 ✓	18 ✓	12 ✓	168 ✓

W.7,000, XI, 13

Ex DL

3

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
21 JAN 1915

Kept at Knighton Reservoir
in the County of Shropshire 4
by N. G. R. Jebb, Engineer, Shropshire Union Railways + Canal Co. Birmingham

Lat. 52° 51' 9" N. Long. 2° 23' 40" W.
Time of Observation 9 a.m.
Nearest Railway Station Market Drayton 6 N.W.
Diameter of Rain Gauge 5 in. Snowden
Height of top of Gauge above Ground 1 ft. - in.
" " " " ~~Sea Level~~ Ord. Datum 351 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	06	·	04	·	·	04	30	67	·	04	·	24	1
2	·	·	·	·	·	·	1·24	42	·	02	24	27	2
3	·	·	05	07	41	·	09	13	·	·	03	84	3
4	27	·	03	18	42	·	08	·	·	·	53	43	4
5	09	·	15	12	24	08	09	05	·	·	05	·	5
6	02	·	02	19	15	·	18	11	·	·	15	14	6
7	·	·	36	·	20	10	11	27	·	·	·	25	7
8	13	·	·	05	22	24	17	11	05	·	·	04	8
9	62	05	02	06	06	65	·	28	02	·	·	·	9
10	04	03	04	22	07	04	·	·	29	·	·	·	10
11	·	50	27	03	14	02	·	·	01	·	50	42	11
12	·	12	20	·	·	·	29	·	33	·	10	15	12
13	·	11	18	·	·	·	06	·	04	10	40	34	13
14	·	44	09	·	·	·	15	·	01	13	16	11	14
15	·	·	24	·	·	·	02	·	·	·	04	06	15
16	·	·	12	·	·	·	49	·	14	·	·	04	16
17	·	22	25	·	·	·	17	·	11	·	·	32	17
18	·	·	·	·	·	03	06	·	20	03	·	39	18
19	·	02	·	·	·	·	08	·	52	·	05	09	19
20	·	12	13	·	·	07	12	·	·	·	·	17	20
21	·	37	·	·	·	01	02	14	·	12	·	70	21
22	·	06	04	·	42	09	·	21	·	30	·	·	22
23	·	03	06	·	14	10	·	·	·	06	·	·	23
24	·	·	12	·	07	02	15	26	·	03	12	·	24
25	09	·	·	02	·	·	12	38	·	70	07	46	25
26	·	·	13	·	·	·	01	04	·	09	18	25	26
27	10	·	·	·	·	·	·	·	·	·	29	87	27
28	53	12	10	·	04	·	·	·	·	01	06	43	28
29	·	·	07	·	14	·	·	·	·	04	10	·	29
30	·	✕	06	·	·	·	·	·	·	01	33	27	30
31	11	✕	·	✕	·	✕	1·39	·	✕	02	✕	·	31
Total	2·06	2·19	2·77	·94	2·72	1·49	5·39	3·07	1·72	1·70	3·40	7·28	YEAR'S TOTAL 34·73
Rain Days.	11	13	23	9	14	13	22	13	11	15	18	23.	185

W. 8,000. X. 14.

3 2426

FORM A. BRITISH RAINFALL.
29 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Knighton Reservoir

in the County of Shropshire.

N. G. R. Jebb, Engineer
by Shropshire Union Railways + Canal Co
Birmingham.

Lat. 52° 51' 9" N. Long. 2° 23' 40" W.
Time of Observation 9 a.m.
Nearest Railway Station Market Drayton 6 m.
Diameter of Funnel of Rain Gauge 5 in. Snowden
Height of top of Gauge above Ground 1 ft. – in.
" " " " ~~Sea Level~~ Ord. datum 351 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	22	14	07	·	45	·	02	05	12	10	·	08	1
2	04	12	37	26	·	11	·	1·15	·	16	·	06	2
3	1·27	·	02	15	·	02	40	·	·	·	·	16	3
4	·	·	·	·	·	·	77	·	·	·	·	78	4
5	09	27	07	·	15	·	·	09	·	·	·	37	5
6	12	06	12	·	·	·	66	02	·	·	·	13	6
7	22	36	·	12	1·30	·	22	17	·	·	·	25	7
8	21	16	·	02	·	·	·	16	·	·	05	01	8
9	06	04	·	32	·	·	·	·	·	·	45	39	9
10	32	·	11	06	·	·	02	·	·	·	31	05	10
11	·	·	·	04	14	·	08	24	·	·	49	·	11
12	12	·	·	19	11	·	16	08	·	12	69	08	12
13	·	24	04	·	30	·	02	44	·	·	23	07	13
14	01	02	·	·	·	·	·	28	05	·	12	20	14
15	33	·	·	07	12	·	24	46	·	·	19	07	15
16	03	14	·	·	22	·	1·74	05	·	·	·	·	16
17	·	24	·	·	31	·	·	·	·	·	·	·	17
18	·	26	·	·	·	·	·	·	·	01	·	·	18
19	·	04	·	·	20	·	17	·	·	·	·	·	19
20	12	·	·	09	05	·	02	03	·	·	·	07	20
21	31	·	·	07	·	·	21	·	·	·	·	13	21
22	04	·	16	·	·	02	18	·	·	·	01	05	22
23	·	14	12	·	·	·	10	·	·	65	·	13	23
24	·	·	11	16	·	·	03	·	34	18	·	24	24
25	·	·	·	·	·	75	07	·	·	·	·	17	25
26	·	07	·	·	·	·	39	·	11	·	·	32	26
27	·	19	·	·	·	·	31	·	·	40	·	31	27
28	·	11	·	·	·	09	03	21	·	10	·	·	28
29	·	·	·	·	·	03	05	07	·	·	11	06	29
30	06	X	·	05	·	1·40	21	01	·	19	01	07	30
31	13	X	·	X	·	X	13	03	X	08	X	24	31
Total	3·70	2·60	1·19	1·60	3·35	2·42	6·23	3·54	·62	1·99	2·66	4·49	YEAR'S TOTAL 34·39
Rain Days.	18.	17.	10.	13.	11.	7.	24.	17.	4.	10.	11.	25.	167

W. 8,000. X. 15.

Exc 8 L

2358

3

FORM A.
BRITISH RAINFALL.

12 JAN 191

REGISTER OF RAINFALL IN 1916.

Kept at Knighton Reservoir

in the County of Shropshire

by N. G. R. Jebb, Engineer, Shropshire Union Rlys & Canal Co. Birmingham.

Lat. 52° 51' 9" N. Long. 2° 23' 40" W.

Time of Observation 9 a.m.

Nearest Railway Station Market Drayton. 6 m. N.W.

Diameter of Funnel of Rain Gauge 5 in. Snowden.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Ord. datum ~~Sea Level~~ 351. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	05	04	50	·	03	27	09	·	·	05	18	·	1
2	36	20	14	·	·	17	13	·	18	62	07	·	2
3	·	42	·	04	05	05	03	·	12	32	17	02	3
4	09	33	·	05	36	25	·	·	02	08	20	·	4
5	·	·	·	·	15	08	·	·	·	41	15	·	5
6	21	20	05	·	23	·	44	·	·	02	17	·	6
7	08	·	05	·	05	·	10	·	01	22	09	35	7
8	07	·	11	·	03	03	·	·	·	10	04	11	8
9	02	·	·	·	28	12	·	·	·	·	02	03	9
10	·	27	04	10	05	01	07	·	05	15	·	06	10
11	·	26	·	20	01	07	01	·	06	·	·	16	11
12	08	10	05	02	28	·	29	30	03	07	·	·	12
13	·	20	14	04	02	·	·	30	·	02	·	05	13
14	·	22	·	13	12	·	·	33	·	·	·	10	14
15	·	21	38	07	11	·	10	10	06	29	·	·	15
16	03	10	11	15	03	·	04	42	02	05	·	·	16
17	04	17	·	31	·	·	05	83	50	20	·	·	17
18	·	19	·	24	·	·	·	18	30	05	46	·	18
19	30	·	15	03	·	02	·	16	03	·	50	18	19
20	02	·	47	02	·	·	·	·	·	·	·	09	20
21	05	·	31	01	06	·	32	·	·	05	·	04	21
22	·	·	·	02	·	10	·	·	·	11	·	13	22
23	03	05	04	04	·	·	·	08	·	03	05	34	23
24	·	15	·	·	11	05	·	17	·	11	·	15	24
25	·	14	08	·	09	·	·	13	04	17	38	·	25
26	04	02	07	·	·	04	·	13	01	13	06	·	26
27	·	·	15	·	·	30	·	35	07	40	·	02	27
28	·	16	03	·	·	·	·	·	·	06	02	10	28
29	·	12	01	·	·	52	·	07	·	16	·	26	29
30	·	×	·	·	·	10	·	·	·	14	·	04	30
31	·	×	04	×	·	×	·	01.	×	32	×	13.	31
Total	1·47	3·55	2·92	1·47	2·06	2·18	1·67	3·56	1·50	4·33	2·56	2·36	YEAR'S TOTAL 29·63
Rain Days.	15.	20.	20.	16.	18.	16.	12.	15.	15.	26.	15.	19.	207.

W. 8,000, VIII. 16

2243

3

FORM A.

BRITISH RAINFALL

25. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Knighton Reservoir

in the County of Salop.

by N. G. R. Jebb, Chief Engineer, Shropshire Union Rlys & Canal C°. Birmingham.

Lat. 52° 51' 9" N. Long. 2° 23' 40" W.

Time of Observation 9 a.m.

Nearest Railway Station Market Drayton. 6m. NW.

Diameter of Funnel of Rain Gauge 5 in. Snowdon

Height of top of Gauge above Ground 1 ft. – in.

" " " " ~~Sea Level~~ Ord. datum 351. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·	06	·	14	·	49	13	·	·	13	1
2	05	·	·	02	·	05	·	02	·	·	04	14	2
3	·	·	·	·	·	02	·	10	·	50	06	13	3
4	22	12	12	·	·	·	·	04	·	35	·	·	4
5	41	·	09.	23.	·	07	·	18	·	38	09	03	5
6	02	·	·	·	·	·	·	·	·	16.	·	04	6
7	74.	·	·	·	·	·	·	01	·	14	20	04	7
8	41	·	·	16	·	08	·	39	01	61	13	09	8
9	·	·	·	04	10	·	·	12	·	11	26	·	9
10	40	·	45	07	15	·	·	09	04	·	·	·	10
11	29	·	·	15	·	·	·	20	04	23	03	·	11
12	23	·	·	·	55.	·	·	10	03	10	07	·	12
13	·	·	·	08.	·	·	·	20	04	·	·	·	13
14	05	·	·	15	04	·	·	04	03	·	·	13	14
15	·	·	·	·	03	·	13	05	05	12	·	09	15
16	·	06	·	20	·	25	·	·	·	·	·	19	16
17	·	·	07	20	18	03	31	34	12	11	·	02	17
18	02	02	·	10	09	·	56	02	22	·	·	·	18
19	02	26	30.	·	04	13	·	02	38	·	·	·	19
20	01	30	40.	·	22	22	02	·	17	·	27	·	20
21	·	31	19	·	30	07	·	·	·	08	13	·	21
22	·	02	·	01	01	·	·	02	15	25	·	11	22
23	·	26	·	·	14	·	·	09	·	07	02	·	23
24	·	·	07	·	·	32	02	08	·	62	06	·	24
25	·	07	12	·	·	·	~~02~~	06	·	05	31	·	25
26	·	·	02	·	·	05	·	58	19	09	54	·	26
27	·	·	03	·	1·34	16	22	68	·	·	·	·	27
28	·	·	06	·	·	02	~~22~~	40	·	04	·	06	28
29	·		·	·	·	·	03	02	·	28	·	·	29
30	·	X	30	·	·	·	01 ~~[illegible]~~	30	·	04	12	·	30
31	·	X	14.	X	·	X	~~01~~	04	X	·	X	·	31
Total	2·87	1·42	2·36	1·47	3·19	1·61	1·30	4·68.	1·60	4·33	2·33	1·20	YEAR'S TOTAL 28·36
Rain Days.	13	9.	14.	13	13	14	8	27	14	20	15.	13	173

·65

W. 8,000, IX. 17.

3

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Knighton Reservoir
in the County of Salop.
by Mr G. R. Jebb, Engineer, Shropshire Union Rlys & Canal Coy, Birmingham.

Lat. 52°51′9″ N Long. 2°23′40″ W.
Time of Observation 9 a. m.
Nearest Railway Station Market Drayton 6m N.W.
Diameter of Funnel of Rain Gauge 5 in. Snowdon
Height of top of Gauge above Ground 1 ft. – in.
" " " " ~~Sea Level~~ Ord. datum 351 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	10	·	15	·	·	·	·	04	09	29	3	1
2	·	10	·	15	·	·	·	1·28	·	03	03	21	2
3	·	02	·	·	·	·	·	15	20	04	·	·	3
4	·	03	·	·	13	·	·	03	93	04	25	45	4
5	02	02	02	·	14	·	·	22	08	02	·	·	5
6	·	11	·	45	·	15	·	03	·	40	·	·	6
7	·	10	01	12	·	07	·	·	40	02	11	·	7
8	05	24	·	·	·	·	05	·	09	18	·	·	8
9	08	48	·	07	03	16	1·21	·	56	27	·	3	9
10	11	10	·	23	·	·	20	·	07	·	08	26	10
11	06	02	12	—	·	·	02	·	25	·	·	6	11
12	02	03	·	·	17	·	31	02	02	13	·	2	12
13	07	·	·	·	02	·	·	·	17	06	·	3	13
14	27	·	·	·	·	04	11	·	32	02	·	18	14
15	06	·	·	·	·	10	44	·	26	·	·	32	15
16	09	·	·	04	·	28	02	·	27	·	·	8	16
17	45	·	·	04	53	02	09	03	03	15	·	14	17
18	32	·	·	·	·	23	10	·	51	9	·	15	18
19	03	·	30	·	·	·	08	·	03	·	·	78	19
20	05	10	·	20	·	10	·	·	10	·	·	43	20
21	04	·	·	33	·	04	05	·	31	·	·	8	21
22	·	·	·	·	1·49	·	16	·	08	11	·	39	22
23	02	·	·	·	54	·	09	·	10	·	·	·	23
24	·	10	·	·	·	·	11	11	06	·	09	14	24
25	·	·	·	·	04	·	21	40	02	·	03	·	25
26	·	·	·	·	·	·	13	02	03	01	07	2	26
27	·	16	·	·	·	·	02	58	23	·	16	5	27
28	·	20	48	·	·	·	·	·	02	·	36	14	28
29	·	·	07	·	·	·	·	·	48	·	·	17	29
30	·		43	·	·	·	·	02	02	·	12	18	30
31	·		08		·		·	05		·		6	31
Total	1·74	1·91	1·51	1·78	3·09	1·19	3·40	2·94	5·68	1·66	1·59	4·40	YEAR'S TOTAL 30·89
Rain Days.	16	16	8	10	9	10	18	13	28	16	11	24	179

W. 6,500, VII. 18. W W C

3 210

14 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Knighton Reservoir

in the County of Salop

by Mr H. C. Jones (Engineer) Shropshire Union Rlys & Canal Coy Chester

Lat. 52° 51' 9" N Long. 2° 23' 40" W

Time of Observation 9 a.m.

Nearest Railway Station Market Drayton L.N.W

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " ~~Sea Level~~ Ord Datum 351 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	09	·	·	·	15	·	26	·	11	19	·	19	1
2	13	·	09	·	06	·	16	04	10	03	02	·	2
3	08	·	03	·	03	09	31	·	12	·	04	·	3
4	·	·	25	·	02	13	05	15	07	·	·	09	4
5	·	21	·	07	09	·	·	·	·	·	·	36	5
6	08	·	09	·	23	·	·	·	·	·	·	·	6
7	15	·	22	03	·	·	·	·	·	·	03	17	7
8	10	·	09	·	·	04	·	·	·	·	·	·	8
9	05	·	03	10	·	·	·	·	·	·	·	·	9
10	·	·	38	02	·	·	·	·	·	07	·	03	10
11	·	·	42	07	07	·	17	·	·	02	·	06	11
12	04	·	1·03	·	·	50	03	·	·	08	·	·	12
13	11	·	·	09	·	·	15	·	94	35	·	03	13
14	41	·	·	25	·	·	07	·	·	63	·	04	14
15	27	10	·	51	·	·	·	02	·	17	·	15	15
16	02	61	·	·	·	07	·	·	·	·	26	·	16
17	04	32	·	02	·	10	·	04	·	·	16	03	17
18	·	·	47	·	·	10	·	27	10	·	·	18	18
19	13	23	99	·	·	·	40	50	12	·	·	·	19
20	38	08	11	·	·	·	18	06	31	·	45	26	20
21	·	29	·	·	·	·	24	·	03	·	·	30	21
22	·	10	·	·	·	·	·	·	57	·	·	1·20	22
23	·	·	·	02	·	18	·	·	·	1·36	·	05	23
24	·	·	·	·	05	·	·	·	·	38	15	02	24
25	·	·	·	13	13	·	·	47	·	·	08	09	25
26	09	·	12	23	·	·	·	09	·	·	·	26	26
27	11	·	·	28	·	07	·	03	06	·	·	05	27
28	09	·	·	04	·	·	·	58	·	·	·	33	28
29	05	·	16	08	·	05	·	18	·	36	08	26	29
30	02	✕	·	07	·	19	·	·	·	05	·	07	30
31	·	✕	14	✕	·	✕	03	·	✕	05	✕	07	31
TOTAL	2·44	1·94	5·22	2·01	·83	1·52	2·05	2·43	2·53	3·74	1·27	4·29	YEAR'S TOTAL 30·27
Days with ·01 in. or more	20	8	16	16	9	11	12	12	11	13	9	23	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

HCJ

2018

15 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Knighton Reservoir

in the County of Salop

by Mr. H. Le Jones (Engineer)
Shropshire Union Rly & Canal Co. Chester

Lat. 52°-51'-9" N Long. 2°-23'-40" W

Time of Observation 9 am.

Nearest Railway Station Market Drayton 6m N.W.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Ord. Datum ~~Sea Level~~ 351 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·35

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	02	14	27	·	50	·	·	08	·	07	1
2	·	·	·	06	·	02	42	·	27	·	·	27	2
3	·	10	·	33	·	03	1·25	05	03	14	·	·	3
4	·	·	·	04	·	·	·	63	10	12	·	·	4
5	·	·	05	02	06	·	10	05	48	15	·	·	5
6	·	·	29	·	·	·	·	·	05	76	·	·	6
7	·	·	08	05	12	·	26	·	·	·	·	·	7
8	35	09	·	29	·	·	21	25	·	·	·	·	8
9	28	03	·	61	11	·	13	20	·	·	·	·	9
10	33	10	·	26	·	·	22	04	06	·	07	·	10
11	35	·	08	11	30	54	06	·	·	·	·	·	11
12	10	03	03	13	04	1·16	17	·	·	·	·	05	12
13	04	05	03	15	·	·	·	·	~~1·02~~	·	09	03	13
14	·	04	40	12	·	20	05	·	1·02	09	24	·	14
15	03	15	15	21	·	·	·	·	·	14	04	·	15
16	·	·	·	51	30	57	40	·	14	31	·	·	16
17	·	·	·	·	16	·	·	·	28	·	·	·	17
18	38	·	·	03	18	·	20	03	06	·	·	·	18
19	·	1·65	·	03	04	·	·	·	03	·	·	04	19
20	03	·	·	55	·	06	05	03	·	·	·	·	20
21	·	·	·	03	·	11	19	·	·	·	·	·	21
22	03	·	·	18	·	·	20	·	·	·	·	·	22
23	·	·	·	·	·	·	43	25	·	·	·	41	23
24	·	·	28	09	·	·	56	06	·	·	·	29	24
25	04	·	20	08	·	·	08	·	·	·	·	·	25
26	28	10	27	05	·	·	·	·	·	·	·	·	26
27	15	·	06	19	40	27	·	·	·	·	07	36	27
28	61	05	05	03	25	23	07	·	·	·	·	26	28
29	20	·	28	03	34	03	34	·	·	·	10	51	29
30	17	✕	03	27	04	11	03	·	30	·	08	19	30
31	08	✕	04	✕	07	✕	06	·	✕	32	✕	17	31
Total	3·45	2·39	2·34	4·59	2·68	3·33	5·98	1·59	2·82	2·11	·69	2·65	Year's Total 34·62
Days with ·01 in. or more	17	11	17	27	15	12	23	10	12	9	7	12	172
Days with ·04 in. or more	14	9	13	21	15	9	22	8	10	9	7	11	148

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SHROPSHIRE

PONTESBURY,

"SOMERVILLE"

1911 – 1913

FORM A2. BRITISH RAINFALL.

10 JAN 1912

REGIS 11

Kept at Somerville,

in the County of Shrop

by Helen M. Crof

und

5 in.

ve Ground 1 ft. 6 in.

Sea Level 355 ft.

a.m

Name Pontesbury

Distance ½ mile Direction N.

IMPORTANT NOTE.—Rai d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·02			·01			·12		1
2				·05	·07		·02	·01		·05	·06	·09	2
3			·08	·03	·35			·24	·03		24	·06	3
4			·07	·01	·02			·03	·04			·30	4
5			·02		·05			·20		·26	·04	·02	5
6	·24		·06					·12		·03	·07	·32	6
7											·26		7
8			·06								·38	·32	8
9	·17		·06								·31		9
10		·06	·04		·09							·33	10
11	·08								·05		·67	·02	11
12	·01 snow.		·35						·76				12
13			·01								·03	·15	13
14			·04									·41	14
15			·01							·01	·05		15
16						·07				·01	·09	·06	16
17					·62	·51						·19	17
18						·08						·29	18
19						(·21)				·26		·44	19
20		·93		·88				·04		·02			20
21								·09		·34		·01	21
22	·10		·04				·03	·18	·96	·29		·33	22
23			·21			·23				·10		·19	23
24						·56		·08		·24		·20	24
25						·03	·01			·02		·02	25
26						·01				·27	·44	·03	26
27		·05	·18		·16			·63			·08	·03	27
28		·21				·03					·01	·03	28
29						·06	·25			·55	·02		29
30				·04		·09							30
31			·05		·15					·08			31
Total	·60	1·25	1·28	1·01	1·53	1·88	·31	1·63	1·82 4	2·53	2·87	3·84	TOTAL for year 20·57
No. of Rain Days	5	4	15	5	9	10	4	11		16	19	25	20·53 7

9,000, IX. '10.

✓

REGIST 11

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Somerville, Pontesbury

in the County of Shropshire 3

by Helen M. Croft

RAIN GAUGE
Pattern round
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 355 ft.

Time of Observation 9 a. m

Nearest Railway Station
Name Pontesbury
Distance ¼ mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·02			·01			·12		1
2				·05	·07		·02	·01		·05	·06	·09	2
3			·08	·03	·35			·24	·03		24	·06	3
4			·07	·01	·02			·03	·04			·30	4
5			·02		·05			·20		·26	·04	·02	5
6	·24		·06					·12		·03	·07	·32	6
7											·26		7
8			·06								·38	·32	8
9	·17		·06								·31		9
10		·06	·04		·09							·33	10
11	·08								·05		·67	·02	11
12	·01 snow.		·35						·76				12
13			·01								·03	·15	13
14			·04									·41	14
15			·01							·01	·05		15
16						·07				·01	·09	·06	16
17					·62	·51						·19	17
18						·08						·29	18
19						(·21)				·26		·44	19
20		·93		·88				·04		·02			20
21								·09		·34		·01	21
22	·10		·04				·03	·18	·96	·29		·33	22
23			·21			·23				·10		·19	23
24						·56		·08		·24		·20	24
25						·03	·01			·02		·02	25
26						·01				·27	·44	·03	26
27		·05	·18		·06			·63			·08	·03	27
28		·21				·03					·01	·03	28
29						·06	·25			·55	·02		29
30				·04		·09							30
31			·05		·15					·08			31
Total	·60	1·25	1·28	1·01	1·53	1·88	·31	1·63	1·84	2·53	2·87	3·84	TOTAL for year 20·57
No. of Rain Days	5	4	15	5	9	10	4	11		16	19	25	20·57

9,000, IX. '10.

✓

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

29 JAN 1913

Kept at Somerville, Pontesbury
in the County of Shropshire 3
by Helen M. Croft (Miss)

Lat. 52 N. Long. 2 45 W.
Time of Observation 9 o'clock.
Nearest Railway Station Pontesbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1						.53		.03	.01	.03			1
2			.38			.68	.07						2
3			.10					1.29	.03				3
4	.20		.79			.25		.19	.005		.07		4
5	.15		.15		.20	.19		.16	.02		.005		5
6	.19				.03			.43					6
7		.10			.02		.04	.22					7
8	.31	.15	.46	.02	.03	1.02		.05	.02				8
9	.05	.05		.15				.23					9
10	.29			.01		.31	.02				.35		10
11			.005				.005	.18			.19		11
12	.03	.47	.07			.005							12
13								.07	.01	.12	.005		13
14			.52		.005			.02	.05				14
15	.05	.14			.22	.32							15
16			.24		.30	.01		.03		.05			16
17						.07	.01						17
18	snow		.11					.29		.02	.12		18
19	.79		.005		.02	.005	.07	.15		.04	.005	1.95	19
20			.15		.20	.04	.12			.29		.005	20
21			.02		.70		.04	.30		.29			21
22		.17			.60		.24	.27		.005		.05	22
23	some ~~snow~~	.09	.24		.005		.86	.27				.04	23
24	.81					.04	.02	.01					24
25						.11		.54				.58	25
26		.08	.09			.01	.19	.55		.42		.15	26
27		.01	.005			.28	.34			.57	1.50	.27	27
28						.01	.47	.33	.04	.12			28
29		.03					.22	.11	.48	.10		.01	29
30							.01	.005				.03	30
31			.27		.08	.48	.14	.04		.05			31
Total	2.87	1.29	3.605	.18	2.41	4.36	2.865	5.765	.665	2.105	2.245	3.085	YEAR'S TOTAL 31.445
Rain Days.	13	10	17 ~~18~~	3	12 ~~13~~	21	17	24	9	13	12	14	~~167~~ [illegible]

✓ [illegible] 30.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
24 JAN 1914

Kept at Somerville, Pontesbury

in the County of Shropshire

by Helen M. Croft

Lat. 52 N. Long. 2 45 W.

Time of Observation 9 o'clock a.m.

Nearest Railway Station Pontesbury

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·10	·30	·14				·13		·03		1
2		·19	·07	·08		·01			·02		·06		2
3	·08	·005	·15		·38				·04		·05		3
4	·73	·02	·005		·08	·11	·04			2·50			4
5	·60	·06	·11		·04	·47	·08		·02		·05		5
6	·01	·15	·14		·27	·08	·34						6
7	·01	·15			·31	·13				·40	·16	·43	7
8		·08			·12	·15		·07		·03			8
9		·29		·04	·08	·32	·05	·53	·20	~~·01~~	·08		9
10	·14				·02			·10			·01		10
11	·40			·47	·12	·03		·06		·01	·20		11
12			·23		·07	·01			·01		·29		12
13		(Fog) ·01		·03				·06	·20		·21		13
14	·14		·53	·04				·03	·01	·10	·04		14
15	·10	·05	·42	·75					·12		·17		15
16		·005		·02					·005				16
17	·02		·38	·09			·05		·01		·01		17
18			·28		·08		·05					·04	18
19	·08		·03	(·30)		·05	·03			·19		·03	19
20	·06		·19				·02			·32			20
21			·16		·03		·20						21
22			·77		·02			·95	·61		·40		22
23	·55		·01			·12		·005			·11		23
24											·06		24
25				·09					·22	·05	·02		25
26				1·10	·19				·02	·005		·20	26
27	·01	·005		·36				·03		·62			27
28	·09		·20	·46						·27			28
29			·46	·31	·03			·04		·67		snow ·18	29
30	·21									·21	·05		30
31	·08		·17		·19								31
Total	3·31	1·045	4·405	4·44	2·17	1·48	·86	1·875	1·615	5·376	2·00	·88	YEAR'S TOTAL 29·455
Rain Days.	18	11	20	18	17	11	10	10	15				

W.7,000, XI. 13

SHROPSHIRE.
SHIFNAL
HAUGHTON HALL
1911- 1915

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGIST

Kept at Haughton Hall ... 5 in.
in the County of Shrop ... e Ground 3 ft. 6 in.
by W.J. Brooke ... Sea Level 355 ft.
a.m.
Name Shifnal
Distance 1 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01					·03			·02		1
2					·12					·07	·12	·05	2
3					·43			·02	·03		·12	·02	3
4			·12								·11	·29	4
5	·06		·07					·10		·13			5
6	·12		·05	·01				·09		·23		·39	6
7	·01										·31		7
8	·10		·16								·12	·54	8
9			·05									·05	9
10		·13	·13						·04		·03	·37	10
11	·13								·01		·27		11
12			·45						·47		·13	·01	12
13								·06				·43	13
14		·02	·03									·60	14
15		·02					·02			·23	·06	·25	15
16			·01			·04					·08	·03	16
17						·99					·13	·33	17
18		·35		·07	·39	·10			·21	·02		·18	18
19		·02		·10		·30		·02	·24	·20	·18	·08	19
20		·10		·03				·07				·25	20
21		·25						·70		·14		·01	21
22						·01				·30		·31	22
23		·13	·18			·14			·30			·15	23
24		·08		·06	·02	·71				·10		·12	24
25				·26	·01	·03		·04	·02				25
26		·25		·11	·03	·05		·02		·20	·19	·10	26
27		·25	·10	·03				·54	·24		·09	·13	27
28		·11		·13							·14		28
29						·20	·18		·24	·26		·02	29
30			·02	·01		·04				·19	·02		30
31			·04		·07							·01	31
Total	·42	1·71	1·42	·81	1·07	2·61	·20	1·69	1·80	2·07	2·12	4·72	TOTAL for year 20·64
No. of Rain Days.	5	12	14	10	7	11	2	11	10	12	17	24	135

W. 8,000, X. '11.

REGIST

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Haughton Hall Shifnal

in the County of Shropshire 4

by W. J. Brooke

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. 6 in.
" " " Sea Level 355 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Shifnal
Distance 1 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01					·03			·02		1
2					·12					·07	·12	·05	2
3					·43			·02	·03		·12	·02	3
4			·12								·11	·29	4
5	·06		·07					·10		·13			5
6	·12		·05	·01				·09		·23		·39	6
7	·01										·31		7
8	·10		·16								·12	·54	8
9			·05									·05	9
10		·13	·13						·04		·03	·37	10
11	·13								·01		·27		11
12			·45						·47		·13	·01	12
13		[illegible]						·06				·43	13
14		·02	·03									·60	14
15		·02					·02			·23	·06	·25	15
16			·01			·04					·08	·03	16
17						·99					·13	·33	17
18		·35		·07	·39	·10			·21	·02		·18	18
19		·02		·10		·30		·02	·24	·20	·18	·08	19
20		·10		·03				·07				·25	20
21		·25						·70		·14		·01	21
22						·01				·30		·31	22
23		·13	·18			·14			·30			·15	23
24		·08		·06	·02	·71				·10		·12	24
25				·26	·01	·03		·04	·02				25
26		·25		·11	·03	·05		·02		·20	·19	·10	26
27		·25	·10	·03				·54	·24		·09	·13	27
28		·11		·13							·14		28
29						·20	·18		·24	·26		·02	29
30			·02	·01		·04				·19	·02		30
31			·04		·07							·01	31
Total	·42	1·71	1·42	·81	1·07	2·61	·20	1·69	1·80	2·07	2·12	4·72	TOTAL for year 20·64
No. of Rain Days.	5	12	14	10	7	11	2	11	10	12	17	24	135

W. 8,000, X. '11.

cod 7-III-13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

Kept at Haughton Hall Shifnal

in the County of Shropshire 4

by W. J. Brooke

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Shifnal Junc

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. — in.

" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·08			·35			·01			·13	1
2				·03		·13	·15					·03	2
3						·15		·78	·03			·07	3
4	·10		·54	—	·27	·38		·08					4
5	·31	·10	·29		·03	·33		·28	·04				5
6	·33	·04	·05		·04			·31	·02		·40		6
7		·08			·04	1·02	·07	·07	·03		·02	·62	7
8	·23	·14	·12	·03	·03	·80	·01	·25	·07			·01	8
9	·04		·58	·10		·61		·35				·11	9
10	·13	·02		·05		·22	—	·11			·32	·01	10
11	·03							·01			·13	·66	11
12	·03	·25	·12				—				·02	·08	12
13						·04		·04		·04			13
14	·04		·42			·11		·01				·02	14
15	·11	·05	·18	·02	·42	·25		·02				·07	15
16	·81		·06		·09	·03		·08	·02	·05			16
17	1·32		·03			·08	·01	·40			·29	·56	17
18	·12		·12					·02		·06	·05		18
19	·09					·01	·13	·26		·03	·01	·02	19
20	·03		·16		·11	·02		·02		·16	·02		20
21		·01	·14		·40		·11	·29		·46	·01	·01	21
22	·16		·01		·51	·01		·40			·04	·11	22
23	·05	·03	·37				·42	·28			·19	·02	23
24			·03			·07	·26	·07				·16	24
25						·07		·30			·30	·31	25
26		·07	·05				·21	·60		·82	·20		26
27		·02	~~·02~~			·38	·48	·01		·91	·02	·14	27
28		·03	·02			·02	·21	·36	·09	·19	·85	·13	28
29		·02	·02 ~~·05~~			·28	·15	·06	·56	·02			29
30	·13		·05		·03	·21	·66	·01		·13	·03		30
31			·11		·50		·12	·05				·04	31
Total	4·06	·86	3·55	·23	2·47	5·5~~9~~7	2·39	5·52	·87	2·87	2·90	2·71	YEAR'S TOTAL 34·02
Rain Days.	18	13	22	5	12	23	14	28	9	11	17	21	193

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Haughton Hall Shifnal

in the County of Salop

by W. J. Brooke

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Shifnal

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. - in.

" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·16	·08				·22		·03		1
2	·01	·03	·03	·11					·02		·08		2
3	·01	·01	·11		·77		·01		·02			·23	3
4	·94	·03			·18		·02			·19	·05	·35	4
5	·36	·07	·08		·08	·11	·05	·10	·02	1·52			5
6	·03	·16	·26		·27	·16	·77			·03		·22	6
7		·16			·12	·04	·07			·75	·20	·02	7
8		·07			·12	·21	·02	·11		·03		·02	8
9		·25	·24	·02	·11	·32	·08	·33	·07		·15	·04	9
10				·06	·05	·03	·01	·06		·03	·04		10
11	·54	·01		·68	·05					·06	·23	·02	11
12	·02				·08						·63		12
13	·02		·21					·04	·12		·25	·01	13
14	·07		·68	·10				·22		·09	·04		14
15		·07	·55	·72				·02	·04		·13	·02	15
16			·47					·03	·01	·01			16
17	·04		·05	·06			·07		·09		·02		17
18			·22	·06	·03		·08		·10			·02	18
19	·05		·03			·02	·02		·10	·01			19
20	·04		·07	·11						·02	·15		20
21			·07	·01	·04		·12	·04			·26		21
22	·50		·73			·11		·94	·63				22
23						·01		·02	·10		·11	·02	23
24	·15			·05							·03		24
25				·05					·09	·02			25
26				·33	·03			·05	·01			·21	26
27				·25						·38		·07	27
28	·16		·42	·45	·05					·15	·01	·20	28
29			·60	·44	·03			·11					29
30	·28				·03			·18		·73	·05		30
31	·02		·31		·10					·01			31
Total	3·24	·86	5·20	3·71	2·22	1·01	1·32	2·25	1·54	4·03	2·46	1·45	YEAR'S TOTAL 29·29
Rain Days.	17	10	18	17	18	9	12	14	15	16	18	14	178

19

179

W.7,000, XI. 13

cwd p with thy nm stats 1·IV·15 W DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

7 - JAN 1915

Kept at Haughton Hall . Shifnal

in the County of Shropshire 4

by W J Brooke

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Shifnal

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	001	004	007				100	025				034	1
2							048	053			030	023	2
3				006	018	004	010					010	3
4	029		002	009	005		003	004			045	048	4
5	013	002	014	068			022			002	005		5
6				020	014	002	016	003			012	004	6
7	003	009	042	004	008	033	008	026				044	7
8				002	016	044		005	010			003	8
9	032	002	001	013	008	082		013	004				9
10		012	003	035	004	038			020				10
11		020	013	006					003		026	034	11
12		021	023				051		042		009	012	12
13	009	010	013				004		003	015	022	032	13
14		026	009							011	013	003	14
15			.20 002						012			007	15
16			004						006			003	16
17		014	015						005			034	17
18			005			026	004		026			033	18
19		005	006				035		037		015	018	19
20		019	013			006	030					042	20
21		031	.01 021			021	025	005		006		053	21
22		003	003	023		003		022		022			22
23		004	004	012 A		003				008		002	23
24	003		003				003	016		003	013		24
25	005		001				004	023		044	004	018	25
26			003				011	012		007	023	018	26
27	007						004				044	060	27
28	013	007	005									065	28
29			003							015	010		29
30		✕	010							001	035	043	30
31	003	✕		✕	004	✕	017	004	✕		✕	001	31
Total	118	189	223	103	112	~~258~~ 2·62	395	~~201~~ 2·11	168	134	306	644	YEAR'S TOTAL 28-65 28·65
Rain Days.	11	16	25	~~11~~ 9	~~8~~ 10	11	18	~~12~~ 13	11	11	15	25	17~~4~~5

W. 8,000. X. 14.

2416

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
5 JAN 1916

Kept at Haughton Hall Shifnal

in the County of Shropshire

by Capt W J Brooke

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Shifnal G W R

Diameter of Funnel of Rain Gauge 4½ in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	025	016	008		051			002	008	015			1
2	004	003	021	020		017	005	146		023		014	2
3	128	001	001	007			040	001				015	3
4	001	006			009		090	015				068	4
5	004	040					003	003		002		046	5
6	002	010	002	007			105	002				003	6
7	001	042			020		014	012				025	7
8	017	010		005				005					8
9	008	004		035							030	050	9
10	027		007	003						001		002	10
11	002			003	029		021	003			064	008	11
12	007			003	022		001	002		13	097		12
13	000	028	001		040			033			010	002	13
14	001							011	021			022	14
15	030			005	006		012	007			014	007	15
16	006	029			025		198	003				001	16
17		020			033								17
18	002	029	003										18
19		007		006	009		012						19
20	005			004			020					003	20
21	014			002			008					007	21
22			018	003								003	22
23	001	015	008			005	022		001			033	23
24			010	005			011		038	057		025	24
25							010		001	050		030	25
26		002				070	040			003		028	26
27		007					033			039		013	27
28		021	004			002		023		001			28
29						004	022	006			013	008	29
30	003	X				044	002	001		021	002	006	30
31	008	X		X		X	010	006	X	003	X	031	31
Total	296	290	83	108	244	142	679	281	69	228	230	450	YEAR'S TOTAL 31-00
Rain Days.	21 2,22	18	11	14	10	6	21	18	5	12	7	24	167

W. 8,000. X. 15.

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

SHROPSHIRE.
SHIFNAL
NEACHLEY
1911-1913

REGIST 11.

Kept at Neachley
in the County of Salop
by Col. Honble F.

in.
e Ground 2 ft. in.
Sea Level 280 ft.
9. a.m
Name Albrighton
Distance 3 Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.02			.01					.02		1
2					.10			.06			.21	.05	2
3					.37			.09	.04	.05	.10	.03	3
4				.04	.03			.05			.07	.37	4
5	.13		.14	.02	.02			.07		.09	.01		5
6	.12		.04					.10		.28	.04	.35	6
7	.04		.02								.27	.02	7
8	.14		.09								.10	.40	8
9			.02								.63	.03	9
10		.11	.17						.03		.03	.45	10
11	.11								.01		.27	.03	11
12			.47						.43		.14	.01	12
13								.03	.01			.41	13
14		.04	.04								.02	.57	14
15	.02	.03	.03							.02	.03	.20	15
16						.05					.09	.03	16
17						.68					.17	.41	17
18		.24			.02	.18				.02	.07		18
19		.04	.04	.03		.19	.08	.02	.21	.16	.17	.19	19
20		.05		.11				.59	.02	.05		.25	20
21		.25						.62		.06	.01		21
22			.02							.26	.03	.30	22
23		.13	.12			.30	.01		.16	.03		.11	23
24	.02	.09		.10	.02	.60		.04	.01	.13		.10	24
25		.04		.22		.05			.02	.02		.03	25
26		.20		.11				.02	.24	.13	.26	.12	26
27		.36	.10	.03	.06						.05	.16	27
28		.04		.18		.06			.01		.15	.01	28
29						.21	.10		.25	.27	.03	.02	29
30						.06	.08			.16			30
31			.07		.03					.01		.02	31
Total	.61	1.62	1.39	.84	.65	2.39	.27	1.69	1.44	1.74	2.97	4.67	TOTAL for year 20.28
No. of Rain Days.	8	13	15	9	8	11	4	11	13	16	24	26	158

W. 8,000, X. '11.

✓

REGIST 11.

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Neachley – Shifnal
in the County of Salop 4
by Col. Honble F. Bridgeman

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground 2 ft. in.
" " " Sea Level 280 ft.
Time of Observation 9. a. m
Nearest Railway Station
Name Albrighton
Distance 3 Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		.02			.01					.02		1
2					.10			.06			.21	.05	2
3					.37			.09	.04	.05	.10	.03	3
4				.04	.03			.05			.07	.37	4
5	.13		.14	.02	.02			.07		.09	.01		5
6	.12		.04					.10		.28	.04	.35	6
7	.04		.02								.27	.02	7
8	.14		.09								.10	.40	8
9			.02								.63	.03	9
10		.11	.17						.03		.03	.45	10
11	.11								.01		.27	.03	11
12			.47						.43		.14	.01	12
13								.03	.01			.41	13
14		.04	.04								.02	.57	14
15	.02	.03	.03							.02	.03	.20	15
16						.05					.09	.03	16
17						.68					.17	.41	17
18		.24			.02	.18				.02	.07		18
19		.04	.04	.03		.19	.08	.02	.21	.16	.17	.19	19
20		.05		.11				.59	.02	.05		.25	20
21		.25						.62		.06	.01		21
22			.02							.26	.03	.30	22
23		.13	.12			.30	.01		.16	.03		.11	23
24	.02	.09		.10	.02	.60		.04	.01	.13		.10	24
25		.04		.22		.05			.02	.02		.03	25
26		.20		.11				.02	.24	.13	.26	.12	26
27		.36	.10	.03	.06						.05	.16	27
28		.04		.18		.06			.01		.15	.07	28
29						.21	.10		.25	.27	.03	.02	29
30						.06	.08			.16			30
31			.07		.03					.01		.02	31
Total	.61	1.62	1.39	.84	.65	2.39	.27	1.69	1.44	1.74	2.97	4.67	TOTAL for year 20.28
No. of Rain Days.	8	13	15	9	8	11	4	11	13	16	24	26	158

W. 8,000, X. '11.

wrote 7 Aug 18.02

10 III 13

cor by Obsr 16.III.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 JAN 1913

Kept at Leachley

in the County of Salop. 4

by Col. Hon. F. Bridgeman.

Lat. 52.39.30 Long. 2.19 W.

Time of Observation 9 a.m.

Nearest Railway Station Albrighton

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 3 ft. - in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02		.12			.23	.05		.02		—	.14	1
2			.06	.05		.13	.20		.01			.04	2
3	.01		.03		.10	.17	.02	.71	.03		.03	.08	3
4	.10	.04	.56		.17	.41		.20	.05		.40		4
5	.17	.13	.28		.03	.36		.25			.02		5
6	.31	.05	.03		.04			.33				.02	6
7		.13			.05	.57	.02	.14				.02	7
8	.28	.09	.12	.09	.04	.44	.05	.16	.07			.18	8
9	.04	.02	.51	.08		.42		.25				.18	9
10	.11	' '	.01	.03		.52		.30			.27	.01	10
11	.04	.06			.01	.13		.05				.48	11
12	.05	.17	.16			.01	.02	.01			.03	.09	12
13	.04	.01				.14			.03				13
14			.50			.09		.04			.01	.02	14
15	.12	.08			.45	.27		.04	.03			.05	15
16	.81	.01	.08		.03	.07		.07		.07			16
17	.57		.02			.10	.02	.45			.29	.56	17
18	.08		.07			.01		.02 ~~.62~~		.06	.05		18
19	.10	.06					.16	.19		.03	.03		19
20	.02	.01	.17				.05	.02		.05	.02		20
21	.03	.02	.11		.34		.11	.30		.46	.03	.02	21
22	.13		.01		.65	.14	.16	.44		.02	.01	.10	22
23	.10	.08	.34		.01		.23	.34			.14	.02	23
24	.13	.01				.23	.14	.11				.20	24
25						.09		.62			.27	.31	25
26	.06	.05	.03			.13	.16	.54		.70	.25		26
27		.02				.01	.58	.01		.85		.15	27
28		.04				.45	.24	.40		.26	Snow .74	.18	28
29		.08	.03			.04	.20	.08		.02		.02	29
30	.04		.04		.07	.50	.10	.04		.04	.03		30
31			.11		.47		.17					.07	31
Total	3.36	1.16	3.39	.25	2.46	5.66	2.68	6.71	.24	2.56	2.62	2.94	YEAR'S TOTAL 33.43 33·43
Rain Days.	23	20	22	4	14	25	19	27	7	11	17	22	211

W. 7,500, XI. '12

FORM A.
BRITISH RAINFALL.

13 FEB 1914

✓

REGISTER OF RAINFALL IN 1913

Kept at Neachley [illegible]

in the County of Shropshire 4

by Col. Hon. F. Bridgeman

Lat. 52.39.30 Long. 2.19 W.

Time of Observation 9 a.m.

Nearest Railway Station Albrighton G.W.R.

Diameter of Rain Gauge 6. in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.07		.61		.03		.25	.02	.02	.01	1
2		.08	.05	.04	.01				.06	.04	.05		2
3	.02		.09		.66				.03	.10	.01	.16	3
4	1.01	.04			.27		.03				.03	.35	4
5	.32		.06		.15	.20	.02		.08	1.72	.05	.03	5
6	.04	.10	.27		.15	.17	.95			.04	.01	.18	6
7	.02	.08			.15	.03	.05			.62	.20	.04	7
8		.15	.16		.11	.22	.02	.13		.08		.01	8
9		.31	.01	.06	.21	.36	.18	.22	.08	.01	.10	.07	9
10	.04			.26	.28	.01	.02	.09		.03	.08	.01	10
11	.76			.44	.14	.02				.10	.39	.02	11
12		.01		.01	.04				.06	.01	.32	.02	12
13	.02	.01	.21	.01		.02			.12	.01	.27		13
14	.10	.01	.62	.15				.06		.08	.04		14
15	.05	.02	.71	.64				.22	.12	.01	.10		15
16	.01		.55					.01	.07	.01			16
17		.01	.04	.05		.03	.07		.07	.01	.02		17
18			.23	.14	.06		.10		.05		.02		18
19	.08		.05	.06			.02		.02			.04	19
20	.03		.14	.08					.05	.10	.21		20
21			.05	.02	.04		.12	.06		.01	.23		21
22	.49				.01	.13	.01	1.16	.53				22
23	.01		.68					.06	.08	.01	.12		23
24	.13			.02				.01		.02	.03		24
25	.02			.08					.08	.01	.01	.01	25
26				.28	.03			.08	.01	.02		.25	26
27	.02		.03	.35						.15		.03	27
28	.21	.02	.36	.33	.09		.44			.10	.02	.14	28
29			.50	.45	.01			.21		.03		.02	29
30	.20							.03		.74	.04		30
31			.32		.03					.01			31
Total	3.59.	.85	3.20	3.49	3.05	1.19	2.06	2.36	1.76	4.09	2.59	1.39	YEAR'S TOTAL 31.62
Rain Days.	21	12	21	19	19	10	14	13	17	27	23	17.	213

W.7,000, XI. 13

DL

23.IV.12

RE

Kept at Shipnal

in the County of Shro

by F. W. Haswe

SHIFNAL
NATIONAL SCHOOLS
SHROPSHIRE
1911 - 1920

5 in.

Ground 1 ft. 1 in.

Sea Level 279 ft.

Name

Distance Direction

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

371

IMPORTANT NOT the result entered to the previous day. If an Ol versal rule, he is earnestly requested to add the rea ar in the space provided for it at the end of thi ent of rain, the selection and placin tish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01				·02	·05			·01		1
2					·10					·07	·12		2
3					·36			·08	·02		·11	·03	3
4			·12	·02				·04	·04		·07	·27	4
5	·05		·08					·08		·13	·01		5
6	·13		·04					·09		·29	·03	·33	6
7	·12										·24		7
8	·14		·12								·11	·52	8
9	·03		·05								·92	·11	9
10		·12	·12						·05		·03	·32	10
11	·14								·01		·29	·01	11
12			·45						·47		·19		12
13								·09				·38	13
14		·02	·04								·01	·57	14
15		·02	·02				·02			·02	·02	·29	15
16						·06					·11	·02	16
17					·21	1·23					·12	·30	17
18		·30				·08				·03	·02	·29	18
19		·03		·06		·39	·02	·03	·18	·23	·20	·06	19
20		·09						·07	·18	·03		·32	20
21		·18	·04	·08				·60		·13		·01	21
22				·01		·01				·32		·27	22
23		·13	·16	·06	·02	·20			·33	·02		·10	23
24		·08				·64		·04		·19		·20	24
25		·03		·20	·02	·04			·02			·02	25
26		·18		·12	·03	·06		·50		·20	·19	·10	26
27		·26	·11	·04					·24		·10	·15	27
28		·10		·14		·02					·16	·01	28
29						·19	·19		·26	·24	·01	·01	29
30			·03	·02		·08	·01			·21	·02		30
31			·05		·06					·01			31
Total	·61	1·54	1·44	·75	·80	3·00 3·04	·26	1·67	1·80	2·12	3·09	4·69	TOTAL for year 21·77
No. of Rain Days	6	13	15	10	7	12	5	11	11	15	23	24	152

9,000, IX. '10.

8L

23.IV.12

371

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RE

Kept at Shifnal Schools

in the County of Shropshire 4

by F. W. Haswell

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 279 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01				·02	·05			·01		1
2					·10					·07	·12		2
3					·36			·08	·02		·11	·03	3
4			·12	·02				·04	·04		·07	·27	4
5	·05		·08					·08		·13	·01		5
6	·13		·04					·09		·29	·03	·33	6
7	·12										·24		7
8	·14		·12								·11	·52	8
9	·03		·05								·92	·11	9
10		·12	·12						·05		·03	·32	10
11	·14								·01		·29	·01	11
12			·45						·47		·19		12
13								·09				·38	13
14		·02	·04								·01	·57	14
15		·02	·02				·02			·02	·02	·29	15
16						·06					·11	·02	16
17					·21	1·23					·12	·30	17
18		·30				·08				·03	·02	·29	18
19		·03		·06		·39	·02	·03	·18	·23	·20	·06	19
20		·09						·07	·18	·03		·32	20
21		·18	·04	·08				·60		·13		·01	21
22				·01		·01				·32		·27	22
23		·13	·16	·06	·02	·20			·33	·02		·10	23
24		·08				·64		·04		·19		·20	24
25		·03		·20	·02	·04			·02			·02	25
26		·18		·12	·03	·06		·50		·20	·19	·10	26
27		·26	·11	·04					·24		·10	·15	27
28		·10		·14		·02					·16	·01	28
29						·19	·19		·26	·24	·01	·01	29
30			·03	·02		·08	·01			·21	·02		30
31			·05		·06					·01			31
Total	·61	1·54	1·44	·75	·80	3·00 3·00	·26	1·67	1·80	2·12	3·09	4·69	TOTAL for year 21·77
No. of Rain Days	6	13	15	10	7	12	5	11	11	15	23	24	152

9,000, IX. '10.

82 ✓ 369

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Shipnal School

in the County of Shropshire 4

by F. W. Haswell

Rain Gauge { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·08			·26	·01	·02	·02			·12	1
2			·06	·02		·15	·18		·005			·04	2
3			·02		·16	·16		·76	·03		·01	·07	3
4	·10		·50		·17	·30	·02	·12	·01		·38		4
5	·13	·15	·28		·03	·42		·39	·05		·02		5
6	·34	·05			·04			·21	·01				6
7		·09			·05	·96	·04	·07	·03	·01		·01	7
8	·24	·15	·17	·06	·04	·46	·02	·30	·08			·02	8
9	·03		·57	·12		·54		·34				·13	9
10	·11	·03		·05		·23		·08		·01	·31	·01	10
11	·05		·02		·01			·02			·13	·56	11
12	·04	·21	·10				·02				·03	·08	12
13						·06		·03		·03	·01		13
14	·06		·40			·08		·01	·03			·02	14
15	·12	·05	·16	·02	·44	·25		·03					15
16	·88	·01	·06		·09			·02					16
17	1·10	·01	·13			·09	·01	·42			·28	·02	17
18	·11		·13					·02		·06	·03		18
19	·10	·05				·02	·16	·18		·03	·02	·01	19
20	·04	·01	·16		·05	·01	·06	·02		·17	·03	·01	20
21		·01	·17		·42			·32		·43	·04	·03	21
22	·15	·05			·56	·02	·20	·40		·01	·01	·04	22
23	·07		·37				·32	·31			·17		23
24	·10	·03	·03			·18	·24	·06				·25	24
25	·01					·06		·35		·02	·27	·30	25
26		·06	·05				·17	·59		·78	·24	·06	26
27		·02				·39	·48			·89		·12	27
28		·05				·05	·25	·37	·11	·18	·85	·19	28
29		·01	·05			·27	·12	·05	·55	·02		·02	29
30	·05		·07		·04	·22	·06	·0057		·12	·02	·04	30
31			·08		·55		·15	·05		·01			31
Total	3·85	1·04	3·66	·27	2·65	5·18	2·51	5·545	·925	2·77	2·85	2·65	TOTAL for year 33·90
No. of Rain Days.	21	18	22	5	14	22	18	28	10 ~~11~~	15	18	22	~~214~~ 213

W. 8,000, X. '11.

82 ✓

cnd by mm stats 30·III·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

28 JAN 1914

3 80

Kept at Shifnal Schools DM

in the County of Shropshire 4

by F. W. Haswell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			07	·13	·10				·29				1
2	·02	·05	·04	·10			·02		·03		·12		2
3	·02	·01	·11		·80				·03	(09) ·09		·19	3
4	·95	·04	·06		·17		·02			·05	·06	·36	4
5	·32	·06	·05		·08	·12	07	·04	·05	1·55	·01	·02	5
6	·03	·15	·24		·26	·18	·84			·08		·20	6
7		·14			·15	·17	·06			·66	·20	·04	7
8		·08	·18	·01	·09	·12	·03	·14		·05		—	8
9		·25	·02	·06	·10	·30	·12	·36	·09		·13	·08	9
10	·02			·25	·06	·02					·06		10
11	·58	·03		·44	·06	·01		·01		·10	·24	·02	11
12					·09						·60		12
13	·02	·02	·18	·01				·04	·14		·26		13
14	·09	·05	·66	·10				·20	·03	·08	·06		14
15	·02		·50	·60					·04		·12	·02	15
16		·01	·46	·07				·01	·01	01		—	16
17	·02			·06			·07		·11		·01		17
18			·23	·07	·03		·10		·06		·01	·02	18
19	·05		·05	·03		·02			·11				19
20	·03		·11	·09						·03	·17	·04	20
21			·16	·01	·05		·14	·03			·22		21
22	·45		·52	·05		·11		·84	·55				22
23	·01			[illegible]		·03		·04	·10		·11	·02	23
24	·15			·05							·04	·01	24
25				·05					·09	·03			25
26				·29	·04			·07	·01			·22	26
27			·05	·15						·22		·08	27
28	·22		·36	·38	·08					·13		·04	28
29	·02			·44	·05			·08		·03		·15	29
30	·22		·68		·03			·21		·66	·08	·01	30
31			·30		·08								31
Total	3·24	·89	5·03	3·32	2·32	1·08	1·47	2·07	1·74	3·77	2·50	1·52	YEAR'S TOTAL 28·95
Rain Days.	19	12	21	20	18	10	10	13	16	15	18	17	189

W. 7,500, XI. 12

DL/ only one obs 1.IV.15 365

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Shifnal The Schools

in the County of Shropshire 4

by F. W. Haswell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·03	·06				·89	·20				·21	1
2	·01						·59	·50		·02	·40	·22	2
3	·02		·03	·08	·13		·09	·04			·05	·10	3
4	·24		·01	·10	·09		·05	·11			·50	·41	4
5	·01		·16	·10	·04	·01	·24				·08		5
6	·02	·03		·18	·09	·01	·22				·16	·09	6
7	·07	·09	·42	·07	·12	·24	·09	·08				·50	7
8	·02			·01	·12	·45		·26	·10			·06	8
9	·33		·01	·17	·10	1·00		·09	(·01)				9
10	·11	·12	·03	·34	·04	·23			·22				10
11	·01	·17	·14	·08	·10				·03		·28	·39	11
12	·01	·21	·24				·47		·41		·11	·15	12
13		·30	·13				·05		·04	·13	·24	·32	13
14		·06	·09							·12	·15	·04	14
15	·03	·02	·18					·02				·43	15
16			·10				·05		·10		·01	·04	16
17		·20	·18				·04		·10			·37	17
18		·10	·06			·27	·05		·28			·31	18
19		·03	·05				·05		·27		·13	·16	19
20		·17	·15			·08	·50					·45	20
21		·32	·01			·25	·60			·12	·03	·43	21
22		·05			·25	·03		·22		·38			22
23		·05	·06		·16	·03	·03			·10		·02	23
24			·04	·01	·05	·01	·08	·15		·03	·13		24
25			·01				·11	·26		·40	·05	·15	25
26			·04				·07	·10		·08	·12	·19	26
27	·07									·02	·43	·52	27
28	·11	·08	·08		·03					·03		·70	28
29			·03		·12					·15			29
30			·01	·01				·03		·01	·09	·36	30
31	·07				·07		·20			·02	·33	·03	31
Total	1·17	2·03	2·32	1·15	1·51	2·61	4·47	2·06	1·56 ✓	1·61	3·29	6·65	YEAR'S TOTAL 30·43
Rain Days.	16 17	17	25	11	15	12	20	13	10	14	18	25	196

W.7,000, XI. 13

8r

2415

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Shifnal, Schools

in the County of Shropshire

by F. W. Haswell

Exc 8r

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·16	·11		·50		·01	·04				·06	1
2	·04	·05	·21	·22		·11	·02	1·34	·18	·14		·09	2
3	·33	·02		·08			·60	·03	·005	·22		·20	3
4	·20	·05			·08		·58	·18		·005		·70	4
5	·10	·37	·01				·02	·05				·45	5
6	·03	·16	·03	·09			·85	·02				·02	6
7	·16	·33			·21		·14	·09				·25	7
8	·10	·10		·05				·06			·04		8
9	·10	·05		·35							·24	·50	9
10	·24		·09	·06							·02	·04	10
11	·01			·03	·30		·24	·04			·63	·08	11
12	·09			·33	·22		·01			·15	1·17		12
13		·38	·01	·03	·43			·47		·005	·10	·01	13
14				·04				·10	·07			·23	14
15	·31			·01	·07		·10	·08			·15	·07	15
16	·05	·30			·34		2·00	·06				·01	16
17		·17	·02		·33							·01	17
18	·02	·28	·03							·005		·01	18
19		·06			·10		·14				·005		19
20	·10			·13								·06	20
21	·27			·03			·19			·02		·07	21
22	·01		·20	·05			·11					·03	22
23		·13	·09			·09	·15		·005	·75	·005	·30	23
24				·05			·09		·35	·22		·21	24
25						·63	·09			·02		·29	25
26		·02	·08				·31		·025			·28	26
27		·13				·05	·23			·37		·13	27
28		·23	·02				·01	·22	·01			·01	28
29						·13	·22	·07		·015	·09	·07	29
30	·04	X		·05		·58	·06	·01		·22	·03	·11	30
31	·09	X	·03	X		X	·10	·08	X	·03	X	·18	31
Total	2·51	2·99	·93	1·60	2·58	1·59	6·27	2·94	·645	2·17	2·480	4·47	YEAR'S TOTAL 31·175
Rain Days.	20	18	13	16	10	6	23	17	6 ~~7~~	13 ~~11~~	10 ~~11~~	28	180 ~~176~~

W. 8,000. X. 14.

8L

H 8L

cordby run stats 8 by B

~~318~~

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at National Schools Shifnal
in the County of Shropshire
by F. W. Haswell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·19			·18	·27			·06	·20		1
2	·14	·03	·21		·01		·18		·15	·86	·06		2
3		·57		·02	·06	·05	·42		·10	·17	·12		3
4	·11	·26		·10	·45		·49		·03	·06	·36		4
5		·05			·27	·18	·03			·06	·07		5
6	·29	·17	·05		·17	·07	·38			·10	·33		6
7	·03		·09		·07	·05	·22			·10	·13	·29	7
8	·06		·08		·13				·01	·20		·19	8
9		·02	·10		·39	·02			·02	·01	·02		9
10	·01	·33	·06	·05	·04		·02		·03	·11	·10		10
11		·20	·01	·09	·01	·07	·06		·02			·16	11
12	·04	·07	·04	·01	·25		·20	·05		·06			12
13	·01	·12	·11	·03			·19	·22		·01		·14	13
14		·35	·02	·13	(·02)			·10		·09		·04	14
15		·25	·31	·12	·12		·08	·10	·08	·24			15
16	·01	·07	·02	·30	·03		·03	·14	·01	·06			16
17	·03	·16		·29			·04	·54	·45	·21			17
18		·12	·04	·09				·04	·25	·09	·54	·32	18
19	·04	·01	·25	·04				·01			·27		19
20	·01		·65	·07				·06			·04	·15	20
21			·26		·13		·04				·01	·10	21
22				·07		·02				·13		·19	22
23	·01		·02	·01				·12		·07	·03	·32	23
24		·85			·14	·01		·19		·10		·14	24
25		·02	·18			·01		·32	·03		·30		25
26	·04	·09			·22	·04		·15	·11	·23	·08		26
27	·01		·38			·10		·16	·15	·57		·01	27
28		·41	·01						·01	·04	·04	·20	28
29		·17				·45		·31		·15		·25	29
30		✕				·14				·12			30
31		✕		✕		✕			✕	·20	✕	·06	31
Total	·91	4·32	3·08	1·42	2·51	1·39	2·65 2·65	2·51	1·43	4·10	2·70	2·56	YEAR'S TOTAL 29·58 29·58
Rain Days.	16	21	21	15	17	14	15	15	15	26	17	15	207

W. 8,000. X. 15.

8L

2231
~~300~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Shifnal National Schools

in the County of Shropshire

by F. W. Haswell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·14		·07		·90	·09		·03	·33	1
2				·20		·06		·04			·19	·17	2
3		·06		·05		·01		·09		·30	·05		3
4			·12						·01	·95	·01	·03	4
5	·27		·11	·17				·15	·03	·27	·07		5
6	·01		·08			·10				·10	·22		6
7	·40									·05	·07	·04	7
8	·55			·13				·50		·35	·10	·19	8
9			·12	·08	·09			·39	·01	·20	·51		9
10	·38		·40	·12	·10			·08	·03	·01	·02		10
11	·08		·02	·16	·02			·13		·13	·03		11
12	·05			·02	·70			·01	·01	·18	·02		12
13				·06				·26	·03				13
14	·05		·10	·01				·09		·07			14
15		·01			·05		·14	·02		·07		·13	15
16	·03	·09		·09		·19	·12	·04				·17	16
17			·04	·08	·27		·41	·45	·06	·04			17
18		·01		·10	·05		·46	·14	·66				18
19	·01	·33	·56		·04	·16							19
20		·28			·34	·16	·12	·11	·33	·03	·18		20
21		·03	·29	·02	·16	·09		·01		·05	·08		21
22			·01			·21		·13	·04	·11			22
23		·19			·16	·01		·07				·02	23
24		·02	·02			·38		·06		·40	·12	·01	24
25		·09	·07					·03		·06			25
26								·34	·07	·06	·28		26
27			·01		1·87	·17	·73	·81					27
28			·06			·04		·25				·04	28
29							·03	·08		·22		·21	29
30		X	·02					·19		·02	·01		30
31		X	·02	X		X	·02	·11	X		X		31
Total	1·83	1·11	2·12	1·43	3·85	1·65	2·03	48 5·52	1·37	3·67	1·99	1·34	YEAR'S TOTAL 27·87 27·97
Rain Days.	10	10	18	15	12	13	8	27	12	21	17	11	174

W. 8,000, VIII. 16

Dl

~~284~~ 31

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Schools Shifnal

in the County of Shropshire

by F. W. Haswell

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·14	·04					·03	·32		1
2		·02		·14				·34			·02	·19	2
3		·03	·01		·21			·12	·41			·01	3
4	·01	·05			·01			·01	·84		·47	·43	4
5				·10	·14	·01		·03	·09	·17	·03		5
6		·12	·02	·15		·15			·01	·15			6
7		·09		·03	·08	·06			·20	·01	·10		7
8		·16					·01		·16	·16	·01		8
9	·02	·42		·19	·38	·14	·56		·43	·25			9
10	·10	·07		·19			·31		·06	·06	·04	·10	10
11	·04	·01	·18	·01	·17		·24		·15	·03		·05	11
12		·01	·09		·17		·26		·02				12
13					·05	·02	·01		·18	·02		·01	13
14	·24	·01				·05	·15		·21	·09		·20	14
15	·49			·16			·48		·18	·03		·24	15
16	·08			·36	·02	·15	·12	·03	·28			·08	16
17	·31			·01	·01	·07	·04		·14	·21		·05	17
18	·34		·07			·13	·18		·59	·01		·22	18
19	·02		·16	·05			·08		·01	·03		·25	19
20	·06	·09		·44		·07	·14		·05	·01		·45	20
21	·07			·40			·12		·15	·02		·15	21
22					2·65		·18		·08	·08		·40	22
23	01				·45	·01	·19		·07	·01	·01		23
24		·21					·02	·07	·07		·11	·03	24
25					·03	·11	·50	·40			·03		25
26							·36	·03	·09		·07	·07	26
27		·06					·02	·33	·14		·15	·05	27
28		·10	·34					·02			·14	·07	28
29			·14						·62		·01	·02	29
30		×	·20						·02		·13	·12	30
31		×	·17	×		×		·06	×		×		31
Total	1·79	1·48	1·38	2·37	4·41	·97	3·97	1·44	5·25	1·37	1·64	3·19	YEAR'S TOTAL 29·26
Rain Days.	13	16	10	14	14	12	20	11	26	18	15	21	190

W. 8,000, IX. 17.

87 ✓

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at *Shifnal, National Schools*
in the County of *Shropshire*
by *F. W. Haswell*

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·02	·01	·04	·11		·25		·05	·13		·21	1
2	·13		·18				·07		·10	·06	·14	·02	2
3	·06				·04	·11	·37		·09		·08	·05	3
4		·01	·19			·01	·14	·18	·13			·22	4
5		·24			·07				·01			·11	5
6	·08		·08		·23						·04	·14	6
7	·20		·12	·04	·01						·04	·02	7
8	·10		·03	·01							·01		8
9	·12			·15									9
10			·33	·01						·05		·14	10
11	·02		1·00		·02		·17			·05		·05	11
12			·99	·06		·55			·01	·16	·03		12
13	·09			·07			·09		·65	·33		·01	13
14	·30	·02		·26			·06		·01	·09	·02	·06	14
15	·24	·05		·48						·16		·22	15
16	·05	·62		·02				·01		·01	·21		16
17	·01	·50		·02		·13	·02	·05			·06		17
18	·05	·01	·57				·01	·65				·08	18
19		·22	·78			·14	·60	·47	·14		·10		19
20	·15	·06	·14			·01	·36	·17			·33	·36	20
21	·20	·28	·01				·29		·22		·03	·08	21
22		·31				·02	·01		·49			·75	22
23						·13				1·26		·07	23
24				·02	·10					·64	·15	·08	24
25	·10			·08	·13					·01	·01	·02	25
26			·11	·16		·03		·50	·12		·01	·22	26
27			·03	·31		·01			·01		·03		27
28	·08			·01		·01		·18				·32	28
29	·08		·14	·15		·02		·01		·40		·09	29
30	·02	X	·02	·15		·08		·02		·06	·08	·24	30
31		X		X		X		·01	X		X	·05	31
Total	2·45	2·34	4·73	2·04	·71	1·25	2·44	2·25	2·03	3·41	1·37	3·61	YEAR'S TOTAL 28·63
Rain Days.	20	12	17	18	8	13	13	11	13	14	17	24	180
Days with ·04in.	17	8	12	12	6	6	10	7	9	12	16	20	129

W. 6,500. VII-18. W W C

[illegible]

12 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Shifnal Schools

in the County of Salop

by T. F. Chord

Lat. 52·40·11 N Long 2·31·30 W

Time of Observation 9 a.m.

Nearest Railway Station Shifnal

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 3/4 in.

„ „ „ „ Sea Level 283 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·12	·32		·18	·02	·11	·04		·20	1
2				·12			·78		·15	·04		·11	2
3	·06	·06		·14		·03	·70		·13	·22			3
4				·12			·06		·03	·40		·01	4
5			·04		·06		·30	·27	·12	·50			5
6			·40	·05	·08		·05	·06		·69		·02	6
7			·03	·09	·18		·22						7
8	·54	·08		·54	·18		·42						8
9	·39	·06		·54		·13	·08	·13				·01	9
10	·31	·08	·08	·12			·36	·20			·03		10
11	·02		·06	·31	·36	·15	·06						11
12	·12			·18		1·12		·06				·13	12
13	·08	·08	·07	·15		·03					·13		13
14		·01	·70^{s}	·16		·43	·02		·45	·14	·15		14
15		·11	·15	·33		·68				·50	·18		15
16				·13	·71	·10	~~·28~~		·07	·53			16
17	·01				·13	·03	·27		·40				17
18	·30			·01	·03	·01			·13				18
19	·02	1·28^{s}		·05	·05	·14		·01	·03				19
20		·02		·63		·26		·06	·03			·06	20
21				·02								·03	21
22	·06			·15			·09	·03		·03			22
23			·07	·01			·11	·18				·43	23
24	·01		·11	·01			·17	·06				·14	24
25	·03	·11	·15	·07		·09		·02					25
26	·12		·22				·47	·02				·30	26
27	·15	·01	·05	·20	·75	·20	·26				·07	·09	27
28	1·27^{s}		·10	·09	·43	·03	·03					·30	28
29	·09		·24		·36	·02					·08	·60	29
30		×	·02		·16	·15	·04		·29		·08	·45	30
31	·08	×		×	·01	×	·02		×	·43	×		31
Total	3·66	1·90	2·49	4·34	3·76	3·60	4·69 ~~4·95~~	1·10 ~~1·12~~	1·94	3·52	·72	2·88	YEAR'S TOTAL 34·60 ~~34·[illegible]~~
Days with ·01 in. or more	18	11	16	25	15	17	21	13	12	11	7	15	180
Days with ·04 in. or more	13	8	14	21	12	11	19	8	9	10	6	11	142

337 2007

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Shifnal, National Schools

in the County of Shropshire

by F. W. Haswell

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground ...... ft. ...... in.

" " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·12	·32		·18		·11	·04		·20	1
2				·12			·79		·15	·04		·11	2
3	·06	·06		·14		·03	·70		·13	·22			3
4				·12			~~·07~~ 06		·03	·40		·01	4
5			·04		·06		·30		·12	·50			5
6			·40	·05	·03		·05			·69		·02	6
7			·03	·09	·18		~~·24~~ 22						7
8	·54	·08		·54	·18		·42						8
9	·39	·06		·54		·13	·08					·01	9
10	·31	·08	·08	·12			~~·37~~ 36				·03		10
11	·02		·06	·31	·36	·15	~~·05~~ 06						11
12	·12			·18		1·12						·13	12
13	·08	·08	·07	·15		·03					·13		13
14		·01	·70	·16		·43	·02		·45	·14	·15		14
15		·11	·15	·33		·68				·50	·18		15
16				·13	·71	·10	·27		·07	·53			16
17	·01				·13	·03			·40				17
18	·30			·01	·03	·01			·13				18
19	·02	1·28		·05	·05	·14			·03				19
20		·02		·63		·26			·03			·06	20
21				·02			·09					·03	21
22	·06			·15			~~·12~~ 11			·03			22
23			·07	·01			·17					·43	23
24	·01		·11	·01			·47					·14	24
25	·03	·11	·15	·07		·09							25
26	·12		·22				·26					·30	26
27	·15	·01	·05	·20	·75	·20	·03				·07	·09	27
28	1·27		·10	·09	·43	·03						·30	28
29	·09		·24		·36	·02	·04				·08	·60	29
30			·02		·06	·15			·29		·08	·45	30
31	·08				·01		·02			·43			31
TOTAL	3·66	1·90	2·49	4·34	3·76	3·60	~~4·66~~ 4·68	~~3·52~~ 1·70	1·94	3·52	·72	2·88	YEAR TOTAL ~~37·01~~ 34·62
Days with ·01 in. or more	18	11	16	25	15	17	21	13	12	11	7	15	181
	13	8	14	21	12	11	18	8	9	10	6	11	142

(4[illegible]283). Wt. [illegible]2968—215[illegible]500. 10[illegible]19. Gp.132. A.&E.W.

DL ✓

R 11

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

3/28

SHIFNAL

HATTON GRANGE

SHROPSHIRE

1911 - 1920

Kept at Shifnal
in the County of Sh
by Mr G Ris

in.
ve Ground ft. in.
Sea Level ft. 2295

Name
Distance Direction

IMPORTANT NO d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the re ear in the space provided for it at the end of t ment of rain, the selection and plac ritish Rainfall Organization are given i application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·01		·02	·02	·01				·02	1
2	·02				·09		·02			·10	·18	·04	2
3			·01	·01	·30			·01		·02	·07	·04	3
4	·01		·07	·04	·05		·02	·04	·04	·01	·06	·31	4
5	·05		·03	·02	·02			·05		·09	·02		5
6	·18		·03	·01				·08			·01	·30	6
7	·01									·15	·26		7
8	·10		·13								·10	·43	8
9	·04		·04								·55	·02	9
10		·10	·13						·01		·04	·42	10
11	·12										·24	·01	11
12	·01		·45						·43		·13		12
13			·02								·02	·44	13
14			·02				·02					·55	14
15		·04	·02				·01			·02		·22	15
16		·01	·01			·02					·02	·03	16
17						·80	·01			·01	·07	·35	17
18		·26	·01	·04		·21					·02	·22	18
19		·02		·04		·21	·15	·01		·18	·20	·05	19
20		·10		·02		·01		·07	·18	·11		·35	20
21		·23	·07	·01				·43	·08	·14		·01	21
22	·01	·02	·01					·01	·01	·26	·02	·27	22
23		·10	·12			·35			·28	·01	·03	·10	23
24		·11	·01	·04		·51		·04		·17		·20	24
25		·02		·16	·01	·04	·01		·01	·01		·02	25
26		·11		·13		·07				·21	·20	·10	26
27		·31	·01	·07				·42	·23	·01		·15	27
28		·08		·15							·14	·01	28
29		X	·01			20	20		·27	·20	·14	·01	29
30		X	·04			08	·01		·01	·16	·01		30
31		X	·06	X	·02	X			X		X		31
Total	·55	1·51	1·32 ~~1·37~~	·75	·49	2·52	·47	1·17	1·55	1·86 1·86	2·53	4·67 ~~4·69~~	TOTAL for year 19·39
No. of Rain Days	10 ~~9~~	14	22	14	6	12	10	11	11	18	22	26	176

9,000, IX. '10.

DL ✓

F 11

FORM A2. BRITISH RAINFALL.

20 JAN 1912

3/20

2295

Kept at Shifnal, Hatton Grange

in the County of Shropshire 4

by Mr G Risebrow

RAIN GAUGE
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation ......

Nearest Railway Station
Name ......
Distance ...... Direction ......

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·01		·02	·02	·01				·02	1
2	·02				·09		·02			·10	·18	·04	2
3			·01	·01	·30			·01		·02	·07	·04	3
4	·01		·07	·04	·05		·02	·04	·04	·01	·06	·31	4
5	·05		·03	·02	·02			·05		·09	·02		5
6	·18		·03	·01				·08			·01	·30	6
7	·01									·15	·26		7
8	·10		·13								·10	·43	8
9	·04		·04								·55	·02	9
10		·10	·13						·01		·04	·42	10
11	·12										·24	·01	11
12	·01		·45						·43		·13		12
13			·02								·02	·44	13
14			·02				·02					·55	14
15		·04	·02				·01			·02		·22	15
16		·01	·01			·02					·02	·03	16
17						·80	·01			·01	·07	·35	17
18		·26	·01	·04		·21					·02	·22	18
19		·02		·04		·21	·15	·01		·18	·20	·05	19
20		·10		·02		·01		·07	·18	·11		·35	20
21		·23	·07	·01				·43	·08	·14		·01	21
22	·01	·02	·01					·01	·01	·26	·02	·27	22
23		·10	·12			·35			·28	·01	·03	·10	23
24		·11	·01	·04		·51		·04		·17		·20	24
25		·02		·16	·01	·04	·01		·01	·01		·02	25
26		·11		·13		·07				·21	·20	·10	26
27		·31	·01	·07				·42	·23	·01		·15	27
28		·08		·15							·14	·01	28
29		X	·01			20	·20		·27	·20	·14	·01	29
30		X	·04			08 ~~[illegible]~~	·01		·01	·16	·01		30
31		X	·06	X	·02	X			X		X		31
Total	·55	1·51	1·32 ~~1·37~~	·75	·49	2·52	·47	1·17	1·55	1·86 1·86	2·53	4·67 ~~4·69~~	TOTAL for year 19·39
No. of Rain Days	10 ~~9~~	14	22	14	6	12	10	11	11	18	22	26	176

9,000, IX. '10.

DL

Correct in march

cord by mm stats } 7-III-13
for month

FORM A2. BRITISH RAINFALL.

25 JAN 1913

2/28

REGISTER OF RAINFALL IN 1912

Kept at Shifnal, Hatton Grange

in the County of Shropshire 4

by G. Risebrow

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

2295

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.		in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.01	.10		.01	.16	.04	.02	.02			.06	1
2		.02	.06	.02	.01	.12	.16		.01			.12	2
3			.01		.08	.14	.02	.76	.01			.06	3
4	.10		.55		.23	.35		.12				.11	4
5	.13	.14	.26		.03	.31		.39	.01		.47	.01	5
6	.33	.05			.02			.21	.04		.03	.02	6
7		.06	.04		.10	.74		.07				.01	7
8	.24	.16	.12	.03		.39	.10	.30	.10				8
9	.05	.02	.50	.08		.42		.24				.19	9
10	.04	.01	.01	.08		.50		.08			.01	.01	10
11	.14	.02	.02				.01	.02			.27	.41	11
12	.04	.20	.12								.22	.06	12
13	.01	.01				.02		.03		.03	.02	.01	13
14	.06		.41			.08		.01	.02			.03	14
15	.10	.08	.21		.45	.32		.03				.04	15
16	.75	.01	.06		.16	.01		.02		.05	.01		16
17	1.10	.01	.02			.09		.42			.25	.51	17
18	.27		.08					.02		.05	.03	.01	18
19	.05	.03			.01	.01	.14	.18		.04	.05	.01	19
20	.05		.12		.01		.02	.02		.15	.02	.01	20
21	.02	.03	.19		.41			.32		.50		.03	21
22	.06	.05			.62	.12	.16	.35		.01	.04	.04	22
23	.10	.02	.31			.01	.30	.14			.11		23
24	.15		.02			.07	.40				.01	.25	24
25						.15		.51		.01	.31	.30	25
26		.05	.05			.01	.18	.71		.75	.20	.06	26
27		.01			.02	.40	.45			.73	.01	.12	27
28		.03	.04			.05	.19	.36	.09	.34	.55	.19	28
29		.07	.01			.01	.12	.06	.53	.03	.04	.02	29
30	.01	X	.05		.02	.25	.03			.05		.04	30
31	.02	X	.10	X	.53	X	.18	.06	X		X		31
Total	3.84	1.09	3.46 ~~3.03~~	.21	2.71	4.73	2.50	5.45	.83	2.74	2.65	2.73	TOTAL for year ~~33.01~~ 32.94
No. of Rain Days	23	22	25 ~~26~~	4	16	24	16	26	9	13	19	27	22~~5~~4

9,000, IX. '10.

DL ✓

Cd for mth 30.iii.17

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

28 JAN 1914

2/25

2295

Kept at Shifnal, Hatton Grange

in the County of Shropshire

by G. Risebrow

4

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 4 in.

" " " " Sea Level 262 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·04	·13	·17				·22		·01		1
2	·02	·08	·04	·06			·01		·05		·04	·01	2
3	·02		·10		·64					·05		·25	3
4	·95				·24		·01		·01	·02	·04	·35	4
5	·35	·05	·04		·03	·06	·09		·04	1·66		·02	5
6	·05	·06	·15		·27	·18	·65			·06	·06	·19	6
7	·01	·07			·11	·08	·18			·72	·02	·03	7
8	·01	·15		·02	·12	·17	·01	·11		·02	·22	·01	8
9		·04	·13	·04	·14	·29	·15	·31	·09		·10		9
10	·02	·25		·20	·20	·02		·01		·03	·09		10
11	·64			·43	·10	·02		·11		·05	·26	·08	11
12					·05					·03	·42		12
13	·01		·12					·04	·16		·22		13
14	·12		·62	·12			·02	·22	·06	·08	·04		14
15	·04	·06	·55	·54					·05		·12	·06	15
16	·02	·02	·56	·05				·01	·02		·01		16
17	·04		·06	·06		·02	·08				·01		17
18	·01		·24	·08	·04		·10		·06		·03		18
19	·06		·18	·01	·01	·02	·01		·01	·02		·01	19
20	·01		·12	·06							·15		20
21			·06	·02			·09	·03		·08	·35		21
22	·44		·63					·84	·45				22
23						·10		·04	·11		·10	·03	23
24	·12			·02							·03	·01	24
25				·05					·09	·01	·01	·03	25
26				·22	·04				·02				26
27				·22				·08		·22			27
28	·22		·31	·37	·04					·08		·04	28
29	·02	×	·65	·45	·08			·16		·04		·15	29
30	·22	×		·02	·05			·02		·75	·05	·01	30
31	·01	×	·31	×	·04	×			×		×		31
Total	3·41 ~~2·91~~	·79	4·91	3·17 3·27	2·37 2·38	·96	1·40	1·98	1·44	3·92	2·38	1·28	YEAR'S TOTAL 28·01
Rain Days.	23	10	19	21	15	10	12	13	15	17	22	16	196

W. 7,500, XI. 12

Cndly C. 1. IV. 15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 -JAN 1915
2295

Kept at Hatton Grange. Shifnal
in the County of Shropshire ~~XI~~ 4
by G. Risebrow.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	4	1	5	7		7	132	8			~~2~~	20	1
2	1			5		1	41	*57			38	21	2
3	2		4	7	10	1	12	1			2	8	3
4	24		2	10	8	1	4	15			51	47	4
5	10		16	8	5		35	1			8		5
6	2	1	2	4	5	2	35				7	9	6
7	7	14	43	13	8	20	6	15			1	52	7
8	2			24	17	45	1	11	15			8	8
9	33	1	1	10	7	101		10	6			2	9
10	11	10	~~3~~		7	18			27				10
11		18	3		9				2		26	41	11
12	1	19	12			4	49		35		5	13	12
13	·	10	20				8		2	17	28	32	13
14		21	12				11		2	18	12	3	14
15	4	1	10					3	8	1	2		15
16	1		12				3		3			5	16
17		20	15				4		2			30	17
18		10	12			131	3		21	5		34	18
19		3	8				28		24		11	15	19
20		17	4			6	12				·	35	20
21		32	8			7	39	6		12		34	21
22		4	8		32	10		18		25			22
23		7	9		7	8	2			6		2	23
24	2		6	1	1		10	19		7	12		24
25	3		2	1	·		14	17		41	5	15	25
26		1	5				5	12		6	17	19	26
27	6									1	8	52	27
28		5	6		1					1	30	70	28
29		✕	7		10					14	9	36	29
30		✕	7	2	1			3		1	18	3	30
31	3	✕		✕		✕	16		✕	4	✕		31
Total	116✓	195	239	92	128	362	470	196	147	159	290	606	YEAR'S TOTAL 30.00
Rain Days.	17✓	19	26	12	15	15	22	15	12	15	19	25	212

W. 8,000. X. 14.

cnd by C + fwr auth 23-11-16

2414

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
JAN 1916
22

Kept at Hatton Grange

in the County of Shropshire

by George Eusebius

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	23	10	10		48			01	34	10	02	02	1
2	04	02	23	07		14		120	01	22		05	2
3	133	02	03	19			24	08	05	02		22	3
4	02	01			06		60	21		~~19~~		76	4
5	01	32					10	04				42	5
6	04	08	06	12			83	01				03	6
7	09	37		02	06		14	14			04	24	7
8	11	10		05				04			25		8
9	17	03		26				01			03	49	9
10	19		08	02				01			64	04	10
11	03		01	04	34		24	01			92	09	11
12	06			29	16		01	01		14	04		12
13	01	36	01		47		01	30			x	02	13
14	01				01		02	15	98			24	14
15	28			02	07		02	08			22	06	15
16	08	24			31		218	02				01	16
17		33			35		01					01	17
18	01	24	08										18
19		05			08		15						19
20	26			12			01					06	20
21	04			02			15			03		07	21
22	02		15	02			05		01	56		06	22
23	02	16	06			10	15			30		38	23
24	02		08	06			06		32	05		15	24
25						67	19		03	36	02	28	25
26							24					21	26
27		03					20					14	27
28		05	04			07	01	21	02	02		01	28
29		X				01	10	05			10	05	29
30	04	X		02		60	09	01		26	02	03	30
31	09	X		X		X	10	12	X	03	X	25	31
Total	320	251	92	132	238	~~149~~ 1·59	5[illegible]0	271	86	209	230	437	YEAR'S TOTAL ~~29·93~~ 30·15
Rain Days.	24	17	12	15	11	6	25	20	8	12	11	27	188

W. 8,000. X. 15.

8h

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30. JAN. 1917

2/25

Kept at Hatton Grange
in the County of Shropshire
by G. Risebrow

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in. 2295
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·01	·12		·01	·11	·21			·02			1
2	·15	·04	·21		·03	·01	·19		·14	·82	·14		2
3	·01	·45			·01	·04	·16		·03	·12	·03	·03	3
4	·11	·35		·12	·52	·20	·08		·04	·19	·04		4
5	·01	·01	·01		·25	·22	·09			·06			5
6	·15	·15	·04		·17	·04	·25			·19			6
7	·10	·04	·07		·14	·05	·28			·09		·24	7
8	·05		·10		·07	·01				·05		·10	8
9					·44	·02	·01			·09		·07	9
10		·29	·07	·06	·08	·02	·07		·01	·05	·01	·01	10
11		·39	·04	·12	·01	·11	·05		·04		·04	·24	11
12	·04	·01	·05	·04	·36		·20	·05	·02	·03	·02		12
13	·03	·09	·10	·05	·02		·11	·22		·01		·18	13
14		·37	·03	·08	·03			·10		·09		·02	14
15		·27	·07	·10	·10		·11	·10	·06	·23	·06		15
16	·03	·05	·25	·35	·08		·03	·14		·07			16
17	·04	·16	·07	·20			·04	·54	·38	·23	·38		17
18	·02	·11		·18				·04	·27	·05	·27	·35	18
19	·03		·01	·10				·01	·03	·05	·03		19
20	·03		·19	·04				·06				·08	20
21			·47	·01	·10		·04					·15	21
22		·01	·45	·04	·01	·05				·12		·35	22
23	·02	·12	·01	·04				·12		·04		·21	23
24		·70	·04		·08	·01		·19		·14		·14	24
25		·04	·13		·25	·01		·06	·02	·02			25
26	·04	·12	·01		·01	·04		·15		·22	·02		26
27	·01	·06	·50			·18		·32	·10	·60	·10		27
28	·01	·40	·03			·01		·01	·08	·06	·08		28
29	·01	·15				·28		·31		·12		·15	29
30		×	·01			·09		·01		·11		·17	30
31		×		×		×			×	·07	×	·07	31
Total	·92	4·39 4·39	3·08 3·09	1·53	2·77	1·50 1·50	1·92 1·92	2·43	1·22	3·94 3·96	1·22	2·56 2·56	YEAR'S TOTAL 27·48 27·48
Rain Days.	~~20~~	~~24~~	~~25~~	~~15~~	~~21~~	~~19~~	~~16~~	~~17~~	~~13~~	~~25~~	~~13~~	~~17~~	~~228~~
Days	8	20	18	14	13	12	14	14	8	24	8	14	167 61

W. 8,000. X. 15.

81

FORM A.
BRITISH RAINFALL.

2290

REGISTER OF RAINFALL IN 1917

Kept at Hatton Grange, Shifnal
in the County of Shropshire
by G. Risebrow

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06	·02		·09		·92			·03	41	1
2	·03		·01	·25		·10		·05	·14		·11	·07	2
3	·05	·07		·10		·02		·09		·81	·16	·05	3
4	·05	·04	·17					·02		·23	·01	·05	4
5	·27		·12	·16				·29	·05	·06	·06		5
6	·04		·18			·11		·01		·09	·19	·01	6
7	·35									·33	·04	·03	7
8	·62			·12			·01	·49		·20	·08	·15	8
9			·15	·13	·04			·25	·02	·01	·40		9
10	·40		·32	·11	·17			·09	·05	·15	·07		10
11	·09		·05	·19				·17		·22	·04		11
12	·05	·01		·02	·54			·06	·02	·02	·03	·01	12
13	·02		·01	·06				·17	·05	·02	·02		13
14	·05	·03	·11	·09				·06		·05			14
15	·02			·02	·08		·37	·02		·02		·09	15
16	·01	·12		·09		·26	·12		·09	·03		·20	16
17				·08	·26	·01	·16	·49		·02	·02		17
18	·03	·02		·10	·04		·69	·22	·67				18
19	·04	·22	·30		·02	·15		·02	·03				19
20	·03	·25	·25		·37	·15	·22	·06	·17		·14		20
21	·01	·03	·28	·02	·15	·25		·02		·05	·08		21
22						·23		·11	·05	·08	·01		22
23		·20			·17	·01		·04	·01	·16	·12	·02	23
24		·01	·04			·47	·12	·12		·23			24
25		·08	·08			·07		·02		·03		·01	25
26								·33	·05	·08			26
27					1·94	·12	·48	·67			·07		27
28			·04			·02		·10			·23	·01	28
29		×	·02				·03	·16		·25		·21	29
30		×	·01				·04	·21		·02	·01		30
31		×	·04	×		×	·01	·06	×	·01	×	·01	31
Total	2·16	1·08 ~~1·07~~	2·24	1·56	3·78 ~~3·84~~	2·06 ~~2·03~~	2·25 ~~2·15~~	5·32	1·40	3·17 3·19	1·92 ~~1·95~~	1·33 ~~1·37~~	YEAR'S TOTAL ~~28·27~~ ~~28·28~~ 28·27
Rain Days.	18	12	19	16	11	15	8 11	20	13	24	21	15	204

7 15 12 10 11 1·14 23 9 15 14 8 143 61

W. 8,000, VIII. 16

8L

FORM A.
BRITISH RAINFALL.

2295

REGISTER OF RAINFALL IN 1918

and [illegible]

Kept at Hatton Grange, Shifnal

in the County of Shropshire

by G. Risebrow

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03	·01	·17	·04				·01	·03	·26		1
2		·03	·01	·12				·24	·02	·02		·13	2
3		·04	·02	·01	·21			·64	·30	·09		·02	3
4	·03	·08						·02	·80		·35	·38	4
5		·01		·05	·17			·05	·15	·18		·01	5
6		·13	·01	·23				·01	·01	·19			6
7		·10		·03		·14	·01		·14	·02	·13		7
8		·19			·08	·15	·01		·28	·12		·02	8
9		·35		·06		·01	·12			·29			9
10	·02	·02		·14		·17	44		·29	·08	·05	·08	10
11	·09		·06	·02	·12		09		·04		·02	·05	11
12	·01	·01	·18		·14		40		·28	·04		·01	12
13	·02				·13		·01		·02	·06		·02	13
14	·23	·06			·01	·08	·18		·17	·08		·16	14
15	·50			·08	·01	·02	·38		·08	·05		·23	15
16	·09			·47		·09	·24	·05	·25			·66	16
17	·33	·01		·01	·02	·04	·07		·22	·17		·09	17
18	·26					·13	·18		·11	·02		·25	18
19	·05			·04			·07		·68	·04		·15	19
20	·08		·20	·25		·08	·02		·01	·01		·43	20
21	·06			·65	·01		·13		·10			·11	21
22					2·21		·18	·02	·15	·11		·31	22
23					·60	·02	·13		·06	·01	·02	·04	23
24		·20					·02	·13	·06		·15	·04	24
25					·01	·09	·15	·37	·07		·02		25
26							·54	·04	·01	·01	·09	·12	26
27		·14	·02					·32	·09		·16	·05	27
28		·10	·34						·20		·19	·10	28
29		✕	·02						·64		·02	·03	29
30		✕	·24						·02	·01	·15	·09	30
31		✕	·30	✕		✕			✕		✕	·01	31
Total	1·77	1·50	1·41	2·33	3·76	~~·93~~ 1·02	~~3·38~~ 3·37	1·89	~~5·18~~ 5·26	1·63	1·61	3·59	YEAR'S TOTAL ~~28·98~~ 29·14
Rain Days.	~~14~~ 13	16	12	15	14	12	20	~~12~~ 11	29	21	13	26	202
Wet days	9	10	6	11	9	9	15	8	22	13	9	19	140 62

W. 8,000, VIII. 16

2089

FORM A. BRITISH RAINFALL.

2295

REGISTER OF RAINFALL IN 1919

end month

Kept at Hatton Grange, Shifnal

in the County of Shropshire

by G. Risebrow

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·03		·12		·25		·06	·21		·26	1
2	·19		·15		·04		·05		·12	·02	·15	·01	2
3	·09		·02		·02		·43		·10		·10	·05	3
4		·02	·19			·14	·28	·25	·10		·01	·15	4
5		·24			·06				·07			·07	5
6	·06	·01	·04		·29							·04	6
7	·24		·17	·03	·01				·01		·05	·02	7
8	·08		·04	·04		·02					·02		8
9	·42			·09							·02		9
10	·02		·35	·05						·06	·04	·25	10
11	·06		·79				·20			·04		·13	11
12	·26		1·24			·48	·01			·09	·05	·05	12
13	·50			·10			·07		·42	·34		·04	13
14	·05			·32			·10		·03	·05		·05	14
15		·09		·41						·15		·24	15
16	·05	·64		·04				·06			·15		16
17		·63		·02		·13	·04				·10	·02	17
18	·01		·55					·35	·03		·01	·07	18
19	·05	·20	·65			·13	·85	·57	·10		·15	·01	19
20	·14	·07	·17			·04	·04	·17	·15		·29	·28	20
21	·07	·25	·02				·26		·04		·05	·09	21
22		·31				·01	·02		·47		·01		22
23		·01				·13			·02	·92		·76	23
24				·04	·13	·02				·90	·10	·11	24
25	·10			·03	·06	·02				·01	·04	·05	25
26			·10	·20		·02		·05			·04	·20	26
27	·12		·03	·39		·03					·05	·01	27
28	·02		·01	·02				·63				·25	28
29	·04	×	·14	·11		·04		·04		·35	·04	·10	29
30	·02	×	·03	·16		·08		·05		·05	·10	·10	30
31		×		×		×			×	·04	×	·06	31
Total	2·59 ~~2·[illegible]~~	2·48	4·72 ~~4·67~~	2·05	·73	1·29	2·60 ~~2·70~~	2·17	1·72	3·23	1·57 ~~[illegible]~~	3·47 ~~3·37~~	YEAR'S TOTAL 28·62 ~~[illegible]~~
Rain Days.	21	12	19	16	8	14	13	9	14	14	21	27	
	17	8	13	12	6	8	11	9	10	12	16	22	

W. 8,000, IX. 17.

2/336 [illegible] 2006

2295

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Shifnal, Halton Grange
in the County of Shropshire
by G. Riscbrow

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground ...... ft. ...... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·09	·15		·18	·01	·17	·05		·20	1
2				·10			·49		·12	·04		·10	2
3	·10	·03		·15	·01	·05	·54	·02	·15	·20		·02	3
4				·11	·01		·05	·25	·04	·49		·01	4
5			·04	·02	·03		·22	·13	·11	·21			5
6			·22	·04	·06		·13			·99		·03	6
7	·04		·04	·10	·04		·20						7
8	·40	·09		·44	·15		·25	·09		·02		·02	8
9	·32	·04		·55			·12	·23		·01			9
10	·32	·07	·07	·04		·06	·38				·05	·02	10
11	·06	·01	·09	·22	·28	·22	·04	·02				·01	11
12	·11	·01	·01	·20	·02	·84	·03	·09			·14	·20	12
13	·06	·03	·10	·17		·10			·01		·15	·01	13
14	·04	·03	·75	·12		·26			·28	·11	·15	·02	14
15	·01	·09	·25	·39		1·38	·05		·16	1·10	·01		15
16	·01		·01	·11	·44	·07	·16		·04	·45			16
17				·02	·14	·01	·02		·30	·04	·01		17
18	·21			·02	·07	·02	·10		·15				18
19	·02	·90		·07	·04	·10		·10	·05				19
20		·07		(·56)	·02	·20	·02		·05		·01	·02	20
21		·04		·06			·11					·07	21
22	·07			·17			·10	·10		·04			22
23	·01		·05	·01			·18	·09		·02		·40	23
24	·02		·15	·04				·02				·12	24
25	·04	·09	·17	·09		·05	·37	·02				·01	25
26	·21		·19	·01	·87	·02	·15					·02	26
27	·13		·07	·21	·91	·19	·04			·01	·04	·49	27
28	1·25		·12	·06	·27	·05	·04					·10	28
29	·20	·03	·18	·02	·49	·04	·05				·07	·48	29
30	·01	✕	·05	·08	·04	·04	·04		·25		·07	·08	30
31	·12	✕	·01	✕	·02	✕	·03		✕	·43	✕	·08	31
TOTAL	3·76	1·53	2·58	4·27	4·06	3·70	4·09	1·17	1·88	4·21	·70	2·48	YEAR'S TOTAL 34·43 874
Days with ·01 in. or more	23	14	20	30	20	18	27	13	14	16	10	22	228 227
·04	17	8	16	24	14	15	23	8	13	12	7	11	168

(44,233). Wt. 21,958—218. 7500. 10/19. Gp. 132. (A.&E.W.)

S. made ✓

11.IV.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

SHROPSHIRE

SHREWSBURY,

"MILL MEAD"

1911

REG 1911

Symond's

Kept at Mill Mead, top 5 in.

above Ground ft. 18 in.

in the County of Shrop „ Sea Level 230 ft.

9.a.m.

by W. Deedes

ion { Name Shrewsbury.
Distance 2mi Direction N.W.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		[illegible]	·01								·02		1
2					·05		·02			·02	·05	·07	2
3				·03	·33		·04	·13		·01	·07	·03	3
4			·07		·02						·14	·11	4
5			·01						·04	·19	·01		5
6								·25		·06	·02	·18	6
7	·09							·04			·18		7
8			·12								·25	·32	8
9	·15		·08								·49	·02	9
10			·09								}	}	10
11		·08									}·81	}·33	11
12			·37								}	}	12
13	·16							·06	·72		·01	·34	13
14			·07									·29	14
15		·02	·03								·01	·19	15
16					[illegible]	[illegible] ·16					·07	·01	16
17					·34	·36				·02	·16	·18	17
18		·15	·01		[illegible]	·10				·01		·18	18
19				·19					·16	·46	·16	·09	19
20				·05					·10	·06		·35	20
21		·04	·04				·01	·17	·02	·25			21
22	·04	·13		[illegible]						·47	·02	·29	22
23		·10	·27	[illegible]		·17		·15	·37	·06		·10	23
24		·06				·67				·26		·14	24
25		·05		·07		·03		·14	·05	·02			25
26		·17		·12						·20	·16	·05	26
27		·18	·08	·03	·38				·17		·12	·08	27
28		·14		·09				·50			·02		28
29									·13	·24			29
30						·13	·31			·26			30
31			·11				·02			·04			31
Total	·44	1·12	1·36	·58	1·12	1·52	·40	1·44	1·76	2·63	2·77 ✓	3·35 ✓	TOTAL for year 18·49 ✓
No. of Rain Days.	4	11	14	7	5	7	5	8	9	17	~~18~~ 21	~~19~~ 21	~~124~~

W. 8,000, X. '11.

S. made ✓

11.IV.

REG 911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Mill Mead, Shrewsbury

in the County of Shropshire. 3

by W. Deedes

RAIN GAUGE
Pattern Symond's
Diameter of top 5 in.
Height of top above Ground ft. 18 in.
" " " Sea Level 230 ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Shrewsbury.
Distance 2 mi Direction N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		~~[illegible]~~	·01								·02		1
2					·05		·02			·02	·05	·07	2
3				·03	·33		·04	·13		·01	·07	·03	3
4			·07		·02						·14	·11	4
5			·01						·04	·19	·01		5
6								·25		·06	·02	·18	6
7	·09							·04			·18		7
8			·12								·25	·32	8
9	·15		·08								·49	·02	9
10			·09								·81	·33	10
11		·08											11
12			·37										12
13	·16							·06	·72		·01	·34	13
14			·07									·29	14
15		·02	·03								·01	·19	15
16					~~[illegible]~~	~~[illegible]~~ ·06					·07	·01	16
17					·34	·36				·02	·16	·18	17
18		·15	·01		~~[illegible]~~	·10				·01		·18	18
19				·19					·16	·46	·16	·09	19
20				·05					·10	·06		·35	20
21		·04	·04				·01	·17	·02	·25			21
22	·04	·13		~~[illegible]~~						·47	·02	·29	22
23		·10	·27	~~[illegible]~~		·17		·15	·37	·06		·10	23
24		·06				·67				·26		·14	24
25		·05		·07		·03		·14	·05	·02			25
26		·17		·12						·20	·16	·05	26
27		·18	·08	·03	·38				·17		·12	·08	27
28		·14		·09				·50			·02		28
29									·13	·24	·		29
30						·13	·31			·26			30
31			·11				·02			·04			31
Total	·44	1·12	1·36	·58	1·12	1·52	·40	1·44	1·76	2·63	2·77 ✓	3·35 ✓	TOTAL for year 18·49 ✓
No. of Rain Days.	4	11	14	7	5	7	5	8	9	17	18 21	19 21	~~[illegible]~~

W. 8,000, X. '11.

notified 28.IV.19

SHROPSHIRE

SHREWSBURY.

"ST. MICHAELS SCH:"

1918–1920

REGISTE 8

FORM A.
BRITISH RAINFALL.

1 1 19

Kept at St. Michael's St. C
S

2.40 W
t monday at ~~noon~~
Shrewsbury

in the County of Shropsh

by Wm H Barclay

n Gauge 5 in.

ove Ground 30 ft. 9 in.

Sea Level 229 (approx) ft.

IMPORTANT NOTE.—Ra l the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
									~~1.46~~				
1							·00						1
2									wrong .X. 1.46			·2	2
3						·00							3
4			·12										4
5													5
6					·44								6
7	·26									·74			7
8				1.46			·04						8
9									2.65			·56	9
10						·30							10
11		·94	·03										11
12													12
13		~~·46~~			·46								13
14	·14									·23			14
15				·42			1.04						15
16									1.62			·7	16
17						·10							17
18		·06	·06								·95		18
19													19
20													20
21	1.54									·36			21
22				·94			1.26						22
23									1.36				23
24						·34							24
25		·20	·24								·18		25
26													26
27					2.12					·03			27
28	·07												28
29				·00			1.10					1.5	29
30		X							·90				30
31		X		X		X			X		X		31
Total	2·01	1·20	·45	2·82	3·02	·74	3·44	1·46 .X.	6·53	1·36	1·13	2·96	YEAR'S TOTAL ~~25·12~~ 27·12
Rain Days.	✓		✓	✓	✓	✓	✓		⁜				

Closed for Summer holiday

Closed for Epidemic Sickness

W, 6,500, VII. 18. W W G

.X. approx. rainfall in August during period of closure
⁜ Heavy storms all the month.

notified 28.IV.19

REGISTE 8

FORM A.
BRITISH RAINFALL

II 1 19

Kept at St. Michael's C. E. School Shrewsbury

in the County of Shropshire.

by Wm H Barclay

2.40 W

Time of Observation Each monday at noon

Nearest Railway Station Shrewsbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 30 ft. 9 in.

" " " " Sea Level 229 (approx) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
									~~1.46~~				
1							·00						1
2									Aug ·X· 1.46			·2	2
3						·00							3
4			·12								Closed for Epidemic Sickness		4
5													5
6					·44								6
7	·26									·74			7
8				1.46			·04						8
9									2.65			·56	9
10						·30							10
11		·94	·03										11
12								Closed for Summer holiday					12
13		~~·06~~			·46								13
14	·14									·23			14
15				·42			1.04						15
16									1.62			·7	16
17						·10							17
18		·06	·06								·95		18
19													19
20													20
21	1.54									·36			21
22				·94			1.26						22
23									1.36				23
24						·34							24
25		·20	·24								·18		25
26													26
27					2.12					·03			27
28	·07												28
29				·00			1.10					1.5	29
30		X							·90				30
31		X		X		X			X		X		31
Total	2·01	1·20 ✓	·45	2·82	3·02	·74	3·44	1.46 ·X·	6·53	1·36	1·13	2·96	YEAR'S TOTAL ~~25·12~~ 27·12
Rain Days.	✓		✓	✓	✓	✓	✓		·*·				

W. 6,500, VII. 18. W W G

·X· approx. rainfall in August during period of closure
·*· Heavy storms all the month.

Cx MX 2093

Bmade

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at St Michael's St Council Sch

in the County of Shropshire

by Mr W H Barclay

Lat. 52.42 N Long. 2·40 W

Time of Observation Each Monday 1.30 p.m.

Nearest Railway Station Shrewsbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~229~~ 30 ft 9 in.

„ „ „ „ Sea Level 229 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·10	1
2													2
3		·38									·75		3
4													4
5			·14		·36								5
6	1·02									·10			6
7							1·06						7
8												·40	8
9													9
10		·34	·56								1·60		10
11													11
12					·12								12
13	·38									·20			13
14				·19			·30						14
15												·08	15
16						·50							16
17		1·06	2·00								·08		17
18													18
19					·32								19
20	·98									·30			20
21							·14						21
22													22
23						·32							23
24		1·45	2·16								·20		24
25													25
26					·26								26
27	·12									1·28			27
28				1·05			·40						28
29													29
30		X				·16							30
31		X	·16	X		X			X		X	1·72	31
TOTAL	2·50	3·23	~~5·28~~ 5·02	1·24	1·06	·98	1·90		2·10	1·88	2·63	2·30	YEAR'S TOTAL ~~25·10~~ 24·84
Days with ·01 in. or more													

Total of August and Sept 2·1

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2010

12 MAY 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at St Michael's Ch. C School Shrewsbury
in the County of Shropshire
by W H Barclay

Lat. 52. 42. N Long. 2. 40. W.
Time of Observation Monday. 12 noon
Nearest Railway Station Shrewsbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 30 ft. 9 in.
" " " " Sea Level 229 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·32								·24	·68	1
2		1·6											2
3													3
4										·88			4
5	·28						1·2						5
6									·56				6
7						·03					·08		7
8			·14									—	8
9		·6											9
10					·39					~~1·08~~			10
11										1·08			11
12	1·2			1·41			·7						12
13									·04				13
14						·6					·6		14
15			·43									—	15
16		·21											16
17					·2								17
18										1·5			18
19	·33			·3			·12						19
20									1·62				20
21						·42					—	·26	21
22			·03										22
23		1·83										·12	23
24													24
25										·08			25
26	·1			·24									26
27									·18				27
28						·12							28
29			·52										29
30		X						1·28					30
31		X		X	·95	X			X		X	·32	31
TOTAL	1·91	4·24	1·47	1·98	1·54	1·17	2·02	1·28	2·40	3·54	·92	1·38	YEAR'S TOTAL 23·85
Days with ·01 in. or more													
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Jan 1-7

REGIST 6

SHROPSHIRE

SHREWSBURY

"SEDGEFORD HSE"

1916 -1920

FORM A.
BRITISH RAINFALL.

JAN 1917

Kep at Sedgeford House

in the County of Salop.

by Robert C S

ng. 2°·44'·20" W

4 am

n Shrewsbury (GWR)

Rain Gauge 5 in.

above Ground 1 ft. — in.

" Sea Level 169 ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	x	—	·35	—	—	·05	·05	—	—	·10	·16	—	1
2	x	·05	·30	—	—	—	·19	—	·07	·73	·03	—	2
3	-	·52	·01	·02	·01	·03	·02	—	·05	·15	·14	·01	3
4	No Record (·45) x	·36	—	·05	·45	·23	—	—	·01	·06	·21	—	4
5	-	—	—	—	·32	·02	·09	—	—	·12	·03	—	5
6	x	·22	·01	—	·12	·05	·42	—	·01	·09	·15	·01	6
7	x	—	·04	—	·08	·02	·04	—	·01	·03	·05	·31	7
8	·01	—	·12	—	·14	—	·01	—	—	·07	·01	·05	8
9	—	·01	·01	—	·21	·05	—	—	—	—	·03	·03	9
10	—	·41	·03	—	·02	·01	·01	—	—	·04	—	·01	10
11	—	·09	·11	·02	·03	·03	—	—	·03	—	—	·06	11
12	—	·07	·09	—	·30	—	·21	·21	—	·02	—	·06	12
13	·01	·12	·09	·02	·01	—	·34	·13	—	·01	—	·10	13
14	—	·26	·01	·03	·02	—	—	·30	—	·06	—	·01	14
15	—	·36	·30	·16	·03	—	·04	·08	—	·05	—	—	15
16	·01	·06	·01	·13	·01	—	·22	—	—	·08	—	·01	16
17	·02	·15	—	·19	—	—	·01	·01	·30	·28	—	—	17
18	·02	·07	·05	·03	—	—	—	·02	·25	·05	·44	·08	18
19	·02	—	·19	·26	—	—	—	·03	·01	·08	·33	—	19
20	·05	—	·48	·01	—	—	—	—	—	·01	·01	·03	20
21	·04	—	·54	·14	—	—	·31	—	—	—	·01	—	21
22	—	—	—	·01	—	·03	·01	—	—	·09	—	·23	22
23	—	·02	·05	·02	—	—	—	·15	—	—	·06	·20	23
24	—	·30	·01	—	·44	·55	—	·12	—	·18	—	·11	24
25	—	·03	·16	—	·09	·02	—	·03	—	·01	·27	·01	25
26	·04	·03	·01	—	·26	·04	—	·12	—	·15	·17	—	26
27	·01	·04	·22	—	—	·02	—	·10	·15	·55	—	·01	27
28	—	·28	—	—	·05	·02	—	—	—	·08	·02	·20	28
29	—	·20	·01	—	—	·49	—	·11	—	·08	—	·17	29
30	—	╳	—	—	—	·14	—	·03	—	·16	—	—	30
31	—	╳	—	╳	—	╳	—	—	╳	·34	╳	·01	31
Total	(·98)	3·65	3·20	1·09	2·59	1·80	1·97	1·44	·89	3·67	2·12	1·71	YEAR'S TOTAL (24·81*)
Rain Days.	(15)	21	24	14	18	17	15	14	10	27	17	21	(213*)

W. 8,000, VIII. 16 * Excluding Jan 1 to 7.

Jan 1-7

REGIST 6

Kept at Sedgeford House Underdale Rd Shrewsbury

in the County of Salop.

by Robert C Sikes M Inst. C. E.

Lat. 52·42·40 N Long. 2·44·20 W

Time of Observation 9 am

Nearest Railway Station Shrewsbury (GWR)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 169 ft.

FORM A. BRITISH RAINFALL.

JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	↑ ×	—	·35	—	—	·05	·05	—	—	·10	·16	—	1
2	×	·05	·30	—	—	—	·19	—	·07	·73	·03	—	2
3	–	·52	·01	·02	·01	·03	·02	—	·05	·15	·14	·01	3
4	no Record (45) ×	·36	—	·05	·45	·23	—	—	·01	·06	·21	—	4
5	–	—	—	—	·32	·02	·09	—	—	·12	·03	—	5
6	×	·22	·01	—	·12	·05	·42	—	·01	·09	·15	·01	6
7	↓ ×	—	·04	—	·08	·02	·04	—	·01	·03	·05	·31	7
8	·01	—	·12	—	·14	—	·01	—	—	·07	·01	·05	8
9	—	·01	·01	—	·21	·05	—	—	—	—	·03	·03	9
10	—	·41	·03	—	·02	·01	·01	—	—	·04	—	·01	10
11	—	·09	·11	·02	·03	·03	—	—	·03	—	—	·06	11
12	—	·07	·09	—	·30	—	·21	·21	—	·02	—	·06	12
13	·01	·12	·09	·02	·01	—	·34	·13	—	·01	—	·10	13
14	—	·26	·01	·03	·02	—	—	·30	—	·06	—	·01	14
15	—	·36	·30	·16	·03	—	·04	·08	—	·05	—	—	15
16	·01	·06	·01	·13	·01	—	·22	—	—	·08	—	·01	16
17	·02	·15	—	·19	—	—	·01	·01	·30	·28	—	—	17
18	·02	·07	·05	·03	—	—	—	·02	·25	·05	·44	·08	18
19	·02	—	·19	·26	—	—	—	·03	·01	·08	·33	—	19
20	·05	—	·48	·01	—	—	—	—	—	·01	·01	·03	20
21	·04	—	·54	·14	—	—	·31	—	—	—	·01	—	21
22	—	—	—	·01	—	·03	·01	—	—	·09	—	·23	22
23	—	·02	·05	·02	—	—	—	·15	—	—	·06	·20	23
24	—	·30	·01	—	·44	·55	—	·12	—	·18	—	·11	24
25	—	·03	·16	—	·09	·02	—	·03	—	·01	·27	·01	25
26	·04	·03	·01	—	·26	·04	—	·12	—	·15	·17	—	26
27	·01	·04	·22	—	—	·02	—	·10	·15	·55	—	·01	27
28	—	·28	—	—	·05	·02	—	—	—	·08	·02	·20	28
29	—	·20	·01	—	—	·49	—	·11	—	·08	—	·17	29
30	—	✕	—	—	—	·14	—	·03	—	·16	—	—	30
31	—	✕	—	✕	—	✕	—	—	✕	·34	✕	·01	31
Total	(·68)	3·65	3·20	1·09	2·59	1·80	1·97	1·44	·89	3·67	2·12	1·71	YEAR'S TOTAL (24·81 ⊛)
Rain Days.	(15)	21	24	14	18	17	15	14	10	27	17	21	(213 ⊛)

W. 8,000, VIII. 16 ⊛ Excluding Jan 1 to 7.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Sedgeford House Underdale Rd Shrewsbury
in the County of Shropshire
by Robt. C. Sikes M. Inst. C.E.

Lat. 52°-42'-40" N. Long. 2°-44'-20" W
Time of Observation 9 am
Nearest Railway Station Shrewsbury GWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 169 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·11	·25	—	·25	—	·09	·06	—	·04	·08	1
2	—	—	—	·16	—	·11	—	·10	—	—	·08	·08	2
3	—	·09	—	·01	—	—	—	·10	—	·31	·01	·01	3
4	·01	—	·09	—	—	—	—	·09	—	·81	·01	—	4
5	·10	—	·15	·17	—	—	—	·07	·01	·17	·22	·01	5
6	·03	—	—	—	—	·17	—	—	—	·09	·23	—	6
7	·24	—	·27	—	—	—	—	·09	—	·09	·03	·05	7
8	·76	—	—	·14	—	—	—	·45	—	·29	·06	·10	8
9	—	—	·14	·07	·11	—	—	·08	·01	·10	·34	·01	9
10	·31	—	·39	·18	·09	—	—	·06	—	·01	·01	—	10
11	·14	—	—	·05	—	—	—	·17	—	·18	·02	—	11
12	·14	—	—	·03	·66	—	—	·18	·02	·15	·01	—	12
13	·01	·04	—	·04	·10	—	—	·30	·03	·02	—	—	13
14	—	—	—	·01	·01	—	—	·03	—	·05	—	·01	14
15	·01	·03	—	—	·07	—	·34	·08	—	·11	—	·09	15
16	·01	—	—	·14	—	—	—	·01	—	—	—	·22	16
17	·01	·01	·02	·09	·42	·19	·67	·19	·06	01	—	·03	17
18	·01	—	—	·04	·01	—	·19	·12	·65	·09	—	—	18
19	·01	·40	·50	—	·01	·22	—	·01 ?	·06	·01	—	—	19
20	·01	·18	—	—	·32	·34	·03	—	·11	—	·02	—	20
21	—	·03	·24	—	·03	·02	—	·04	—	·07	·06	—	21
22	—	—	—	—	·01	·31	—	·39	·01	·07	—	—	22
23	—	·19	—	—	·07	·01	—	·12	—	·11	—	·01	23
24	—	·01	·02	—	—	·08	—	·02	—	·20	·10	—	24
25	—	·10	·10	—	—	—	—	·05	—	·04	·09	—	25
26	—	·01	·02	—	·01	·09	—	·36	·07	·04	—	—	26
27	—	—	·02	—	1·50	·18	·22	·82	—	—	·01	—	27
28	—	—	·06	—	—	·02	—	·42	—	·01	—	·01	28
29	—		—	—	—	—	·03	·01	—	·31	—	·21	29
30	—	✕	·06	—	—	—	—	·26	—	·03	03	·01	30
31	—	✕	·13	✕	—	✕	—	·13	✕	—	✕	—	31
Total	1·80	1·09	2·32	1·38	3·42	1·99	1·48	4·84	1·0 9	3·37	1·39	·93	YEAR'S TOTAL 25·08
Rain Days.	15	11	16	14	15	13	6	29	11	25	·18	15	188

W. 8,000, IX. 17.

EX 918

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 1.

Kept at Sedgeford House Underdale Rd Shrewsbury
in the County of Shropshire
by Robert C Sikes M.Inst.C.E.

Lat. 52°-41'-40" N. Long. 2°-44'-20" W.
Time of Observation 9 am
Nearest Railway Station Shrewsbury G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 169 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·02	—	·16	·01	—	·01	·11	·01	·05	·41	—	1
2	—	·02	—	·04	—	—	—	·55	—	—	—	·24	2
3	—	·03	—	—	·32	—	—	·07	·69	·11	—	—	3
4	·01	·03	—	—	—	—	—	·01	1·28	·19	·22	·26	4
5	—	—	—	·08	10	—	—	·05	·14	·12	·06	—	5
6	·01	·12	·02	·28	—	·17	—	—	—	·41	—	—	6
7	04 }	·04	—	·01	·16	·01	—	—	·10	·03	·13	—	7
8		·21	—	—	—	·01	·03	—	·22	10	·01	—	8
9	·01	·47	—	·25	—	12	·06	—	34	06	01	·01	9
10	·09	·07	—	·20	—	—	·39	—	·16	·02	07	·15	10
11	·01	—	·05	·01	·12	—	·21	—	·26	·01	·01	·06	11
12	—	·05	·01		·15	—	·05	—	·01	—	—	—	12
13	—	—	—		·01	—	—	—	·14	·04	—	02	13
14	·28	—	—		—	·01	·27	—	·37	·02	—	·20	14
15	·60	—	—		·03	·01	·45	—	·26	·04	01	·25	15
16	·06	—	—	·18	—	·07	·17	—	·10	·05	—	·22	16
17	·26	—	—	·01	·02	·09	·04	·07	·02	·17	—	08	17
18	·27	—	·03	—	—	·14	·16	—	·66	·01	—	·21	18
19	·04	—	·18	—	—	—	·13	—	·03	·06	—	19	19
20	·10	·05	—	·40	—	·13	·02	—	·27	·02	—	69	20
21	·06	·01	—	·29	02	·01	·13	—	·25	·01	—	08	21
22	—	—	—	—	1·52	·01	·17	—	·03	—	—	·34	22
23	—	—	—	—	·60	—	·26	—	·01	—	—	—	23
24	—	·14	—	—	—	—	·33	—	·03	—	·15	·03	24
25	—	—	—	—	·10	—	·33	·25	·01	01	02	—	25
26	—	—	—	—	—	—	—	·06	—	—	·03	·06	26
27	—	·06	·15	—	—	—	—	·31	·22	—	·07	·09	27
28	—	·05	·22	—	—	01	—	·05	·01	—	·08	·06	28
29	—		·25	—	—	—	—	—	·55	—	—	05	29
30	—	X	·14	—	—	—	—	—	·01	—	·01	16	30
31	·01	X	·06	X	—	X	—	—	X	·02	X	·01	31
Total	1·85	1·37	1·11	1·91	3·16	·79	3·21	1·53	6·18	1·55	1·29	3·46	YEAR'S TOTAL 27·41
Rain Days.	15	15	10	12	13	13	18	10	27	21	15	22	191

W. 6,500, VII. 18. w w c

2092

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Sedgeford House Underdale Rd Shrewsbury
in the County of Salop.
by Robert C. Sikes M Inst C.E.

Lat. 52° 42′ 40″ Long. 2° 44′ 20″ W.
Time of Observation 9 am
Nearest Railway Station Shrewsbury G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 169 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·01	·01	·01	·10	—	·35	—	·13	·13	—	·25	1
2	·11	·01	·12	—	·01	—	·05	·04	—	—	·06	·01	2
3	—	—	·01	·01	·08	·07	·06	—	·02	—	·04	·15	3
4	—	·03	·28	—	·01	·01	·49	·15	·05	—	—	·23	4
5	·03	·25	—	—	·06	—	—	—	—	—	·02	·07	5
6	·03	·03	·09	—	·05	—	—	—	—	—	—	·17	6
7	·07	—	·10	·04	—	—	—	—	—	—	·09	—	7
8	·19	—	·04	—	—	·01	—	—	—	—	—	—	8
9	·11	—	—	·07	—	—	—	—	—	—	—	—	9
10	·01	—	32	—	—	—	—	—	—	·02	—	·03	10
11	·01	—	1·07	·01	—	·44	·23	—	—	·04	—	·01	11
12	·03	—	·63	·01	—	—	·01	—	·04	·08	·03	—	12
13	·09	—	·01	·04	—	—	·02	—	1·06	·30	—	·01	13
14	·36	·01	—	·26	—	—	·04	—	·01	·20	—	·01	14
15	·29	·03	—	·26	·30	—	—	—	—	·24	—	·32	15
16	·02	·67	—	·01	·01	·12	—	—	—	·01	·12	·01	16
17	·01	·67	—	·01	—	·05	—	·04	—	—	·07	·01	17
18	—	—	·76	—	—	—	·02	·60	·07	—	·01	—	18
19	·10	·30	·81	—	—	·08	·14	·25	·18	—	·27	·02	19
20	·20 }	·03	·12	—	—	·02	·02	·03	·19	—	·13	·09	20
21		·17	·01	—	—	—	·39	—	·01	—	·01	·10	21
22	—	·21	—	—	—	—	·01	—	·38	—	·01	·50	22
23	—	—	—	·01	—	·07	—	·03	—	1·60	·02	·05	23
24	—	·01	—	·05	·17	·02	—	—	—	·70	·14	·07	24
25	·02	—	—	·08	·09	—	—	·38	—	·01	—	·06	25
26	—	—	·07	·14	—	·05 (?)	—	—	·05	—	·02	·18	26
27	·17	·01	·04	·25	—	—	—	·35	—	·01	—	—	27
28	·10	—	·03	·02	—	—	—	·43	—	—	·01	·32	28
29	·05		·02	·05	—	—	—	·01	—	·19	—	·12	29
30	·01	✕	·01	·08	—	·05	—	—	—	·03	·04	·08	30
31	—	✕	·01	✕	—	✕	—	·04	✕	—	✕	·01	31
Total	2·12	2·44	4·56	1·41	·88	·99	1·83	2·35	2·19	3·56	1·09	2·88	Year's Total 26·30
Days with ·01 in. or more	23	15	21	19	10	12	13	12	12	14	17	25	193

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

11 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Sedgeford House Underdale Rd

in the County of ~~Shropshire~~ Shrewsbury

by Robt. C. Sikes M. Inst. C.E.

Lat. 52° 42' 40" Long. 2° 44' 20" W.

Time of Observation 9 am

Nearest Railway Station Shrewsbury GWR + LNWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ „ Sea Level 169 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	·01	·18	·15	·01	·11	—	·10	·09	—	·26	1
2	01	—	—	·14	—	—	·41	—	·08	·13	—	·09	2
3	·03	·06	—	·31	—	·05	1·38	—	·18	·24	—	·02	3
4	—	—	—	·03	—	—	·02	·33	·07	·18	—	—	4
5	—	—	·04	—	·01	—	·25	·03	·09	·56	—	—	5
6	—	—	·24	·02	·03	—	·08	—	—	·29	—	·01	6
7	—	—	·04	·12	·03	—	·20	—	—	·01	—	—	7
8	·40	·07	—	·54	·12	—	·45	·13	—	·01	—	—	8
9	·28	·16	·02	·72	—	—	·02	·16	·03	—	—	—	9
10	·32	·13	·06	·05	—	·05	·18	—	—	—	·03	·03	10
11	·06	·03	·04	·12	·27	·30	·07	—	—	—	—	·03	11
12	·13	—	·04	·15	—	·75	·01	·01	—	—	·13	·06	12
13	·24	·04	·05	·14	—	·05	—	—	·02	—	·15	—	13
14	—	·07	·60	·08	—	·05	·01	—	·58	·48	·21	·01	14
15	—	·10	·09	·25	—	·48	—	—	·01	·18	·10	—	15
16	—	—	—	·02	·10	·14	·18	—	·34	·80	—	—	16
17	·01	—	·01	—	·15	·01	—	—	·29	·01	—	—	17
18	·32	—	—	·05	·14	·01	·01	·04	·16	—	—	—	18
19	·02	1·51	—	·06	·17	·06	—	·14	·07	—	—	—	19
20	·01	·03	—	·22	—	·05	·01	·01	·08	—	—	·03	20
21	—	—	—	·01	—	—	·16	·03	—	—	—	·06	21
22	·02	—	—	·11	—	·01	·18	—	—	—	—	·01	22
23	—	·01	·03	02	—	—	·25	·01	—	—	—	·39	23
24	·01	—	·14	—	—	—	—	·01	—	—	—	·22	24
25	·01	·11	·05	·10	·10	·06	·49	—	—	—	—	—	25
26	·25	—	·33	·01	·04	·02	·06	—	—	·01	·07	·01	26
27	·17	—	·17	·12	·45	·17	·04	—	—	—	·02	·32	27
28	1·04	—	·24	·02	·09	·12	·04	—	—	—	—	·06	28
29	·06	—	·35	·04	·73	·01	·06	—	—	—	·07	·45	29
30	·04	✕	·01	·25	·01	·21	—	—	·42	—	·13	·11	30
31	·03	✕	·01	✕	·01	✕	·02	·01	✕	·27	✕	·02	31
Total	3·46	2·33	2·57	3·88	2·60	2·61	4·69	·91	2·52	3·26	·91	2·19	Year's Total 31·93
Days with ·01 in. or more	21	13	21	27	17	20	25	12	15	14	9	19	273
Days with ·04 in. or more	12	9	15	20	12	14	18	5	~~11~~ 12	10	7	10	144 ~~143~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

SHROPSHIRE.

SHREWSBURY

"HIGHFIELD"

1911 -1920
1912 A/B

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGIS 11

Kept at Highfield 5 in.

ove Ground 4 ft. 6 in.

in the County of Sal Sea Level 250 ft.

by T. M. Ho 9. A.M.

Name Shrewsbury

Distance 1 m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·06		·03	·05		1
2				·02	·04		·03	·01			·02	·06	2
3				·01	·30			·10	·04		·05	·04	3
4			·08		·01			·02	·01	·01	·16	·10	4
5	·06		·01		·01			·22		·19			5
6	·02		·03					·03	·01		·02	·18	6
7											·16		7
8	·13		·09								·23	·29	8
9	·02		·03								·52	·04	9
10		·07	·09						·01		·02	·27	10
11	·18								·04	·01	·40		11
12			·36						·69		·28	·01	12
13			·01					·07			·01	·33	13
14			·08									·35	14
15		·02	·03							·01	·02	·17	15
16						·06				·01	·06	·01	16
17					·42	·36	·01				·15	·18	17
18		·24		·11		·13				·01		·14	18
19		·02		·07		·12		·07	·16	·49	·17	·22	19
20		·04		·05				·10	·17	·06		·23	20
21		·18	·02				·01	·16		·28			21
22	·04					·01				·47	·02	·30	22
23		·08	·30			·15			·40	·02		·10	23
24		·07				·76		·16		·23		·13	24
25		·06		·09		·03			·05	·03			25
26		·23		·11	·36	·02				·30	·15	·07	26
27		·08	·07	·04				·56	·18		·08	·08	27
28		·14		·09							·02		28
29						·05	·22		·15	·24			29
30				·04		·02	·01			·27			30
31			·12		·04					·04			31
Total	·45	1·23	1·32	·63	1·18	1·76	·28	1·56	1·91	2·65	2·59	3·26	TOTAL for year 18·96 18·96
No. of Rain Days.	6	12	14	10	7	11	5	12	12	18	20	21	148

2·75 3·30

W. 8,000, X. '11.

REGIS 11

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Highfield. Shrewsbury
in the County of Salop 3
by T. M. Howells

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 4 ft. 6 in.
" " " Sea Level 250 ft.
Time of Observation 9. A.M.
Nearest Railway Station Name Shrewsbury
Distance 1m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·06		·03	·05		1
2				·02	·04		·03	·01			·02	·06	2
3				·01	·30			·10	·04		·05	·04	3
4			·08		·01			·02	·01	·01	·16	·10	4
5	·06		·01		·01			·22		·19			5
6	·02		·03					·03	·01		·02	·18	6
7											·16		7
8	·13		·09								·23	·29	8
9	·02		·03								·52	·04	9
10		·07	·09						·01		·02	·27	10
11	·18								·04	·01	·40		11
12			·36						·69		·28	·01	12
13			·01					·07			·01	·33	13
14			·08									·35	14
15		·02	·03							·01	·02	·17	15
16						·06				·01	·06	·01	16
17					·42	·36	·01				·15	·18	17
18		·24		·11		·13				·01		·14	18
19		·02		·07		·12		·07	·16	·49	·17	·22	19
20		·04		·05				·10	·17	·06		·23	20
21		·18	·02				·01	·16		·28			21
22	·04					·01				·47	·02	·30	22
23		·08	·30			·15			·40	·07		·10	23
24		·07				·75		·16		·23		·13	24
25		·06		·09		·03			·05	·03			25
26		·28		·11	·36	·02				·30	·15	·07	26
27		·08	·07	·04				·56	·18		·08	·08	27
28		·14		·09							·02		28
29						·05	·22		·15	·24			29
30				·04		·08	·01			·27			30
31			·12		·04					·04			31
Total	·45	1·23	1·32	·63	1·18	1·76	·28	1·56	1·91	2·75	2·59	3·36	TOTAL for year 18·96
No. of Rain Days.	6	12	14	10	7	11	5	12	12	18	20	21	148
										2·75		3·30	

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
9 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Highfield Shrewsbury
in the County of Salop
by T. M. Howells

Lat. 52°42'20" Long. 2°44'20"
Time of Observation 9. AM
Nearest Railway Station Shrewsbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06	·22	·12				·23		·01		1
2		·09	·04	·07		·01			·03	·03	·06		2
3	·04	·01	·11		·58					·15		·14	3
4	·68				·08	·01	·04			·07	·06	·44	4
5	·56	·06	·06		·05	·08	·01		·03	1·10	·01	·02	5
6		(·08) ·06	·11		·28	·16	·50			·05		·27	6
7		·28			·13	·10	·18			·33	·20	·01	7
8	·01	·10		·01	·12	·20	·02	·13		·08			8
9		·35	·02	·05	·05	·22	·13	·36	·09		·07	·01	9
10	·07			·18	·05			·11		·06	·02		10
11	·46	·02		·42	·17	·01		·01		·01	·27		11
12					·10			·01	·02		·25		12
13		·01	·23				·08	·05	·08		·27		13
14	·09		·59	·12				·12	·02	·07	·04		14
15	·03	·04	·32	·52					·14		·17	·02	15
16			·40	·02					·02				16
17	·02		·03	·08		·02	·08		·01		·01		17
18			·17	·07	·01		·06						18
19	·07		·03	·06	·03	·04	·03		(·06) ·06	·24	·01	·01	19
20	·21		·11	·14						·12	·16		20
21			·06	·01	·03		·09				·04		21
22	·42		·77		·01	·12		·79	·59				22
23						·01		·01	·36		·09		23
24	·13							·01			·05		24
25				·05					·16	·05		·02	25
26		·01		·48	·09			·06	·01	·01		·22	26
27	·02			·27						·39		·02	27
28	·12		·21	·22	·02					·53		·10	28
29			·45	·42	·02			·86		·17			29
30	·19				·04					·22	·03		30
31	·04		·34		·09								31
Total	3·16	1·05 ✓	4·11	3·41	2·07	·98	1·22	2·52	1·85 ✓	3·68	1·82	1·28	YEAR'S TOTAL 27·15
Rain Days.	17	11	19	19	20	12	11	12	15	18	19	12	185

W.7,000, XI. 13

T. M. Howells

Ex D L

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 2 - JAN 1915

Kept at Highfield Shrewsbury
in the County of Salop 3
by T. M. Howells

Lat. 52° 42′ 20″ Long. 2° 44′ 20″
Time of Observation 9. AM
Nearest Railway Station Shrewsbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~250~~ ft. 4 ft 6 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·39	1·75				·16	1
2							1·73	·28		·02	·34	·29	2
3				·15	·05		·03	·05			·01	·48	3
4	·18			·08	·07		·10	·01			·57	·41	4
5	·20		·10	·08	·03		·08				·16		5
6	·04			·18	·02		·03	·07			·46	·13	6
7		·04	·37	·04	·04	·07	·05	·13				·50	7
8				·06	·10	·27		·03	·06				8
9	·01	·01		·06	·08	·64		·10	·01				9
10	·01	·05		·22	·02	·12			·17				10
11		·38	·08	·01	·03				·10		·29	·55	11
12		·34	·23				·09		·33		·09	·19	12
13		·09	·13				·05		·01	·29	·26	·25	13
14		·31	·03							·18	·12	·01	14
15	·01		·27						·05				15
16			·03				·01		·05				16
17		·08	·25				·02		·07			·35	17
18	·01		·01			·02	·01		·02			·13	18
19		·02					·42		·10		·11	·15	19
20		·16	·18			·41	·20					·20	20
21		·29	·01			·38	·04	·14		·10		·15	21
22		·08	·03		·06	·05		·19		·14			22
23		·01	·03			·02	·01			·06			23
24			·51				·08	·63		·07	·05		24
25	·02		·01				·01	·33		·46	·03	·13	25
26			·05				·05	·04		·34	·16	·30	26
27	·04				·13					·06	·29	1·03	27
28	·12	·09	·04		·01					·02		·36	28
29		·02	·07							·06	·10		29
30					·04			·02		·12	·28	·24	30
31	·10						·17			·05			31
Total	·74	1·97	2·43	·88	·68	1·98	3·57	3·77	·97	1·97	3·32	6·01	YEAR'S TOTAL 28·29
Rain Days.	11	15	19	9	13	9	20	14	11	14	16	20	171

W. 8,000. X. 14.

[illegible] 23·III·16

2411

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
10. JAN 1916

Kept at Highfield Shrewsbury
in the County of Salop
by T. M. Howells

Lat. 52° 42′ 20″ Long. 2° 44′ 20″
Nearest Railway Station Shrewsbury
Time of Observation 9. AM
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " Sea Level 250 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	·07	·05		·42		·01	·02	·11	·15		·05	1
2	·06	·06	·13	·23		·06		1·37		·12		·13	2
3	·81	·02		·05			·35	·02		·02		·14	3
4	·01	·19			·36		·47	·10				·89	4
5	·01	·24				·01	·02	·10				·26	5
6	·03	·02	·07	·03			·40					·09	6
7	·11	·36		·06	·02		·19	·14				·20	7
8	·09	·11		·02				·11			·25		8
9	·10	·04		·15				·01			(·11) ·01	·57	9
10	·24		·02	·14				·13		·05	·02	·02	10
11	·03				·02		·19	·22			·66	·05	11
12	·03	·01		·19	·25			·27		·12	1·54	·01	12
13	·01	·47		·05	·39			·87			·04		13
14								·20	·09		·05	·15	14
15	·38			·04	·08		·17	·12			·07	·02	15
16	·16	·13			·25		1·46	·30					16
17		·30			·27					·01			17
18	01	·20	·03										18
19				·08	·06		·15						19
20	·02			·03	·01							·06	20
21	·35			·05	·06		·16			·03		·04	21
22			·15	·10			·07			·01		·08	22
23	~~·01~~	·20	·10			·05	·28		·01	·79		·27	23
24			·17	·12			·12		·44	·36		·25	24
25						·42	·01					·15	25
26		·04					·19		·03		·05	·38	26
27		·18				·04	·15	·19		·17		·26	27
28		·25				·03	·01	·12	·03	·01		·01	28
29						·86	·04	·01		·01	·07	·06	29
30	·04			·03		·12	·08			·18		·14	30
31	·03						·12			·03		·26	31
Total	2·90	2·89	·72	1·37	2·19	1·59	4·64	4·30	·71	2·06	2·86	4·54	TOTAL for year 30·77
No. of Rain Days	20	18	8	16	12	8	21	18	6	15	10	25	177

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

(Total 30·77)

Price 2d.

2342

W S.L end month

FORM A. BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Highfield Shrewsbury

in the County of Salop.

by T. M. Howells

Lat. 52° 42′ 20″ Long. 2° 44′ 20″

Time of Observation 9. AM

Nearest Railway Station Shrewsbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

„ „ „ „ Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07		·32			06	·05			·13	·15		1
2	·19	·04	·25				·17		·07	·80	·01		2
3		·55	·05	·02	·02		·01		·05	·13	·16	·01	3
4	·02	·36		·04	·48	·02				·05	·21		4
5					·31	·23	·17			·08	·07		5
6	·09	·27	·02		·13	·02	·43		·01	·12	·14		6
7	·05		·05		·11	·06			·01	·04	·07	·32	7
8	·04		·16		·13	·03				·09	·01	·04	8
9		·02			·21		·03				·03	·04	9
10		·44	·06	·01	·02	·07			·01	·04			10
11		·08	·10	·03	·02		·20		·02			·06	11
12	·01	·06	·09		·25	·05	·22	·27	·03	·02			12
13	·02	·11	·07	·04	·01			·17				·11	13
14		·32	·01	·02	·02		·04	·25		·05	·01		14
15		·36	·29	·16	·03		·22	·07	·01	·05			15
16	·01	·06	·01	·14	·02		·03	·01		·09			16
17	·02	·14		·21				·01	·33	·30			17
18	·04	·07	·03	·06				·03	·24	·05	·30	·11	18
19	·05		·21	·26				·03		·05	·53		19
20	·08		·50				·28	·01			·01	·04	20
21	·02		·53	·11	·01						·01		21
22				·02		·01				·10		·09	22
23		·02	·05	·03		·03		·17			·05	·38	23
24		·36	·02		·32	·76		·14		·02		·12	24
25		·04	·16		·23			·05		·18	·30	·01	25
26	·05	·04	·01		·20	·07		·23	·01	·20	·08		26
27		·04	·20			·01		·10	·13	·50		·24	27
28		·35			·03					·05	·01	·11	28
29		·20				·51		·12		·10			29
30		✕	·01			·14		·03		·20			30
31		✕		✕		✕			✕	·29	✕	·02	31
Total	·76	2·93 3.93	3·20	1·15	2·56 2·55	2·07	1·85 1·85	1·69	·92	3·73	2·15	1·70	YEAR'S TOTAL 25·80 25·70
Rain Days.	15	21	23	14	19	15	12	16	12	25	18	15	205

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
5. JAN 1918

Kept at Highfield. Shrewsbury

in the County of Salop

by T. M. Howells

Lat. 52° 42′ 20″ Long. 2° 44′ 20″
Time of Observation 9. a. m
Nearest Railway Station Shrewsbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·14	·17		·25		·09	·12		·04	·09	1
2				·25		·04		·10			·07	·05	2
3	·01	·09		·03				·04		·31	·02	·03	3
4	·02		·12					·16		·83	·01		4
5	·10		·17	·19				·06	·01	·14	·09		5
6	·03		·37			·17				·08	·30		6
7	·35							·02		·11	·02	·03	7
8	·71			·15				·42		·27	·08	·11	8
9			·18	·10	·12			·09	·03	·10	·37		9
10	·39		·40	·17	·09			·07		·01			10
11	·16			·09				·17		·16	·02		11
12	·13			·04	·61			·15	·02	·17		·03	12
13				·03	·11			·35	·03	·01			13
14				·03				·14		·05		·02	14
15	·04				·08		·32	·10		·06		·06	15
16	·01	·05		·15		·15		·01				·23	16
17			·03	·09	·42		·59	·18	·06	·03			17
18				·06	·02		·26	·18	·64	·10			18
19	·01	·45	·52			·24		·01	·07				19
20		·16			·33	·30	·05	·02	·12		·02		20
21		·03	·27		·03	·09		·02		·08	·05		21
22					·01	·25	·01	·26	·01	·05			22
23		·20			·07	·01		·08		·12			23
24		·01	·03			·10		·02		·22	·08		24
25		·10	·13					·04		·05	·09		25
26						·20		·48		·04	·04		26
27		·01	·01		1·56	·17	·22	·79					27
28			·09			·03		·40		·01			28
29							·01	·01		·30		·20	29
30		✕	·04					·26		·02	·01		30
31		✕	·14	✕	·01	✕		·09	✕		✕		31
Total	1·96	1·13	2·64	1·56	3·46	2·00	1·46	4·81	1·11	3·32	1·31	·85	YEAR'S TOTAL 25·60
Rain Days.	12	10	15	14	13	13	7	30	10	24	16	10	174

W. 8,000, IX. 17.

24

27

FORM A.
BRITISH RAINFALL.
8 1 19

REGISTER OF RAINFALL IN 1918

Kept at Highfield. Shrewsbury
in the County of Salop
by T. M. Howells

Lat. 52° 42′ 20″ Long. 2° 44′ 20″
Time of Observation 9 A M
Nearest Railway Station Shrewsbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04		·22	·01		·01	·04	·03	·07	·42		1
2		·01		·05				·44				·23	2
3		·03			·36			·14	·54	·21	·01		3
4		·04						·02	1·30	·22	·22	·26	4
5				·03	·12			·11	·15	·14			5
6		·11	·01	·39		·08				·41			6
7		·03		·01	·17	·11			·09	·03	·16		7
8	·02	·26					·02		·20	·14	·02		8
9	·03	·44		·26		·14	·05		·35	·07		·09	9
10	·09	·05	·05	·22			·30		·18	·04	·09	·15	10
11			·02		·16		·16		·26			·08	11
12	·01	·02			·17		·12		·16	·06			12
13									·25	·03		·03	13
14	·26					·03	·27		·36	·05		·20	14
15	·16				·03	·02	·52		·10	·06		·24	15
16	·10			·20		·09	·30	·05	·03	·19		·22	16
17	·55		·06		·02	04	·03	·04	·70	·01		·08	17
18	·23		·20			·16	·10		·03	·07		·21	18
19	·02						·12		·22	·02		·22	19
20	·10	·03		·34		·15	·04		·27			·63	20
21	·04	·04		·45	1·26	·01	·09		·04			·11	21
22					·68		·25		·03			·33	22
23						·01	·26		·04	·03			23
24		·16			·13			·72	·01		·18	·05	24
25				·01	·01		·30	·18	·01		·03		25
26							·31	·03	·21		·04	·06	26
27		·05	·01					·34	·02		·10	·10	27
28		·08	·39						·58		·10	·07	28
29			·21									·05	29
30		×	·19								·04	·15	30
31		×	·08	×		×			×	·03	×	·01	31
Total	1·61	1·39	1·22	2·18	3·12	·84	3·25	1·51	6·16	1·88	1·41	3·37 3·57	YEAR'S TOTAL 27·94 28·14
Rain Days.	12	15	10	11	12	11	18	11	26	19	12	22	179

W. 8,000, IX. 17.

3085

24 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Highfield Shrewsbury
in the County of Salop
by T. M. Howells

Lat. 52°42'20" Long. 2°44'20"
Time of Observation 9 AM
Nearest Railway Station Shrewsbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft 6 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12		·02		·10		·36		·07	·15		·26	1
2	·11	·02	·14				·04		·08		·07		2
3			·02	·02	·09	·08	·07		·03		·06	·13	3
4		·07	·29			·01	·46	·38	·14			·28	4
5	·04	·24			·08						·02	·08	5
6	(·03)	·03	·10		·06							·20	6
7	·08		·08	·05							·11		7
8	·18		·06			·02							8
9	·13			·08									9
10	·03		·32						·01	·05		·04	10
11	·05		·88	·01			·26			·03		·01	11
12			·90	·04		·45			·05	·12	·01		12
13	·11			·05			·02		1·05	·29			13
14	·35			·30	·32		·07			·19		·02	14
15	·28	·04		·30						·25	·16	·32	15
16	·03	·60		·04		·10		·55			·09		16
17	·03	·82		·01		·10	·01	·35				·01	17
18		·30	·58				·03	·07	·02		·29	·01	18
19	·11	·03	·44			·14	·18		·23		·15	·01	19
20	·17	·18	·46			·02	·08		·29		·02	·09	20
21	·03	·19					·40		·02			·13	21
22									·36		·02	·53	22
23					·10	·10		·03		1·46	·15	·08	23
24				·06	·19	·03				·68	·02	·08	24
25	·03			·09				·31		·01		·06	25
26	·03	·01	·08	·11		·05		·12	·04	·01	·02	·20	26
27	·05		·05	·30				·18					27
28	·24		·05	(·02)				·67				·33	28
29	·04		·03	·06		·01		·01		·22		·13	29
30			·02	·10		·07				·04	·05	·11	30
31	·04		·02										31
TOTAL	2·31	2·53	4·54	1·64	·94	1·18	1·98	2·67	2·39	3·50	1·24	3·11	YEAR'S TOTAL 28·03
Days with ·01 in. or more	23	12	19	17	7	13	12	10	13	13	15	22	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2002

FORM A. 1. METEOROLOGICAL OFFICE,—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Highfield Shrewsbury

in the County of Salop

by T. M. Howells

Lat. 52° 42′ 20″ Long. 2° 44′ 20″

Time of Observation 9 A.M.

Nearest Railway Station Shrewsbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

„ „ „ „ Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·12	·15		·20		·07	·09		·37	1
2	·01			·25			·46		·15	·08		·07	2
3	·04	·07		·32	·01	·07	1·85		·17	·26		·03	3
4				·05			·04	·37	·08	·15			4
5			·07		·02		·27	·04	·10	·46			5
6			·27	·03	·06		·13			·43		·03	6
7			·02	·14	·03		·25	·16					7
8	·41	·10	·03	·55	·15		·57	·17		·01			8
9	·30	·16	·03	·88			·05		·04		·05		9
10	·30	·13	·05	·09		·08	·20				·12	·04	10
11	·08	·05	·05	·14	·27	·31	·07	·02			·13		11
12	·14		·05	·17		·74					·22	·11	12
13	·11	·05	·07	·17		·03					·12		13
14		·10	·43	·09		·07	·03		·48	·52			14
15		·13	·35	·26		·49			·07	·15			15
16				·03	·12	·17	·23		·30	·87			16
17	·02		·02		·13			·09	·31	·03			17
18	·34			·05	·19		·03	·14	·25				18
19	·02	1·02		·07	·34	·07			·08				19
20	·01	·47		·27		·08		·06	·04			·06	20
21	·01			·01			·19	·15				·08	21
22	·03			·11			·19	·01					22
23			·03	·01		·02	·29	·02				·40	23
24	·03		·15									·24	24
25	·02	·14	·05	·12	·10	·07	·55				·10		25
26	·24		·33	·02	·05	·02	·05						26
27	·21		·16	·16	·55	·20	·07					·28	27
28	1·17		·29	·03	·10	·15	·02					·07	28
29	·08		·38	·01	·55	·01	·06				·09	·49	29
30	·06		·01	·33	·03	·11	·01		·44		·19	·13	30
31	·04				·01		·03	·02		·33		·02	31
TOTAL	3·67	2·42	2·67	4·48	2·86	2·66	5·84	1·25	2·58	3·38	1·02	2·42	YEAR'S TOTAL 35·25
Days with ·01 in. or more	22	11	21	27	18	17	24	12	14	12	8	15	201
Days with ·04 in. or more	14	11	14	20	13	13	19	8	14	10	8	12	156

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

/ 3

FORM A1.
BRITISH RAINFALL.

10 JAN 1912

SHROPSHIRE

SHREWSBURY

"THE ABBEY HSE"

1911 – 1920

THE ABBEY HO
SHREW

Dear Dr Mill
I am extre
ashamed of my
& yet more grieved,
at giving you additional
trouble on my account
but I find I made a
mistake (or rather 2)!
in my Rainfall report,
so please destroy those
I sent you yesterday,
& put these in their
place — & believe me
Yours very sincerely
FH Rouse Boughton

…er
…in.
…round 1 ft. 3 in.
…ea Level 171 ft.
…m
…me Shrewsbury
…stance Direction

…he result entered to the … conform to this almost universal rule, he is earnestly … anuary of the following year in the space provided … tructions for the measurement of rain, … particulars as to the British Rainfall … servers," sent post-free on application to … W.

Jan. 1, following.

							July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							in.	in.	in.	in.	in.	in.	
							·02	·04	—	—	·03	—	1
							·03	·01	·01	·03	·05	·07	2
							—	·04	·05	—	·05	·04	3
							—	·06	·02	·02	·19	·11	4
							—	·21	—	·21	—	·02	5
							—	·03	—	05	·02	·18	6
							—	—	·01	—	·17	—	7
							—	—	—	—	·24	·28	8
							—	—	—	—	·47	·03	9
10	—	·08	·09	—	—	—	—	—	·04	—	·02	·31	10
11	·12	—	—	—	—	—	—	—	·06	—	·40	·02	11
12	—	—	·35	—	—	—	—	—	·64	—	·33	·02	12
13	—	—	·01	—	—	—	—	·07	—	—	·01	32	13
14	—	·02	·07	—	—	—	—	—	—	—	[illegible]	36	14
15	—	·03	03	—	—	—	—	—	—	·01	03 ·03	19	15
16	—	—	—	—	—	·04	—	—	—	—	07	02	16
17	—	—	—	—	22	·43	01	—	—	·02	·15	17	17
18	—	45	01	·10	—	·15	—	—	[illegible]	·01	—	20	18
19	—	02	—	08	—	·18	—	·04 25	·18 ·18	·39	·17	15	19
20	—	05	—	·03	—	—	—	·15	·25	·07	—	29	20
21	—	18	03	—	—	—	03	·39	·02	·30	—	[illegible]	21
22	·04	·02	—	—	—	—	—	—	[illegible]	·48	·02	31	22
23	—	·08	30	—	—	·26	—	—	·31	·09	—	·12	23
24	—	06	—	—	—	·74	—	·15	—	·21	·01	14	24
25	·01	06	—	·05	—	·04	—	—	·05	·02	—	·01	25
26	—	20	—	·12	·34	·03	—	55 —	·01	·23	·15	·08	26
27	—	·12	·09	06	—	—	—	·55	·17	—	·11	·08	27
28	—	·14	—	08	—	·01	—	—	—	—	·02	—	28
29	—	—	—	[illegible]	—	·05	33	—	·13	·26	—	—	29
30	—	—	·12	03	·05	·09	—	—	—	·25	·02	—	30
31										·06		02	31
Total	37	1·51	1·35	59	98	2·03	·44 ·42	1·74	1·95	2·71	2·73	3·54	TOTAL for year 19·92
No. of Rain Days	7	14	16	10	7	12	5	12	15	18	22	25	19·92 163

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

W. 8,000, X. '11.

Amended return

REGIS

FORM A1.
BRITISH RAINFALL.
10 JAN 1912

Kept at The Abbey House - Shrewsbury

in the County of Salop

by F H Rouse Boughton

RAIN GAUGE
Pattern [illegible]
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 171 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Shrewsbury
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	—	—	—	·02	·04	—	—	·03	—	1
2	—	—	—	·03	·04	—	·03	·01	·01	·03	·05	·07	2
3	—	—	—	·01	29	—	—	·04	·05	—	·05	·04	3
4	—	—	03	—	·02	—	—	·06	·02	·02	19	·11	4
5	·06	—	02	—	02	—		·21	—	·21	—	·02	5
6	·05	—	04	—	—	·01	—	·03	—	05	·02	18	6
7	—	—	—	—	—	—	—	—	·01	—	·17	—	7
8	07	—	07	—	—	—	—	—	—	—	·24	·28	8
9	·02	—	·07	—	—	—	—	—	—	—	·47	·03	9
10	—	·08	·09	—	—	—	—	—	·04	—	·02	·31	10
11	·12	—	—	—	—	—	—	—	·06	—	·40	·02	11
12	—	—	·35	—	—	—	—	—	·64	—	·33	·02	12
13	—	—	·01	—	—	—	—	·07	—	—	·01	32	13
14	—	·02	·07	—	—	—	—	—	—	—	[illegible]	36	14
15	—	·03	03	—	—	—	—	—	—	·01	03 ·03	19	15
16	—	—	—	—	—	·04	—	—	—		07	02	16
17	—	—	—	—	22	·43	01	—	—	·02	·15	17	17
18	—	45	01	·10	—	·15	—	—	[illegible]	·01	—	20	18
19	—	02	—	08	—	·18	—	·04	·18 ·18	·39	·17	15	19
20	—	05	—	·03	—	—	—	·15	25 ·25	·07	—	29	20
21	—	18	03	—	—	—	03	·39	·02	·30	—	[illegible]	21
22	·04	·02	—	—	—	—	—	—	[illegible]	·48	·02	31	22
23	—	·08	30	—	—	·26	—	—	·31	·09	—	·12	23
24	—	06	—	—	—	·74	—	·15	—	·21	·01	14	24
25	·01	06	—	·05	—	·64	—	—	·05	·02	—	·01	25
26	—	20	—	·12	·34	·03	—	55 —	·01	·23	·15	·08	26
27	—	·12	·09	06	—	—	—	·55	·17	—	·11	·08	27
28	—	·14	—	08	—	·01	—	—	—	—	·02	—	28
29	—	—	—	[illegible]	—	·05	33	—	·13	·26	—	—	29
30	—	—	·12	03	·05	·09	—	—	—	·25	·02	—	30
31										·06		02	31
Total	37	1·57	1·35	59	98	2·03	·44 ·42	1 74	1·95	2 71	2·73	3 54	TOTAL for year 19·92 19·92
No. of Rain Days	7	14	16	10	7	12	5	12	15	18	22	25	163

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

3

Dec 9th 1912

10 JAN 1912

THE ABBEY HOUSE,
SHREWSBURY.

Dear Dr Mill

I am extremely ashamed of myself, & yet more grieved, at giving you additional trouble on my account but I find I made a mistake (or rather 2)! in my Rainfall report. So please destroy those I sent you yesterday, & put these in their place — & believe me

Yours very sincerely
FH Rouse Boughton

~~H~~ ML [illegible] 10.1.12

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at The Abbey House Shrewsbury

in the County of Salop

by F H Rouse Boughton

[illegible] return 3

RAIN GAUGE Pattern Glaisure
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 171 ft.

Time of Observation 9 a.m.

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	—	—	—	·02	04	—	—	·03	—	1
2	—	—	—	·03	·04	—	·03	·01	·01	·03	·05	·07	2
3	—	—	—	·01	29	—	—	·04	·05	—	·05	·04	3
4	—	—	·03	—	·02	—	—	·06	02 ·02	·02	19 ·19	·11	4
5	·06	—	·02	—	02	—	—	21	—	·21	—	·02	5
6	·05	—	·04	—	—	·01	—	·03	—	·05	·02	·18	6
7		—	—	—	—	—	—	—	·01	—	·17	—	7
8	·07	—	·07	—	—	—	—	—	—	—	·24	·28	8
9	·02	—	·07	—	—	—	—	—	—	—	·47	·03	9
10	—	·08	·09	—	—	—	—	—	·04	—	·02	·31	10
11	·12	—	—	—	—	—	—	—	·06	—	40	·02	11
12	—	—	35	—	—	—	—	—	·64	—	·33	·02	12
13	—	—	·01	—	—	—	—	07	—	—	·01	·32	13
14	—	·02	·07	—	—	—	—	—	—	—	—	·36	14
15	—	·03	·03	—	—	—	—	—	—	·01	·03	·19	15
16	—	—	—	—	—	·04	—	—	—	—	·07	·02	16
17	—	—	—	—	·22	·43	·01	—	—	·02	·15	·17	17
18	—	·45	·01	·10	—	·15	—	—	—	·01	—	·20	18
19	—	·02	—	·08	—	·18	—	·04	·18	·39	·17	·15	19
20	—	·05	—	·03	—	—	—	·15	·25	·07	—	29	20
21	—	·18	·03	—	—	—	·03	·39	·02	·30	—	—	21
22	·04	·02	—	—	—	—	—	—	—	·48	·02	·31	22
23	—	·08	·30	—	—	·26	—		·31	·09	—	·12	23
24	—	·06	—	—	—	·74	—	·15	—	·21	·01	·14	24
25	·01	·06	—	·05	—	·04	—	—	·05	·02	—	·01	25
26	—	·20	—	·12	·34	·03	—	—	·01	·23	·15	·08	26
27	—	·12	·09	·06	—	—	—	55	·17	—	·11	·08	27
28	—	·14	—	08	—	·01	—	—	—	—	·03	—	28
29	—		—	—	—	·05	·33	—	13	·26	—	—	29
30	—		12	·03	·05	·09	—		—	·25	·02	—	30
31										·06		·02	31
Total	·37	1·51	1·35	·59	·98	2·03	·42	1·74	1·95	2·71	2·73	3 48	TOTAL for year
No. of Rain Days.	7	14	16	10	7	12	5	12	15	18	22	25	1992 163

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1911

Kept at The Abbey House Shrewsbury
in the County of Salop
by F H Rouse Boughton

RAIN GAUGE.
Lat. .... Long. ....
Nearest Railway Station Shrewsbury
Time of Observation 9 a.m.
Diameter 8 in.
Height of top above Ground 1 ft. 3 in.
" " Sea Level 171 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	—	—		·02	·04	—	—	·03	—	1
2	—	—	—	·03	·04		·03	·01	·01	·03	·05	07	2
3	—	—	—	·01	·29		—	·04	·05	—	·05	·04	3
4	—	—	·03	—	·02		—	·06	·02	·02	·19	·11	4
5	·06	—	·02	—	·02		—	·21	—	·21	—	·02	5
6	·05	—	·04	—	—	·01	—	·03		·05	·02	·18	6
7	—	—	—	—	—	—	—	—	dew 01	—	·17	—	7
8	·07	—	·07	—	—	—	—	—	—	—	·24	·28	8
9	·02	—	·07	—	—	—	—	—	—	—	·47	·03	9
10	—	·08	·09	—	—	—	—	—	·04	—	·02	·31	10
11	·12	—	—	—	—	—	—	—	·06	—	·40	·02	11
12	—	—	·35	—	—	—	—	—	·64	—	·33	·02	12
13	—	—	·01	—	—	—	—	·07	—	—	·01	·32	13
14	—	·02	·07	—	—	—	—	—	—	—	—	·36	14
15	—	·03	·03	—	—	—	—	—	—	·01	·03	·19	15
16	—	—	—	—	—	·04	—	—	—	—	·07	·02	16
17	—	—	—	—	22	·43	·01	—	—	·02	·15	·17	17
18	—	·45	·01	·10	—	·15	—	—	—	·01	—	·20	18
19	—	02	—	·08	—	·18	—	·04	·18	·39	·17	·15	19
20	—	·05	—	·03	—	—	—	·15	·25	·07	—	·29	20
21	—	·18	·03	—	—	—	·03	·39	·02	·30	—	—	21
22	·04	·02	—	—	—	—	—	—	—	·48	·02	·31	22
23	—	·08	·30	—	—	·26	—	—	·31	·09	—	·12	23
24	—	·06	—	—	—	·74		·15	—	·21	·01	·14	24
25	·01	·06	—	·05	—	·04	—	—	·05	·02	—	·01	25
26		·20	—	·12	·34	·03	—	—	01	23	·15	·08	26
27		·12	·09	·06	—	—	—	55	17	—	·11	08	27
28		·14	—	·08	—	·01	—	—	—	—	·02	—	28
29			—	—	—	·05	·33	—	·13	·26	—	—	29
30			·12	·03	·05	·09	—	—	—	·25	·02	—	30
31										·06		·02	31
Totals	·37	1 ·51	1 35	59	98	2·03	42 ~~42~~	1·74	1 95	2 71	2·73	3 54	
Total from Jan. 1	·37	1·88	3·23	3·82	4·80	6 83	7 27	9·01	10·96	13·67	16·40	19·94	

K/1000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

× Dew ·27

19·94

Cod by mne stats 7.III.13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

13 JAN 1913

Kept at The Abbey House Shrewsbury

in the County of Salop 3

by J H Rouse Boughton

N Lat. 52 42 20 Long 2 45 20 W

Time of Observation 9 a.m.

Nearest Railway Station Shrewsbury

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 171 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·01	—	—	·10	·05	·02	·02	—	·01	·11	1
2	—	·02	·06	—	—	·31	·05		—	—	—	·02	2
3	·01	—	·05	—	·03	·31	—	·68	·05	·01	—	·07	3
4	·14	—	·38	—	·16	·02	—	58	—	—	·12	—	4
5	·09	·10	23	—	08	·31	—	·14	·01	—	02	—	5
6	·29	·08	·01	—	·05	—	—	1 22	—	—	—	—	6
7	—	·09	—	—	05	67	·07	—	·06	—	—	·07	7
8	·41	08	·13	—	05	·34	—	·18	—	·02	—	—	8
9	·06	02	32	·10	—	·28	—	·28	—	—	—	·06	9
10	·19	—	—	·01	—	·32	—	·16	—	·02	36	—	10
11	·02	·02	·02	—	·03	—	—	·03	—	·01	·12	·40	11
12	·02	·22	·10	—	—	—	—	·02	—	·02	—	·13	12
13	—	—	—	—	—	—	—	·02	·02	·09	·03	05	13
14	·01		53	—	—	·04	—	—	03	03	—	·02	14
15	·08	(·12) ·12	·15	—	35	·32	—	·02	—	—	·03	—	15
16	·49	02	·05	—	·18	·10	—	·08	—	·04	—	·04	16
17	·90	·02	·11	—	·01	05	·03	·29	—	·01	·21	·43	17
18	·11	·01	04	—	—	—	—	·01	—	·03	·02	·01	18
19	·12	·08	—	—	·01	·02	·12	28	—	·04	—	·02	19
20	·05	·02	14	—	·10	—	·11	·04	—	·22	—	·02	20
21	·01	·02	·04	—	·64	—	·01	·18	—	·31	—	—	21
22	·17	·06	—	—	·69	—	·19	·31	—	·02	—	·05	22
23	·15	·01	·35	—	·01	—	·30	·11	—	—	·12	·03	23
24	·13	·01	·02	—	—	·04	—	·08	—	·05	·02	·25	24
25	—	·06	·03	—	—	·06	—	26	—	·01	·24	·32	25
26	—	—	·07	—	—	·03	·16	59	—	·74	·16	·05	26
27	—	·02	—	—	—	·22	·43	—	—	·67	·04	20	27
28	—	·04	—	—	—	·04	·34	·32	·03	·10	73	·02	28
29	·02	—	·03	—	—	·05	·16	·06	·43	·03	—	·02	29
30	·05	—	·02	—	—	·51	·02	—	—	·22	·04	—	30
31			·25		·28		(·29) 29	·04		·06		·03	31
Total	3·52	1·12	3·14	·11	2·72	4·08	2·33	6·00	65	2·75	2·27	2·36	YEAR'S TOTAL 31·05
Rain Days.	22	21	24	2	16	21	15	26	8	22	16	23	216

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1912

FORM A1.
BRITISH RAINFALL.

Kept at The Abbey House Shrewsbury

in the County of Salop

by F H Rouse Boughton

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 171 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Shrewsbury
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·01	—	—	·10	·05	·02	·02	—	·01	·11	1
2	—	·02	·06	—	—	·31	·05	—	—	—	—	·02	2
3	·01	—	·05	—	·03	·31	—	·68	·05	·01	—	·07	3
4	·14	—	·38	—	·16	·02	—	·58	—	—	·12	—	4
5	·09	·10	·23	—	·08	·31	—	·14	·01	—	·02	—	5
6	·29	·08	·01	—	·05	—	—	1 22	—	—	—	—	6
7	—	·09	—	—	·05	·61	·07	—	·06	—	—	·01	7
8	·41	·08	·13	—	05	·34	—	·18	—	dew ·02	—	—	8
9	·06	·02	·32	·10	—	·28	—	·28	—	—	—	·06	9
10	·19	—	—	·01	—	·32	—	·16	—	dew ·02	·36	—	10
11	·02	·02	·02	—	·03	—		·03	—	·01	·12	·40	11
12	·02	·22	·10	—	—	—	—	·02	—	·02	—	·13	12
13	—	—	—	—	—	—	—	·02	·02	·09	·03	·05	13
14	·01	—	·53	—	—	·04	—	—	·03	·03	—	·02	14
15	·08	12 ·22	·15	—	·35	·32	—	·02		—	·03	—	15
16	·49	·02	·05	—	·18	·10	—	·08	—	·04	—	·04	16
17	·90	·02	·11	—	·01	·05	·03	·29	—	·01	·21	·43	17
18	·11	·01	·04	—	—	—	—	·01	—	·03	·02	·01	18
19	·12	·08	—	—	·01	·02	·12	·28	—	·04	—	·02	19
20	·05	·02	·14	—	·10	—	·11	·04	—	·22	—	·02	20
21	·01	·02	·04	—	·64	—	·01	·18	—	·31	—	—	21
22	·17	·06	—	—	·69	—	·49	·31	—	·02	—	·05	22
23	·15	·01	·35	—	·01	—	·30	·11			·12	·03	23
24	·13	·01	·02	—	—	·04	—	·08	—	·05	·02	·25	24
25	—	·06	·03	—	—	·06	—	·26	—	·01	·24	·32	25
26	—	—	·07	—	—	·03	·16	·59	—	·74	·16	·05	26
27	—	·02	—	—	—	·22	·45	—	—	·67	·04	·20	27
28	—	·04	—	—	—	·04	·34	·32	·03	·10	·73	·02	28
29	x ·02		·03	—	—	·05	·16	·06	·43	·03	—	·02	29
30	·05		·02	—	—	·51	·02	—		·22	·04	—	30
31			·25		·28		·27	·04		·06		·03	31
Total	3·52	1 12	3·14	·11	2·70	4·08	2·33	6·06	·65	2·75	2·27	2·36	TOTAL for year 31·15
~~No. of Rain Days~~		4 64	7·78	7·89	10·61	14·69	17·02	23·02	23·67	26·42	28·69	31·05	

x heavy dew frozen

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

corr for arith 30·III·14

REGISTER OF RAINFALL IN 1913

12 JAN 1914

BRITISH RAINFALL. FORM A.

Kept at The Abbey House Shrewsbury

in the County of Salop

by H Rouse Boughton

3

Lat. 52 42 18 Long. 2· 44 30

Nearest Railway Station Shrewsbury

Time of Observation 9 am

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " Sea Level 171 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·03	·06	·23	12	—	—	—	·19	—	·02	·04	1
2	—	·10	·05	07	—	—	—	—	·03	·04	·07	—	2
3	·05	—	·12	—	·56	—		—	·01	·15	—	·13	3
4	·60	·02	—	—	08	—	·05	—	—	·10	·07	·44	4
5	·61	·06	·06	—	·06	·27	·01	—	·02	1·22	·02	·03	5
6	—	·09	·13	—	·30	·14	·46	—	—	·06	·01	·27	6
7	—	·30	—	—	·15	·13	·19	—	—	·34	22	·02	7
8	—	·11	—	—	·15	·19	·03	·14	—	·07	—	—	8
9	—	·35	·02	·08	·08	·23	14	·43	·10	—	09	·01	9
10	·05	—	—	·12	·08	—	—	·11	—	·07	·04	—	10
11	·53	—	—	45	13	·02	—	—	—	·03	·30	—	11
12	—	—		—	·10	—	—	—	·02	·02	·26	—	12
13	·02	·03	·23	—	—	—	·05	·06	·10	—	·27	—	13
14	·11	—	·56	·12	—	—	—	·13	—	·07	·06	—	14
15	·04	·05	·33	57	—	—	—	—	·13	—	18	—	15
16	·01	—	33	·04	—	—	—	—	—	—	—	—	16
17	·02	·03	·02	·08	—	·02	·09	—	·01	—	—	—	17
18	—	—	21	·07	·02	—	·06	—	—	—	·02	·01	18
19	·09	—	·04	·06	04	·05	·03	—	·06	·25	·02	—	19
20	·19	—	·12	·16	—	—	·01	—	—	·16	24	—	20
21	—	—	08	02	·02		09	—	—	—	02	—	21
22	·38	—	·77	—	·02	·15	—	·87	60	—	—	—	22
23	—	—	—	—	—	·01	—	·01	·39	—	24	—	23
24	·12	—	—	—	—	—	—	—	—	—	·07	—	24
25	—	—	—	·04	—	—	—	—	·16	·06	—		25
26	—	—	—	·51	·13	—	—	·05	·02	·02	—	—	26
27	—	·02	—	33	—	—	—	—	—	·45	·02	·06	27
28	·16	—	·20	19	·01	—	—	—	—	64	—	·05	28
29	—		·47	41	·04	—	—	1·00	—	·21	—	—	29
30	·19		—	—	·04	—	—	—	—	24	·04	—	30
31	·07		·34		·10					·81			31
Total	3·24	1·19	4·14	3·55	2·23	1·24 1·21	1·21	2 80	1·84	4 21	2·28	1·06	TOTAL for year 2896
No. of Rain Days.	17	12	19	18	20	10	12	9	14	20	21	10	28·96

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

W D2

REGISTER OF RAINFALL IN 1913

FORM A2. BRITISH RAINFALL.

Kept at The Abbey House Shrewsbury

in the County of Salop

by F H Rouse Boughton

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 171 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Shrewsbury
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03	·06	23	·12	—	—	—	·19	—	·02	·04	1
2	—	·10	05	·07	—	—	—	—	·03	·04	·07	—	2
3	·05	—	·12	—	56	—	—	—	·01	·15	—	·13	3
4	·60	·02	—	—	·08	—	·05	—		·10	·07	·44	4
5	·61	·06	·06	—	·06	·27	·01	—	·02 ·02	1·22	·02	·03	5
6	—	·09	·13	—	·30	·14	·46	—	—	·06	·01	27	6
7	—	30	—	—	·15	·13	·19	—	—	·34	·22	·02	7
8	—	·11	—	—	·15	19	·03	·14	—	·07	—	—	8
9	—	35	·02	·08	·08	·23	·14	·43	10	—	09	·01	9
10	·05	—	—	·12	·08	—	—	·11	—	·07	·04	—	10
11	53	—	—	45	·13	·02	—	—	—	·03	·30	—	11
12	—	—	—	—	·10	—	—	—	·02	·02	·26	—	12
13	·02	·03	·23	—	—	—	·05	·06	·10	—	·27	—	13
14	·11	—	·56	·12	—	—	—	·13	—	·07	·06	—	14
15	·04	05	·33	·57	—	—	—	—	·13	—	18	—	15
16	·01	—	·33	·04	—	—	—	—	—	—	—	—	16
17	02	·03	·02	·08	—	·02	·09	—	·01	—	—	—	17
18	—	—	·21	·07	·02	—	·06	—	—	—	·02	·01	18
19	·09	—	04	·06	·04	·05	·03	—	·06	·25	·02	—	19
20	·19	—	·12	16	—	—	·01	—	—	·16	24	—	20
21	—	—	·08	·02	·02	—	~~·09~~		—	—	·02	—	21
22	38	—	·77	—	·02	15	—	·87	·60	—	—	—	22
23	—	—	—	—	—	·01	—	·87	·39	—	·24	—	23
24	·12	—	—	—	—	—	—		—	—	·07	—	24
25	—	—	—	·04	—	—	—	—	·16	·08	—	—	25
26	—	—	—	·51	·13	—	—	·05	·02	·02	—	—	26
27	—	·02	—	33	—	—	—		—	·45	·02	·06	27
28	·16	—	·20	·19	·01	—	—	—	—	64	—	05	28
29	—		·47	·41	·04	—	—	1·00	—	21	—		29
30	·19		—	—	·04	—	—		—	·24	·04	—	30
31	·07		·34		·10					01			31 28·96
Total	3 24	1·19	4 14	3·55	2 23	1·2 1 1 24	1 21	2·80	1 84	4·21	2·28	1·06	TOTAL for year
No. of Rain Days.		4 43	8·57	12·12	14·35	15·59	16 81	19 61	21·45	25 66	27 94	29·00	29·00

W. 8,000, X. '11.

cadly run data 1.11.15 ~~ ~~ DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

8 - JAN 1915

Kept at The Abbey House Shrewsbury

in the County of Salop 3

by F H Rouse Boughton

Lat. 52·42·18 Long. 2·44·30

Time of Observation 9.am

Nearest Railway Station Shrewsbury

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 171 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·03	—	—	—	·39	1·63	—	—	—	·18	1
2	—	—	—	—	—		1 98	·26	—	·02	·33	·31	2
3	·01	—	—	·13	·05	—	·04	·05	—	—	·01	56	3
4	·18	—	—	·07	·21	—	·10	—	—	—	·60	·40	4
5	·14	—	·09	·08	·04	—	·09	—	—	·01	·18	—	5
6	·08	—	[illegible]	·20	·03	—	·02	·07	—	—	·30	·13	6
7	—	·06	·36	·03	·04	·06	06	13	—	—	—	·28	7
8	—	—	—	·08	·10	·27	—	·03	—	—	—	—	8
9	·19	·01	—	·06	·10	·60	—	·15	·06	—	—	—	9
10	·02	(·05) ·45	—	·18	·03	·10	—	—	16	—	—	—	10
11	—	·41	·09	·04	·03	—	—	—	·08	—	·30	·52	11
12	—	35	·21	—	—	—	08	—	32	—	·28	·19	12
13	—	·10	·13	—	—	—	·04	—	·01	·29	27	·24	13
14	—	·33	·03	—	—	—	—	—	—	17	·13	·02	14
15	—	—	·27	—	—	—		—	—	—		—	15
16	—	—	·03	—	—	—	·01	—	·07	—		·01	16
17	—	·10	28	—	—	—	02	—	·07	—	—	·33	17
18	·02	·01	·02	—	—	·02	—	—	·03	—	—	·13	18
19	—	·02	—	—	—	—	·46	—	10	—	·10	·17	19
20	—	·15	·19	—	—	·50	·13	—		01	—	·18	20
21	—	·29	·02	—	—	·89	·10	·17	—	·08	—	·17	21
22	—	·08	·04	—	·03	·06	—	·20	—	·13	—	—	22
23	—	·02	·04	—	·01	·01	·01	—	—	·06	—	—	23
24		—	·44	—	—	—	·09	·72	—	·08	·06	—	24
25	·03	—	·01	—	—	—	·01	·38	—	·39	·03	·15	25
26	—	—	·06	—	—	—	·06	·05	—	·06	·19	32	26
27	·05	—	—	—	—	—	—	—	—	—	·28	1·07	27
28	·12	(·12)	·03	—	·10	—	—	—	—	·05	—	·29	28
29	—		·08	—	—	—	—	—	—	·11	·22	—	29
30	—	×	—	—	(·08)		—	·01	—	·03	·29	25	30
31	·11	×		×		×	·18		×	·05	×		31
Total	·95	2·10 ✓	2 45	·87	·85 ✓	2·57	3·87	3·85	·90	1·54	3·27	5 92	YEAR'S TOTAL 29·08 ✓
Rain Days.	11	15 ~~14~~	20	9	13 ~~12~~	9	19	13	9	15	16	21	170

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

Kept at The Abbey House Shrewsbury
in the County of Salop
by J H Rouse Boughton

N Lat. 52-42-18 Long. 2-44-30 W
Nearest Railway Station
Time of Observation 9 am
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " Sea Level 171 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	—	—	—	·39	1·63	—	—	—	·18	1
2	—	—	—	—	—	—	1·98	·26	—	·02	·33	·31	2
3	·01	—	—	·13	·05	—	·04	·05	—	—	·01	·56	3
4	·18	—	—	·07	·21	—	·10	—	—	—	·60	·40	4
5	·14	—	·09	·08	·04	—	·09	—	—	·01	·18	—	5
6	·08	[illegible]	—	·20	·03	—	·02	·07	—		·30	·13	6
7	—	·06	·36	·03	·04	·06	·06	·13	—	—		·28	7
8		[illegible]	—	·08	·10	·27	—	·03		—	—	—	8
9	·19	·01	—	·06	·10	·60	—	·15	·06	—	—	—	9
10	·02	05 ·45	—	·18	·03	·10	—	—	·18	—	—	—	10
11	—	·41	·09	·04	·03	—		—	·08	—	·30	·54	11
12	—	·35	·21	—	—	—	·08	—	·32	—	·08	·19	12
13	—	·10	·13	—	—	—	·04	—	·01	·29	·27	·24	13
14	—	·33	·03	—	—	—	—	—	—	·17	·13	·02	14
15	—	—	·27	—	—	—	—	—	—	—	—	—	15
16	—	—	·03	—	—	—	·01	—	·07	—	—	·07	16
17	—	·10	·28	—	—	—	·02	—	·07	—	—	·33	17
18	·02	·01	·02	—	—	·02	—	—	·03	—	—	·13	18
19	—	·02	—	—	—	—	·46	—	·10	—	·10	·17	19
20	—	·15	·19	—	—	·50	·13	—	—	·01	—	·18	20
21	—	·29	·02	—	—	·89	·10	·17	—	·08	—	·17	21
22	—	·08	·04	—	·03	·06	—	·20	—	·13	—	—	22
23	—	·02	·04	—	·01	·01	·01	—	—	·06	—	—	23
24	—	—	·44	—	—	—	·09	·72	—	·08	·06	—	24
25	·03	—	·01	—	—	—	·01	·38	—	·39	·03	·15	25
26	—	—	·06	—	—	—	·06	·05	—	·06	·19	·32	26
27	05			—	—	—	—	—	—	—	·28	1·07	27
28	·12	(·12)	·03	—	10	—	—	—	—	·05	—	·29	28
29	—	—	·08	—	—	—	—	—	—	·11	·12	—	29
30	—	—	—	—	(·08)	—	—	·01	—	·03	·29	·25	30
31	·11						·18			·05			31
Total	·95	2·10	2·45	·87	·85	2·51	3·87	3·85	·90	1·54	3·27	5·92	TOTAL for year
No. of Rain Days.		3·05	5·50	6·37	7·22	9·73	13·60	17·45	18·35	19·89	23·16	29·08	

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

writt 30·11·16

Cond for auth. 23·11·16

2410

FORM A. BRITISH RAINFALL.

13 JAN 1

REGISTER OF RAINFALL IN 1916

Kept at The Abbey House Shrewsbury

in the County of Salop A. 11.25.

by F H Rouse Boughton

Lat. 52·42 18 Long. 2·44·30

Time of Observation 9 a m

Nearest Railway Station Shrewsbury

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " Sea Level 181 ~~171~~ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	34	·08	·06	—	·44	—	—	·02	·07	·15	—	·06	1
2	04	·06	·13	·21	—	·06	—	1·23	—	·12	—	·13	2
3	73	·02	—	—	—	—	·34	·07	—	—	—	·15	3
4	·01	19	—	—	·36	—	·40	·09	—	—	—	·94	4
5	·01	22	—	—	—	·01	·01	·40	—	—	—	·26	5
6	·04	02	·06	03	—	—	·41	01	—	—	—	·09	6
7	·11	·36	—	·08	—	—	·17	·13	—	—	—	·20	7
8	·09	10	—	·04	—	—	—	—	—	—	·11	—	8
9	08	·04	—	·14	—	—	—	·10	—	—	·08	60	9
10	·27	—	·03	·15	—	—	—	·29	—	·03	—	·04	10
11	·03	—	—	—	—	—	·18	·21	—	—	·70	·04	11
12	·03	·02	—	·19	·30	—	—	·26	—	·08	1·55	—	12
13	·01	·53	—	·06	·40	—	—	·39	—	—	·04	·03	13
14	—	—	—	—	—	—	—	15	·09	—	—	·14	14
15	·39	—	—	06	·07	—	·18	32	—	—	·14	·03	15
16	18	·12	—	—	·24	—	1,45	29	—	—	—	—	16
17	—	·32	—	—	·35	—	—	—	—	—	—	—	17
18	·02	·20	·02	—	—	—	—	—	—	—	—	—	18
19	—	—	—	·03	·06	—	·16	—	—	—	—	—	19
20	·01	—	—	·03	·02	—	—	—	—	—	—	06	20
21	33	—	—	·04	—	—	·18	—	—	·04	—	04	21
22	·04	—	·14	·12	—	—	·01	—	—	·01	—	—	22
23	—	·18	·11	—	—	05	·26	—	—	·85	—	·36	23
24	—	—	·17	·11	—	—	·09	—	·39	36		31	24
25	—	—	·01	—	—	·44	·02	—	—	—	1·03 ~~·05~~	16	25
26	—	·04	—	—	—	—	·20	—	·02	—	—	·38	26
27	—	·16	—	—	—	·03	·12	—	—	·18	—	·29	27
28	—	·22	—	—	—	—	·01	·19	—	·01	—	·02	28
29	—		—	—	—	·69	—	·13	·05	—	·10	·05	29
30	·04	✕	—	·03	—	06	·11	—		—	·02	·06	30
31	02	✕	—	✕		✕	·12		✕		✕	·31	31
Total	2·82	2·88	·73	1·34	2·24	1·34	4·42	3·98	62	183	2·77 ~~1·79~~ ~~2·67~~	4·75	29·42 YEAR'S TOTAL ~~27·74~~ ~~29·62~~
Rain Days.	21	18	9	15	2·24 9	7	19	17	5	10	9 ~~7~~	24	~~161~~ 163

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 19~~15~~16

FORM A. BRITISH RAINFALL.

Kept at The Abbey House Shrewsbury

in the County of Salop

by F H Bowre Boughton

Lat. 52·42·18 Long. 2·44·30

Nearest Railway Station Shrewsbury

Time of Observation 9 a m

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " Sea Level 181 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·08	·06	—	·44	—	—	·02	·07	·15	—	·06	1
2	·04	·06	·13	·21	—	·06	—	1·23	—	·12	—	·13	2
3	·73	·02	—	—	—	—	·34	·07	—	—	—	·15	3
4	·01	·19	—	—	·36	—	·40	·09	—	—	—	·94	4
5	·01	·22	—	—	—	·01	·01	·10	—	—	—	·26	5
6	·04	·02	·06	·03	—	—	·41	·01		—	—	·09	6
7	·11	·36		·08	—	—	·17	·13	—	—	—	·20	7
8	·09	·10	—	·04	—	—	—	—	—	—	·11	—	8
9	·08	·04	—	·14	—	—	—	·19	—	—	·08	·60	9
10	·27	—	·03	·15	—		—	·29	—	·03	—	·04	10
11	·03	—	—	—	—	—	·18	·21	—		·70	·04	11
12	·03	·02	—	·19	·30	—	—	·26	—	·08	1·55	—	12
13	·01	·53	—	·06	·40	—	—	·39	—	—	·04	·03	13
14	—	—	—	—	—	—	—	·15	·09	—	—	·14	14
15	·39	—	—	·06	·07	—	·18	·32	—	—	·14	·03	15
16	·18	·12	—	—	·24	—	1·45	·29	—	—		—	16
17	—	·32	—	—	·35	—	—	—	—	—	—	—	17
18	·02	·20	·02	—	—	—	—	—	—		—	—	18
19	—	—	—	·05	·06	—	·16	—	—	—		—	19
20	·01	—	—	·03	·02	—	—	—	—	—	—	·06	20
21	·33	—	—	·04	—	—	·18		—	·04	—	·04	21
22	·04	—	·14	·12	—	—	·01	—	—	·01	—	—	22
23	—	·18	·11	—	—	·05	·26	—		·85	—	·36	23
24	—	—	·17	·41	—	—	·09	—	·39	·36	—	·31	24
25	—	—	·01	—	—	·44	·02	—	—	—	·05	·16	25
26	—	·04	—	—	—	—	·20	—	·02	—	—	·38	26
27	—	·16	—	—	—	·03	·12	—		·18	—	·29	27
28	—	·22	—	—	—	—	·01	·19	—	·01		·02	28
29	—	—		—	—	·69	—	·13	·05		·10	·05	29
30	·04		—	·03	—	·06	·11	—	—		0·2	·06	30
31	·02						·12					·31	31
Total	2·82	2·88	·73	1·34	2·24	1·34	4·42	3·98	·62	1·83	3·77 ~~2·67~~	4·75	29·72 TOTAL for year
No. of ~~Rain~~ ~~Days~~.		5·70	6·43	7·77	10·01	10·35		Total Right but erroneous May & November [illegible]					29·62

Exc of

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
18 JAN 1917

Kept at The Abbey House Shrewsbury
in the County of Shropshire
by J H Rouse Boughton

Lat. 52·42·18 Long. 2·4430
Time of Observation 9 a m. G
Nearest Railway Station Shrewsbury
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 171 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	—	·33	—	—	·05	·05	—	—	·12	·16	—	1
2	·22	·05	·27	—	—	—	·20	—	·08	·75	·04	—	2
3	—	·54	—	—	—	·06	·02	—	·05	15	·14	·03	3
4	·02	·37	—	·05	·45	24	·01	—	·01	·06	·24	—	4
5	—	·01	—	—	·32	·04	·11	—	—	·11	·05	—	5
6	·10	·25	·01	—	·13	05	·45	—	·02	·10	·15	·04	6
7	05	—	·06	—	·09	·03	·04	—	—	·04	·04	·35	7
8	·04	—	·11	—	·10	—	—	—	—	·09	·02	·05	8
9	—	·02	—	—	·21	·03	—	—	—	—	·04	·03	9
10	—	·41	07	—	·02	—	·02	—	·02	·04	—	—	10
11	—	·09	·12	·03	·03	·04	—	—	·03	—	—	05	11
12	·01	·10	·09	—	·30	—	·21	·24	·04	·03	—	—	12
13	·02	·12	·10	—	·02	—	·29	·15	·02	—	—	·10	13
14	—	·22	—	·04	·02	—	—	·29	—	·08	30q ·01	—	14
15	—	·42	·30	16	·03	—	·05	09	·01	·05	—	—	15
16	·01	·07	·01	·13	·02	—	·25	—	—	·08	—	—	16
17	·03	·14	—	20	—	—	·02	·02	·34	30	—		17
18	·03	·07	·04	·05	—	—	—	·04	26	·06	·42	5 2 in 10	18
19	·04	—	·20	·29	—	—	—	·03	—	·08	·32	·01	19
20	·06	—	·47	01	—	—	—	·02	—	—	·02	·04	20
21	·04	—	·60	20	—	·01	·34	—	—	—	—	—	21
22	—	—	—	·01	—	·03	—	—	—	·10	·02	·29	22
23	—	—	05	02	—	—	—	·17	—	·01	·07	·20	23
24	—	5 ·37	·01	—	·45	84	—	·13	—	·19	—	·12	24
25	—	9 ·04	·16	—	·10	·02	—	·04	—	—	30	·02	25
26	·05	·03	·01	—	·25	·05	—	·16	—	·24	·09	·01	26
27	—	·02	·24	—	—	·03	—	·12	·17	·49	—	·02	27
28	—	30	—	—	·05	—	—	—	—	·10	·01	·22	28
29	—	20	·01	—	—	·49	—	·13	—	·08	—	·16	29
30		X	—		—	·13	—	03		·18		·01	30
31		X		X		X			X	·49	X	·03	31
Total	77	3·84	3·26	1·19	2·58	2·14	2·06	1·66	1·05	4·02	2·14	1·88	YEAR'S TOTAL 26·59 26·59
Rain Days.	15	21	21	12	17	16	14	15	12	25	18	20	206

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at The Abbey House Shrewsbury
in the County of Shropshire
by F H Rouse Boughton

Lat. 52·42 18 Long. 2 44 30
Time of Observation 9 am
Nearest Railway Station Shrewsbury
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 171 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	—	·33	—	—	·05	·05	—	—	·12	·16	—	1
2	·22	·05	·27	—	—	—	·20	—	·08	·75	·04	—	2
3	—	·54	—	—	—	·06	·02	—	·05	·15	·14	·03	3
4	·02	·37	—	·05	·45	·24	·01	—	·01	·06	·24	—	4
5	—	·01	s —	—	·32	·04	·11	—	—	·11	·05	—	5
6	·10	·25	·01	—	·13	·05	·45	—	·02	·10	·15	·04	6
7	·05	—	·06	—	·08	·03	·04	—	—	·04	·04	·35	7
8	·04	—	·11	—	·10	—	—	—	—	·09	·02	·05	8
9	—	·02	—	—	21	·03	—		—	—	·04	·03	9
10	—	·41	·07	—	·02	—	·02	—	·02	·04	—	—	10
11	—	·09	·12	·03	·03	04	—	—	·03	—	—	·05	11
12	·01	·10	·09	—	·30	—	·21	·24	·04	·03	—	—	12
13	·02	·12	·10	—	·02	—	·29	·15	·02		—	·10	13
14	—	·22	—	·04	·02	—	—	·29	—	·08	Fog ·01	—	14
15	—	·42	·30	·16	·03	—	·05	·09	·01	·05	—	—	15
16	·01	·07	·01	·13	·02	—	·25	—	—	·08	—	—	16
17	·03	·14	—	·20	—	—	·02	·02	·34	·30	S ·12		17
18	·03	·07	·04	·05	—	—	—	·04	·26	·06	·42	S 2 inch ·10	18
19	·04	—	·20	·29		—	—	·03	—	·08	·32	·01	19
20	·06	—	·47	·01	—	—	—	·02	—	—	·02	·04	20
21	·04	—	·60	20	—	·01	·34	—	—	—	—		21
22	—	—	—	·01	—	·03	—	—	—	·10	·02	·29	22
23	—	—	·05	·02	—	—	—	·17	—	·01	·07	·20	23
24	—	s ·37	·01	—	45	·84	—	·13	—	·19	—	·12	24
25	—	s ·04	·16	—	·10	·02	—	·04	—	—	30	·02	25
26	·05	·03	·01	—	25	·05	—	·16	—	·24	·09	·01	26
27	—	·02	·24	—	—	·03	—	·12	17	·49	—	·02	27
28	—	·30	[illegible]	—	·05	—	—	—	—	·10	·01	·22	28
29	—	·20	·01	—		·49	—	·13	—	·08	—	·16	29
30			—	—		13	—	·03	—	·18	—	·01	30
31										·49		·03	31
Total	·77	3·84	3·26	1·19	2·58	2·14	2·06	1·66	1·05	4·02	2·14 22·64	1·88	YEAR'S TOTAL 26·59
Rain Days.		4·61	7·87	9·06	11·64	13·78	15·84	17·50	18·55	22·55	24·7[illegible]	26·59	26·59

W.7,000, XI. 13

REGISTER OF RAINFALL IN 19~~18~~7

FORM A. BRITISH RAINFALL. 26. JAN 1918

Kept at The Abbey House Shrewsbury

in the County of Shropshire

by H. H. Rouse Boughton

Lat. 52·42·18 Long. 2·44·30

Time of Observation 9. a. m

Nearest Railway Station Shrewsbury

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 171 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·10	·27	—	·24	—	·11	·09	—	·05	·15	1
2	—	—	—	s ·15	—	·09	—	·09	—	—	·07	·04	2
3	—	s 10	—	·01	—	—	—	·13	—	·31	·02	·02	3
4	·03	—	·13	—	—	—	—	·08	—	·86	—	·02	4
5	·09	—	·18	·20	—	—	—	·06	·02	·17	·17	—	5
6	04	—	·39	—	—	·15	—	—	—	·09	·25	—	6
7	s.r ·31	—	—	—	—	—	—	·08	—	·10	·04	·05	7
8	·79	—	—	·15	—	—	—	·52	—	·28	·07	·11	8
9	—	—	·16	·10	·12	—	—	·08	·02	·11	·35	·03	9
10	·32	—	·39	·19	·10	—	—	·06	—	—	—	—	10
11	·17	—	—	·08	—	—	—	·20	—	·18	·03	—	11
12	·14	s ·01	—	·04	·67	—	—	·16	·03	·16	·01	·01	12
13	·02	—	—	·04	·11	—	—	·30	·08	·03	—	—	13
14	—	—	—	·02	·01	—	—	·02	—	·10	—	·03	14
15	s ·02	—	—	—	08	—	·32	·09	—	·10	—	·09	15
16	s ·02	·04	—	·15	—	17	—	·02	~~·06~~	—	—	·27	16
17	—	·05	·03	·10	·44	—	·65	·18	·06	·02	—	—	17
18	·01	—	—	·04	·02	—	·22	·12	·64	·10	—	—	18
19	·02	·41	s ·55	—	—	·23	—	·02	07	—	—	—	19
20	·03	·20	—	—	·33	·31	·04	·03	17	—	·03	—	20
21	—	·04	s 20	—	·03	·04	—	·02	[illegible]	·09	·07	—	21
22	—	—	—	—	·03	·36	—	·38	02	·06	—	—	22
23	—	·19	—	—	·07	—	—	·12	—	·11	—	·03	23
24	—	·02	·03	—	—	·08	—	·02	—	·22	·11	—	24
25	—	·12	·01	—	—	—	—	·03	—	·04	·10	—	25
26	—	·01	—	—	·05	·10	—	·37	·08	—	·05	—	26
27	—	·02	·03	—	1·53	·18	·23	·85	—	—	—	—	27
28	—	·01	·08	—	—	03	—	·39	—	·02	—	·01	28
29	—	—	—	—	—	—	·03	—	—	·30	—	21	29
30	s ·01	X	·05	—	—	—	—	·26	—	·03	·04	—	30
31	s 03	X	·13	X	01	X	—	·12	X	—	X	—	31
Total	2·05	1·22	2·46	1·54	3·60	1·98	1·49	4·91	1·23	3·48	1·46	1·06	YEAR'S TOTAL 26·48
Rain Days.	16	13	15	14	15	12	6	29	11	22	16	14	183

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at The Abbey House Shrewsbury

in the County of Shropshire

by F H Rouse Boughton

Lat. 52·42·18 Long. 2·44·30

Time of Observation 9 a m

Nearest Railway Station Shrewsbury

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 171 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·10	·27	—	·24	—	·11	·09	—	·05	·15	1
2	—	—	—	S ·25	—	·09	—	·09	—	—	·07	·04	2
3	—	S ·10	—	·01	—	—	—	·13	—	·31	·02	·02	3
4	·03	—	·13	—	—	—	—	·08	—	·86	—	·02	4
5	·09	—	·18	·20	—	—	—	·06	·02	·17	·17	—	5
6	·04	—	·39	—	—	·15	—	—	—	·09	·25	—	6
7	S R ·31	—	—	—	—	—	—	·08	—	·10	·04	·05	7
8	·79	—	—	·15	—	—	—	·52	—	·28	·07	·11	8
9	—	—	·16	·10	·12	—	—	·08	·02	·11	·35	·03	9
10	·32	—	·39	·19	·10	—	—	·06	—	—	—	—	10
11	·17	—	—	·08	—	—	—	·20	—	·18	·03	—	11
12	·14	S ·01	—	·04	·67	—	—	·16	·03	·18	·01	·01	12
13	·02	—	—	·04	·11	—	—	·30	·03	·03	—	—	13
14	S —	—	—	·02	·01	—	—	·02	—	·10	—	·03	14
15	S ·02	—	—	—	·08	—	·32	·09	—	·10	—	·09	15
16	S ·02	·04	—	·15	—	·17	—	·02	—	—	—	·27	16
17	—	·05	·03	·10	·44	—	·65	·18	·06	·02	—	—	17
18	·01	—	—	·04	·02	—	·22	·12	·64	·10	—	—	18
19	·02	·41	S ·55		—	·23	—	·02	·07	—	—	—	19
20	·03	·20	—		·33	·31	·04	·03	·17 ·12	—	·03	—	20
21	—	·04	S ·20		·03	·04	—	·02		·09	·07	—	21
22	—	—	—		·03	·36	—	·38	·02	·06	—	—	22
23	—	·19	—		·07	—	—	·12	—	·11	—	·02	23
24	—	·02	·03		—	·08	—	·02	—	·22	·11	—	24
25		·12	·01		—	—	—	·03	—	·04	·10	—	25
26	—	·01	—		·05	·10	—	·37	·08	—	·05	—	26
27	—	·02	·03		1·53	·18	·23	·65		—	—	—	27
28		·01	·08		—	·03	—	·39		·02	—	01	28
29	—		—		—	—	·03	—		·30	—	21	29
30	S ·01	✕	·05		—	—	—	·26		·03	·04	—	30
31	S 03	✕	·13	✕	·01	✕	—	·12	✕	—	✕	—	31
Total	2·05	1·22	2·46	1·54	3·60 2·60	1·98	1·49	4·91	1·23 ~~1·18~~	3·408 35	1·46	1·06	YEAR'S TOTAL 26·48 26·40
~~Rain Days.~~		3·27	~~5·69~~ 6·73	~~7·21~~ 8·27	9·81 11·87	~~11·79~~ 12·85	~~13·28~~ 14·34	~~18·19~~ 19·25	~~19·37~~ 21·48	~~54·45~~ 24·96	56·91 55 91	56·97	

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at The Abbey House Shrewsbury
in the County of Shropshire
by F. H. Rouse Boughton

Lat. 52·42·18 Long. 2·44·30
Time of Observation 9. a.m
Nearest Railway Station Shrewsbury
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 171 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

x ·06

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·03	—	·18	·01	—	·01	·10	·02	·06	·41	—	1
2	—	·03	—	·05	—	—	—	·38	—	—	·01	·24	2
3	—	·03	—	—	·32	—	—	·10	·65	·14	—	—	3
4	02	·04	—	—	—	—	—	·02	1·30	·21	·23	·25	4
5	04	—	·01	·15	·10	—	—	·07	·15	·11	·02	—	5
6	—	·12	·02	·21	—	·16	—	—	·02	·43	·02	—	6
7	05	·04	·01	·01	·15	—	—	—	·10	·02	·13	·02	7
8	03	·24	—	—	—	·01	·03	—	·20	·11	—	—	8
9	02	·52	—	·28	—	·13	·07	—	·32	·05	—	·02	9
10	08	·07		·21	—	—	·44	—	·15	·02	·08	·16	10
11	02	—	·04	—	·15	—	·19	—	·27	·02	—	—	11
12	—	·05	·01	—	·15	—	·06	—	—	—	—	·07	12
13	·01	—	—	—	—	—	—	—	·15	·05	—	·03	13
14	·28	—	—	—	—	·03	·27	—	·37	·02	—	·21	14
15	·58	—	—	—	·03	·02	·45	—	·26	·05	—	·23	15
16	·07	—	—	·18		·05	·18	·04	·10	·05	·02	·22	16
17	·28	—	—	·02	·03	·11	·04	·04	·02	·17	—	·09	17
18	·26	—	·05	—	—	·14	·19	—	·66	·02	—	·22	18
19	04	—	·17	—	—	—	·13	—	·03	·06		·24	19
20	·10	·07	—	·38	—	·14	·04	—	25	·03	·01	·66	20
21	·06	·02	—	·32	·02	·02	·14	—	25	—	—	·10	21
22	—	—	—	—	1 45	—	·15	·02	·04	—	—	·33	22
23	—	—	—	—	·60	—	25	—	·02	—	—	—	23
24	—	·15	—	—	—	—	—	·14	·04	—	·16	·05	24
25	—	—	—	—	·11	—	·35	·15	·01	·02	·08	—	25
26	—	—	—	—	—	—	·27	·02	—		·04	·07	26
27	·01	·09	—	—	—	—		·34	·21		·09	·10	27
28	·01	·04	·42	—	—	·02		—	·02		·09	·07	28
29	—		·23	—	—				·55		—	·05	29
30	·02	X	·19		—				—		·03	·10	30
31	·02	X	·07	X		X			X	·02	X		31
Total	1 97	1 54	~~1 12~~ 1·22	~~1 19~~ 1·99	3 12	83	3 25	1·42	~~6 17~~ 6·16	1·66	1 37	3 53	YEAR'S TOTAL ~~27·18~~ 28·07
Rain Days.	20	15	11	11	12	11	18	12	26	~~19~~ 20	15	22	193

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

~~for~~ J L [illegible] 2nd copy

26

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at The Abbey House Shrewsbury
in the County of Shropshire
by F H Rouse Boughton

Lat. 52 42 18 Long. 2· 44 30
Time of Observation 9 a.m
Nearest Railway Station Shrewsbury
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 171 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

~~Date.~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03	—	·18	·01	—	·01	·10	·02	·06	41	—	1
2	—	·03	—	·05	—	—	—	38	—	—	·01	24	2
3	—	03	—	—	32	—	—	·10	·65	·14	—	—	3
4	·02	04	—	—	—	—	—	·02	1·30	·21	·23	·25	4
5	·01	—	·01	·15	·10	—	—	·07	·15	·11	·02	—	5
6	—	·12	·02	21	—	·16	—	—	·02	·43	·02	—	6
7	·03	·04	·01	·01	·15	—	—	—	·10	·02	·13	·02	7
8	·03	24	—	—	—	·01	·03	—	26	·11	—	—	8
9	·02	52	—	·28	—	·13	·07	—	·32	·05		·02	9
10	·08	·07	—	·21	—	—	44	—	·15	·02	08	16	10
11	·02	—	04	—	·15	—	·19	—	·27	02	—	—	11
12	—	·05	·01	—	·15	—	06	—	—	—	—	·07	12
13	·01	—	—	—	—	—	—	—	·15	·05	—	·03	13
14	·28	—	—	—	—	·03	·27	—	·37	·02	—	·21	14
15	·58	—	—	—	·13	·02	·45		·26	·05	—	·23	15
16	·07	—	—	·18	—	·05	·18	·04	·10	·05	·02	·22	16
17	·28	—	—	·02	·03	·11	·04	·04	·02	·17	—	·09	17
18	·26	—	·05	—	—	·14	·19	—	·66	·02	—	·22	18
19	·04	—	·17	—	—	—	13	—	·03	·06	—	24	19
20	10	·07	—	38	—	·14	·04	—	25	·03	·01	66	20
21	06	·02	—	·22	·02	·02	14	—	25	—	—	·10	21
22	—	—	—	—	1·45	—	·15	·02	·04	—	—	·33	22
23	—	—	—	—	·60	—	·25	—	·02	—	—	—	23
24	—	·15	—	—	—	—	—	·14	·04	—	·16	·05	24
25	—	—	—	—	·11	—	·35	·15	·01	·02	·03	—	25
26	—	—	—	—	—	—	·27	·02	—	—	·04	·07	26
27	·01	·09	—	—	—	—	—	·34	·21	—	·09	·10	27
28	·01	·04	·42	—	—	·02	—	—	·02	—	·09	·07	28
29	—		·23	—	—	—	—	—	·55	—	—	·05	29
30	·02	✕	·19	—	—	—	—	—	—	—	·03	·10	30
31	·02	✕	·07	✕		✕	—	—	✕	·02	✕		31
Total	1·97	1·54	~~1·12~~ 1·22	~~1·19~~ 1·99	3·12	·83	3·26	1·42	~~6·17~~ 6·16	1 66	1 37	3 5[illegible]	YEAR'S TOTAL ~~27·16~~ 28·07
Rain Days.	20	15	11	11	12	11	18	12	26	~~19~~ 20	15	22	193

W. 6,500. VII. 18. w w c

Exept

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at The Abbey House
in the County of Shropshire
by Rouse Boughton

Lat. 52·48·18 Long. 2·44·30
Time of Observation 9·a.m
Nearest Railway Station Shrewsbury
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 171 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·12	02	·02	—	·11	—	·37	—	·05	14	—	·26	1
2	·12	·02	13	—	[illegible]	—	·05	—	·10	—	·07	—	2
3	·02	—	·03	·03	·10	·07	·11	—	·02	—	·05	·13	3
4	—	·06	·28	[illegible]	—	·02	·53	·18	·04	—	—	25	4
5	·04	·25	—	—	·07	—	—	—	—	—	·03	·08	5
6	·04	·04	·10	—	·05	—	—	—	—	—	—	·18	6
7	·08	—	·09	·05	—	—	—	—	—	—	·11	—	7
8	·16	—	·06	—	—	02	—	—	—	—	—	—	8
9	·16	—	—	·08	—	—	—	—	—	—	—	—	9
10	·03	—	32	—	—	—	—		—	·04	—	·04	10
11	·02	—	1·14	·02	—	—	·24	—	—	·04		·01	11
12	·02	—	·58	·02	—	·42	—	—	·04	·10		·02	12
13	·11	—	·04	·05	—	—	·03	—	1·04	·30		·01	13
14	·34	—	·05	·35	—	—	·04	—	—	·19	·02	·02	14
15	·30	s 03	—	23	28	—	—		—	24		32 ·32	15
16	·03	s ·80	—	—	—	·16	—	—	—	—	·13	·07	16
17	·02	s 67	—	—	—	·08	·02	·06	—	—	·08	·07	17
18	·02	—	73	·01	—	—	·03	·53	·06	—	—	·07	18
19	·12	·30	98	—	—	·09	·15	·31	·17	—	29	·02	19
20	·17	·03	·16	—	—	02	·03	·03	·19	—	13	·09	20
21	·05	·15	—	—	—	—	·38	—	·01	—	·02	·11	21
22	—	·19	—	—	—	—	—	—	·37	—	·02	·45	22
23	—	—	—	—	—	·08	—	·04	—	1·54	·03	·07	23
24	—	—	—	·06	·13	·03	—	—	—	·74	15	·08	24
25	03	—	—	·10	·11	—	—	·35	—	02	—	·07	25
26	—	—	·07	·17	—	·05	—	·06	·04	—	—	·17	26
27	s ·16	—	·06	24	—	—	—	·22	—	—	·03	—	27
28	·09	—	·03	·02	—	—	—	·59	—	—	—	·31	28
29	·03		·02	·06	—	—	—	·02	—	19	—	·12	29
30	·02	X	·02	·08	—	·05	—	—		·03	·05	·08	30
31		X	·01	X		X	—	·03	X		X	·03	31
Total	2·30	2·56	4·92	1·57	·85	1·03	1·98	2·42	2·13	3·57	1·21	3·01	YEAR'S TOTAL 27·55
Rain Days.	25	12	21	16	7	12	12	12	12	12	15	25	
		4·86	9·78	11·35	12·20	13·23	15·21	17·63	19·76	23·33	24·54	27·55	

W. 500, IX. 17. Edward Stanford, Ltd., 12, 13 & 14, Long Acre, W.C. Waterlow and Sons Limited, Printers, London Wall, London. Price 2d.

RL 2084

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at The Abbey House
in the County of Shropshire
by F H Rouse Boughton

Lat. 52 42 20 Long. 2° 45' 30"
Time of Observation 9 am
Nearest Railway Station Shrewsbury
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 171 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·02	·02	—	11	—	·37	—	·05	14	—	·26	1
2	·12	02	·13	—	—	—	·05	—	10	—	·07	—	2
3	·02	—	·03	·03	10	·07	·11	—	·02	—	·05	13	3
4	—	·06	·28	—	—	02	53	18	·04	—	—	25	4
5	·04	25	—	—	·07	—	—	—	—	—	03	·08	5
6	·04	04	·10	—	·05	—	—	—	—	—	—	18	6
7	·08	—	·09	05	—	—	—	—	—	—	11	—	7
8	·16	—	·06	—	—	·02	—	—	—	—	—	—	8
9	16	—	—	·08	—	—	—	—	—	—	—	—	9
10	·03	—	·32	—	—	—	—	—	—	·04	—	04	10
11	·02	—	1·14	·02	—	—	24	—	—	·04	—	·01	11
12	·02	—	58	·02	—	·42	—	—	·04	·10	—	·02	12
13	·11	—	·04	·05	—	—	·03	—	1·04	·30	—	·61	13
14	·34	—	·05	·35	—	—	·04	—	—	·19	s ·02	·02	14
15	·30	·03	—	·23	·28	—	—	—	—	·24	—	·32	15
16	·03	s ·86	—	—	—	10	—	—	—	—	13	01	16
17	·02	·67	—	—	—	08	02	·06	—	—	·08	·02	17
18	·02	—	·73	·01	—	—	·03	·53	·06	—	—	·02	18
19	·12	36	·98	—	—	·09	15	31	·17	—	·29	02	19
20	·17	·03	·16	—	—	02	·03	03	·19	—	13	09	20
21	·05	·15	—	—	—	—	·38	—	·01	—	·02	·11 ·4	21
22	—	·19	—	—	—	—	—	—	·37	—	02	48	22
23	—	—	—	—	—	·08	—	·04	—	1·54	·03	·07	23
24	—	—	—	·06	·13	·03	—	—	—	·74	·15	08	24
25	·03	—	—	·10	·11	—	—	35	—	·02	—	·07	25
26	—	—	·07	·17	—	·05	—	·06	·04	—	—	·17	26
27	·16	—	·06	·24	—	—	—	·22	—	—	·03	—	27
28	·09	—	·03	·02	—	—	—	·59	—	—	—	(·30)	28
29	·03		·02	·06	—	—	—	·02	—	·19	—	12	29
30	·02		·02	·08	—	·05	—	—	—	·03	05	08	30
31			·01					·03					31
TOTAL	2·30	2·56	4·92	1·57	·85	1·03	1·98	2·42	2·13	3·57	1·21	3·01	YEAR'S TOTAL 27·55
Days with ·01 in. or more	25	12	21	16	7	12	12	12	12	12	15	25	181

27·55

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

24 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at The Abbey House – Shrewsbury
in the County of Shropshire
by F H Rouse Boughton

Lat. 52 42 18 Long. 2 44 30
Time of Observation 9 a.m.
Nearest Railway Station Shrewsbury
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 171 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·14	·14	—	·11	—	·12	·09	—	·25	1
2	·01	—	—	·17	—	—	·46	—	·08	·13	—	·11	2
3	·03	·06	—	31	—	·06	1·45	—	·16	24	—	·02	3
4	—	—	—	·04	—	—	·03	·31	·07	·18	—	—	4
5	—	—	·25	—	·01	—	·25	·03	·05	·55	—	·02	5
6	—	—	25	·02	·04	—	·11	—	—	30	—	—	6
7	—	—	02	·12	·02	—	·21	—	—	·01	—	—	7
8	·38	·08	·03	·55	·12	—	·42	·12	—	·01	—	—	8
9	28	·16	·05	·18	—	—	·03	·11	·04	—	—	—	9
10	·30	·14	·05	·06	—	·04	·18	—	—	—	·04	·04	10
11	·07	·04	·04	·13	25	·29	·07	—		—	—	02	11
12	·13	—	·04	·16	—	·75	·01	·01	—	—	·12	09	12
13	·14	·04	·06	·14	—	·06	—	—	·02	—	·14	—	13
14	·01	·08	·63	·08	—	05	·02	—	·55	·47	20	—	14
15	·01	·12	·09	·24	—	46	—	—	·02	·20	·10	—	15
16	—	01	·01	·03	·10	16	·18	—	·34	·85	—	—	16
17	·02	—	—	—	·15	—	—	—	·29	·02	—	—	17
18	·32	—	—	·05	·14	21	01	·05	·20	—	—	—	18
19	·03	1·45	—	·05	24	·05	—	16	·07	—	—	—	19
20	—	05	—	·17	—	·06	01	—	·05	—	—	·04	20
21	01	—	—	—	—	—	·15	·03	—	—	—	·07	21
22	·02	—	—	·10	—	·02	17	·13	—	—	—	—	22
23	01	01	·04	·02	—		·25	·02	—	·01	—	·37	23
24	02	—	·13	—	—	—	—	·02	—	—	—	·21	24
25	·02	·12	·05	·11	·11	·08	48	—	·01	—	—	—	25
26	·23	—	·34	02	·07	·01	·05	—	—	02	·08	·02	26
27	18	—	·15	13	·45	·16	·04	—	—	—	·03	·31	27
28	·78	—	·26	03	·12	·11	·03	—	—	—	—	·07	28
29	·08	—	·32	02	·64	·01	·06	—	—	—	·08	43	29
30	·05	╳	·07	28	·02	·16	—	—	40	—	·13	·12	30
31	·03	╳	—	╳	—	╳	·03	·02	╳	30	╳	·02	31
TOTAL	3·16	2·36	2·70	3·95	2·62	2·52	4·81	1·01	2·47	3·38	·92	2·21	YEAR'S TOTAL 32·11
Days with ·01 in. or more	24	13	21	26	16	18	25	12	16	15	9	17	212

78

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

12 11 17 20 13 14 17 6 13 10 8 12 153

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL

Kept at The Abbey House

in the County of Shropshire

by F H Rouse Boughton

Lat. 52·4202 Long. 2·44 30

Time of Observation 9 a.m

Nearest Railway Station Shrewsbury

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 171 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, ~~London, N.W. 1.~~

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
										0·9			
1		—	·02	·14	·14	—	·11	—	·12	·09	—	·25	1
2	·01	—	—	·17	—	—	·46	—	·08	·13	—	·11	2
3	·03	06 ·06	—	·31	—	·06	1·45	—	·16	·24	—	·02	3
4	—	—	—	·04	—	—	·03	·31	·07	·18	—	—	4
5	—	—	·05	—	·01	—	·25	·03	·05	·55	—	02	5
6	—	—	·25	·02	·04	—	·11	—	—	·30	—	—	6
7	—	—	·02	·12	·02	—	·21	—	—	·01	—	—	7
8	·38	·08	03 ·03	·55	·12	—	·42	·12	—	·01	—	—	8
9	·28	·16	·05	·78	—	—	·03	·11	·04	—	—	—	9
10	·30	·14	·05	·06	—	·04	·18	—		—	·04	·04	10
11	·07	·04	·04	·13	·25	·29	·07	—		—	—	·02	11
12	·13	—	·04	·16	—	·75	·01	·01	—	—	·12	·09	12
13	·14	·04	·06	·14	—	·06	—	—	·02	—	·14	—	13
14	·01	·08	63 ·63	·08	—	·05	·02	—	·55	·47	·20	—	14
15	·01	·12	·09	·24	—	·46	—	—	·02	·20	·10	—	15
16	—	·01	·01	·03	·10	·16	·18	—	·34	·85	—	—	16
17	·02	—	—	—	·15	—	—	—	·29	·02	—	—	17
18	·32	—	—	·05	·14	·01	·01	·05	·20	—	—	—	18
19	·03	1·45	—	·05	·24	·05	—	·16	·07	—	—	—	19
20	—	·05	—	·17	—	·06	·01	—	·05	—	—	·04	20
21	·01	—	—	—	—	—	·15	·03	—	—	—	·07	21
22	·02	—	—	·10	—	·02	·17	·13	—	—			22
23	·01	·01	·04	·02	—	—	·25	·02	—	·01		·37	23
24	·02	—	·13	—	—	—	—	·02	—	—		·21	24
25	·02	·12	·05	·11	·11	·06	·48	—	·01	—		—	25
26	·23	—	·34	·02	·07	·01	·05	—	—	·02	·08	·02	26
27	·18	—	·15	·13	·45	·16	·04	—		—	·03	·31	27
28	·78		·26	·03	·12	·11	·03	—	—	—	—	·07	28
29	·08	—	·32	·02	·64	·01	·06	—	—	—	·08	·43	29
30	·05	╳	·07	·28	·02	·16	—	—	·40	—	·13	·12	30
31	3 ·05	╳	—	╳	—	╳	·03	02	╳	·30	╳	·02	31
Total	3·16	2·36	2·70	3·95	2·62	2·52	4·81	1·01	2·47	3·38	·92	2·21	YEAR'S TOTAL 32·11
Rain Days.		5 52	8 22	[illegible]	1479								

247 338

W. 6,500, VII. 18. w w c

SHREWSBURY

FITZ RECTORY

1911- 1920

RE

FORM A2.
BRITISH RAINFALL.
9 JAN 1912

Kept at Fitz

in the County of

by W B

nd Coppe

in. 5

Ground 1 ft. 2 in.

Sea Level 238 ft.

30 am

ame Leaton

Distance 1¾ Direction NE

IMPORTANT NOTE he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readi r in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in " sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·03	·	·02	·	·03	·	·	·	·02	·	1
2	·	·	·	·02	·07	·	·11	·02	·	·01	·02	·10	2
3	·	·	·	·	·35	·	·	·12	·08	·	·06	·04	3
4	·	·	·06	·02	·02	·	·	·02	·02	·01	17	·09	4
5	·09	·	·02	·	·03	·	·	·09	·	·20		·	5
6	·04	·	·04	·	·	·	·	·05	·	·01	·04	·09	6
7	·	·	·	·	·	·	·	·	·	·	·20	·	7
8	·15	·	·10	·	·	·	·	·	·01	·	·21	·22	8
9	·03	·	·03	·	·	·	·	·	·	·	·25	·08	9
10	·	·07	·10	·	·	·	·	·	·01	·	·03	·21	10
11	·15	·	·	·	·	·	·	·	·05	·	·41	·01	11
12	·	·02	·36	·	·02	·	·	·	·95	·	·27	·	12
13	·	·	·02	·	·	·	·	·02	·01	·	·02	·21	13
14	·	·01	·08	·	·01	·	·	·	·	·	·	·26	14
15	·	·03	·02	·	·	·	·	·	·	·04	·02	·13	15
16	·	·	·	·	·	·11	·	·	·	·02	·07	·03	16
17	·	·	·04	·	·06	·41	·	·	·	·	·17	·12	17
18	·	·25	·	·13	·	·05	·	·	·	·02	of ~~·17~~	·12	18
19	·01	·	·	·08	·	·44	·	·03	·14	·28	·01	·27	19
20	·	·04	·	·05	·	·02	·	·09	·01	·08	·16	·15	20
21	·	·18	·02	·	·	·03	·03	·01	·	·31	·	·02	21
22	·08	·03	·	·	·	[illegible]	·	·	·	·46	·	·40	22
23	·01	[illegible]	·23	·	·	·25	·	·	·32	·18	·	·18	23
24	·	·15	·01	·02	·	·48	·	·10	·01	·25	·02	·15	24
25	·	·12	·	·06	·	·02	·12	·	·05	·05	·	·01	25
26	·	·24	·	·08	·09	·	·	·	·	·18	·	·06	26
27	·	·09	·08	·04	·	·	·	·75	·18	·	·07	·07	27
28	·	·09	·	·07	·	·	·	·16	·01	·	·05	·	28
29	·	|	·	·02	·	·03	·37	·	·15	·33	·04	·	29
30	·	|	·04	·	·	·67	·	·	·01	·26	·01	·	30
31	·	|	·08	|	·05	|	·	·	|	·03	|	·01	31
Total	·56	1·32	1·36	·59	·72	2·41	·66	1·39	2·01	2·72	2·32	3·03	TOTAL for year [illegible]·09
No. of Rain Days.	8	13	18	11	10	11	5	12	16	15	22	24	168

W. 8,000, X. '11.

168

RE [redacted] 1

FORM A2.
BRITISH RAINFALL.
9 JAN 1912

Kept at Fitz Rectory

in the County of Salop 4

by W Brewster

RAIN GAUGE { Pattern [illegible] Copper
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 238 ft. }

Time of Observation 9.30 am

Nearest Railway Station { Name Leaton
Distance 1¾ Direction SE }

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·03	·	·02	·	03	·	·	·	·02	·	1
2	·	·	·	·02	·07	·	·11	·02	·	·01	·02	·10	2
3	·	·	·	·	·35	·	·	·12	·08	·	·06	·06	3
4	·	·	·06	·02	·02	·	·	·02	·02	·01	17	·09	4
5	·09	·	·02	·	·03	·	·	·09	·	·20		·	5
6	·04	·	·04	·	·	·	·	·05	·	·01	·04	·09	6
7	·	·	·	·	·	·	·	·	·	·	·20	·	7
8	·15	·	·10	·	·	·	·	·	·01	·	·21	·22	8
9	·03	·	·03	·	·	·	·	·	·	·	·25	·08	9
10	·	·07	·10	·	·	·	·	·	·01	·	·03	·21	10
11	·15	·	·	·	·	·	·	·	·05	·	·41	·01	11
12	·	·02	·36	·	·02	·	·	·	·95	·	·27	·	12
13	·	·	·02	·	·	·	·	·02	·01	·	·02	·21	13
14	·	·01	·08	·	·01	·	·	·	·	·	·	·26	14
15	·	·03	·02	·	·	·	·	·	·	·04	·02	·13	15
16	·	·	·	·	·	·11	·	·	·	·02	·07	·03	16
17	·	·	·04	·	·06	·41	·	·	·	·	·17	·12	17
18	·	·25	·	·13	·	·04	·	·	·	·02	? ~~·47~~	·12	18
19	·01	·	·	·08	·	·44	·	·03	·14	·28	·01	·27	19
20	·	·04	·	·05	·	·01	·	·09	·01	·08	·16	·15	20
21	·	·18	·02	·	·	·03	·03	·01	·	·31	·	·02	21
22	·08	·03	·	·	·	[illegible]	·	·	·	·46	·	·40	22
23	·01	[illegible]	·23	·	·	·25	·	·	·32	·18	·	·18	23
24	·	·15	·01	·02	·	·08	·	·10	·01	·25	·02	·15	24
25	·	·12	·	·06	·	·02	·12	·	·05	·05	·	·01	25
26	·	·24	·	·08	·09	·	·	·	·	·18	·	·06	26
27	·	·09	·08	·04	·	·	·	·78	·18	·	·07	·07	27
28	·	·09	·	·07	·	·	·	·16	·01	·	·05	·	28
29	·		·	·02	·	·03	·37	·	·15	·33	·04	·	29
30	·		·04	·	·	·67	·	·	·01	·26	·01	·	30
31	·		·08		·05		·	·		·03		·01	31
Total	·56	1·32	1·36	·59	·22	2·41	·66	1·39	2·01	2·72	2·32	3·03	TOTAL for year 18·09
No. of Rain Days.	8	13	18	11	10	11	5	12	16	15	22	24	168

W. 8,000, X. '11.

Salop

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

6 - JAN 1913

Kept at Fitz Rectory

in the County of Salop 4

by W Brewster

Lat. Long.
No gauge
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·03	·	·	·11	·	·01	·02	·	·	·11	1
2	·	·02	·07	·	·	·32	·06	·	·	·	·	·03	2
3	·	·	·08	·01	·	·35	·	1·01	·06	·	·	·04	3
4	·14	·	·24	·	·11	·03	·	·18	·01	·	·13	·	4
5	·18	·08	·24	·	·13	·31	·	·13	·01	·	·	·	5
6	·22	·06	·02	·	·07	·	·	·81	·	·	·	·02	6
7	·01	·04	·	·	·01	·35	·03	·02	·	·	·	·01	7
8	·38	·08	·11	·04	·07	·56	·	·70	·	·	·	·	8
9	·03	·	·22	·11	·01	·38	·	·22	·	·	·	·03	9
10	·30	·01	·	·01	·	·33	·	·39	·	·	·40	·	10
11	·02	·	·01	·	·01	·	·	·05	·	·	·12	·30	11
12	·02	·35	·08	·	·	·	·	·04	·	·	·	·10	12
13	·01	·01	~~57~~	·	·	·02	·	·	·	·11	·02	·06	13
14	·05	·	·57	·	·	·04	·	·02	·04	·	·	·02	14
15	·05	·13	·16	·	·24	·20	·	·01	·	·	·	·08	15
16	·68	·	·09	·	·16	·03	·	·03	·	·04	·	·06	16
17	1·07	·03	·10	·	·02	·06	·02	·34	·	·	·19	·47	17
18	·06	·	·05	·	·	·	·	·02	·	·12	·02	·02	18
19	·13	·07	·	·	·02	·03	·12	·08	·	·06	·	·	19
20	·02	·	·19	·	·11	·01	·14	·05	·	·21	·01	·	20
21	·	·01	·05	·	·55	·	·01	·12	·	·32	·	·	21
22	·20	·11	·	·	·63	·01	·22	·30	·	·01	·	·08	22
23	·14	·02	·32	·	·01	·01	·18	·19	·	·	·12	·02	23
24	·10	·	·03	·	·	·08	·02	·01	·	·	·	·18	24
25	–	·	·02	·	·	·10	·	·26	·	·	·26	·33	25
26	·	·11	·03	·	·	·23	·14	·40	·	·89	·31	·03	26
27	–	·02	·	·	·	·02	·32	·	·	·57	·02	·19	27
28	–	·05	·	·	·	·08	·41	·39	·05	·07	·73	·02	28
29	–	·	·02	·	·	·08	·07	·02	·42	·04	·	·05	29
30	·03	|	·02	·	·	·46	·01	·	·	·19	·03	·01	30
31	·	|	·24	|	·25	|	·28	·07	|	·02	|	·02	31
Total	3·84	1·20	2·99	·17	2·40	4·20	2·03	5·87	·61	2·55	2·36	2·28	YEAR'S TOTAL 30·50
Rain Days.	21	17	24	4	16	25	15	27	7	13	13	24	206

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
7 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Fitz Rectory
in the County of Salop
by W Brewster

4

Lat. .... Long. No change
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·08	·12	·50	·	·	·	·21	·	·02	·	1
2	·	·06	·05	·08	·32	·	·	·	·01	·05	·11	·	2
3	·02	·	·09	·	·61	·	·	·	·	·11	·	·16	3
4	·66	·05	·	·	·07	·	·04	·	·	·07	·04	·41	4
5	·41	·05	·03	·	·06	·46	·02	·04	·03	1·57	·05	·03	5
6	·02	·06	·18	·	·34	·12	·45	·	·	·08	·58	·30	6
7	·	·28	·01	·	·25	·17	·04	·	·	·36	·28	·02	7
8	·	·08	·	·01	·13	·20	·02	·10	·01	·02	·01	·	8
9	·	·29	·04	·08	·03	·22	·10	·28	·	·	·09	·01	9
10	·15	·	·	·17	·06	·01	·	·09	·07	·07	·01	·	10
11	·57	·03	·	·32	·22	·03	·	·01	·	·02	·12	·02	11
12	·	·	·	·	·06	·01	·	·02	·05	·	·31	·	12
13	·	·	·22	·	·	·	·14	·05	·14	·	·16	·	13
14	·12	·	·48	·06	·	·	·01	·09	·01	·10	·06	·	14
15	·04	·05	·38	·62	·	·	·	·	·10	·	(·12) ·22	·03	15
16	·	·	·42	·08	·	·	·	·	·03	·	·01	·	16
17	·04	·	·04	·04	·	·	·07	·	·	·	·	·	17
18	·	·	·19	·06	·	·	·65	·	·	·	·01	·	18
19	·10	·	·05	·02	·03	·12	·01	·	·04	·09	·02	·02	19
20	·08	·	·24	·20	·	·	·01	·	·	·30	·27	·	20
21	·	·	·12	·05	·02	·	·09	·03	·	·	·62	·	21
22	·38	·	·93	·	·01	·14	·	·96	·42	·01	·	·	22
23	·	·	·02	·	·	·02	·	·02	·24	·	·10	·	23
24	·15	·	·	·02	·	·	·	·	·01	·	·03	·	24
25	·	·	·	·09	·	·	·	·	·23	·07	·	·03	25
26	·	·	·	·59	·01	·	·	·03	·02	·	·	·20	26
27	·64	·	·	·31	·	·	·	·	·	·43	·	·07	27
28	·20	·	·13	·18	·	·	·	·	·	·47	·	·66	28
29	·01		·45	·32	·05	·	·02	·28	·	·20	·01	·	29
30	·18		·01	·01	·	·	·	·01	·	·25	·02	·	30
31	·06		·42		·46		·	·		·01		·	31
Total	3·11	·95	4·58	3·43	3·23	1·50	1·07	201	1·63	4·22	2·45	136	YEAR'S TOTAL 29·54
Rain Days.	18	9	22	21	18	11	14	14	16	19	23	13	198

W.7,000, XI. 13

and for auth 1·IV·15 W DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 7 JAN 1915

Kept at Fitz Rectory
in the County of Salop 4
by W Brewster

Lat. 52°·45'·0 Long. 2°·49'·6
Time of Observation 9.30 am
Nearest Railway Station Leaton (W)
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 238 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·02	·	·	·01	·25	·97	·	-	·	·15	1
2	·01	·	·	·	·	·	1·93	·18	·	·05	·33	·33	2
3	·	·	·01	·15	·22	·	·02	·	·	·	·	·72	3
4	·15	·	·	·16	·07	·	·19	·01	·	·	·65	·34	4
5	·18	·	·08	·10	·04	·	·05	·	·	·01	·26	·	5
6	·02	·01	·	·12	·05	·02	·	·11	·	·	·05	·24	6
7	·	·06	·34	·01	·24	·02	·21	·13	·	·	·	·21	7
8	·01	·	·	·03	·17	·28	·03	·04	·06	·	·	·02	8
9	·22	·01	·	·10	·08	·53	·	·23	·09	·	·	·	9
10	·01	·02	·05	·17	·	·06	·	·	·18	·	·	·	10
11	·	·26	·13	·02	·36	·10	·	·	·04	·	·37	·52	11
12	·	·37	·17	·	·	·	·07	·	·25	·	·15	·17	12
13	·	·11	·12	·01	·	·	·05	·	·01	·35	·25	·17	13
14	·	·39	·05	·	·	·	·	·	·	·13	·13	·01	14
15	·	·	·31	·	·	·	·	·02	·01	·	·	·	15
16	·	·	·02	·	·	·	·	·	·05	·	·	·	16
17	·	·16	·20	·	·	·	·02	·	·06	·	·	·50	17
18	·	·	·02	·	·	·06	·	·	·05	·	·	·13	18
19	·	·02	·01	·	·	·	·45	·38	·11	·	·07	·14	19
20	·	·07	·19	·	·	·22	·19	·	·01	·	·	·22	20
21	·	·24	·	·	·01	·17	·	·13	·	·09	·	·11	21
22	·	·06	·04	·	·06	·07	·	·27	·	·17	·	·	22
23	·	·01	·04	·	·12	·05	·	·01	·	·64	·	·	23
24	-	·	·45	·01	·	·	·04	·33	·	·04	·03	·	24
25	·05	·	·02	·	·	·	·	·35	·	·45	·02	·32	25
26	·	·	·09	·	·	·	·03	·02	·	·08	·10	·15	26
27	·07	·	·	·	·	·	·	·	·	·	·21	1·22	27
28	·14	·11	·05	·	·11	·	·	·	·	·12	·03	·32	28
29	·01		·02	·	·03	·	·	·	·	·10	·17	·	29
30	·	X	·02	·	·	·	·	·	·	·05	·22	·12	30
31	·12	X	·	X	·04	X	·34	·	X	·03	X	·64	31
Total	·99	1·90	2·45	·82	1·60	1·59	3·87	3·18	·92	1·76	2·98	6·15	YEAR'S TOTAL 28·16 28.16
Rain Days.	12	15	23	11	14	12	15	15	12	14	16	22	181

W. 8,000. X. 14.

ExMcC 2418

FORM A. BRITISH RAINFALL. 8 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Fitz Rectory

in the County of Salop

by W Brewster

Lat. No change Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.45	.05	.10	.	.43	.	.	.03	.09	.15	.	.15	1
2	.07	.06	.12	.28	.	.04	.	1.08	.	.10	.	.10	2
3	.76	.02	.	.03	.02	.	.39		.	.	.	.20	3
4	.02	.25	.01	.	.31	.	.48	.	.	.01	.	.96	4
5	.	.18	.	.	.08	.04	.	.06	.	.	.	.24	5
6	.05	.03	.06	.02	.	.	.40	.04	.	.	.	.17	6
7	.14	.36	.	.01	.	.	.15	.13	.	.	.	.18	7
8	.11	.11	.	.	.	.	.	.16	.	.	.15	.	8
9	.09	.03	.	.14	.	.	.01	.01	.	.	.03	.56	9
10	.29	.	.03	.22	.	.	.	.03	.	.64	.01	.02	10
11	.02	.	.	.01	.03	.	.20	.11	.	.	.73	.03	11
12	.02	.10	.	.09	.29	.	.01	.09	.	.27	1.54	.01	12
13	.	.53	.	.08	.41	.	.	.08	.	.01	.05	.02	13
14	.01	.	.	.01	.02	.	.	.19	.07	.	.	.23	14
15	.12	.	.	.02	.06	.	.10	.07	.	.	.18	.06	15
16	.18	.14	.	.	.36	.	.96	.13	.	.	.	.	16
17	.	.28	.	.	.45	.	.	.02	.	.	.	.01	17
18	.01	.27	.03	.	.	.	.	.	.	.02	.	.	18
19	.	.02	.	.06	.06	.	.08	.	.	.	.	.	19
20	.03	.	.	.02	.05	.	.	.	.	.	.	.05	20
21	.33	.	.	.05	.	.	.16	.	.	.02	.	.03	21
22	.	.03	.14	.10	.	.	.18	.	.	.04	.	.05	22
23	.	.23	.14	.	.	.04	.82	.	-	1.08	.02	.30	23
24	.	.	.16	.08	.	.	.13	.	.35	.38	-	.15	24
25	.	.	.01	.01	.	.39	.09	.	.01	.01	.05	.16	25
26	.	.06	.	.	.	.01	.67	.	.07	.	.	.43	26
27	.	.12	.	.	.	.01	.14	.	.	.22	.	.48	27
28	.	.22	.01	.	.	.	.03	.16	.02	.02	.	.02	28
29	.	|	.	.	.	.45	.21	.10	.	.	.07	.03	29
30	.04	X	.	.06	.	.01	.10	.	.	.22	.01	.10	30
31	.04	X	.	X	.	X	.13	.02	X	.02	X	.22	31
Total	3.08	3.09	.81	1.29	2.57	.99	544	2.51	.61	2.61	2.84	4.96	YEAR'S TOTAL 30.80
Rain Days.	19	20	11	18	13	8	21	18	6	16	11	27	188

W. 8,000. X. 15.

Exc IL 2350

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at Fitz Rectory
in the County of Salop
by W Brewster

Lat. Long.
Time of Observation
Nearest Railway Station [illegible]
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·02	26	·	·02	·09	·14	·	·	·15	·10	·	1
2	·31	·07	·32	·	·	·03	·15	·	·14	·61	·04	·	2
3	·02	(57) ·50	·	·03	·03	·03	·42	·	·07	·19	·07	·02	3
4	·05	·20	·	·03	·51	·21	·01	·	·	(14) ·14	·32	·	4
5	–	·05	·	·	·35	·04	·09	·	·	·39	·03	·	5
6	·08	·19	·04	·	·29	·07	·44	·	·01	·05	·15	·	6
7	·06	·02	·03	·	·16	·05	·18	·	·	·06	·03	·32	7
8	·05	·01	·19	·	·15	·	·	·	·	·03	·01	·09	8
9	·	·	·	·	·21	·16	·	·	·	·01	·05	·04	9
10	·	·40	·06	·	·02	·	·04	·	·01	·09	·01	·	10
11	·01	·07	·15	·03	·07	·07	·	·	·02	·	·	·03	11
12	·05	·05	·09	·01	·33	·	·23	·06	·05	·04	·	·	12
13	·03	·21	·12	·02	·03	·	·02	·12	·01	·02	·	·09	13
14	·	·28	·02	·	·02	·	·	·25	·	·04	·	·	14
15	·	·29	·33	·17	·02	·	·05	·66	·	·04	·	·	15
16	·	·06	·02	·20	·02	·	·06	·05	·	·05	·	·	16
17	·02	·12	·	·12	·	·	·02	·	·30	·21	·	·	17
18	·06	·06	·12	·03	·	·	·	·04	·29	·07	·54	·09	18
19	·09	·01	·25	·14	·	·	·	·01	·01	·08	·38	·	19
20	·06	·	·44	·01	·	·	·	·	·	·01	·02	·03	20
21	·06	·	·40	·	·	·	·57	·	·	·	·02	·	21
22	·	·	·02	·01	·	·04	·	·	·	·08	·	·24	22
23	·	·	·02	·01	·	·	·	·16	·	·01	·08	·18	23
24	·	·26	·01	·	·55	·18	·	·16	·	·18	·	·12	24
25	·02	·05	·12	·	·16	·03	·	·06	·	·01	·24	·02	25
26	·02	·03	·01	·	·01	·05	·01	·10	·01	·15	·05	·	26
27	·01	·04	·05	·	·	·03	·	·14	·23	·35	·01	·	27
28	·	·47	·	·	·05	·01	·	·	·	·05	·	·33	28
29	·	·20	·	·	·	·52	·	·09	·	·06	·	·14	29
30	·	X	·01	·	·	·15	·	·04	·	·19	·	·01	30
31	·	X	·	X	·	X	·	·01	X	·34	X	·02	✓ 31
Total	1·08	3·66	3·08	·81	3·00	1·76	2·37	1·35	1·15	3·76	2·15	1·77	YEAR'S TOTAL 25·88
Rain Days.	18	24	23	13	19	17	15	15	12	29	18	16	219

W. 8,000, VIII. 16

2235

FORM A.
BRITISH RAINFALL
30 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Fitz Mulony

in the County of Salop Shropshire

by W Brewster

Lat. 52·45 Long. 2° 49

Time of Observation 9.30

Nearest Railway Station Leaton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 238 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·16	·34	·	·10	·	·26	·16	·01	·02	·14	1
2	·	·	·	·21	·	·19	·	·12	·	·	·07	·06	2
3	·	·10	·	·03	·	·01	·	·05	·	·38	·01	·	3
4	·02	·03	·11	·	·	·	·	·09	·	·86	·	·03	4
5	·09	·	·23	·23	·	·	·	·05	·02	·19	·08	·	5
6	·01	·	·31	·	·	·19	·	·	·	·13	·10	·	6
7	·40	·	·	·01	·	·	·	·09	·	·11	·05	·11	7
8	·46	·	·	·19	·	·	·	·55	·	·31	·06	·10	8
9	·	·	·18	·08	·14	·	·	·08	·	·08	·38	·01	9
10	·32	·	·39	·26	·31	·	·	·05	·	·02	·01	·	10
11	·12	·	·01	·10	·	·	·	·11	[illegible]	·21	·03	·	11
12	·12	·	·	·05	·78	·	·	·10	·05	·10	·	·	12
13	·	·	·	·07	·02	·	·	·36	·04	·05	·	·	13
14	·02	·	·	·01	·	·	·	·24	·	·	·01	·	14
15	·	·	·	·	·09	·	·42	·16	·	·18	·	·19	15
16	·01	·07	·	·11	·01	·22	·01	·	[illegible]	·01	·	·25	16
17	·	·	·	·07	·44	·06	·65	·51	·04	·03	·	·	17
18	·	·02	·02	·03	·04	·	·16	·28	·55	·07	·	·	18
19	·03	·42	·38	·	·01	·22	·01	·02	·05	·01	·01	·	19
20	·03	·21	·	·	·36	·30	·17	·	·06	·	·02	·	20
21	·	·02	·25	·	·04	·05		·04	[illegible]	·05	·01	·	21
22	·	·	·	·	·11	·32	·	·62	·03	·09	·	·	22
23	·	·18	·	·	·08	·01	·02	·08	·	·07	·	·03	23
24	·	·02	·04	·	·	·08	·	·04	·	·27	·10	·	24
25	·	·08	·07	·	·	·	·	·05	[illegible]	·10	·11	·	25
26	·	·	·	·	·	·08	·	·61	·09	·09	·06	·	26
27	·	·02	·05	·	1·70	·17	·19	·61	·	·01	·	·	27
28	·	·	·05	·		·	·	·52	·	·01	·	·	28
29	·		·	·	·	·	·35	·01	·	·29	·	·22	29
30	·		·28	·	·	·	·01	·29	·	·16	(·14)	·	30
31	·03		·19		·01		·	·13		·02		·	31
Total	1·66	1·17	2·66	1·76	4·08	2·00	1·99	6·06	1·06	3·85	1·27	1·14	YEAR'S TOTAL 28·73
Rain Days.	13	11	16	15	15	14	10	28	10	28	18	10	188

W. 8,000, IX. 17.

35

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Fitz Rectory
in the County of Salop
by W Brewster

Lat. 52.45.6 Long. 2.49.6 7.
Time of Observation 9.30 am
Nearest Railway Station Leaton G W R 8
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 238 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·16

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	·07	—	·22	·02	.	.	·08	·03	·06	·37	.	1
2	.	·04	—	·14	.	.	—	·36	.	·02	·01	·26	2
3	.	·03	—	.	·29	.	.	·26	·61	·07	.	·01	3
4	·62	·03	—	.	.	.	.	·61	1·38	·18	·17	·31	4
5	—	.	·01	·08	·10	.	.	·12	·18	·13	·04	·01	5
6	·02	·14	·02	·16	.	·29	.	·61	·07	·42	.	.	6
7	·10	·05	—	·64	·19	.	.	.	·14	·04	·10	.	7
8	·02	·21	—	.	.	·02	·16	.	·13	·16	.	.	8
9	·02	·55	—	·27	.	·18	·02	.	·16	·05	·03	.	9
10	·07	·08	—	·19	.	.	·16	.	·21	·02	·11	·14	10
11	·03	—	·01	·02	·11	.	·13	.	·28	·02	.	·07	11
12	.	—	—	.	·15	.	·08	.	·02	.	.	.	12
13	.	—	—	·01	·02	—	.	.	·17	·03	.	·06	13
14	·32	—	—	.	.	·04	·14	.	·45	·03	.	·19	14
15	·36	—	—	.	·04	·03	·58	.	·28	·04	·02	·21	15
16	·09	—	—	·26	.	·07	·09	·03	·22	·02	.	·23	16
17	·31	—	—	·11	·03	—	·10	·04	·01	·16	.	·28	17
18	·26	—	·08	—	.	·25	·09	.	·77	·01	.	·19	18
19	·08	·01	·05	·01	.	—	·11	.	·06	·05	.	·32	19
20	·04	·08	—	·35	.	·11	·03	.	·28	.	.	·59	20
21	·64	·03	—	·29	·17	.	·07	.	·29	.	.	·13	21
22	—	—	—	.	1·67	—	·10	.	·02	·02	.	·31	22
23	—	—	—	—	·40	·03	·17	.	·03	.	·11	·01	23
24	—	·19	—	.	.	.	.	·16	·07	.	·16	·04	24
25	—	T	—	·02	·16	.	·29	·20	·02	.	·03	—	25
26	—	T	—	.	.	.	·39	·06	.	·01	·01	·04	26
27	—	·08	·15	.	.	.	.	·27	·30	.	·05	·08	27
28	—	·02	·29	.	.	.	.	·01	·02	.	·09	·07	28
29	—	X	·25	.	—	.	.	.	·49	.	.	·12	29
30	—	X	·12	.	.	.	.	.	·01	.	·01	·14	30
31	·02	X	·06	X	.	X	.	—	X	·02	X	·01	31
Total	1·80	1·61	1·14	2·17	3·29	1·02	2·71	1·49	~~7·00~~ 6·70	1·50	~~1·21~~ 1·31	3·82	YEAR'S TOTAL ~~28·76~~ 28·56
Rain Days.	16	15	10	15	13	9	17	13	28	21	15	24	196

W. 6,500, VII. 18. W W & S

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

8 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Fitz Rectory
in the County of Salop
by W Brewster

Lat. 52.45 Long. 2.49
Time of Observation 9.30
Nearest Railway Station Leaton GWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·00

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	·	·	·	·10	·	·31	·	·08	·19	·	·22	1
2	·10	·	·14	·	·01	·	·16	·	·09	·	·05	·02	2
3	·	·	·02	·	·05	·06	·05	·	·01	·	·05	·15	3
4	·	·10	·27	·	·	·01	·31	·04	·12	·	·	·21	4
5	·02	·25	·02	·	·04	·	·02	·	·02	·02	·04	·07	5
6	·07	·06	·09	·	·01	·	·	·	·	·	·01	·25	6
7	·08	·	·14	·05	·	·	·	·	·	·	·07	·	7
8	·13	·	·03	~~[illegible]~~	·	·04	·	·	·	·02	·	·	8
9	·16	·	·	·09	·	·	·	·	·	·	·04	·01	9
10	·01	·	·32	~~·09~~	·	·	·	·	·	·03	·	·05	10
11	·01	·	1·22	·03	·05	·	·21	·	·	·03	·	·01	11
12	·	·	·53	~~[illegible]~~	·	·34	·	·	·04	·08	·05	·	12
13	·16	·	·	·09	·	·	·04	·	·04	·28	·	·04	13
14	·36	·	·	·38	·	·	·04	·	·02	·36	·	·02	14
15	·22	·04	·	·25	·36	·	·	trace	·	·13	·	·35	15
16	·03 ·03	1·02	·01	~~[illegible]~~	·	·07	·	·	·	·	·12	·01	16
17	·02	·63	·	·02	·	·08	·	·06	·	·01	·11	·	17
18	~~[illegible]~~	·	·74	~~[illegible]~~	·	·	·02	·60	·05	·	·01	·	18
19	·05 ·05	·27	1·04	·	·	·06	·17	·25	·26	·	·23	·02	19
20	·14 ·24	·04	·14	·	·	·05	·03	·07	·17	·	·11	·15	20
21	·03 ·03	·27	·	·	·	·	·36	·	·04	·	·02	·05	21
22	·	·28	·	·	·	·	·01	·	·42	·	·	·44	22
23	·	·01	·	·	·	·14	·	·	·	1·29	·	·	23
24	~~[illegible]~~	·	·	·07	·16	·03	·	·	·	·56	·15	·13	24
25	·03 ·03	·	·	·11	·06	·02	·	·58	·	·01	·02	·04	25
26	·04 ·04	·	·08	·17	·	·07	·	·07	·02	·	~~[illegible]~~	·22	26
27	·16 [illegible]	·02	·07	·25	·	·	·	·22	·	·	·02	·	27
28	·08	·	·03	·02	·	·	·01	·72	·	·02	[illegible]	·31	28
29	·06 ·06		·04	·05	·	·	·	·02	·	·18	·	·22	29
30	·02 ·02		·03	·06	·	·05	·	·	·	·02	·06	·18	30
31	·		·01		·		·	·		·		·	31
TOTAL	~~2·12~~ 2·08	2·99	~~4·87~~ 4·97	1·64	·84	1·02	1·65	~~2·58~~ 2·63	1·88	3·17	1·16	3·17	YEAR'S TOTAL ~~26·07~~ 27·23
Days with ·01 in. or more	23	12	20	14	9	13	14	10	14	16	17	23	183 185

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W 9M L cml for ant r 4 2012

4 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Fitz Rectory

in the County of Salop

by L S Brewster

Lat. Long. No change

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·06	·23	·25	·	·15	·01	·12	·11	·	·43	1
2	·01	·	·	·14	·02	·	·53	·	·07	·36	·	·14	2
3	·05	·06	·	·21	·	·06	·70	·	·15	·24	·	·02	3
4	·01	·	·	·03	·	·	·06	·29	·05	·17	·	·	4
5	·	·	·05	·	·05	·	·25	·08	·12	·46	·	·01	5
6	·	·	·37	·64	·	·	·10	·	·	·27	·	·03	6
7	·	·	·07	·65	·68	·	·18	·	·	·	·	·	7
8	·34	·10	·	·42	·14	·	·45	·10	·	·	·	·	8
9	·26	·16	·02	·54	·	·	·03	·16	·	·	·	·	9
10	·27	·15	·04	·02 ·02	·	·08	·46 ·40	·	·04	·	·04	·05	10
11	·10	·02	·63	·19	·29	·22	·07	·01	·	·	·	·	11
12	·14	·	·64	·12	·	·95	·04	·02	·01	·	·09	·10	12
13	·09	·03	·66	·11	·	·10	·	·	·	·	·23	·	13
14	·	·01	·80	·16	·	·65	·04	·	·71	·29	·25	·	14
15	·01	·12	·06	·14	·	1·17	·	·	·61	·17	·05	·	15
16	·	·	·	·03	·23	·04	·32	·	·25	·81	·	·	16
17	·01	·	·02	·	·15	·02	·01	·	·29	·02	·	·	17
18	·26	·	·	·	·18	·	·	·02	·15	·	·	·	18
19	·	s1·95	·	·02	·02	·07	·	·26	·07	·	·	·	19
20	·	·	·	·08	·	·62	·	·	·01	·	·	·07	20
21	·	·	·	·02	·	·	·19	·05	·	·	·	·07	21
22	·05	·	·	·07	·	·	·28	·18	·	·	·	·	22
23	·	·	·04	·62	·	·	·12	·02	·	·	·	43	23
24	·02	·	·29	·	·	·	·	·01	·	·	·	·23	24
25	·	·13	·04	·09	·62	·01	·75	·	·	·	·	·	25
26	·15	·	·30	·02	·66	·04	·11	·	·	·	·05	·	26
27	·18	·	·14	·13	·50	·15	·03	·	·	·	·	·32	27
28	1·24	·	·28	·01	·29	·12	·05	·	·01	·02	·	·06	28
29	·64	·	·35	·04	·47	·	·11	·	·	·	·13	·48	29
30	·06		·05	·26	·01	·22	·	·	·42	·	·11	·24	30
31	·10		·03		·01		·06	·04		·41		·01	31
Total	2·39	2·73	3·06	3·13	2·77	3·32	5·06	1·19	2·48	3·27	·95	2·69	Year's Total ~~32·94~~
Days with ·01 in. or more	20	10	21	26	17	16	24	14	16	12	8	16	200
Days with ·04 in. or more	15	7	14	17	11	13	21	7	12	10	8	12	150

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

REGIST

SHROPSHIRE.

SHREWSBURY.

1911

FORM A2.
BRITISH RAINFALL.

25 JUN 1912

Kept at Shrewsbur

in the County of Shrop

by Met. Offic

in.
Ground 1 ft. 0 in.
Sea Level 190 ft.
m.
Name
Distance Direction

IMPORTANT NOTE.—Rain the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·01	-	·01	-	·01	·03	-	-	·04	-	1
2	-	-	-	·02	·03	-	·03	-	-	·01	·03	·05	2
3	-	-	-	-	·26	-	-	·04	·03	-	·04	·03	3
4	-	-	·06	-	·01	-	-	·02	·01	-	·14	·09	4
5	·04	-	·01	-	·01	-	-	·13	-	·19	-	-	5
6	·02	-	·03	-	-	-	-	·02	-	·07	·02	·16	6
7	-	-	-	-	-	-	-	-	-	-	·15	-	7
8	·11	-	·05	-	-	-	-	-	-	-	·23	·25	8
9	·02	-	·07	-	-	-	-	-	-	-	·42	·03	9
10	-	·07	·08	-	-	-	-	-	·02	-	-	·25	10
11	·12	-	-	-	-	-	-	-	·05	-	·40	·01	11
12	-	-	·34	-	-	-	-	-	·64	-	·27	-	12
13	-	-	·01	-	-	-	-	·06	-	-	·01	·30	13
14	-	·01	·07	-	-	-	-	-	-	-	-	·33	14
15	-	·01	·02	-	-	-	-	-	-	-	·01	·16	15
16	-	-	-	-	-	·07	-	-	-	·01	·05	·01	16
17	-	-	-	-	·25	·43	-	-	-	-	·13	·15	17
18	-	·21	·01	·08	-	·13	-	-	-	·01	-	·14	18
19	-	·01	-	·07	-	·18	-	·06	·23	·43	·18	·15	19
20	-	·03	-	·03	-	-	-	·14	·11	·03	-	·26	20
21	-	·16	·02	-	-	-	·01	·26	·005	·27	·01	-	21
22	·03	·01	-	-	-	-	-	-	-	·44	-	·28	22
23	-	·05	·28	-	-	·23	-	-	·315	·07	-	·09	23
24	-	·04	-	·01	-	·71	-	·18	-	·19	-	·12	24
25	-	·05	-	·05	-	·03	-	-	·04	·02	-	-	25
26	-	·20	-	·11	·34	·01	-	-	·01	·20	·13	·07	26
27	-	·08	·07	·05	-	-	-	·54	·15	-	·09	·07	27
28	-	·11	-	·06	-	-	-	-	-	-	·01	-	28
29	-		-	-	-	·04	·32	-	·122	·22	-	-	29
30	-		-	·01	-	·08	-	-	-	·25	-	-	30
31	-		·11		·05		-	-		·04		-	31
Total	·34	1·04	1·24	·49	·96	1·91	·37	1·48	1·732	2·45	2·36	3·00	TOTAL for year 17·372
No. of Rain Days.	6	14	16	10	8	10	4	11	13	16	19	21	148

W. 8,000, X. '11.

REGIST 1

FORM A2.
BRITISH RAINFALL.
25 JUN 1912

Kept at Shrewsbury O.S.O.

in the County of Shropshire 3

by Met. Office

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	1 ft. 0 in.
	„ „ „ Sea Level	190 ft.

Time of Observation 9 a. m.

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·01	-	·01	-	·01	·03	-	-	·04	-	1
2	-	-	-	·02	·03	-	·03	-	-	·01	·03	·05	2
3	-	-	-	-	·26	-	-	·04	·03	-	·04	·03	3
4	-	-	·06	-	·01	-	-	·02	·01	-	·14	·09	4
5	·04	-	·01	-	·01	-	-	·13	-	·19	-	-	5
6	·02	-	·03	-	-	-	-	·02	-	·07	·02	·16	6
7	-	-	-	-	-	-	-	-	-	-	·15	-	7
8	·11	-	·05	-	-	-	-	-	-	-	·23	·25	8
9	·02	-	·07	-	-	-	-	-	-	-	·42	·03	9
10	-	·07	·08	-	-	-	-	-	·02	-	-	·25	10
11	·12	-	-	-	-	-	-	-	·05	-	·40	·01	11
12	-	-	·34	-	-	-	-	-	·64	-	·27	-	12
13	-	-	·01	-	-	-	-	·06	-	-	·01	·30	13
14	-	·01	·07	-	-	-	-	-	-	-	-	·33	14
15	-	·01	·02	-	-	-	-	-	-	-	·01	·16	15
16	-	-	-	-	-	·07	-	-	-	·01	·05	·01	16
17	-	-	-	-	·25	·43	-	-	-	-	·13	·15	17
18	-	·21	·01	·08	-	·13	-	-	-	·01	-	·14	18
19	-	·01	-	·07	-	·18	-	·06	·23	·43	·18	·15	19
20	-	·03	-	·03	-	-	-	·14	·11	·03	-	·26	20
21	-	·16	·02	-	-	-	·01	·26	·005	·27	·01	-	21
22	·03	·01	-	-	-	-	-	-	-	·44	-	·28	22
23	-	·05	·28	-	-	·23	-	-	·315	·07	-	·09	23
24	-	·04	-	·01	-	·71	-	·18	-	·19	-	·12	24
25	-	·05	-	·05	-	·03	-	-	·04	·02	-	-	25
26	-	·20	-	·11	·34	·01	-	-	·01	·20	·13	·07	26
27	-	·08	·07	·05	-	-	-	·54	·15	-	·09	·07	27
28	-	·11	-	·06	-	-	-	-	-	-	·01	-	28
29	-		-	-	-	·04	·32	-	·122	·22	-	-	29
30	-		-	·01	-	·08	-	-	-	·25	-	-	30
31	-		·11		·05		-	-		·04		-	31
Total	·34	1·04	1·24	·49	·96	1·91	·37	1·48	1·732	2·45	2·36	3·00	TOTAL for year 17·372
No. of Rain Days.	6	14	16	10	8	10	4	11	13	16	19	21	148

W. 8,000, X. '11.

SHROPSHIRE.
SHREWSBURY
RADBROOK HALL.
1917 – 1919.

REGISTE

FORM A.
BRITISH RAINFALL.

JAN

Kept at Radbrook Hall
in the County of Shropshire
by Donald D. Macphers

2.46-46W
am
Shrewsbury
in Gauge 5 in.
ove Ground ft. 8½ in.
Sea Level 235 ft.

IMPORTANT NOTE.—Ra d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. /

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										/	3	4	1
2									(10)	/	7	6	2
3										/	1	1	3
4										28	2	1	4
5										65	20	/	5
6									/	18	20	/	6
7									/	7	3	5	7
8									/	10	8	8	8
9									/	27	26	/	9
10									/	10	/	/	10
11									/	1	3	/	11
12									3	16	/	/	12
13									3	14	/	1	13
14									/	3	/	1	14
15									/	6	/	19	15
16									/	10	/	24	16
17									5	1	1	5	17
18									55	4	/	/	18
19									4	/	/	/	19
20									15	/	3	/	20
21									/	6	6	/	21
22									1	3	/	/	22
23									/	5	/	/	23
24									/	18	7	/	24
25									/	3	9	/	25
26									6	5	3	/	26
27									/	/	/	/	27
28									/	/	/	3	28
29									/	32	/	23	29
30		X							/	3	3	/	30
31		X		X		X			X	1	X	/	31
Total									(1.02)	296	125	101	YEAR'S TOTAL
Rain Days.										24	17	13	

Record only commenced on 6th Sept 1917

Donald Macpherson

W. 8,000, IX. 17.

REGIST

BRITISH RAINFALL
FORM A.

Kept at Radbrook Hall

in the County of Shropshire

by Donald D. Macpherson Gr.

Lat. 52·42N Long. 2·46-46W

Time of Observation 9 am

Nearest Railway Station Shrewsbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 8½ in.

" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. /

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										/	3	4	1
2										/	7	6	2
3									(·10)	/	1	1	3
4										28	2	1	4
5										65	20	/	5
6									/	18	20	/	6
7									/	7	3	5	7
8									/	10	8	8	8
9									/	27	26	/	9
10									/	10	/	/	10
11									/	1	3	/	11
12									3	16	/	/	12
13									3	14	/	1	13
14									/	3	/	1	14
15									/	6	/	19	15
16									/	10	/	24	16
17									5	1	1	5	17
18									55	4	/	/	18
19									4	/	/	/	19
20									15	/	3	/	20
21									/	6	6	/	21
22									1	3	/	/	22
23									/	5	/	/	23
24									/	18	7	/	24
25									/	3	9	/	25
26									6	5	3	/	26
27									/	/	/	/	27
28									/	/	/	3	28
29									/	32	/	23	29
30		X							/	3	3	/	30
31		X		X		X			X	1	X	/	31
Total									(1·02)	296	125	101	YEAR'S TOTAL
Rain Days.										24	17	13	

Record only commenced on 6 Sept 1917

Donald Macpherson

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 8.1.19

Kept at Radbrook Hall

in the County of Salop

by Donald D. Macpherson

Lat. 52.42N Long. 2.46.46W

Time of Observation 9 am

Nearest Railway Station Shrewsbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 8½ in.

" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		4		15	1		~~12~~	10	2	6	41	3	1
2		1		3				26					2
3		3			29			7	49	9		24	3
4	1	3						2	146	22	20		4
5			1	4	11			2	28	16	6	23	5
6		16	2	27		6			2	41			6
7	3	5		2	19	10			11	2	13		7
8	1	23					6		16	11	1		8
9	3	48		24		15	5		32	5	1		9
10	6	7		17			49		16	2	7	1	10
11	1		5	1	12		14		22	3	1	13	11
12		5	1		11		7					8	12
13					1	1			14	2			13
14	26					2	31		32	4		3	14
15					4	1	45		30	7		20	15
16	75			22		3	12	4	8	2		23	16
17	28			4	2	5	8	3	3	15		20	17
18	28		3			13	22		50	1		9	18
19	3	1	16	1			14		4	5		23	19
20	9	4		27		13	5		23	2		17	20
21	7	2		41	4	1	3		27	2		55	21
22					132	1	17	1	2			10	22
23					45		30		2			29	23
24		12						8	4		16		24
25					15		15	12	1	2		2	25
26							37	3	1				26
27		4	1					32	22		16	6	27
28		8	34						1			11	28
29			26						47		7	8	29
30		✕	13									5	30
31		✕	8	✕		✕			✕	2	✕	16	31
Total	191	146	110	188	~~166~~ 286	71	320	110	595	161	129	329	YEAR'S TOTAL ~~253.61~~ 26.36
Rain Days.	13	16	11	13 ~~11~~	13	12	~~18~~ 17	12	27	21	~~11~~ 14	22	~~184~~ 191

W. 8,000, IX. 17.

-2586

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

6 JAN 20

Kept at Radbrook Hall
in the County of Salop
by Donald D. Macpherson

Lat. 52.42 N Long. 2.46-46 W
Time of Observation 9 am
Nearest Railway Station Shrewsbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8½ in.
" " " " Sea Level 235 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ✕

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	3	1	1		10		33		6	15		24	1
2	16	2	14				14		4	1	6	1	2
3	10		1	15	8	6	9		1		5	13	3
4	1	5	24				44	14	7			21	4
5		15			6						2	9	5
6	3	17	12		6							23	6
7	6		13	4							8		7
8	8		6			2							8
9	23			7									9
10	18		33							3		5	10
11	2		88	1	1		25			4			11
12	1		60	3		34			6	12	2	1	12
13	9		15	6			1		90	22			13
14	33			27			5		1	8		2	14
15	26	2		20	36					13		33	15
16	2	32		3		8					10		16
17	2	70		3		8		1			8	1	17
18		49	90				2	47	2				18
19	9	28	41			8	15	38	19		25	2	19
20	16	2	63			2	5	5	19		12	8	20
21	2	17				3	38		2		2		21
22		18							41			49	22
23					10	8		3		158	3	7	23
24				5	13	2				73	15	7	24
25	2			10				36		2	2	7	25
26	2		6	13		6		8	4			16	26
27	12	2	7	25		1	2	9	2		1		27
28	10		3	2				76				29	28
29	4	✕		6		1				17		12	29
30		✕	2	6		4				2	6	10	30
31	2	✕	2	✕		✕		1	✕		✕	1	31
TOTAL	2·2,2	2·6.0	4·8,1	1·5.6	·9.0	·9.3	1·9.3	2·3.8	2·0.4	3·3,0	1·0,7	2·8,1	YEAR'S TOTAL 2·65.5
Days with ·01 in. or more	25	14	19	17	8	14	12	11	14	13	15	22	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

F2301 SHREWSBURY

SALOP, RODEN

1911 — 20

FORM A2.
BRITISH RAINFALL.

17 MAY 1912

Kept at Rod … radon

… 8 in.

… Ground 1 ft. in.

… Sea Level 208 ft.

in the County of … . am

… Name Crudgington

by J. W. Now … Distance 4 miles Direction

IMPORTANT N … d the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the … year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					0.04			0.08			0.02		1
2								0.01		0.18	0.04	0.04	2
3					0.25			0.03			006	0.09	3
4				0.01				0.02	0.03	001	011	0.15	4
5	0.02		006					0 25		0.20			5
6	0.04		005	001				0.04		0 01	–	0.14	6
7											007		7
8	009		011								022	0.26	8
9			002								0.53	0.02	9
10			011						0.02		0.04	017	10
11	009								003		0 43		11
12			0.38						0.53		015		12
13								0.18			001	0.46	13
14			008									0.33	14
15			006			004				0.03	001	0.21	15
16										0 01	005	001	16
17					0.22	0.44					012	012	17
18		0.33		0.02		0 20						0 02	18
19		0 06		002		0 09		006	0.24	0.62	0.14	0.23	19
20		0 0 8		0.02		0 03		011	0 15	0.04		0.20	20
21		018						011		004			21
22		002	0.28							0.54		0.33	22
23		005				006			033	009		015	23
24		007		001		0.70		0.11		0.17		011	24
25		009		014		003			005	0:04			25
26		018		009	0.26	002		004		0.25	0.15	0.08	26
27		016	005	003	001			051	020		006	009	27
28		009		009		001					002		28
29						007	0.20		0.16	024		0.01	29
30			009			0.08				024			30
31										006			31
Total	0.24	1.31	1.29	0.44	0.78	1.77	0.20	1.55	1.74	2.86	226	3.22	TOTAL for year 17.66
No. of Rain Days.	4	11	11	10	5	12	1	13	10	17	18	21	133

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

17 MAY 1912

F

ndon

Kept at Roden Estate

in the County of Salop

by J. W. Nowell

RAIN GAUGE
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 208 ft.

Time of Observation 9. am

Nearest Railway Station
Name Crudgington
Distance 4 miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					0·04			0·08			0·02		1
2								0·01		0·18	0·04	0·04	2
3					0·25			0·03			006	0·09	3
4				0·01				0·02	0·03	001	011	0·15	4
5	0·02		006					025		0·20			5
6	0·04		005	001				0·04		001	–	0·14	6
7											007		7
8	009		011								022	0·26	8
9			002								0·53	0·02	9
10			011						0·02		0·04	017	10
11	009								003		043		11
12			0·38						0·53		015		12
13								0·18			001	0·46	13
14			008									0·33	14
15			006			004				0·03	001	0·21	15
16										001	005	001	16
17					0·22	0·44					012	012	17
18		0·33		0·02		0 20						002	18
19		006		002		0 09		006	0·24	0·62	0·17	0·23	19
20		008		0·02		003		011	015	0·07		0·20	20
21		018						011		007			21
22		002	0·28							0·57		0·33	22
23		005				006			033	009		015	23
24		007		001		0·70		0·11		0·17		011	24
25		009		014		003			005	0·04			25
26		018		009	0·26	002		004		0·25	0·15	0·08	26
27		016	005	003	001			051	020		006	009	27
28		009		009		001					002		28
29						007	0·20		0·16	024		0·01	29
30			009			0·08				024			30
31										006			31
Total	0·24	1.31	1·29	0·44	0·78	1·77	0·20	1·55	1·44	2·86	226	3·22	TOTAL for year 17·66
No. of Rain Days.	4	11	11	10	5	12	1	13	10	17	18	21	133

W. 8,000, X. '11.

Cord by [illegible] 7·III·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
24 JAN 1913

Kept at Roden nr Wellington
in the County of Salop 4
by J. W. Nowell

Lat. 52·44·30 Long. 2·37·40
Time of Observation 9 am
Nearest Railway Station Crudgington
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·01

to Oct.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·03			009	002	001	0·01		0·80	0·10	1
2		0·02	007			015	003				001	005	2
3	0·01		009		002	028		065	003		025		3
4	011		041		020	009			001		001		4
5	011	007	027		011	033		0·19	005				5
6	030	014	004		007			019	001				6
7		004	002			038	004	063				001	7
8	035	005	007			056		019	003				8
9	004		034	010		040		023				001	9
10	020	001				016		026			049		10
11		002			003			017			018	053	11
12	006	0·22	009									008	12
13						013		008		008		001	13
14	001		0·42			007		001	002			001	14
15	007	019	026		0·39	021					001		15
16	035		009		008	006		024		001		010	16
17	039		024		001	005		035			023	033	17
18			004				001	004		008	009		18
19	008	005			003		005	020			003	001	19
20			010		023		010	008		068	002		20
21			006		046			014		010		001	21
22	014	002			057	001	021	030		003		004	22
23	004		032				050	014		020	022		23
24	013		001			006	001	005			029	021	24
25			003			008		018			022	043	25
26		008					015	054		·80	013		26
27		004				014	053				001	015	27
28		005					031	038	002	019	069		28
29			~~001~~			0	017	004	036	035	004	001	29
30	003		001			004	003			·01			30
31			025		041	028	033	018		·25 ·01		002	31
Total	2·42	1·00	3·26	0·10	2·61	3·60	249	544	054	~~1·42~~ 2·79	~~3·72~~ 2·65	211	YEAR'S TOTAL 2904 ✓
Rain Days.	17	14	22	1	13	20	15	25	9	~~9~~ 13	~~18~~ 14	18	181 ✓

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

1 MAY 1914

REGISTER OF RAINFALL IN 1913

Kept at Roden

in the County of Salop 4

by J. W. Nowell

Lat. 52·44·30 Long. 2·34·40

Time of Observation 9. am

Nearest Railway Station Crudgington

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 208 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·01		008	009					0·24		0·02		1
2		0·11	003	004					0·14	007	008		2
3	001	002	009		0·61					004		010	3
4	040	008			005		003		001	005	005	026	4
5	039	004			006	031	004			1·23	002		5
6	004	006	006		028	009	045			004		028	6
7	002	014			011	010	015			036	015	005	7
8	004	010	002		013	014	002	0·08	008	009		001	8
9		035	010	003	010	021	014	034			005		9
10				032	002	001		006		005	002		10
11	046			034	024	004				003	016		11
12					003			004			048		12
13	004		0·25				022		004		031		13
14	003	008	053	018				015		011	002		14
15			030	036				002			019		15
16	~~005~~		030	003					003				16
17	003		004	008			010				013		17
18			011	005	001		004						18
19	005		008			004	002		004	014	002		19
20	004		019	008						016	014		20
21			005	001	008		016						21
22	033		048			012		082	046				22
23	014		003					001	029		018	003	23
24											004		24
25				010					019		002		25
26				036				005			001	025	26
27				020						0·28		006	27
28	016		0·32	016						016		004	28
29			048	044				012		010			29
30	014			003						030	003		30
31			132										31
Total	269	098	416	2.90	1.42	109	1.34	169	148	3.24	2.02	108	YEAR'S TOTAL 24·42
Rain Days.	14	9	20	18	12	9	11	10	10	16	20	9	161

Ex 87

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

20 JAN 1915

Kept at Roden Wellington

in the County of Salop 4

by J. W. Nowell

Lat. 52·44·30 Long. 2·37·40

Time of Observation 9 am

Nearest Railway Station Crudgington

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 208 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·33

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~001~~		003	005	008		031	147				014	1
2	~~021~~		001	008	038		052	023		003	029	021	2
3	001			008	009		005	004				054	3
4	0·21			013	005		008	009			052	038	4
5	013				006		010				012	003	5
6			010	008	015		036	034			028	009	6
7		004	038	003	008	009	006					024	7
8				020	003	022	001	006	022				8
9	0·31	001		005	008	047		018	001				9
10	001	003	004			023			018		008		10
11		040	004						004		038		11
12		013	018				038		035		010	053	12
13		009	011						001	020	029	019	13
14		031	003							018	009	018	14
15			035					001	004			006	15
16		008	004				002		005				16
17			032				001					009	17
18		001				002			013			029	18
19		004					041		015			018	19
20		010	078			080	018					012	20
21		036	004			014	002	002		009		010	21
22		010	005	0	008	004		021		012		019	22
23		001	004		009	001				005			23
24			055				009	085		009	013		24
25	004						009	046		041	003	019	25
26	005		005					022		008	018	018	26
27	014										027	1.01	27
28		010	005							004	008	027	28
29	006		010		006					009	005		29
30		X			006						032	014	30
31		X		X	003	X	024		X	008	X		31
Total	096	181	275	072	132	202	283	4·11	1·18	146	314	5·35	YEAR'S TOTAL 24·65
Rain Days.	9	15	20	8	14	9	17	13	10	12	16	22	165

W. 8,000. X. 14.

Copy

2417

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

5 MAY 1913

Kept at Roden

in the County of Salop

by J. W. Nowell

Lat. 52.44.30 Long. 2.37.40

Time of Observation 9. am

Nearest Railway Station Crudgington

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ~~0.08~~

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.33	008	002		0.42			0.01		0.18		0.02	1
2	0.05	002	018	0.23		0.08		1.38				032	2
3	0.94	015		009			0.32	0.22				017	3
4			003		0.35		0.60	0.08				0.82	4
5	001	022						006				026	5
6	013	005	004	002			0.41					006	6
7		036		003	0.28		0.24	016				028	7
8	012	010		005				0.10			005		8
9	014	001		035				004			020	053	9
10	026		005	008						006	001	001	10
11	002						0.12	0.31		010	063	006	11
12	005			011	0.28			006			103		12
13		036		003	042			0.23			010		13
14	001							006	005		020	001	14
15	028			015	006		0.11	012				016	15
16	011	004			0.32		1.40	044					16
17		025			028		002						17
18	002	018	002										18
19		003		002	005		0.16						19
20	003											009	20
21	0.23			003			0.14					008	21
22			018				015						22
23	002	015				0.02	0.39		001	091		0.32	23
24			014	009			010		064	025		023	24
25						0.49	0.02					013	25
26		003					021		002			0.32	26
27		011					010			033		020	27
28		019						019	003			001	28
29						0.41	0.40	010				001	29
30	003	×		004		005		002		0.20		006	30
31	010	×		×		×	0.10	013	×	005	×	026	31
Total	2.94	2.34	066	1.32	2.46	1.05	499	404	0.45	208	2.22	441	YEAR'S TOTAL 29.29
Rain Days.	19	14 17	8	14	9	5	18	18	5	8	4	23	151

W. 8,000. X. 15.

2749

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 6 JAN 1917

Kept at Roden

in the County of Salop.

by J. W. Nowell

Lat. 52 44 30 Long. 2 37 40.

Time of Observation 9 a.m. 10 a.m. Summer time

Nearest Railway Station Crudgington G.W. 4 miles

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2½ in.

" " " " Sea Level 207. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.08	10 0.03	031			006	0.10			0.11	014		1
2	0.23	0 05	025			0.03	0.12		0.09	0.40	005		2
3		048	002	0.03	001	0.04	001		0.02	0.37	011		3
4			001	0 07	042	0.24				0.10	020		4
5		045	001		029	0.19	002			0.10	004		5
6	0.11	017	002		018	0.04			0.02	0.08	019		6
7	002		002		004	0.05	0.34			0.02	005	025	7
8	0.06		015		010		0.16			0.08	002	003	8
9				002	021	0.18	[illegible]			0.01	002	001	9
10		0.48	008		001		0.02			013	001	002	10
11		0.15	003	001	002	0.09			0.01			013	11
12		007	003		042		0.30	0.32					12
13	0.02	008		008	004			0.14				015	13
14		027	030	011	004		0.12	0.23				006	14
15		038		015	003		0.09	0.11	0.03	016			15
16	0.03	007		004			0.05	0.23		003			16
17	0.01	017	002				0.03	0.01	0.51	021			17
18	0.06			015				0.03	0.21	004	0.51	013	18
19	0.01		0.24	003				0.02			027		19
20	0.03		0.56									005	20
21					001	0.05	0.16						21
22	002	002	0.37	014	010					009		018	22
23			0.05			005		0.10		001	005	024	23
24		017	0.11		015			0.10		015			24
25			0.24		003			0.05		003	041		25
26	0.14	003			010	007		0.04		022	021		26
27			0.04					0.06	0.17	044			27
28		023								005	002	029	28
29		016				0.55		0.12		007		015	29
30		X				0.19				010		005	30
31		X		X		X			X	030	X	004	31
Total	0.82	3.46	2.86	0.83	2.20	1.83	1.52	1.56	1.06	3.30	2.30	1.78	YEAR'S TOTAL 23.59 2
Rain Days.	13.	18	20	11	18	14	13.	14.	8	~~10~~ 24	16	15	~~170~~ 184

W. 8,000, VIII. 16

2234

FORM A.
BRITISH RAINFALL.

6 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Roden

in the County of Salop.

by

Lat. 52.44.30 Long. 2-37.40.
Time of Observation 9 a.m.
Nearest Railway Station Crudgington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2½ in.
" " " " Sea Level 207 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01		0.12	0.09		0.20		0.22	0.10		0.02	0.21	1
2		0.06		0.29		0.07		0.09		0.40	0.20	0.7	2
3				0.04						1.05	0.05		3
4	0.05		0.08					0.10		0.15			4
5	0.24		0.13	0.18				0.05		0.10	0.10		5
6			0.08			0.10					0.15		6
7	0.39									0.25		0.15	7
8	0.84			0.15				0.35		0.20	0.11	0.5	8
9				0.10	0.15			0.22	0.02	0.12	0.38	0.10	9
10	0.32		0.31	0.13	0.04			0.05					10
11	0.15			0.12				0.10					11
12	0.02			003	0.54			0.10					12
13				0.05	0.01			0.40	0.06				13
14	0.03				0.04			0.03				0.03	14
15	0.02				0.06		0.26	0.12		0.37		0.07	15
16	0.02					0.16	0.20					0.01	16
17	0.03		0.03	0.09	0.41	0.04	0.77	0.20	0.05			0.01	17
18	005			0.15	0.02		0.20	0.10	0.70				18
19		0.10	049	0.08		0.24							19
20		0.12	0.02		0.30	0.23			0.10		0.10		20
21		0 07	0 21		0.06			0.01		0.10			21
22			002			0.10				0.07			22
23		0 20			0.09			0.18	0.05	0.10			23
24			005			0.09		0.05		0.30	0.10		24
25		0.05						0.10	0.10	0.12	0.20		25
26					0.05	0.22	0.33	0.70					26
27			013		1.20	0.15		0.54				0.10	27
28			0.05			0.03		0.53					28
29								0.10		0.31			29
30		X	0.05					0.30		0.08			30
31		X	0.09	X		X		0.12	X		X		31
Total	1.85	0.54	1.86	1.50	2.97	1.63	1.76	4.76	1.18	3.72	1.41	0.80	YEAR'S TOTAL 23.98
Rain Days.	13	6	15	13	13	12	5	24	8	15	10	10	144

W. 8,000, IX. 17.

.31

34

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918.

Kept at Roden.
in the County of Salop.
by J. W. Powell

Lat. 52.44.30 Long. 2.37.40.
Time of Observation Greenwich. 9 a.m. 3 p.m
Nearest Railway Station Crudgington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2½ in.
" " " " Sea Level 207. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·01	0·09				0·10		0·06	0·33		1
2				0·12				0·22				0·40	2
3		0·03			0·25			0·10	0·53	0·12			3
4		0·06						0·07	1·15	0·14	0·20	0·33	4
5					0·08				0·10	0·05			5
6		0·10	0·02	0·15		0·14				0·40			6
7				0·05	0·17				0·10	0·15			7
8	0·16	0·25							0·30	0·10			8
9	0·01			0·17		0·14	0·18		0·25			0·02	9
10	0·12			0·18			0·42		0·12		0·09	0·14	10
11			0·06		0·10		0·26		0·30			0·08	11
12			0·02		0·15		0·14		0·01				12
13									0·15	0·13			13
14	0·29						0·24		0·48	0·02		0·23	14
15	0·59				0·04	~~0·15~~	0·68		0·20	0·02		0·30	15
16	0·08			0·11		0·15	0·15		0·14			0·22	16
17	0·01				0·01	~~0·15~~	0·08			0·18		0·10	17
18	0·27					0·15	0·12		0·78			0·24	18
19		0·01	0·24			0·02	0·09		0·01	0·05		0·21	19
20		0·08		0·40		0·11	0·02		0·25			0·70	20
21				0·21			0·09		0·17			0·16	21
22					0·75		0·25		0·18			0·28	22
23					0·65		0·15		0·03				23
24		0·16						0·40	0·06		0·05	0·05	24
25					0·09		0·32	0·42	0·01				25
26							0·38		0·02	0·03			26
27									0·25				27
28		0·09	0·37								0·35		28
29			0·10						0·52			0·26	29
30		×	0·07									0·11	30
31		×	0·07	×		×			×	0·03	×		31
Total	1·53	0·78	0·96	1·48	2·29	0·71	3·57	1·31	6·05	1·48	1·02	3·83	YEAR'S TOTAL 25·01
Rain Days.	8	8	9	9	10.	6	16	6	24	14	5.	17	132.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

14 JAN 20

Kept at Roden
in the County of Salop
by J. W. Nowell

Lat. 52·44·30 Long. 2·37 40
Time of Observation 9 am
Nearest Railway Station Crudgington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft 2½ in.
" " " " Sea Level 208 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				002	0.10		0·21		0.05	0.10		0·26	1
2	0.14		0·15		003		005		003	004	005		2
3			001		008	003	012		001		004	014	3
4		002	024		003		024	003	002			020	4
5		021			012			001			002	005	5
6	006		006									014	6
7	004		012									004	7
8	020		004										8
9	0·09			022							0.01		9
10			0·35									003	10
11	001		096		001		0·22			005		001	11
12	101		069	002		0·42							12
13	009		102	004			006		095	049			13
14	033			035			008			018	002	0·03	14
15	130		001	041	0·22			003		012		023	15
16		0·48		001		004					015		16
17	002	043		001		011					004		17
18			069				002	039	002			002	18
19	005	0·23	044			009	031	033	022		029		19
20	013	004	010			001	004	002	016		015	016	20
21	015	018	001			002	036		002		001	012	21
22		035				002			051			089	22
23						008				1.32		002	23
24				004	016					052	0·13	008	24
25				014	004	009		049				005	25
26	005			014		003		006				019	26
27	005			022				014					27
28	020			0 03		003		058				035	28
29	002		020	004		004				019	006	015	29
30		✕	004	008				001		001		010	30
31		✕		✕		✕		0·01	✕	009	✕		31
TOTAL	1·94	2·24	4·49	1·86	0·49	1·31	1·44	2·13	1·99	3·11	[illegible]·94	3·26	YEAR'S TOTAL 25·86
Days with ·01 in. or more	18	8	14	15	9	13	11	12	10	11	12	21	154

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex. Cab. 5/2/20

2094

FORM A.
BRITISH RAINFALL
7 FEB 20

REGISTER OF RAINFALL IN 1919

Kept at Roden (Wellington of M.W.R) [M.O]

in the County of Shropshire

by J. W. Nowell

Lat. 52° 45' N Long. 2° 38' W.

Time of Observation 9h G.M.T

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 207 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	
1	0.14	-	-	0.02	0.10	-	0.21	-	0.05	0.10	-	0.26	1
2	-	-	0.15	-	0.03	-	0.05	-	0.03	0.04	0.05	.	2
3	-	-	0.01	-	0.08	0.03	0.12	-	0.01	-	0.04	0.14	3
4	-	0.02	0.27	-	0.03	-	0.27	0.03	0.02	-	-	0.20	4
5	-	0.21	-	-	0.12	-	-	0.01	-	-	0.02	0.05	5
6	0.06	-	0.06	-	-	-	-	-	-	-	-	0.14	6
7	0.07	-	0.12	-	-	-	-	-	-	.	-	0.04	7
8	0.20	-	0.04	-	-	-	-	-	-	-	-	-	8
9	0.09	-	-	0.22	-	-	-	-	-	-	0.01	.	9
10	-	-	0.35	-	-	-	-	-	-	-	-	0.03	10
11	0.01	-	0.96	-	0.01	-	0.22	-	-	0.05	-	0.01	11
12	0.01	-	0.69	0.02	-	0.72	-	-	-	-	-	.	12
13	0.09	-	0.02	0.04	-	-	0.06	-	0.95	0.49	-	-	13
14	0.33	-	-	0.35	-	-	0.08	-	-	0.18	0.02	0.03	14
15	0.30	-	0.01	0.41	0.22	-	-	0.03	-	0.12	-	0.23	15
16	-	0.78	-	0.01	-	0.04	-	-	-	-	0.15	-	16
17	0.02	0.43	-	0.01	-	0.11	-	-	-	-	0.04	-	17
18	-	-	0.69	-	-	-	0.02	0.39	0.02	.	-	0.02	18
19	0.05	0.23	0.77	-	-	0.09	0.31	0.33	0.22	-	0.29	.	19
20	0.13	0.04	0.10	-	-	0.01	0.04	0.02	0.16	-	0.15	0.16	20
21	0.15	0.18	0.01	-	-	0.02	0.36	-	0.02	-	0.01	0.12	21
22	-	0.35	-	-	-	0.02	-	-	0.51	-	-	0.89	22
23	-	-	-	-	-	0.08	-	-	-	1.32	-	0.02	23
24	-	-	-	0.07	0.16	-	-	-	-	0.52	0.13	0.08	24
25	-	-	-	0.14	0.04	0.09	-	0.49	.	-	-	0.05	25
26	0.05	-	-	0.17	-	0.03	-	0.06	-	-	-	0.19	26
27	0.05	-	-	0.22	-	-	-	0.17	-	-	-	-	27
28	0.20	-	-	0.03	-	-	-	0.58	-	-	-	0.35	28
29	0.02		0.20	0.07	-	0.03	-	-	-	0.19	-	0.15	29
30	-	X	0.04	0.08	-	0.04	-	0.01	-	0.01	0.06	0.10	30
31	-	X	-	X	-	X	-	0.01	X	0.09	X	-	31
Total	1.97	2.24	4.49	1.86	0.79	1.31	1.74 1.73	2.13	1.99	3.11	0.97	3.26	YEAR'S TOTAL 25.86
Rain Days.	18	8	17	15	9	13	11	12	10	11	12	21	157

Copied from. O1 3202.

W, 6,500, VII. 18. w w c

SP WMD

2011

2 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Roden
in the County of Salop
by J. W. Powell

Lat. 52·44 30 Long. 2·37·40
Time of Observation 9 am
Nearest Railway Station Crudgington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 204 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·34

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0·01	0·31	0 11		024		005			014	1
2				011			046		014	016		009	2
3	001	005		038		005	1·30		019	011			3
4				004			002	046	005	016			4
5			003				020	003	010	033			5
6			032	002	003		008			046			6
7			005	008			019						7
8	048			044	010		024	013					8
9	028	010		043			008	035	001				9
10	026	010	009	020		001	016				0·01		10
11	014	002	003	013	026	035	007					005	11
12	012			019		109	002				072	006	12
13	010	008	005	012		002	001				021		13
14		001	056	006		048			053	0·30	017		14
15		015	022	020		102			018	021	006		15
16				006	0·32	010	022		027	064			16
17					016	008			028	0·02			17
18				004	012		001	002	023				18
19	029	1·34		002	022	006		009	006				19
20	003	003		039		009			005				20
21	002			006			024	008				002	21
22				016			018	014					22
23			003	002			029	001					23
24			010	001				006				0.31	24
25		072	004		0 39	006	047					0 25	25
26	0·31		032			002	032						26
27	018		0 11	016	109	022	004				004		27
28	083		022	003	002	023						026	28
29	014		033	003	036		009				0·14	005	29
30		╳	003	023	002	013			044		010	052	30
31	011	╳		╳	001	╳	005		╳	0·29	╳	011	31
Total	3·20	2·00	254	425	321	401	498	1.37	2·58	2·68	0·85	1·86	Year's Total 33 53
Days with ·01 in. or more	15 ~~2~~	10 ~~8~~	17 ~~4~~	26 ~~6~~	14 ~~4~~	16 ~~2~~	23 ~~4~~	10 ~~3~~	14 X	10 X	8 X	11 X	~~31~~ 174
Days with ·04 in. or more	12 ~~13~~	7 ~~8~~	~~13~~ 12	20	10	13 ~~14~~	19 ~~23~~	7	13	9	7	10	~~144~~ 139

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2011

M A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Roden Wellington.
in the County of Shropshire
by J. W. Nowell

Lat. 52° 45' N Long. 2° 38' W
Time of Observation
Nearest Railway Station -
Diameter of Funnel of Rain Gauge ... in.
Height of top of Gauge above Ground ... ft. ... in.
" " " " Sea Level 207 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.01	0·31	0·11	-	0·24	-	0·05	-	-	0·14	1
2	-	-	-	0·11	-	-	0·46	-	0·14	0·16	-	0·09	2
3	0.01	0·05	-	0·38	-	0·05	1·30	-	0·19	0·11	-	-	3
4	-	-	-	0·04	-	-	0·02	0·46	0·05	0·16	-	-	4
5	-	-	0·03	-	-	-	0·20	0·03	0·10	0·33	-	-	5
6	-	-	0·32	0·02	0·03	-	0·08	-	-	0·46	-	-	6
7	-	-	0·05	0·08	-	-	0·19	-	-	-	-	-	7
8	0·48	-	-	0·44	0·10	-	0·24	0·13	-	-	-	-	8
9	0·28	0·10	-	0·73	-	-	0·08	0·35	0·01	-	-	-	9
10	0·26	0·10	0·09	0·20	-	0·01	0·16	-	-	-	0·01	-	10
11	0·14	0·02	0·03	0·13	0·26	0·35	0·07	-	-	-	-	0·05	11
12	0·12	-	-	0·19	-	1·09	0·02	-	-	-	0·12	0·06	12
13	0·10	0·08	0·05	0·12	-	0·02	0·01	-	-	-	0·21	-	13
14	-	0·01	0·56	0·06	-	0·48	-	-	0·53	0·30	0·17	-	14
15	-	0·15	0·22	0·20	-	1·02	-	-	0·18	0·21	0·06	-	15
16	-	-	-	0·06	0·32	0·10	0·22	-	0·27	0·64	-	-	16
17	-	-	-	-	0·16	0·08	-	-	0·28	0·02	-	-	17
18	-	-	-	0·07	0·12	-	0·01	0·02	0·23	-	-	-	18
19	0·29	1·34	-	0·02	0·22	0·06	-	0·09	0·06	-	-	-	19
20	0.03	0·03	-	0·39	-	0·09	-	-	0·05	-	-	0·02	20
21	0·02	-	-	0·06	-	-	0·24	0·08	-	-	-	-	21
22	-	-	-	0·16	-	-	0·18	0·14	-	-	-	-	22
23	-	-	0·03	0·02	-	-	0·29	0·01	-	-	-	0·31	23
24	-	-	0·10	0·01	-	-	-	0·06	-	-	-	0·25	24
25	-	0·12	0·04	-	0·39	0·06	0·47	-	-	-	-	-	25
26	0·31	-	0·32	-	-	0·02	0·32	-	-	-	-	-	26
27	0·18	-	0·11	0·16	1·09	0·22	0·04	-	-	-	0·04	-	27
28	0·83	-	0·22	0·03	0·02	0·23	-	-	-	-	-	0·26	28
29	0·04	-	0·33	0·03	0·36	-	0·09	-	-	-	0·14	0·05	29
30	-		0·03	0·23	0·02	0·13	-	-	0·44	-	0·10	0·52	30
31	0.11		-		0·01		0·05	-		0·29		0·11	31
TOTAL	3·20	2·00	2·54	4·25	3·21	4·01	4·98	1·37	2·58	2·68	0·85	1·86	YEAR'S TOTAL 33·53
Days with ·01 in. or more	15	10	17	26	14	16	23	10	14	10	8	11	174
	14	7	12	20	10	13	19	7	13	9	7	10	139

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from 101 3202.

FORM A.
BRITISH RAINFALL.

27 APR 1915

SHROPSHIRE.
II
WELLINGTON.
"COUNCIL OFFICE'S"
1914-1915

REGIST 14

Kept at Council Offices g.

9 a.m.

in the County of Sal n Wellington Salop

e 8. in.

by Geo. Riley. Engin above Ground 1 ft. 6 in.

" Sea Level 300 ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		–	·03	–	–	–	·13	·24	–	–	·04	·25	1
2		–	–	·01	–	–	·50	·75	–	–	·41	·22	2
3		–	–	–	·07	–	·28	·02	–	–	–	·10	3
4		–	–	·05	·10	–	–	·06	–	–	–	·45	4
5		–	·12	·11	·03	–	·08	–	–	–	·60	–	5
6		–	–	·11	·13	–	·20	·03	–	–	·16	·04	6
7		–	–	·10	·10	·20	·02	·02	–	–	·01	·24	7
8		–	·36	·02	·04	·12	·21	·26	·06	–	–	–	8
9		–	–	·05	·10	·80	–	·27	–	–	–	–	9
10		–	–	·01	·08	·41	–	–	–	–	–	–	10
11		–	–	·25	–	–	–	–	·16	–	·25	·61	11
12		·33	·06	–	–	–	·64	–	·41	–	·01	·09	12
13		·11	·21	–	–	–	–	–	–	–	·10	·16	13
14		·09	·10	–	–	–	·04	–	–	–	·12	·22	14
15		·07	·10	–	–	–	–	–	·05	–	·20	·01	15
16		–	·18	–	–	–	–	–	·03	–	·01	·03	16
17		·06	·08	–	–	–	·07	–	·08	–	–	·02	17
18		·10	·15	–	–	·20	·02	–	·04	–	–	·47	18
19		–	·05	–	–	–	·24	–	·14	–	–	·15	19
20		·04	–	–	–	–	·37	–	·05	–	·10	–	20
21		·13	·17	–	–	·25	·36	·04	–	–	–	·48	21
22		·44	·02	–	·18	·05	–	·15	–	·10	–	·01	22
23		·10	·10	–	·10	–	–	·01	–	·50	–	–	23
24		–	·23	–	·14	–	·02	·28	–	·09	·08	–	24
25		–	–	–	–	–	·08	–	–	·36	·03	–	25
26		–	–	–	–	–	·08	·27	–	–	·23	·14	26
27		·03	·03	–	–	–	–	·11	–	·10	·03	·62	27
28		–	–	–	–	–	–	–	–	–	·25	·12	28
29		–	·09	–	·25	–	–	–	–	–	–	·33	29
30		✕	·03	–	–	·02	–	–	–	·13	·25	·13	30
31		✕	–	✕	·05	✕	·03	·01	✕	·02	✕	·19	31
Total		1·50	2·11	·71	1·37	2·05	3·37	2·52	1·02	1·30	2·88	5·08	YEAR'S TOTAL ~~23·91~~ "
Rain Days.	Nil	11	18	9	13	8	18	15	9	7	18	23	~~149~~

W. 8,000. X. 14.

REGIST [redacted] 14

FORM A.
BRITISH RAINFALL.

27 APR 1915

g.

Kept at Council Offices Wellington Salop
in the County of Salop 4
by Geo. Riley. Engineer Surveyor.

Time of Observation 9. a.m.
Nearest Railway Station Wellington Salop
Diameter of Rain Gauge 8. in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		–	·03	–	–	–	·13	·24	–	–	·04	·25	1
2		–	–	·01	–	–	·50	·75	–	–	·41	·22	2
3		–	–	–	·07	–	·28	·02	–	–	–	·10	3
4		–	–	·05	·10	–	–	·06	–	–	–	·45	4
5		–	·12	·11	·03	–	·08	–	–	–	·60	–	5
6		–	–	·11	·13	–	·20	·03	–	–	·16	·04	6
7		–	–	·10	·10	·20	·02	·02	–	–	·01	·24	7
8		–	·36	·02	·04	·12	·21	·26	·06	–	–	–	8
9		–	–	·05	·10	·80	–	·27	–	–	–	–	9
10		–	–	·01	·08	·41	–	–	–	–	–	–	10
11		–	–	·25	–	–	–	–	·16	–	·25	·61	11
12		·33	·06	–	–	–	·64	–	·41	–	·01	·09	12
13		·11	·21	–	–	–	–	–	–	–	·10	·16	13
14		·09	·10	–	–	–	·04	–	–	–	·12	·22	14
15		·07	·10	–	–	–	–	–	·05	–	·20	·01	15
16		–	·18	–	–	–	–	–	·03	–	·01	·03	16
17		·06	·08	–	–	–	·07	–	·08	–	–	·02	17
18		·10	·15	–	–	·20	·02	–	·04	–	–	·47	18
19		–	·05	–	–	–	·24	–	·14	–	–	·15	19
20		·04	–	–	–	–	·37	–	·05	–	·10	–	20
21		·13	·17	–	–	·25	·36	·04	–	–	–	·48	21
22		·44	·02	–	·18	·05	–	·15	–	·10	–	·01	22
23		·10	·10	–	·10	–	–	·01	–	·50	–	–	23
24		–	·23	–	·14	–	·02	·28	–	·09	·08	–	24
25		–	–	–	–	–	·08	–	–	·36	·03	–	25
26		–	–	–	–	–	·08	·27	–	–	·23	·14	26
27		·03	·03	–	–	–	–	·11	–	·10	·03	·62	27
28		–	–	–	–	–	–	–	–	–	·25	·12	28
29		–	·09	–	·25	–	–	–	–	–	–	·33	29
30		X	·03	–	–	·02	–	–	–	·13	·25	·13	30
31		X	–	X	·05	X	·03	·01	X	·02	X	·19	31
Total		1·50	2·11	·71	1·37	2·05	3·37	2·52	1·02	1·30	2·88	5·08	YEAR'S TOTAL ~~23·91~~ "
Rain Days.	Nil	11	18	9	13	8	18	15	9	7	18	23	~~149~~

W. 8,000. X. 14.

Same

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
6. JAN 1916

Kept at Public Swimming Baths, Walker Street, Wellington,
in the County of Shropshire.
by F.E.O. Riley

Lat. - Long. -
Time of Observation 9 a.m
Nearest Railway Station Wellington
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 300, ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
9. am.
·13.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·01	·04	·	·23	·	·	·08	·11	·	·	·01	1
2	·04	·11	·25	·	·17	·02	·02	1·36	·04	·15	·20	·	2
3	·16	·	·01	·24	·	·08	·12	·40	·	·	·	·29	3
4	·83	·10	·	·02	·03	·	1·08	·08	·	·	·10	·70	4
5	·01	·23	·	·01	·08	·	·04	·04	·	·	·03	·04	5
6	·01	·28	·	·01	·	·	·32	·01	·	·	·	·43	6
7	·11	·26	·03	·01	·47	·	·46	·11	·	·	·	·27	7
8	·07	·10	·	·02	·	·	·03	·09	·	·	1·15	·01	8
9	·15	·07	·	·26	·	·	·	·04	·	·	·60	·54	9
10	·21	·05	·	·05	·	·	·	·01	·	·	·30	·07	10
11	·02	·	·09	·05	·07	·	·15	·03	·	·	·	·	11
12	·02	·	·	·18	·23	·	·02	·19	·	·38	·~~13~~ 11	·08	12
13	·03	·34	·	·	·46	·	·	·33	·	·	·02	·01	13
14	·	·04	·	·01	·	·	·	·19	·01	·	·07	·01	14
15	·25	·	·	·05	·02	·	·	·12	·	·	·14	·14	15
16	·06	·06	·	·	·06	·	1·12	·	·	·	·01	·	16
17	·	·17	·	·	·50	·	·38	·25	·	·	·	·	17
18	·01	·22	·	·	·04	·	·	·	·	·	·	·	18
19	·	·19	·	·	·	·	·14	·	·	·03	·	·	19
20	·	·01	·	·10	·06	·	·	·	·	·	·	·01	20
21	·08	·	·	·	·01	·	·10	·	·	·	·	·05	21
22	·21	·	·06	·02	·	·	·06	·	·	·	·	·05	22
23	·04	·10	·18	·	·	·	·27	·	·	·	·	·19	23
24	·	·01	·01	·13	·	·06	·11	·	·20	·	·	·25	24
25	·	·	·16	·	·	·16	·01	·	·12	·	·05	·28	25
26	·	·01	·	·01	·	·39	·09	·	·	·50	·	·01	26
27	·	·09	·	·	·		·45	·	·	·45	·	·39	27
28	·	·25	·	·	·	·04	·11	·	·	·~~60~~ 55	·	·	28
29	·	X	·	·	·	·11	·32	·27	·	·	·05	·07	29
30	·	X	·	·01	·	·44	·	·04	·	·	·04	·01	30
31	·12	X	·	X	·	X	·	·	X	·	X	·18	31
Total	2·83	2·70	·83	1·18	2·43	1·30	5·60	3·64	·48	2·06	2·87	4·09	YEAR'S TOTAL 30·01
Rain Days.	20.	21.	9.	17.	14.	8.	21.	18.	5.	6.	14.	24.	177.

W. 8,000. X. 15.

WHITCHURCH
FENNS BANK
SHROPSHIRE
1911 - 1920

FORM A2.
BRITISH RAINFALL.

4 - JAN 1913

REG

Kept at Fenns Ba ... eorological Office ... in.

in the County of Sa ... ound One ft. ... in.

a Level 271·1 ft.

by The Urban Dis ... m.

me Fenns Bank

stance 300 Yds. Direction West

IMPORTANT NOTE.- ... e result entered to the previous day. If an Obser ... al rule, he is earnestly requested to add the reading ... in the space provided for it at the end of this ... nt of rain, the selection and placing ... sh Rainfall Organization are given in " ... plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·06						1
2			·01	Snow. ·03	·02		·12			·15		·17	2
3					·42							·05	3
4			·08	Snow ·01				·05	·10		·35	·22	4
5	·20		·04		·08			·35		·13	·01		5
6	·07		·04					·04		·09		·19	6
7	·06										·18		7
8	·16		·19								·11		8
9	·01		·02								·10	·10	9
10		·08	·16						·01			·06	10
11	Snow ·14								·04		·43		11
12			Snow & Rain ·35						1·10		·42	·12	12
13												·32	13
14		·06	Snow & Rain ·03									·30	14
15			·03								·07	·13	15
16	·01			·01		·11					·09	·03	16
17					·12	·67	·03				·20	·07	17
18		·10										·30	18
19		·02		·15							·31	·20	19
20		·08		·02				·69		·50		·10	20
21		·17	·02			·03	·03	·08		·30		·08	21
22		·05				·01	·01			·48		·50	22
23		·18	·29			·04			·36	·26		·30	23
24		·05	Snow ·01	·01		1·07		·02		·20		·08	24
25		·02		·10		·05	·05		·10	·10		·07	25
26		·30		·09	·10	·03		·01		·08	·02	·10	26
27		·15	·04	·03				·90	·38		·07	·07	27
28		·05		·08				·15					28
29				·05		·09	·35	·03	·01	·35	·01		29
30			·03			·14	·03			·32			30
31			·05		·15					·01		·04	31
Total	·65	1·31	1·39	·58	·89	2·24	·68	2·32	2·10	2·97	2·37	3·60	TOTAL for year 21·10
No. of Rain Days.	7	13	16	11	6	10	8	10	8	13	14	23	139

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

4 JAN 1913

REC

meteorological Office

Kept at Fenns Bank Whitchurch

in the County of Salop 2

by The Urban District Council

RAIN GAUGE Diameter of top 8 in.
Height of top above Ground One ft. in.
" " " Sea Level 271·1 ft.

Time of Observation 9 a. m.

Nearest Railway Station Name Fenns Bank
Distance 300 Yds. Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·06						1
2			·01	Snow ·03	·02		·12			·15		·17	2
3					·42							·05	3
4			·08	Snow ·01				·05	·10		·35	·22	4
5	·20		·04		·08			·35		·13	·01		5
6	·07		·04					·04		·09		·19	6
7	·06										·18		7
8	·16		·19								·11		8
9	·01		·02								·10	·10	9
10		·08	·16						·01			·06	10
11	Snow ·14								·04		·43		11
12			Snow & Rain ·35						1·10		·42	·12	12
13												·32	13
14		·06	Snow & Rain ·03									·30	14
15			·03								·07	·13	15
16	·01			·01		·11					·09	·03	16
17					·12	·67	·03				·20	·07	17
18		·10										·30	18
19		·02		·15							·31	·20	19
20		·08		·02				·69		·50		·10	20
21		·17	·02			·03	·03	·08		·30		·08	21
22		·05				·01	·01			·48		·50	22
23		·18	·29			·04			·36	·26		·30	23
24		·05	Snow ·01	·01		1·07		·02		·20		·08	24
25		·02		·10		·05	·05		·10	·10		·07	25
26		·30		·09	·10	·03		·01		·08	·02	·10	26
27		·15	·04	·03				·90	·38		·07	·07	27
28		·05		·08				·15					28
29				·05		·09	·35	·03	·01	·35	·01		29
30			·03			·14	·03			·32			30
31			·05		·15					·01		·04	31
Total	·65	1·31	1·39	·58	·89	2·24	·68	2·32	2·10	2·97	2·37	3·60	TOTAL for year 21·10
No. of Rain Days.	7	13	16	11	6	10	8	10	8	13	14	23	139

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
7 - JAN 1913

Kept at Fenns Bank, Whitchurch,
in the County of Salop 2
by The Urban District Council.

Lat. 52·5 N. Long. 2·4 W.
Time of Observation 9 a.m.
Nearest Railway Station Fenns Bank.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 271·1. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		Snow. ·01	·02		·05	·1	·02	·1	·05			Snow & Rain ·18	1
2		Snow. ·10	·06		·07	·3	·04	·06	·03			·08	2
3	·14		·02			·23	·04	·54				·05	3
4	·16		·55	·08	·08	·09		·25			·04		4
5		Snow. ·09			·06	·12		·15	·06				5
6	Snow & Rain ·50	·06		·1	·03	·06		·11	·04			·03	6
7		·06			·01	·05	·02	·02			·01		7
8	Snow & Rain. ·39	·12	·24	·03	·02	·1		·01	·07				8
9	·15		·25	·06		1·02		·09			·06	·1	9
10	·20	·02		·05		·27		·25			·21		10
11								·06			·08	·4	11
12		·35	·1			·01		·14					12
13	·04					·01		·02				·3	13
14	·12		·48			·06		·04				·21	14
15	·05		·12		·25	·04		·03					15
16	·11		·1		·09			·06					16
17	Snow. 1·50		·15			·25		·20					17
18	~~Snow~~ ·17	·15				·02	·01	·35				·1	18
19		·05			·01		·17	·4		·09			19
20		·02	Snow & Rain. ·25			·01		·20		·21		·03	20
21		·04			·15			·04		·1	·06		21
22	·10	·02	·05		1·4	·01	·05	·18			·05	·06	22
23	Snow ·07		·3			·03	·48	·21			·1		23
24	·12		·05			·12		·50			·15	·02	24
25						·06		·05				·15	25
26		·15	·02			·04	·05	·39		1·01	·25	·1	26
27		·01	·03			·4	·25			·8		·2	27
28		·1	·1			·04	·4	·06	·11	·1	·2		28
29		·03	·06			·1	·04	·10	·5	·07	Snow ·25	·03	29
30	·04		·04		·08	·16	·07			·23	Snow ·35		30
31			Snow & Rain. ·18		·42		·41	·30		·15		·01	31
Total	3·86	1·38	3·17	·32.	2·72	3·70	2·35.	4·91	·86	2·76	1·81	2·05.	YEAR'S TOTAL 29·89.
Rain Days.	16.	17.	21.	5.	14.	26.	14.	29.	7.	9.	13.	17	188.

V. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
13 JAN 1914

Kept at Fenns Bank. Whitchurch Waterworks
in the County of Salop.
by The Urban District Council

Lat. 52'5. N. Long. 2'4. W.
Time of Observation 9. a. m.
Nearest Railway Station Fenns Bank.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground One ft. in.
" " " " Sea Level 271·1 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·05	·20	·10	·10				·55	·04			1
2		·10	·06	·15	·15					·06			2
3			·10		·41						·06	Snow & rain ·25	3
4	·52	·08	·04		·22		·21		··	·35	·15	·35	4
5	·49	·09	·05		·21		·16		·01	1·01		·04	5
6		·20	·25	·03	·19		·02			·30	·08	·08	6
7		·42	·03		·15		·06	·02		·26	·25		7
8		·10	·02		·20	·55	05 ·05	·03+	·03	·14			8
9		·20	·08		·18	·10	·40	·05			·08	·12	9
10	Snow ·03			·10	·25	·25		·23	·01	·10	·12		10
11	·72			Snow ·75	·08		·01	·15		·01	·10		11
12								·10	·15		·17		12
13			·15					·16	·08	·03	·05	·04	13
14	·10		Snow & rain ·93	·05	·06		·01	·22		·12	·10		14
15		·03	·20.	·50			·02	·01					15
16			Snow & rain ·13	·16	·08			·08			·20		16
17			Snow ·05	·10	·04		·03	·12	·02		·06	·06	17
18			Snow ·03	·15	·06	·22					·07		18
19	·16		·23	·10			·08	·03		·12	·03	·03	19
20			·21					·08		·18	·40		20
21			·10	·08			·08	·10					21
22	Snow ·42		·64		·05			·65	·34				22
23											·13		23
24	·01			·10				·08			·02		24
25				·15					·51	·09	·04		25
26		·17		·20					·05			·27	26
27	·09			·57						·30		Snow ·09	27
28	·10		·40	·30	·02					·14		Snow ·11	28
29	·03		·27	·45	·03					·18			29
30	·36			·08	·08					·23	·05		30
31	·02		·41		·30					·06			31
Total	3·05	1·44	4·58	4·06	2·86	1·12	1·13	2·11	1·75	3·72	2·16	1·44	YEAR'S TOTAL 29·42
Rain Days.	13	10	22	19	20	4	12	16	10	19	19	11	175

W. 7,500, XI. 12

Ex D.L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 JAN 1915

Kept at Fenns Bank Whitchurch

in the County of Salop 2

by The Urban District Council

Lat. 52·5 N. Long. 2·4 W.
Time of Observation 9 a.m.
Nearest Railway Station Fenns Bank
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 271·1 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05				·43	·35				·30	1
2				·04	·02		1·24	·44		·03	·11	·27	2
3		·01	·01	·03	·23		·10					·81	3
4	·18			·15	·33		·08	·02			·84	·08	4
5	Snow ·04		·04	·28	·11	·02	·26	·02		·02	·09	·11	5
6	Snow ·06	·01	·04		·06	·01	·02	·04			·06	·32	6
7	·02	·03	·45	·10	·08	·04	·03	·03				·27	7
8	·05			·03	·25	·03	·19	·12	·22			·05	8
9	·40	·01	Snow ·05	·06	·09	·30		·35			·03		9
10		·05	Snow ·07	·24	·05	·20	·01		·11				10
11		·33	·28	·06	·25	·03		·05			·34	·35	11
12		·40	·07				·10		·33		·15	·15	12
13		·20	·25				·08		·01	·23	·30	·14	13
14		·31	·10				·06	·01		·18	snow & rain ·18	·04	14
15		·02	·23					·06				·08	15
16		·03	snow + rain ·25				·08		·12			·08	16
17		·14	snow + rain ·07			·10	·04		·18			·40	17
18			snow + rain ·10			·40	·02	·03	·13			·24	18
19		·04	snow + rain ·04				·25		·20			·09	19
20		·07	snow + rain ·12			·15	·08	·25	·18		·09	snow ·33	20
21		·25	·03			·79	·01	·10	·10	·12		snow + rain ·36	21
22		·05	·03	·02	·10	·18				·10			22
23		·02	·04	·06	·15	·05	·03	·20		·02		·11	23
24			·45				·06			·14	·09		24
25	·08				·07		·15	·15		·31	·16		25
26	·05		·03				·20			·16	·08	·59	26
27	·04						·02			·03	·05	1·10	27
28	·34	·04	·12		·08		·04				·20	snow ·23	28
29			·07							·03	·06		29
30	·03	X	·04	·03	·05					·02	·18	·22	30
31	·15	X	·03	X	·07	X	·40		X	·05	X	·02	31
Total	1·44	2·01	3·06	1·10	1·99	2·30	3·98	2·22	1·58	1·44	3·01	6·74	YEAR'S TOTAL 30·87
Rain Days.	12	18	26	12	16	13	25	16	10	14	17	25	204

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
14. JAN 1916

Kept at Fenns Bank Whitchurch

in the County of Salop

by The Urban District Council

Lat. 52·5°N. Long. 2·4°W.

Time of Observation 9 a.m.

Nearest Railway Station Fenns Bank

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 271·1 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33	·04	Hail + rain ·15		·46		·03	·05	·20	·11		·19	1
2	·06	·16	·30	·23		·03		1·16		·07			2
3	Snow + rain ·92	·02		·04			·35			·18		·17	3
4	·01	·20			·09		·65					·91	4
5	·05	·11				·02	·22	·10				·50	5
6	·09	·05	·05	·07			·30	·06				·15	6
7	·25	·36		·04			·25	·10				·13	7
8	·13	·18						·06			·04		8
9	·08	·04		·30				·03			·16	Snow + rain ·47	9
10	·30			·10				·26			·10		10
11	·02			·20	·28		·05	·02			·80	Snow + rain ·08	11
12	·09			·07	·11		·02	·10		·37	Snow + rain 1·66		12
13		·28		·03	·30			·35			Snow + rain ·21	·02	13
14	·02			·03	·10		·02	·04		·07	Snow ·09	·20	14
15	·32			·02	·24		·03	·09			Snow + rain ·15	·12	15
16	·05	·34			·10		1·20	·55					16
17		·58						·01					17
18	·02	·40	·07		·04								18
19		·02		·03	·10		·09						19
20	·03						·13					·09	20
21	Snow + rain ·27			·02			·22					·06	21
22		Snow ·06	·09				·08					·12	22
23		Snow ·19	·09			·02	·40			·78			23
24			·14	·10			·09		·24	·30			24
25						·35	·23				·15	·09	25
26		·10					·30		·05			·08	26
27		·13				·01	·46		·06	·35		1·60	27
28		·10	Snow ·01			·80	·04	·20	·01				28
29						·06	·03	·08			·05	·06	29
30	·04	×		·09			·06	·02		·20		·16	30
31	·10	×		×		×	·09	·03	×	·07	×	·34	31
Total	3·18	3·36	·90	1·37	1·82	1·29	5·34	3·31	·56	2·50	3·41	5·54	YEAR'S TOTAL 32·58
Rain Days.	20	19	8	15	10	7	24	19	5	10	10	20	167

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Fenns Bank. Whitchurch

in the County of Salop

by The Urban Dist. Council per. M. N. Lowden

Lat. 52·5 N. Long. 2·4 W.

Time of Observation 9. a.m.

Nearest Railway Station Fenns Bank. Cambrian Rly

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 271·1 ft.

IMPORTANT ~~NOTE.—Rain should be measured daily~~ at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Fenns Bank. Whitchurch Salop

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18		·39			·10	·06				·17		1
2	·03	·06	Snow ·25			·03	·80		·29	·40	·05		2
3	·02	·39		·04	·05		·15		·09	·31	·12	·01	3
4	·62	·11	Snow ·05		·55	·27	·55			·15	·20		4
5		·19			·01	·04				·20	·08		5
6	·08	·17	Snow ·03		·04	·02	·25				·19		6
7	·04		Snow ·01		·30	·04	·11		·03	·03	·05	·33	7
8	·06		Snow ·17		·08		·04			·07	·02		8
9		·02			·28	·07				·35	·04	·06	9
10		·33	Snow ·05	·03	·03	·05	·03			·02		·04	10
11		·10	Snow ·08	·09	·02	·13			·05			Snow + rain ·10	11
12			·04		·19		·12	·05		·02	·04	Snow + rain ·15	12
13		·28	·17	·04	·02			·18		·04	·06		13
14		Snow & rain ·18	·03	·04	·06			·07		·14			14
15		Snow & rain ·15	·40	·12	·04		·04	·11	·05	·25			15
16		Snow & rain ·03	·04	·07			·06	·25		·10			16
17	·05	·15		·21				·19	·45	·17			17
18	·01	·10		·04				·05	·25	·07	Snow & rain ·40	Snow ·30	18
19	·10		·20	·03				·03			45		19
20	·06		·32	·13									20
21			·50		·02		·07						21
22	·04					·11				·12			22
23		Snow ·02	Snow ·05	·03				·14				Snow & rain ·42	23
24		·14			·13	·64		·12		·17			24
25		·04	·16		·09	·03		·10	·02		·51		25
26	·02				·04	·02			·01	·09	Hail & rain ·22	·06	26
27		Snow ·05				·08		·42	·09	·03		·05	27
28		·30			·07					·19		·12	28
29		Snow & rain ·16				·34		·03		·10		·06	29
30		X			·03	·08				·20		·04	30
31		X		X		X			X	·18	X		31
Total	·71	2·97	2·94	·87	2·05	2·05	2·28	1·74	1·33	3·40	2·60	1·74	YEAR'S TOTAL 24·68
Rain Days.	13	20	18	12	19	16	12	13	10	23	15	13	184

W. 8,000, VIII. 16

[illegible]

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
4. JAN 1918

Kept at Ferns Bank. Whitchurch

in the County of Salop.

by The Urban District Council

Lat. 52·5 N. Long. 2·4 W

Time of Observation 9 a.m.

Nearest Railway Station Ferns Bank.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 271·1 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				Snow ·23.		·09.		·47.	·7		·13.	·04.	1
2	·06.		·03.	Snow. ·08.		·04.		·08.			·03.	·15	2
3				Snow. ·01.				·05.		·02.	·09.	·05.	3
4	·15,	Snow. ·16.	Snow. ·05					·05.		1·20	—		4
5	·34.		Snow. ·27.	Snow. ·11.				·07.		·80.	·01.		5
6	·07.					·15.		—		·15.	·24.	·03	6
7	Snow+rain ·34.					·03.		—		·30.	·15.		7
8	Snow+rain ·42.			Snow. ·04				·22.		·65.	·18.		8
9			Snow. ·29.	snow. ·06.	·15.			·05.		·11.	·09.	·13.	9
10	Snow+rain ·45.		·31.	Snow ·27.	·13.			·09.		·20.	·01.		10
11	·18			snow. ·10				·04		·10			11
12	snow+rain ·07.			·04	·45			·08		·01	—		12
13				·03	·32			·10.	·12.		·03	·04	13
14								·19.		·20.	—	·20.	14
15					·03.		·03	·10.		·03.	—		15
16				·11		·17.		·04.		·05.	—	·10	16
17		·05.	·03	·24.	·25.	·05.	·40.	·40.		·02	—		17
18			·02	·07.	·15		·38	·01.	·40		—		18
19		·40	snow+rain ·65		·03.	·19.		—		·01	—		19
20		·14.			·06.	·28.	·06.	·11		·02	—		20
21			·25.		·27.	·26		·02.		·03.	·15.		21
22					·03.			·65	·14.	·14.	·05.		22
23		·25.						·10		·16	·02.		23
24		·01.	·07.			·08.	·03.	·10.			·09.	·03.	24
25		·06	·04.			·09		·50.		·03	·05		25
26		·01.				·16		·45.		·20	·08		26
27			·03.		(1·30)	·20	·13	·26.		·02.	·08		27
28			·06					·24		·05.	·09.		28
29			·02.					·20.		·25	—	·10	29
30		×	snow. ·10					·22.		·02	·05.	·02	30
31		×	Snow. ·32.	×		×		·15	×		×	·04	31
Total	2·08	1·08	2·54	1·39.	3·17	1·79.	1·03.	5·04.	·73.	4·77.	1·62.	·93	YEAR'S TOTAL 26·17.
Rain Days.	9.	8.	16.	13.	12.	13.	6.	28.	4.	25.	19.	12.	165.

·60

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

9 · 1 · 19

REGISTER OF RAINFALL IN 1918

Kept at Fenns Bank, Whitchurch
in the County of Salop
by The Urban District Council

Lat. 52·5 Long. 2·4 W.
Time of Observation 9 a.m.
Nearest Railway Station Fenns Bank
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1. ft. in.
" " " " Sea Level 271·1. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·05	-	·04	-	-	-	·35	-	·08	·02	-	1
2	-	·03	·06	-	-	-	-	·65	-	·07	-	·09	2
3	-	-	-	-	·30	-	-	·10	·20	·10	-	-	3
4	·06	-	-	·02	-	-	-	·05	·80	·09	·04	·14	4
5	-	·03	·05	-	·06	-	-	·10	-	·06	-	·03	5
6	-	·10	-	·16	·06	-	-	·15	·40	·07	·09	·02	6
7	·07	·14	-	·38	·04	-	-	-	·15	·10	-	-	7
8	-	·20	-	·20	-	-	·15	-	·03	·05	-	-	8
9	·03	·19	-	·12	-	·19	·10	-	·40	·09	·14	·06	9
10	·04	·11	-	·27	-	·10	·15	-	·30	·04	-	·11	10
11	-	·07	-	·02	-	-	·18	-	·15	·11	-	·03	11
12	-	·12	-	·06	·06	-	·35	-	·08	·09	-	·03	12
13	·06	-	-	·08	·36	-	-	-	·10	-	-	-	13
14	·04	-	-	-	-	-	·10	-	·05	·07	-	·04	14
15	·03	-	-	·06	-	-	·51	-	·50	·04	-	(08)	15
16	Snow ·45	-	-	·05	-	·25	·45	-	·25	·06	-	-	16
17	·50	-	-	-	-	·20	·30	-	·30	·03	·20	·10	17
18	·10	-	-	-	-	·05	·08	-	·50	·02	-	·19	18
19	-	-	-	·05	-	-	·10	-	·20	·03	-	·14	19
20	·06	·20	-	·11	·60	-	·04	-	·16	-	-	·64	20
21	·05	·40	-	·20	·50	-	-	-	·21	·04	-	·07	21
22	-	·04	-	·10	-	-	·40	-	·12	-	-	·06	22
23	-	-	-	-	-	-	·25	-	·09	·03	-	·18	23
24	·04	-	.	-	·30	-	·20	-	·06	-	·15	·20	24
25	-	·30	-	.	·25	-	·22	-	·02	-	-	-	25
26	-	·04	-	-	-	·02	·18	·50	·08	-	·03	·06	26
27	-	·01		.	.	·10	-	·35	·10	-	-	·05	27
28	-		·20	-	.	-	-	·10	·09	-	·04	·09	28
29	-	-	·16	-	.	-	-		·06	·02	·03	·09	29
30		X	·21	-	.	-	.	·10	-	·05	·10	·08	30
31		X	·15	X		X			X	·02	X	-	31
Total	1·53	2·03	·83	1·92	2·53	·91	3·76	2·45	5·40	1·36	·84	2·58	YEAR'S TOTAL 26·14
Rain Days.	13	16	6	16	10	7	17	·10	26	23	10	23	177

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Ferns Bank, Whitchurch.
in the County of Salop
by The Urban District Council

Lat. 52·5 Long. 2·4 W
Time of Observation 9 a.m
Nearest Railway Station Ferns Bank
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft in.
" " " " Sea Level 271·1 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	–	–	·04	·09	–	·33	–	·18	·28	–	·20	1
2	·07	–	–	·08	·06	–	·20	·01	–	·01	·06	·04	2
3	·06	–	·08	–	·07	·06	·29	–	–	–	·04	·05	3
4	·06	–	·10	–	–	·09	·10	·09	·14	–	–	·30	4
5	·09	·04	·07	–	–	–	(·06)	–	–	–	–	·10	5
6	·08	·05	·20	–	·69	–	–	–	–	–	–	·08	6
7	·04	–	·17	–	–	–	–	–	·02	–	·02	–	7
8	·14	·04	·30	·07	–	·02	–	–	–	–	–	–	8
9	·11	–	·04	·10	–	–	–	–	–	–	·03	–	9
10	–	·02	·50	–	–	–	–	–	–	–	–	·09	10
11	–	·09	·80	–									11
12	·14	·07	·95	–	·03	·34	·12	–	–	·16	Snow ·04		12
13	·09	·09	–	–	–	–	·16	–	·67	·40	–	·08	13
14	·06	·04	–	·89	–	–	·04	–	–	·71	–	–	14
15	–	·06	–	·51	·04	–	–	–	–	·20	–	·32	15
16	·07	·05	–	·06	–	·05	–	–	–	–	·30	–	16
17	·04	·30	·51	–	–	·20	·06	·15	–	–	–	–	17
18	·06	·51	·96	–	(·02)	–	·02	·62	·17	–	–	·05	18
19	·08	·49	·49	–	–	·04	·04	·37	–	–	–	·07	19
20	·03	·06	·06	–	–	–	·11	–	·30	–	·36	·09	20
21	·02	–	–	–	–	·03	·12	–	·03	–	·14	·21	21
22	–	–	–	–	–	–	·01	–	1·25	–	–	1·17	22
23	–	·03	–	–	–	·10	–	·02	–	·36	·03	·04	23
24	–	·06	–	–	·11	·07	–	–	–	1·12	·09	·10	24
25	·03	–	–	·16	·09	·09	–	–	–	–	·10	·08	25
26	–	–	·09	–	–	·03	·02	·15	·06	–	–	·20	26
27	·02	·02	–	·20	–	·06	–	·16	–	–	–	–	27
28	·04	–	·03	·18	–	–	–	1·07	–	–	–	·30	28
29	–	–	–	·07	–	·03	–	·01	–	·18	–	·19	29
30	–	✕	·11	·10	–	·10	–	–	–	·01	·15	·16	30
31	–	✕	–	✕	–	✕	·06	–	✕	–	✕	·20	31
TOTAL	1·39	2·02	5·46	2·46	1·20	1·31	1·74	2·65	2·72	3·43	1·36	4·12	YEAR'S TOTAL 29·96
Days with ·01 in. or more	21	17	17	12	9	15	16	10	9	10	12	22	170

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 1921

Kept at Fenns Bank Whitchurch
in the County of Salop
by The Urban District Council

Lat. 52·5 Long. 2·4 W
Time of Observation 9 a.m.
Nearest Railway Station Fenns Bank
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 271·1 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·23	·23	—	·35	—	·18	·10	—	·18	1
2	—	—	—	·09	·03	—	·10	—	·12	·06	—	·21	2
3	Snow ·07	·12	—	·33	·02	·03	·90	·03	·17	·09	—	—	3
4	—	—	—	—	·05	—	·04	·55	·07	·20	—	—	4
5	—	—	—	·04	·02	—	·16	·03	·23	·31	—	—	5
6	—	—	·67	·04	·02	—	·09	—	—	·74	—	—	6
7	—	—	Snow ·06	·02	—	—	·30	—	—	—	—	—	7
8	Snow + Rain ·25	·08	—	·33	·10	—	·06	·22	·01	—	—	—	8
9	·21	·05	—	·47	—	—	·17	·08	—	—	—	—	9
10	·24	·05	·01	·08	—	—	·26	—	—	—	—	·06	10
11	·18	·03	·06	·42	·26	·20	·03	—	·02	—	—	·02	11
12	·06	·02	—	·20	·04	1·32	·03	—	—	—	·05	·04	12
13	·07	·01	·10	·15	—	·01	·02	—	·23	·25	·25	+	13
14	—	·06	Snow ·55	·24	—	·38	·01	·02	·86	·20	·30	—	14
15	—	·19	Snow ·02	·31	—	·06	—	—	·03	·28	—	—	15
16	—	—	—	·10	·23	·04	·35	—	·27	—	—	—	16
17	—	—	—	·08	·28	—	—	·03	·25	—	—	—	17
18	·33	—	—	—	·32	—	·35	·04	·15	—	—	—	18
19	—	Snow + Rain 1·67	—	·07	·02	·06	—	·23	—	—	—	—	19
20	—	·06	—	·50	—	—	·02	·01	—	—	—	—	20
21	—	—	—	·13	—	—	·10	·11	·02	—	—	·04	21
22	·05	—	—	·12	—	—	·38	·13	—	—	—	·12	22
23	—	—	·03	·08	—	—	·18	·01	—	—	—	·28	23
24	—	—	·40	·05	—	—	—	·04	—	—	—	·25	24
25	—	·11	·17	·02	·38	—	·60	—	—	—	—	—	25
26	·20	·02	·37	·03	·01	—	·12	—	—	—	—	—	26
27	·15	·01	·16	·13	·43	·40	·02	—	—	—	·09	·25	27
28	Snow + Rain 5 ins snow ·75	—	·10	·19	·28	—	—	—	—	—	—	·10	28
29	—	—	·45	·03	·75	·02	·40	—	—	—	·10	·57	29
30	·11	X	·14	·23	·04	—	·02	—	·45	—	·10	·20	30
31	·06	X	·04	X	·03	X	·13	—	X	·27	X	·09	31
TOTAL	2·73	2·48	3·33	4·71	3·54	2·52	5·19	1·53	3·06	2·47	·89	2·41	YEAR'S TOTAL 34·86
Days with ·01 in. or more	14	~~5~~ 14	~~3~~ 16	~~4~~ 28	~~7~~ 20	~~3~~ 10	~~7~~ 26	~~6~~ 14	~~4~~ 15	— 10	— 6	~~X~~ 14	~~40~~ 187
Days with ·04 in. or more	14	9	13	24	13	7	19	8	11	10	6	13	147

SHROPSHIRE.

WHITTON

1920

REGIST 20

FORM A.
BRITISH RAINFALL

8 JAN 1921

Kept at Whitton Pad

in the County of Shrops

by A. M. Sparrow

g.

9 a.m.

n Tenbury

Rain Gauge 5 in.

above Ground — ft 4 in.

„ Sea Level 420 ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15	—	.05	.20	26	—	.25	—	.03	.11	—	25	1
2	—	—	—	.13	.02	—	.18	—	.10	.11	—	17	2
3	.15	.02	—	.30	—	~~005~~	.52	—	.12	.39	—	02	3
4	—	—	—	.04	—	—	—	.40	.02	.21	—	—	4
5	—	—	.08	.23	.04	—	.32	.02	.01	.16	—	—	5
6	—	—	.20	.01	.06	—	.21	—	—	.19	—	—	6
7	—	—	.06	.06	~~005~~	—	.15	—	—	—	—	03	7
8	.30	.09	—	.60	.16	—	.37	.10	—	—	—	—	8
9	.10	.03	—	.43	—	—	.03	.04	—	—	—	—	9
10	.46	.04	.10	.01	—	.13	.05	—	—	—	.02	—	10
11	.08	—	.10	.33	.24	.10	.09	—	—	—	—	.02	11
12	.16	.04	.01	.30	—	64	.04	.33	—	.01	12	.05	12
13	.05	.03	.15	.19	—	—	—	—	—	—	.01	.02	13
14	.03	.04	.65	.23	—	.60	—	.02	.49	.15	24	—	14
15	—	.09	.04	.69	—	.27	.02	—	.02	—	05	—	15
16	—	—	—	.09	.43	.17	.15	—	.12	.72	03	—	16
17	.01	—	—	—	.10	—	—	—	.59	.14	—	—	17
18	.17	—	—	—	.08	—	.08	.07	.63	—	—	—	18
19	.02	.60	.02	.11	.02	.17	—	—	.18	—	—	—	19
20	—	.04	—	.23	—	.15	—	—	.01	—	—	.04	20
21	—	—	—	—	—	—	.30	—	—	.07	—	.04	21
22	.07	—	—	.08	—	—	.05	.13	—	—	—	.03	22
23	—	—	.05	—	—	—	.43	.03	—	—	—	.30	23
24	.04	—	.14	—	—	—	—	.01	—	—	—	.19	24
25	.05	—	.10	.08	—	—	.41	—	—	—	—	—	25
26	.13	—	.24	—	—	—	.05	—	—	—	06	.03	26
27	.20	—	.09	.03	.02	.20	.04	—	—	—	03	.45	27
28	1.18	—	.16	—	.34	.06	—	—	—	—	—	.11	28
29	.10	—	.07	—	.54	.03	.09	—	—	—	07	.40	29
30	.04	✕	.10	.14	.08	.07	—	—	.24	—	14	.16	30
31	.06	✕	.01	✕	.05	✕	.02	—	✕	.27	✕	.02	31
Total	3.85	1.02	2.45	4.51	2.44	2.47	4.15	1.15	2.56	2.53	0.77	2.93	YEAR'S TOTAL 30.23
Rain Days.	21	10	26	22	15	12	22	10	13	12	10	18	185
	18	7	17	~~[illegible]~~	~~[illegible]~~	~~[illegible]~~	~~19 - 11~~	~~[illegible]~~	~~[illegible]~~	~~[illegible]~~	~~W. C.~~	11	145

W. 6,500, VII. 18. w w c

REGIST 20

FORM A. BRITISH RAINFALL
8 JAN 1921

Kept at Whitton Paddocks
in the County of Shropshire
by A. M. Sparrow

Lat. g.
Time of Observation 9 a.m.
Nearest Railway Station Tenbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 4 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15	—	.05	.20	26	—	.25	—	.08	.11	—	25	1
2	—	—	—	.13	.02	—	.18	—	10	.11	—	17	2
3	.15	.02	—	.30	—	~~.005~~	.52	—	.12	.39	—	02	3
4	—	—	—	.04	—	—	—	.40	.02	.21	—	—	4
5	—	—	.08	.23	.04	—	.32	.02	.01	.16	—	—	5
6	—	—	.20	.01	.06	—	.21	—	—	.19	—	—	6
7	—	—	.06	.06	~~.005~~	—	.15	—	—	—	—	03	7
8	.30	.09	—	.60	.16	—	.37	.10	—	—	—	—	8
9	.40	.03	—	.43	—	—	.03	.04	—	—	—	—	9
10	.46	.04	.10	.01	—	.13	.05	—	—	—	.02	—	10
11	.08	—	.10	.33	.24	10	.09	—	—	—	—	.02	11
12	.16	.04	.01	.30	—	64	.04	.33	—	.01	12	.05	12
13	.05	.03	.15	.19	—	—	—	—	—	—	.01	.02	13
14	.03	.04	.65	.23	—	.60	—	.02	.49	.15	24	—	14
15	—	.09	.04	.69	—	.27	.02	—	.02	—	05	—	15
16	—	—	—	09	.43	.11	.15	—	.12	.72	03	—	16
17	.01	—	—	—	.10	—	—	—	.54	.14	—	—	17
18	.17	—	—	—	.08	—	.08	.07	.63	—	—	—	18
19	.02	.60	.02	.11	.02	.17	—	—	.18	—	—	—	19
20	—	.04	—	.23	—	.15	—	—	.01	—	—	04	20
21	—	—	—	—	—	—	.30	—	—	.07	—	04	21
22	.07	—	—	.08	—	—	.05	.13	—	—	—	03	22
23	—	—	.05	—	—	—	.43	.03	—	—	—	.30	23
24	.04	—	.14	—	—	—	—	.01	—	—	—	.19	24
25	.05	—	.10	.08	—	—	.71	—	—	—	—	—	25
26	.13	—	.24	—	—	—	.05	—	—	—	06	.03	26
27	.20	—	.09	.03	.02	.20	.04	—	—	—	03	.45	27
28	1.18	—	.16	—	.34	.06	—	—	—	—	—	.11	28
29	.10	—	.07	—	.54	.03	.09	—	—	—	07	.40	29
30	.04	☒	.10	.14	.08	.07	—	—	.24	—	14	.16	30
31	.06	☒	.01	☒	.05	☒	.02	—	☒	.27	☒	.02	31
Total	3.85	1.02	2.45	4.51	2.44	2.47	4.15	1.15	2.56	2.53	0.77	2.93	YEAR'S TOTAL 30.23
Rain Days.	21	10	20	22	15	12	22	10	13	12	10	18	185
	18	7	17	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	11	145

W. 6,500, VII. 18. W W & S

RI 1

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

WISTANSTOW
RECTORY
SHROPSHIRE
1911 - 1920

Kept at Wistan

in the County of Shr

by Wm. D. Lat

4
5 in.

Ground 1 ft. in.

Sea Level 480 ft.

am -

Name Craven Arms

Distance 1 3/4 Direction S.

IMPORTANT NOT l the result entered to the
previous day. If an Ol versal rule, he is earnestly
requested to add the rea year in the space provided
for it at the end of th ment of rain,
the selection and placi ritish Rainfall
Organization are given i application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		·07	-	-	-		·15			·02	.	1
2	·01		-	·01	·17		·02	·03		·03	·08	-	2
3	-		-		·59						·12	·28	3
4	·27		·03	·04					·02	·02	·18	·45	4
5	-		·03	·03						·11	·04	-	5
6	·10		·07								·08	·59	6
7	-		-					·08			·45	-	7
8	·07		·08								·40	·59	8
9	02		·07								·97	·08	9
10	-	·07	·14						·04		-	·66	10
11	-		-						·04		·42	·04	11
12	-	·01	·32						·85		·29	-	12
13	-		·02						·01		·05	·30	13
14	-	02	·07								-	·73	14
15	-	02	·04								·04	·29	15
16	.	-	-			·13					·11	·06	16
17	-	·02	-			·72					·39	·76	17
18	-	42	·02	·29		·15					-	·39	18
19	.	-	-	·10		·32		·02	·58	·23	·15	·39	19
20	·01	04	-	·04					·02	·05	-	·42	20
21	-	29	·12			·01		·26	·20	·63	-	·01	21
22	·05	29	·01			·03		-	-	·26	·06	·57	22
23	·01	06	·13			·20		·08	·25	·02	-	·21	23
24	-	07	-			·37			-	·03	-	·20	24
25	.	·14	-	·08		-			·06	·01	-	·13	25
26	.	·11		·20	·61	·01			-	·37	·23	·08	26
27	.	·15	·29	·09	·01	-		·33	·16	-	·11	·07	27
28	.	-		·22		·03		·01	-	-	.	-	28
29	.					·12	·80		·17	25	.	·01	29
30	-		·05			·07		·04		21	.	-	30
31			·09		·40		·01			·10	·02	·01	31
Total	·54	1.71	1.65	1.10	1·78	2·16	.83	1.00	2·40	2·32	4.21	7·32	TOTAL for year 27·02
No. of Rain Days.	8	14	18	10	5	12	3	9	12	14	20	24	149

W. 8,000, X. '11.

RI

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at Wistanstow

in the County of Shropshire

by Wm. D. LaTouche.

4

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 480 ft.

Time of Observation 9 am.

Nearest Railway Station Name Craven Arms
Distance 1¾ Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–		·07	–	–	–		·15			·02	–	1
2	·01		–	·01	·17		·02	·03		·03	·08	–	2
3	–		–		·59						·12	·28	3
4	·27		·03	·04					·02	·02	·18	·45	4
5	–		·03	·03						·11	·04	–	5
6	·10		·07								·08	·59	6
7	–		–					·08			·45	–	7
8	·07		·08								·40	·59	8
9	02		·07								·97	·08	9
10	–	·07	·14						·04		–	·66	10
11	–		–						·04		·42	·04	11
12	–	·01	·32						·85		·29	–	12
13	–		·02						·01		·05	·30	13
14	–	·02	·07								–	·73	14
15	–	·02	·04								·04	·29	15
16	–	–	–			·13					·11	·06	16
17	–	·02	–			·72					·39	·76	17
18	–	42	·02	·29		·15					–	·39	18
19	–	–	–	·10		·32		·02	·58	·23	·15	·39	19
20	·01	04	–	·04					·02	·05	–	·42	20
21	–	29	·12			·01		·26	·20	·63	–	·01	21
22	·05	29	·01			·03		–	–	·26	·06	·57	22
23	·01	06	·13			·20		·08	·25	·02	–	·21	23
24	–	07	–			·37			–	·03	–	·20	24
25	.	·14	–	·08		–			·06	·01	–	·13	25
26	.	·11		·20	·61	·01			–	·37	·23	·08	26
27	.	·15	·29	·09	·01	–		·33	·16	–	·11	·07	27
28	.	–		·22		·03		·01	–	–	.	–	28
29	.					·12	·80		·17	25	.	·01	29
30	.		·05			·07		·04		21	.	–	30
31			·09		·40		·01			·10	·02	·01	31
Total	·54	1.71	1.65	1.10	1.78	2·16	.83	1.00	2·40	2·32	4.21	7·32	TOTAL for year 27.02
No. of Rain Days.	8	14	18	10	5	12	3	9	12	14	20	24	149

W. 8,000, X. '11.

cop^d by 2nd copy of by own stats 6.III.13

FORM A2.
BRITISH RAINFALL.

18 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Wistanstow Rectory.

in the County of Shropshire 3

by W.M.D. LaTouche.

RAIN GAUGE { Pattern
Diameter of top 5" in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 480 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Craven Arms
Distance 1¾ m. Direction SW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·10	-	-	-	·01	·03	-	-	-	·17	1
2	-	·02	·17	-	·03	·23	·06	-	-	-	-	·03	2
3	-	-	·05	-	·32	·18	-	1.22	-	-	-	-	3
4	·18	-	·82	-	·13	-	-	·24	-	-	·19	-	4
5	·35	·08	·13	-	·06	·10	-	·18	·02	-	-	·01	5
6	·15	·11	·03	-	·04	·02	-	·41	-	-	-	·02	6
7	-	·24	·10	-	·05	·46	·38	·19	-	-	-	·03	7
8	·48	·16	·12	·06	-	·42	-	-	-	-	-	·01	8
9	·08	-	·46	·08	-	·43	-	·23	-	-	·01	·25	9
10	·31	·01	-	·06	-	·14	-	·27	-	-	·17	-	10
11	·02	·05	-	-	-	-	-	-	-	-	·35	·52	11
12	·03	·18	·10	·02	-	·25	-	-	-	-	-	·02	12
13	·01	-	·04	-	-	-	-	·12	-	·07	·01	·09	13
14	·05	-	·49	-	-	·08	-	·02	·01	·02	-	·01	14
15	·04	·15	·54	-	·39	·34	-	-	-	-	-	·05	15
16	·73	·01	·10	-	-	-	-	·02	-	·03	-	·05	16
17	·75	-	·14	-	-	·13	-	·31	-	-	·14	1.10	17
18	·04	·01	·03	-	-	-	-	·03	·01	·01	-	·02	18
19	·08	·04	·01	-	·02	·04	·19	·43	-	·11	-	·02	19
20	·03	·01	·36	-	-	-	·06	-	-	·18	-	-	20
21	-	·03	·19	-	·69	-	-	·60	-	·24	-	-	21
22	·24	·09	·01	-	·21	-	·28	·32	-	-	-	·07	22
23	·13	·04	·43	-	-	·01	1.19	·14	-	·01	·07	·02	23
24	·11	-	·03	-	-	·25	-	·03	-	-	·03	·37	24
25	-	-	-	-	-	·04	-	·58	-	-	·34	·35	25
26	-	-	·07	-	-	-	·23	·67	-	1.22	·56	·08	26
27	-	·19	-	-	-	·23	·60	-	-	·93	-	·33	27
28	-	·05	-	-	-	-	·33	·34	·20	·10	·57	-	28
29	-	-	·09	-	-	·19	·10	·11	·53	·11	·02	-	29
30	·02	✕	·05	-	-	·15	·03	-	-	·22	-	-	30
31	-	✕	·32	✕	·83	-	·15	·03	✕	-	✕	·10	31
Total	3.83	1.47	4.48	·22	2.77	3.69	3.61	6.52	·77	3.25	2.46	3.78	36.79
No. of Rain Days.	20	18	26	4	11	19	13	23	5	13	12	23	186

W. 8,000, X. '11.

448

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
19 JAN 1914

Kept at Wistanstow Rectory

in the County of Shropshire

by Wm. D. La Touche

3

Lat. 52 27 52 Long. 2.50.4
Time of Observation 9 am
Nearest Railway Station C. Arms
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·12	·17	—	·09	—	—	—	·10	—	·05	·01	1
2	02	·09	·09	·18	—	—	—	—	04	·25	—	—	2
3	07	·04	·10	—	53	—	—	—	02	·03	—	23	3
4	·75	·13	—	—	22	05	01	—	06	26	·05	34	4
5	·19	·09	·03	—	15	38	05	—	04	1.76	·02	02	5
6	·14	·19	·27	—	27	10	04	—	—	·11	—	38	6
7	—	·42	—	—	43	16	04	—	—	·51	·22	01	7
8	02	·10	—	·01	27	31	03	03	—	10	·15	—	8
9	—	·43	—	03	21	16	02	·36	21	—	·04	—	9
10	30	—	—	09	27	—	—	—	—	17	·04	—	10
11	49	—	—	58	02	—	—	—	—	04	·36	01	11
12	—	—	—	—	07	—	—	—	01	—	·31	—	12
13	02	—	·21	01	—	—	—	·03	38	—	·44	—	13
14	·27	—	·54	05	—	—	—	·02	01	05	·05	—	14
15	07	·02	·81	85	—	—	—	—	01	—	·13	—	15
16	—	—	*45	—	—	—	—	·03	04	—	—	—	16
17	—	—	·11	17	—	—	·06	—	—	—	—	·02	17
18	03	—	33	19	—	—	·06	—	—	—	·02	—	18
19	14	—	12	04	—	—	03	—	—	18	·01	—	19
20	04	—	0.36	—	—	—	—	—	—	11	39	—	20
21	—	—	·10	33	03	—	21	—	—	—	06	—	21
22	·74	—	97	—	—	·11	—	75	·55	—	—	—	22
23	—	—	—	—	—	—	—	—	07	—	0.14	—	23
24	·11	—	—	—	—	—	—	·01	—	—	·04	07	24
25	—	·01	—	—	—	—	—	—	12	·07	01	01	25
26	—	—	—	1.15	02	—	—	—	01	—	—	24	26
27	·03	·14	·08	22	—	—	—	—	—	·65	—	01	27
28	·23	—	·16	68	05	—	—	—	—	·31	—	*21	28
29	—		·51	45	05	—	—	·06	—	·45	—		29
30	32		—	—	—	—	—	—	—	·29	23		30
31	02		35		20		—	·01		—			31
Total	4.10	1.78	5.76	5.03	2.88	1.27	·55	1.30	1.67	5.34	2.76	1.56	YEAR'S TOTAL 34.00
Rain Days.	21	12	19	16	16	7	10	9	15	17	20	13	175

W:7,000, XI. 13

Esc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at WISTANSTOW RECTORY

in the County of SHROPSHIRE 3

by Wm. D La Touche (Rev)

Lat. 52. 27.52 Long. 2. 50. 4
Time of Observation 9 a.m.
Nearest Railway Station Craven Arms.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 482 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	.03	·01	·00	·02	·36	·65	–	–	.04	25	1
2	·10	–	,02	–	·01	–	1.40	·07	–	–	45	39	2
3	–	–	01	·09	·03	–	·04	·04	–	–	03	27	3
4	·14	–	01	·14	·05	–	·17	–	–	–	57	52	4
5	.10	–	02	.31	·07	–	·09	·02	–	·01	26	25	5
6	19	03	03	.03	·08	–	·01	·02	–	–	·09	13	6
7	–	17	36	–	·16	·09	·13	·12	·04	–	03	47	7
8	–	05	01	–	·06	·40	·01	·14	–	–	03	06	8
9	04	07	02	·13	·11	·85	–	·19	06	–	03	–	9
10	01	23	–	33	·05	·14	–	·03	10	–	02	01	10
11	–	43	18	–	·17	·01	.16	·02	03	–	39	36	11
12	–	50	18	–	–	–	·13	·01	16	–	23	19	12
13	–	20		–	–	–	·08	–	08	07	38	20	13
14	–	12	43	–	–	–	·08	–	03	10	25	–	14
15	–	04	26	–	–	–	–	–	06	–	09	–	15
16	–	–	03	–	–	–	–	–	08	–	05	–	16
17	–	–	25	–	–	–	–	–	02	03	–	77	17
18	–	26	14	–	–	·02	–	–	01	01	–	22	18
19	–	06	02	–	–	–	·58	–	02	02	01	16	19
20	–		14	–	–	.03	·21	–	01	01	–	16	20
21	–	24	02	–	–	·11	·08	·01	–	10	03	·04	21
22	–	40	–	–	·10	·06	·03	·20	–	27	–	–	22
23	–	26	08	–	–	·01	·11	·05	–	24	–	–	23
24	–	13	16	–	–	–	·06	·20	–	03	02	23	24
25	.05	06	01	–	–	–	·17	·29	–	37	01	–	25
26	.01	05	01	–	–	–	–	–	–	06	16	48	26
27	02	04	04	–	–	–		–	–	–	55	96	27
28	03	–	17	–	·08	–	·14	–	–	·02	–	45	28
29	·04	07	06	–	04	–	–	–	–	·26	·21	–	29
30	01	X	13	·03	–	–	–	·05	–	06	·24	75	30
31	·17	X	–	X	–	X	·20	.02	X	–	X	06	31
Total	·91	3.41	282	1.07	1.01	1·74	4·18	2·13	·70	1.66	41·7	7.38	YEAR'S TOTAL 31·18
Rain Days.	13	20	27	8	14 ~~13~~	11	21	18 17	13	16	24	23	208 ~~206~~

W. 8,000. X. 14.

2394

FORM A.
BRITISH RAINFALL.
3. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Wistanstow Rectory.

in the County of Shropshire.

by Wm. D LaTouche.

Lat. 52.2752 Long. 2.50.4

Time of Observation 9 am.

Nearest Railway Station Craven Arms.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 482 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·57	·08	—	—	·50	—	—	·05	·12	·36	·07	·05	1
2	·05	·15	—	·15	—	·10	—	1.83	—	—	—	·20	2
3	·76	·10	—	·08	Trace	—	·41	·63	—	—	—	·29	3
4	·03	·31	—	—	·20	—	—	·04	—	—	·03	·96	4
5	·05	·44	—	·02	trace	·10	·63	·01	—	—	trace	·85	5
6	·06	·05	—	·17	—	—	·76	·26	—	—	—	·05	6
7	·23	·40	—	·04	—	—	·12	·09	—	—	—	·44	7
8	·08	·31	trace	·31	—	—	·04	·04	—	—	·12	·01	8
9	—	·14	trace	·22	—	—	—	trace	—	—	·20	·77	9
10	·30	Trace	Trace	·17	—	—	—	·04	—	·04	·09	·01	10
11	·04	—	·01	—	·04	—	·06	—	—	—	1.13	—	11
12	·06	·13	—	—	·43	—	—	·31	—	·07	1.03	·01	12
13	—	·97	—	—	·66	—	—	·08	·02	—	—	·05	13
14	—	·02	—	—	—	—	—	·56	·11	·05	—	·28	14
15	·19	·55	—	—	·01	—	·09	—	—	—	·11	·08	15
16	—	—	—	—	·36	—	1.32	·36	—	trace	—	trace	16
17	—	·35	—	—	·73	—	—	·01	—	·06	—	—	17
18	—	·41	—	—	—	—	—	—	—	—	—	—	18
19	—	trace	·02	·06	·09	—	·17	—	—	—	—	—	19
20	·08	—	trace	·03	·09	—	·35	—	—	—	—	·05	20
21	·26	Trace	—	·01	—	—	—	—	—	·10	·01	·02	21
22	·02	trace	·10	·06	—	—	·24	—	—		—	·13	22
23	—	·15	—	—	—	trace	·07	—	·02	·88	—	·43	23
24	·01	—	Trace	·07	—	—	·39	—	·35	·50	—	—	24
25	—	—	trace	—	—	·24	·06	—	—	·05	—	·20	25
26	—	·09	—	—	—	—	·29	—	·04	—	—	·49	26
27	—	·11	—	—	—	—	·19	—	—	·40	—	·31	27
28	—	·55	·01	—	—	·15	·17	·13	·11	·01	—	·02	28
29	·06	—	—	—	—	·14	·14	·12	—	·07	·19	·05	29
30	—		—	·02	—	·91	·26	—	—	·24	·17	·39	30
31	—		—		—		—	·06		·17		·74	31
Total	2.85	5.31	·14	1.41	3.11	1.64	5.76	4.62	·77	3.00	3.10	6.88	YEAR'S TOTAL 38.59 ✓
Rain Days.	17	19	4	14	10	6	19	17	7	14	11	25	163 ✓

W. 8,000. X. 15.

2323

W DL cnd fr auth

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL
23. JAN 1917

Kept at Wistanstow Rectory

in the County of Shropshire

by W M D La Touche

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 482 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	—	07	—	03	05	25	—	—	26	16	—	1
2	·31	07	47	—	01	—	24	—	14	78	01	—	2
3	·09	85	—	—	04	01	—	—	06	24	24	01	3
4	08	32	—	01	64	26	—	—	01	20	37	—	4
5	08	07	01	—	39	04	—	—	—	17	12	—	5
6	05	39	03	—	15	01	56	—	—	26	39	02	6
7	13	01	11	—	17	—	04	—	—	13	37	22	7
8	03	—	12	—	18	—	—	—	—	09	01	13	8
9	—	04	—	—	26	—	—	—	—	—	04	02	9
10	05	43	09	03	—	04	—	—	—	03	—	—	10
11	01	13	13	04	09	08	02	—	—	—	—	03	11
12	04	01	09	—	30	—	12	09	—	—	01	—	12
13	—	02	24	11	—	—	—	28	—	—	—	04	13
14	—	47	01	04	06	—	—	52	—	09	—	—	14
15	—	—	41	18	12	—	—	09	03	01	—	—	15
16	—	04	00	26	—	—	05	—	—	02	—	—	16
17	05	14	—	09	—	—	—	—	33	31	—	—	17
18	04	04	09	05	—	—	—	—	26	01	23	—	18
19	08	—	39	34	—	—	—	06	—	11	11	—	19
20	09	—	79	01	—	—	—	—	—	—	05	15	20
21	01	—	57	04	07	—	18	—	—	—	—	19	21
22	—	—	—	—	—	05	—	08	—	11	01	25	22
23	—	—	31	—	—	—	—	—	—	04	—	05	23
24	—	—	1.10	—	80	03	—	16	—	24	08	—	24
25	—	·36	21	—	05	01	—	10	02	02	17	04	25
26	08	12	—	—	09	26	—	19	—	25	08	—	26
27	04	05	51	—	—	—	—	04	—	69	—	06	27
28	—	25	01	—	·01	—	—	—	01	15	05	—	28
29	—	19	26	—	—	26	—	24	—	12	—	04	29
30	01	X	—	—	—	·11	—	—	—	20	—	—	30
31	—	X	—	X	—	X	—	·02	X	18	X	01	31
Total	1.47	4.00	6.02	1.20 1.25	3.46	1.21	1.46 1.43	1.87	·86	4.71	2.50	1.26	Year's Total 30.02 30.04
Rain Days.	18 9	20	22	12	18	13	8	12	8	25	18	15	~~185~~ 190

W. 8,000, VIII. 16

end (May 27) by MWR   end by mm stats   recd. by obr.   2208

75 mm (2·95)

BRITISH RAINFALL FORM A.

15 MAY 1918

REGISTER OF RAINFALL IN 1917.

Kept at Cwistanstow Rectory

in the County of Shropshire

by Wm. D La Touche.

Lat. ……… Long. ………

Time of Observation 9 a.m. Greenwich M.T.

Nearest Railway Station Craven Arms

Diameter of Funnel of Rain Gauge 10 in.

Height of top of Gauge above Ground 1. ~~2~~ ft. 4 in.

" " " " Sea Level 482 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	01	04	·16	—	·34	—	—	·09	·01	·02	—	1
2	—	—	01	—	—	·14	—	—	—	·01	(·94)	·01	2
3	—	—	—	24	—	—	—	—	—	·18	—	—	3
4	—	01	02	—	—	—	—	·03	—	·28	—	—	4
5	·05	—	·23	19	—	—	—	·14	·03	·07	·01	—	5
6	05	—	·16	—	—	·10	—	—	—	·17	·22	—	6
7	·47	—	—	—	—	—	·02	·13	—	—	·11	·08	7
8	·66	—	·02	13	—	—	·07	·11	—	·34	·07	—	8
9	·01	—	·11	07	·14	—	—	·13	·03	·07	·17	—	9
10	—	—	·37	—	—	—	—	·21	—	·01	—	—	10
11	·12	—	—	02	—	—	—	·12	—	·26	—	—	11
12	—	—	—	04	·62	—	—	·37	·06	·33	·04	—	12
13	—	—	·06	03	—	—	—	·75	·03	—	·01	—	13
14	·04	—	10	02	—	—	—	·02	—	·02	—	·09	14
15	—	—	—	—	·02	—	·30	·13	—	·07	—	·17	15
16	04	·06	—	—	—	·74	·03	—	—	·03	·01	·49	16
17	—	—	—	—	—	·48	·57	·90	·14	·02	—	—	17
18	—	—	—	—	·11	—	35	·11	·64	·01	—	—	18
19	·05	·34	·31	01	—	·26	—	·04	·02	—	—	—	19
20	—	·22	—	—	·61	·08	—	—	·26	—	—	—	20
21	—	—	·11	—	—	·02	—	·02	—	·07	—	—	21
22	—	—	—	—	—	·23	—	·14	·01	·06	·04	—	22
23	—	·18	—	—	·13	—	—	·02	—	·08	—	·02	23
24	—	·01	02	—	—	—	—	·02	—	·19	·11	—	24
25	—	—	·16	—	—	—	—	·02	—	·04	—	—	25
26	—	07	—	—	·05	·17	—	·81	·05	·04	·14	—	26
27	—	—	02	—	·97 ~~1·06~~	·26	·33	·88	—	—	·02	—	27
28	—	—	05	—	—	·02	—	·07	—	—	—	·01	28
29	—	·01	11	—	—	—	·04	·08	—	·35	—	·33	29
30	—	X	—	—	—	—	—	·20	·01	·04	—	—	30
31	—	X	·01	X	—	X	—	·25	X	·02	X	—	31
Total	1.45	·91	1.91	·91	~~2.74~~ ~~1.68~~ 2.65	2.84	1.71	5.70	1.37	2.77	1.01	1.20	YEAR'S TOTAL 24·13 ~~23.46~~
Rain Days.	9	9	18	10	8	12	8	25	12	25	14	8	158

W. 8,000, IX. 17.

9

FORM A.
BRITISH RAINFALL.

6.1.19

REGISTER OF RAINFALL IN 1918

Ex. TRB

Kept at Wistanstow Rectory
in the County of Shropshire
by W. M. D. LaTouche

Lat. 52.27.52 Long. 2.50.4
Time of Observation 9 am G.M.T.
Nearest Railway Station Craven Arms
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 1.4 ft. 2 in.
" " " " Sea Level 482 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	m.ka	m.ka	—	—	—								
1	—	0.2	—	1.4	—	—	—	1.4	0.4	—	16.7	1.2	1
2	—	1.3	—	1.6	—	—	—	5.6	0.9	—	—	5.8	2
3	0.2	2.1	—	0.2	7.7	—	—	3.3	18.0	0.5	2.6	—	3
4	—	0.7	—	—	—	—	—	9.0	12.1	—	13.1	—	4
5	0.3	0.4	—	4.1	7.4	—	—	3.2	6.3	8.6	—	—	5
6	0.5	3.3	0.3	0.7	—	11.5	—	—	0.1	4.9	—	0.1	6
7	0.6	1.5	—	1.2	5.2	—	—	—	7.9	4.3	6.9	0.1	7
8	2.9	9.7	—	—	—	—	—	—	6.2	1.8	—	0.1	8
9	1.9	11.3	—	1.2	—	4.1	—	—	8.9	0.4	—	0.5	9
10	0.1	2.3	—	2.1	—	—	—	—	0.7	0.3	1.6	0.9	10
11	—	0.5	0.7	0.1	1.7	—	11.1	—	8.8	—	5.0	2.1	11
12	—	1.2	1.4	—	2.8	—	8.4	—	0.9	2.1	—	0.4	12
13	—	0.2	—	—	0.5	—	2.6	—	4.8	—	—	0.2	13
14	8.4	—	—	—	—	1.4	—	—	6.2	0.4	—	4.9	14
15	17.5	—	—	—	—	—	2.9	—	3.8	0.2	0.3	8.9	15
16	3.6	—	—	7.5	—	0.6	14.8	0.6	4.6	1.3	—	6.1	16
17	11.3	—	—	1.0	26.5	1.8	1.4	—	4.1	3.2	—	4.3	17
18	11.1	—	1.0	—	—	4.9	3.7	—	13.6	0.1	—	11.1	18
19	2.7	0.2	5.5	—	—	—	1.1	—	0.4	—	—	1.9	19
20	3.7	2.6	—	8.6	—	2.6	1.7	—	5.6	0.1	—	—	20
21	2.5	1.5	—	10.9	—	—	5.1	—	9.1	—	—	2.5	21
22	0.5	—	—	—	16.7	0.1	2.3	—	1.0	1.0	—	8.0	22
23	—	—	—	—	8.7	—	1.1	—	2.2	—	—	—	23
24	—	2.1	—	—	—	—	0.7	0.9	0.5	—	—	—	24
25	—	—	—	—	1.8	—	2.3	8.1	—	—	2.5	—	25
26	—	—	—	—	—	—	3.9	0.2	0.3	—	0.7	—	26
27	—	1.0	2.5	—	—	—	3.7	12.5	6.5	—	1.5	2.1	27
28	—	2.3	4.2	—	—	—	—	—	—	—	0.4	4.0	28
29	—	—	1.1	—	—	—	—	—	14.9	—	1.3	3.0	29
30	—	×	2.3	—	—	.	—	—	—	—	0.2	3.3	30
31	0.5	×	10.2	×	—	×	—	0.6	×	—	×	—	31
Total	68.3	44.4	29.2	40.6	79.0	27.0	66.8	45.4	148.8	29.2	52.8	71.5	YEAR'S TOTAL 703.0 ✓
Rain Days.	~~17~~ 16	19	10	~~13~~ 12	10	8 7	16	11	~~27~~ 26	~~15~~ 13	13	~~22~~ 19	~~181~~ 172

W. 8,000, IX. 17.

and mv. Ex. H 56 2069

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at WISTANSTOW RECTORY
in the County of SHROPSHIRE
by W. M. D. LA TOUCHE.

Lat. 52 27.52 Long 2.50.4
Time of Observation GMT. 9.0 am
Nearest Railway Station Craven Arms
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground ~~1~~ ft. 14 in.
" " " " Sea Level 482 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6.4	0.1	0.8	3.4	1.8	—	8.2	—	0.1	2.5	0.1	9.4	1
2	2.0	—	3.0	—	—	—	—	—	1.2	—	1.5	1.0	2
3	—	—	0.9	—	—	2.1	1.4	—	—	—	3.0	2.0	3
4	—	1.5	7.2	—	—	—	11.2	4.9	3.1	0.1	0.2	3.8	4
5	0.1	3.9	—	—	0.5	—	—	—	—	0.1	1.2	10.0	5
6	2.3	0.6	2.3	—	0.7	—	—	—	—	—	0.7	6.2	6
7	2.8	—	0.8	2.1	—	—	—	—	—	0.1	0.8	1.7	7
8	8.7	—	1.0	—	—	0.2	—	—	—	—	—	—	8
9	—	—	—	2.4	—	—	—	—	0.2	—	0.3	0.2	9
10	6.0	—	12.1	—	2.7	—	—	—	0.1	0.4	0.8	4.9	10
11	0.2	—	29.3	—	0.6	—	7.6	—	—	1.9	—	0.6	11
12	—	—	13.7	—	—	4.8	0.2	—	0.2	0.4	0.6	—	12
13	4.0	—	—	5.0	—	—	—	—	13.3	4.2	—	0.7	13
14	10.3	0.5	—	9.0		—	1.2	0.1	1.2	4.3	0.3	3.3	14
15	7.3	0.7	—	3.1	2.7	—	—	0.2	—	1.9	—	8.6	15
16	3.8	16.5	—	0.3	—	—	—	1.7	—	—	0.7	—	16
17	0.6	18.7	—	0.2	—	1.3	—	0.3	—	—	0.1	0.8	17
18	0.9	—	19.6	—	—	—	0.6	15.5	—	—	—	0.3	18
19	3.3	6.8	15.8	—	—	2.4	20.1	7.8	2.9	—	1.9	0.1	19
20	6.9	0.9	6.4	—	—	1.4	0.5	0.8	2.1	—	3.1	1.9	20
21	1.8	7.4	0.3	—	—	—	9.4	—	0.5	—	0.4	3.0	21
22	—	2.9	—	—	—	—	0.1	0.2	8.8	—	—	5.9	22
23	—	—	—	—	—	0.4	—	—	—	199	0.3	0.2	23
24	0.2	—	—	—	2.1	0.5	—	—	—	19.2	3.4	9.6	24
25	1.0	0.2	—	4.1	1.1	1.1	—	6.0	0.1	0.3	1.6	—	25
26	—	—	1.6	3.5	—	1.8	0.3	2.3	0.9	0.1	—	8.9	26
27	4.2	0.3	0.5	10.6	—	—	—	9.0	—	—	2.9	—	27
28	—	—	1.7	—	—	—	—	15.1	—	—	0.1	8.3	28
29	—	—	—	1.7	—	—	—	0.1	—	6.2	—	3.4	29
30	—		0.2	1.3	—	1.7	—	0.8	—	0.4	4.2	5.4	30
31	—		0.6		—		0.1	—		0.3		0.1	31
TOTAL	72.8	61.0	117.8	46.7	12.2	17.7	60.9	64.8	34.7	62.3	28.2	100.~~3~~2	YEAR'S TOTAL 679.~~4~~3
Days with 0·2 mm. or more	19	13	19	13	8	11	11	13	11	13	19	24	174 days

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Ex. Cab. 5/2/20

2069

7 FEB 20

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wistanstow [MO]
in the County of Shropshire
by Rev. W. M. D. La Touche B.A.

Lat. 52°28'N. Long. 2°50'W.
Time of Observation 9h GMT
Nearest Railway Station
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 482 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6.4	0.1	0.8	3.4	1.8	-	8.2	-	0.1	2.5	0.1	9.4	1
2	2.0	-	3.0	-	-	-	-	-	1.2	-	1.5	1.0	2
3	-	-	0.9	-	-	2.1	1.4	-	-	-	3.0	2.0	3
4	-	1.5	7.2	-	-	-	11.2	4.9	3.1	0.1	0.2	3.8	4
5	0.1	3.9	-	-	0.5	-	-	-	-	0.1	1.2	10.0	5
6	2.3	0.6	2.3	-	0.7	-	-	-	-	-	0.7	6.1	6
7	2.8	-	0.8	2.1	-	-	-	-	-	0.1	0.8	1.7	7
8	8.7	-	1.0	-	-	0.2	-	-	-	-	-	-	8
9	-	-	-	2.4	-	-	-	-	0.2	-	0.3	0.2	9
10	6.0	-	12.1	-	2.7	-	-	-	0.1	0.4	0.8	4.9	10
11	0.2	-	29.3	-	0.6	-	7.6	-	-	1.9	-	0.6	11
12	-	-	13.7	-	-	4.8	0.2	-	0.2	0.4	0.6	-	12
13	4.0	-	-	5.0	-	-	-	-	13.3	4.2	-	0.7	13
14	10.3	0.5	-	9.0	-	-	1.2	0.1	1.2	4.3	0.3	3.3	14
15	7.3	0.7	-	3.1	2.7	-	-	0.2	-	1.9	-	8.6	15
16	3.8	16.5	-	0.3	-	-	-	1.7	-	-	0.7	-	16
17	0.6	18.7	-	0.2	-	1.3	-	0.3	-	-	0.1	0.8	17
18	0.9	-	19.6	-	-	-	0.6	15.5	-	-	-	0.3	18
19	3.3	6.8	15.8	-	-	2.4	20.1	7.8	2.9	-	1.9	0.1	19
20	6.9	0.9	6.4	-	-	1.4	0.5	0.8	2.1	-	3.1	1.9	20
21	1.8	7.4	0.3	-	-	-	9.4	-	0.5	-	0.4	3.0	21
22	-	2.9	-	-	-	-	0.1	0.2	8.8	-	-	5.9	22
23	-	-	-	-	-	0.4	-	-	-	19.9	0.3	0.2	23
24	0.2	-	-	-	2.1	0.5	-	-	-	19.2	3.4	9.6	24
25	1.0	0.2	-	4.1	1.1	1.1	-	6.0	0.1	0.3	1.6	-	25
26	-	-	1.6	3.5	-	1.8	0.3	2.3	0.9	0.1	-	8.9	26
27	4.2	0.3	0.5	10.6	-	-	-	9.0	-	-	2.9	-	27
28	-	-	1.7	-	-	-	-	15.1	-	-	0.1	8.3	28
29	-		-	1.7	-	-	-	0.1	-	6.2	-	3.4	29
30	-		0.2	1.3	-	1.7	-	0.8	-	0.4	4.2	5.4	30
31	-		0.6		-		0.1	-		0.3		0.1	31
TOTAL	72.8	61.0	117.8	46.7	12.2	17.7	60.9	64.8	34.7	62.3	28.2	100.2	YEAR'S TOTAL 679.3
Days with 0·2 mm. or more	19	13	19	13	8	11	11	13	11	13	19	24	174

680

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from [illegible] 3202

1983

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

(MU)

Kept at Wistanstow
in the County of Shropshire
by Rev. W. M. D. La Touche, B.A.

Lat. 52° 28′ N Long. 2° 50′ W
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 482 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	0.3	4.6	11.0	-	4.3	2.0	3.0	3.8	-	10.0	1
2	1.9	-	-	3.8	0.1	-	6.4	-	0.6	0.9	-	3.3	2
3	1.6	-	-	8.1	-	0.4	14.8	-	2.6	10.1	-	1.6	3
4	0.3	0.4	-	1.6	-	-	0.2	5.5	0.4	6.9	-	-	4
5	-	-	1.2	4.7	0.8	-	7.1	-	0.3	5.7	0.2	0.3	5
6	-	-	10.3	0.3	1.3	-	1.2	-	-	3.6	-	0.7	6
7	-	-	0.5	0.8	-	-	4.1	-	-	0.1	-	0.7	7
8	-	2.7	-	14.0	1.9	-	10.6	4.3	-	-	-	-	8
9	5.1	2.0	-	9.8	-	-	-	0.3	-	-	-	-	9
10	12.2	4.7	1.2	4.0	-	3.9	3.4	-	-	-	0.3	-	10
11	1.8	0.8	3.4	13.7	5.3	1.9	1.7	-	-	-	0.1	-	11
12	5.0	-	0.4	4.9	-	18.9	1.3	1.9	-	0.2	2.3	1.3	12
13	3.4	0.4	3.0	3.8	-	2.8	-	-	-	-	0.1	0.3	13
14	0.5	0.5	16.6	5.2	-	9.7	2.1	0.4	12.9	5.2	6.9	-	14
15	-	3.0	0.8	13.1	0.2	8.3	-	-	-	1.0	0.2	-	15
16	-	0.2	-	0.2	0.7	1.1	8.2	-	4.8	19.1	0.2	-	16
17	-	-	-	-	3.3	0.3	0.2	0.2	14.6	3.5	-	0.1	17
18	3.3	-	-	1.1	1.0	0.1	-	0.9	8.0	0.2	-	0.1	18
19	1.5	-	-	2.8	0.3	2.6	-	0.1	0.7	-	-	~~0.1~~	19
20	-	1.2	-	4.4	-	2.5	-	-	-	-	-	1.2	20
21	-	-	-	-	-	-	4.8	-	-	0.1	-	3.4	21
22	1.0	-	-	2.6	-	-	3.9	4.9	0.4	0.3	0.2	12.3	22
23	0.1	-	0.6	-	-	-	3.6	0.6	0.2	0.1	0.2	3.6	23
24	0.4	0.3	6.0	0.2	-	-	-	0.1	0.1	-	-	0.2	24
25	1.9	1.0	-	2.9	-	-	10.2	-	0.1	0.1	-	-	25
26	5.4	-	18.2	0.2	-	-	-	-	-	-	2.5	0.9	26
27	7.7	0.1	10.4	0.9	2.1	4.4	1.1	-	0.1	0.2	0.3	9.8	27
28	22.4	-	5.5	-	1.8	3.8	-	-	-	-	-	1.6	28
29	5.1	-	4.3	0.3	3.6	0.3	4.2	-	-	-	2.4	14.1	29
30	0.8	☒	1.5	-	3.5	2.8	0.1	-	9.3	0.1	6.9	0.3	30
31	-	☒	0.1	☒	0.6	☒	0.4	-	☒	7.8	☒	0.5	31
TOTAL	81.4 ✓	17.3 ✓	84.3 ✓	108.0 ✓	37.5 ✓	63.8 ✓	93.9 ✓	21.2 ✓	58.1 ✓	69.0 ✓	22.8 ✓	66.3 ~~66.4~~ ✓	YEAR'S TOTAL 723.6 ~~723.7~~
Days with 0·2 mm. or more	19 ✓	12 ✓	17 ✓	25 ✓	15 ✓	15 ✓	21 ✓	10 ✓	13 ✓	15 ✓	12 ✓	19 ✓	193 ✓
	15	6	12	18	10	12	18	5	7	10	5	11	129

(14,[illegible]4). Wt. 21,958—218[illegible]00. [illegible] Gp.13[illegible]. [illegible]&E.

Copied from [illegible] 3202.

1985

Form A. 2. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920

Kept at Wistanstow
in the County of Shropshire
by Wm. D. La Touche

Lat. 52.27.52 Long. 2.50.4.
Time of Observation 9 am GMT.
Nearest Railway Station Craven Arms
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 486 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	—	—	0.3	4.6	11.0	—	4.3	2.0	3.0	3.8	—	10.0	1
2	1.9	—	—	3.8	0.1	—	6.4	—	0.6	0.9	—	3.3	2
3	1.6	0.4	—	8.1	—	0.4	14.8	—	2.6	10.1	—	1.6	3
4	0.3	—	1.2	1.6	—	—	0.2	5.5	0.4	6.9	—	—	4
5	—	—	10.3	4.7	0.8	—	7.1	—	0.3	5.7	0.2	0.3	5
6	—	—	0.5	0.3	1.3	—	1.2	—	—	3.6	—	0.7	6
7	—	—	—	0.8	—	—	4.1	—	—	0.1	—	0.7	7
8	—	2.7	—	14.0	1.9	—	10.6	4.3	—	—	—	—	8
9	5.1	2.0	—	9.8	—	—	—	0.3	—	—	—	—	9
10	12.2	4.7	1.2	4.0	—	3.9	3.4	—	—	—	0.3	—	10
11	1.8	0.8	3.4	13.7	5.3	1.9	1.7	—	—	—	0.1	—	11
12	5.0	—	0.4	4.9	—	18.9	1.3	1.9	—	0.2	2.3	1.3	12
13	3.4	0.4	3.0	3.8	—	2.8	—	—	—	—	0.1	0.3	13
14	0.5	0.5	16.6	5.2	—	9.7	2.1	0.4	12.9	~~1~~5.2	6.9	—	14
15	—	3.0	0.8	13.1	0.2	8.3	—	—	—	1.0	0.2	—	15
16	—	0.2	—	0.2	0.7	1.1	8.2	—	4.8	19.1	0.2	—	16
17	—	—	—	—	3.3	0.3	0.2	0.2	14.6	3.5	—	0.1	17
18	3.3	—	—	1.1	1.0	0.1	—	0.9	8.0	0.2	—	0.1	18
19	1.5	—	—	2.8	0.3	2.6	—	0.1	0.7	—	—	—	19
20	—	1.2	—	4.4	—	2.5	—	—	—	—	—	1.2	20
21	—	—	—	—	—	—	4.8	—	—	0.1	—	3.4	21
22	1.0	—	—	2.6	—	—	3.9	4.9	0.4	0.3	0.2	—	22
23	0.1	—	0.6	—	—	—	3.6	0.6	0.2	0.1	0.2	12.3	23
24	0.4	0.3	6.0	0.2	—	—	—	0.1	0.1	—	—	3.6	24
25	1.9	1.0	—	2.9	—	—	10.2	—	0.1	0.1	—	0.2	25
26	5.4	—	18.2	0.2	—	—	—	—	—	—	2.5	0.9	26
27	7.7	0.1	10.4	0.9	2.1	4.4	1.1	—	0.1	0.2	0.3	9.8	27
28	22.4	—	5.5	—	1.8	3.8	—	—	—	—	—	1.6	28
29	5.1	—	4.3	0.3	3.6	0.3	4.2	—	—	—	2.4	14.1	29
30	0.8	✕	1.5	—	3.5	2.8	0.1	—	9.3	0.1	6.9	0.3	30
31	—	✕	0.1	✕	0.6	✕	0.4	—	✕	7.8	✕	0.5	31
Total	81.4	17.3	84.3	108.0	37.5	63.8	93.9	21.2	58.1	~~79.0~~ 69.0	22.8	66.3	Year's Total ~~733.6~~ 723.6
Days with 0·2 mm. or more	19	12	17	25	15	15	21	10	13	15	12	19	193
Days with 1·0 mm. or more	15	6	12	18	10	12	18	5	7	10	5	11	129

Sent for audit

REGIST 12

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

SHROPSHIRE.

WORFIELD

1912 – 1920.

Kept at Worfiel 5 in.
Ground 1 ft. - in.
in the County of Sal
Sea Level 200 ft.
by Frank Tur am
Name Frank Turner
Distance 4 m. Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	·06	0	0	·15	·02	·01	·01	0	0	·13	1
2	0	·01	·05	0	·02	·25	·15	0	0	0	0	·05	2
3	·01	0	·01	0	·11	·10	·02	·72	·02	0	0	·11	3
4	·08	0	·5	0	·13	·52	0	·05	0	0	·18	·0	4
5	·33	·03	·16	0	·02	·33	0	·30	·02	0	·01	0	5
6	·08	·2	0	0	·01	·11	0	·38	0	0	0	·05	6
7	0	·08	0	0	·04	·40	0	·01	0	0	0	·01	7
8	·27	·14	·11	·03	·01	·12	·02	·40	·08	0	0	·01	8
9	·14	·0	·49	·1	0	·34	0	·24	0	0	0	·24	9
10	·4	·01	0	·02	0	·11	0	·13	0	0	·73	·01	10
11	·1	·01	·01	0	0	·01	0	·06	0	0	·10	·39	11
12	·04	·14	·04	0	0	·02	·02	0	0	0	·01	·03	12
13	·0	·01	0	0	0	·01	0	·03	0	0	·01	·01	13
14	·04	·0	·46	0	0	·04	0	0	·03	0	0	0	14
15	·11	·05	0	0	·44	·43	0	0	0	0	0	·05	15
16	·65	0	·04	0	·04	·03	0	·01	0	·06	0	0	16
17	·3	0	·02	0	0	·05	0	·37	0	·0[illegible]	·22	·70	17
18	·36	0	·05	0	0	·0	0	·01	0	·04	·02	·01	18
19	0	·03	0	0	0	·01	·16	·28	0	·05	0	0	19
20	0	0	·18	0	·03	·01	·05	·06	0	·15	0	0	20
21	0	0	·2	0	·48	0	0	·40	0	·34	0	0	21
22	·12	·05	·01	0	·53	·06	·24	·33	0	·01	0	·08	22
23	·1	·04	·32	0	0	0	·34	·10	0	·0	·11	·01	23
24	·11	0	·03	0	0	·24	·23	·14	0	0	·01	·23	24
25	·01	0	0	0	0	·04	0	·91	0	0	·34	·35	25
26	·0	·04	·03	0	0	0	·23	·55	0	·64	·23	·05	26
27	0	·01	·01	0	0	·43	·40	·01	0	·40		·16	27
28	0	·02	0	0	0	·08	·18	·41	·12	·22	·55	·26	28
29	0	·01	·03	0	0	·41	·19	·16	·50	·02	·12	·01	29
30	0		·03	0	0	·19	·02	0	0	·04	0	0	30
31	·04		·1		·24		·16	·03		·15		·05	31
Total	3·29	·88	2·92	·15	2·22	4·52	2·43 2·43	6·10	·78	2·51	2·24	3·03	TOTAL for year 31·07
No. of Rain Days.	19	16 17	23	3	13	26	16	26	7	12	14	23	198 199

W. 8,000, X. '11.

Lord fr auth

made

REGIST 12

FORM A2.
BRITISH RAINFALL.
-6- JAN 1913

Kept at Worfield

in the County of Salop 4

by Frank Turner

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. - in.
	„ „ „ Sea Level	200 ft.

Time of Observation 9 am

Nearest Railway Station { Name Frank Turner
Distance 4 m. Direction S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	·06	0	0	·15	·02	·01	·01	0	0	·13	1
2	0	·01	·05	0	·02	·25	·15	0	0	0	0	·05	2
3	·01	0	·01	0	·11	·10	·02	·72	·02	0	0	·11	3
4	·08	0	·5	0	·13	·52	0	·05	0	0	·18	·0	4
5	·33	·03	·16	0	·02	·33	0	·30	·02	0	·01	0	5
6	·08	·2	0	0	·01	·11	0	·38	0	0	0	·05	6
7	0	·08	0	0	·04	·40	0	·01	0	0	0	·01	7
8	·27	·14	·11	·03	·01	·12	·02	·40	·08	0	0	·01	8
9	·14	·0	·49	·1	0	·34	0	·24	0	0	0	·24	9
10	·4	·01	0	·02	0	·11	0	·13	0	0	·73	·01	10
11	·1	·01	·01	0	0	·01	0	·06	0	0	·10	·39	11
12	·04	·14	·04	0	0	·02	·02	0	0	0	·01	·03	12
13	·0	·01	0	0	0	·01	0	·03	0	0	·01	·01	13
14	·04	·0	·46	0	0	·04	0	0	·03	0	0	0	14
15	·11	·05	0	0	·44	·43	0	0	0	0	0	·05	15
16	·65	0	·04	0	·04	·03	0	·01	0	·06	0	0	16
17	·3	0	·02	0	0	·05	0	·37	0	·0[illegible]	·22	·70	17
18	·36	0	·05	0	0	·0	0	·01	0	·04	·02	·01	18
19	0	·03	0	0	0	·01	·16	·28	0	·05	0	0	19
20	0	0	·18	0	·03	·01	·05	·06	0	·15	0	0	20
21	0	0	·2	0	·48	0	0	·40	0	·34	0	0	21
22	·12	·05	·01	0	·53	·06	·24	·33	0	·01	0	·08	22
23	·1	·04	·32	0	0	0	·34	·10	0	·0	·11	·01	23
24	·11	0	·03	0	0	·24	·23	·14	0	0	·01	·23	24
25	·01	0	0	0	0	·04	0	·91	0	0	·34	·35	25
26	·0	·04	·03	0	0	0	·23	·55	0	·64	·23	·05	26
27	0	·01	·01	0	0	·43	·40	·01	0	·40		·16	27
28	0	·02	0	0	0	·08	·18	·41	·12	·22	·55	·26	28
29	0	·01	·03	0	0	·41	·19	·16	·50	·02	·12	·01	29
30	0		·03	0	0	·19	·02	0	0	·04	0	0	30
31	·04		·1		·24		·16	·03		·15		·05	31
Total	3·29	·88	2·92	·15	2·22	4·52	2·03 2·43	6·10	·48	2·51	2·24	3·03	TOTAL for year 31.09
No. of Rain Days.	19	16 (17)	23	3	13	26	16	26	4	12	14	23	198 199

W. 8,000, X. '11.

FORM A. BRITISH RAINFALL. 10 JAN 1914

REGISTER OF RAINFALL IN 1913.

Ex. Hob.

Kept at Worfield.

in the County of Salop 4

by Frank Turner

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Bridgnorth G.W.Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level abt 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	·10	·13	·22	0	0	0	·14	0	·03	0	1
2	0	·05	·05	·90	0	0	·01	0	·05	·01	·06	0	2
3	·02	·01	·06	·0	·69	0	0	0	·02	·06	0	·22	3
4	·9	·20	0	0	·20	0	·01	0	0	·03	·05	·40	4
5	·22	·05	·06	0	·03	·12	·11	0	·03	1·15	0	·01	5
6	·03	·07	·20	0	·23	·23	·40	0	0	·05	0	·22	6
7	·01	·24	·01	0	·13	·03	·10	0	0	·42	·23	·03	7
8	·0	·06	·04	·02	·22	·10	0	0	0	·04	0	0	8
9	0	·33	·01	·03	·15	·24	·12	·45	·11	0	·06	0	9
10	·16	·01	0	·16	·18	·01	·0	0	0	·03	·04	0	10
11	·45	·02	0	·39	0	·06	0	·10	0	·05	·33	·05	11
12	0	·01	0	0	·08	0	0	0	·02	0	·50	0	12
13	0	·01	·11	·01	0	·01	0	0	·09	0	·22	0	13
14	·25	·01	·58	·10	0	·0	0	0	0	·10	·03	0	14
15	·05	·02	·58	·56	0	0	0	·16	·04	·0	·12	0	15
16	0	·01	·42	·02	0	0	0	·05	·01	0	·0	0	16
17	·02	·01	·04	·05	0	·04	·06	0	0	0	·02	0	17
18	·01	0	·23	·04	·16	0	·06	0	0	0	·01	·02	18
19	·05	0	·10	·05	0	·03	·02	0	·04	·02	·01	0	19
20	·03	0	·18	·06	0	0	0	0	·01	·15	·14	0	20
21	0	0	·03	·04	·06	0	·04	0	0	0	·24	0	21
22	·40	0	·62	0	·01	0	0	0	·52	0	0	0	22
23	·01	0	0	0	0	·09	0	·98	·05	0	·10	·01	23
24	·13	0	0	0	0	0	0	0	0	0	·01	0	24
25	·0	0	0	·08	0	0	0	·02	·09	·02	·01	·01	25
26	·0	·01	0	·23	·12	0	0	0	·01	0	0	·30	26
27	·01	0	·27	·30	0	0	0	·12	0	·13	0	0	27
28	·20	0	·12	·44	0	0	0	0	0	·12	0	·03	28
29	·01		·45	·44	·14	0	0	·34	0	·03	0	0	29
30	·3		0	0	·01		0	0	0	·70	·04	0	30
31	·02		·33		0		0	0		·01		0	31
Total	3·28	1·12	4·62	4·05	2·63	·99	1·26	2·22	1·32	3·42	2·34	1·30	YEAR'S TOTAL 28·55 ✓
Rain Days.	21	14	22	20	16	11	10	8	15	18	20	11	189 ✓

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Exe 82

Kept at Worfield
in the County of Salop 4
by Frank Turner

Lat. Long.
Time of Observation 9 a. m
Nearest Railway Station Bridgnorth G.W.Ry
Diameter of Rain Gauge 5' in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 200 (abt) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	·01	·02	0	0	0	1·26	·08	0		0	·12	1
2	0	0	0	0	0	·01	·36	·31	0	·03	·45	·22	2
3	0	0	0	·04	·15	0	·10	·01	0		·02	·22	3
4	·25	0	·05	·10	·08	0	·06	·13	0		·48	·65	4
5	·08	0	·04	·08	·02	0	·34	0	0		·13	0	5
6	·08	·02	0	·05	·03	·04	·13	0	0		·04	·10	6
7	·04	·09	·30	·06	·08	·04	·09	·14	0			·30	7
8	0	0	0	·05	·12	·40	·01	·03	·07			·12	8
9	·24	·01	·05	·08	·12	1·05	0	·33	0				9
10	·05	·16	0	·16	·03	·25	0	0	·23				10
11	0	·12	·20	·05	·08	0	0	0	·03		·20	·40	11
12	0	·21	·15	0	0	0	·28	0	·30		·03	·17	12
13	0	·11	·10	0	0	0	·08	0	·03	·20	·20	·36	13
14	0	·29	·11	0	0	0	·03	0	·04	·18	·13	·05	14
15	·05	0	·08	0	0	0	0	·02	·03	·01		0	15
16	·01	0	·12	0	0	0	·03	0	·06			0	16
17	0	·11	·10	0	0	0	·03	0	0			·32	17
18	0	0	·08	0	0	·30	·05	0	·12	·02		·34	18
19	0	·04	·04	0	0	0	·55	0	·10		·08	·13	19
20	0	·20	·11	0	0	·08	·13	0	0			·21	20
21	0	·39	·01	0	0	·13	·04	·03	0	·10		·32	21
22	0	·03	·02	0	·26	·02	·02	·24	0	·22			22
23	0	·10	·05	0	·04	·05	·02	0	0	·10			23
24	0	·08	0	0	0	0	·10	·15	0	·10	·06		24
25	·04	0	·01	·01	0	0	·04	·19	0	·32	·04	·16	25
26	0	0	·04	0	0	0	·02	·19	0	·08	·11	·21	26
27	·05	0	0	0	0	0	0	0	0		0	·60	27
28	0	·03	·06	0	·03	0	0	0	0		·41	·55	28
29	0		·05	·03	·09	0	0	0	0	·15	·12	·20	29
30	0		·04	0	0	0	0	·02	0	·02	·30	·32	30
31	·18					0	·15		0	·02		·02	31
Total	1·07	2·00	1·92	·71	1·13	2·37	3·95	1·87	1·01	1·55	2·80	6·09	YEAR'S TOTAL 26·47
Rain Days.	11	17	23	11	13	11	23	14	10	14	16	23	186

W. 7,500, XI. ·12

See over

2413

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL

Kept at Worfield
in the County of Salop
by Frank Turner

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Bridgnorth G.W.Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	·06	·13	0	·44	0	0	0	·13	·13	·01	·02	1
2	·04	·08	·21	·15	0	·10	0	·77	0	·20	0	·13	2
3	1·07	·04	·04	·16	0	0	·46	·04	0	·07	0	·18	3
4	0	·03	0	0	·06	0	·31	·32	0	0	0	·85	4
5	0	·41	0	0	0	·16	·02	·02	0	·04	0	·41	5
6	·04	·04	·01	·08	0	0	·93	·02	0	0	0	·04	6
7	·07	·28	0	·04	·10	0	·17	·07	0	0	0	·22	7
8	·14	·15	0	·02	0	0	0	·02	0	0	·03	0	8
9	·10	0	0	·25	0	0	0	0	0	0	·19	·60	9
10	·23	·08	·07	·04	0	0	·02	0	0	0	·09	·01	10
11	·02	0	0	·05	·12	0	·09	0	0	0	·78	·06	11
12	·05	0	0	·12	·35	0	0	·02	0	·11	1·03	0	12
13	0	·42	·01	0	·50	0	0	·65	0	0	·02	·02	13
14	·04	0	0	·01	·02	0	·12	·15	0	0	0	·22	14
15	·28	0	0	·01	0	0	·08	·16	·07	0	·07	·20	15
16	·08	·38	0	0	·30	0	1·60	·01	0	0	0	·02	16
17	0	·29	0	0	·52	0	0	0	0	0	0	0	17
18	·03	·20	·08	0	0	0	0	0	0	0	0	0	18
19	0	·02	0	0	·07	0	·20	0	0	0	0	·10	19
20	·07	0	0	·07	0	0	0	0	0	0	0	·07	20
21	·17	0	0	0	0	0	·16	0	0	·07	0	·04	21
22	·12	0	·20	·08	0	0	·09	0	0	0	0	·08	22
23	·02	·10	·05	0	0	·08	·63	0	·02	·66	0	·36	23
24	0	0	·05	·02	0	0	·15	0	·41	·42	0	·23	24
25	0	0	0	0	0	·85	·05	0	·04	·09	0	·22	25
26	0	·07	0	0	0	0	·28	0	0	0	0	·26	26
27	0	·15	0	0	0	0	·14	0	0	·32	0	·20	27
28	0	·19	0	0	0	0	0	·16	·03	·02	0	0	28
29	0	0	0	0	0	0	·22	·07	·01	0	·20	·06	29
30	·06	✕	0	·03	0	·49	·21	·01	0	·27	·03	·11	30
31	·07	✕	0	✕	0	✕		·14	✕	·05	✕	·39	31
Total	3·03	2·99	·85	1·23	2·51	1·69	5·93	2·63	·71	2·39	2·45	4·90	YEAR'S TOTAL 31·31
Rain Days.	20	18	10	15	10	5	20	16	7	13	10	25	169

W. 8,000. X. 14.

Ex DL

2344

FORM A.
BRITISH RAINFALL.

3 JAN 191

REGISTER OF RAINFALL IN 1916.

Kept at Worfield School
in the County of Salop
by Frank Turner.

Lat. 52° 33' 20" Long. 2° 21' 10"
Time of Observation 9 am
Nearest Railway Station Bridgnorth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·01	·25	[illegible]	·03	·06	·22	0	0	·08	·16	0	1
2	·13	0	·14	0	·06	·01	·21	0	0	·40	·06	0	2
3	0	·43	·05	0	0	0	·02	0	0	·21	0	·02	3
4	·13	·33	0	·06	·52	·25	0	0	0	·05	·50	0	4
5	0	0	0	0	·33	·06	·13	0	0	·05	·15	0	5
6	·10	·16	0	0	·16	·02	·28	0	·15	·13	·41	0	6
7	·03	·01	·08	0	·07	0	·38	0	·04	·11	·09	·25	7
8	·04	0	·11	0	·13	0	0	0	0	·07	·02	·21	8
9	0	0	0	0	·32	·02	·02	0	0	0	·02	·02	9
10	0	·36	·04	·05	·02	·00	0	0	0	·03	0	·00	10
11	0	·16	·04	·08	0	·04	·03	0	·05	0	0	·10	11
12	0	0	·03	·02	·24	0	·09	·02	0	0	0	·10	12
13	0	·19	·12	·11	0	0	·10	·13	0	·02	0	·11	13
14	0	·39	·01	·03	·06	0	00	·24	0	0	0	0	14
15	0	·30	·23	·10	·10	0	·07	·07	·02	·23	0	·04	15
16	0	·04	·03	·21	·01	0	·08	·40	0	·03	0	0	16
17	·06	·17	0	·12	0	0	·03	·14	·45	·22	0	0	17
18	0	·06	·02	·12	0	0	0	0	·20	·05	·43	0	18
19	·04	·01	·23	·13	0	0	0	0	·03	0	·23	·50	19
20	·01	0	·43	·03	0	0	0	·04	0	0	·09	·04	20
21	0	0	·27	0	·13	0	·05	0	0	0	0	·10	21
22	0	0	0	0	0	·06	0	0	0	·09	0	·24	22
23	0	0	·03	0	0	0	0	·15	0	·06	·06	·32	23
24	0	·46	0	0	·04	·02	0	·21	0	·15	0	·18	24
25	0	·13	·13	0	·20	·03	0	·06	·03	·04	·25	·03	25
26	0	·02	0	0	·02	·05	0	·22	·11	·25	·09	0	26
27	·07	·10	·40	0	0	·03	0	·12	·10	·59	0	0	27
28	·01	·15	·01	0	0	0	0	0	·02	·20	·02	·26	28
29		·25		0	0	·20	0	·37	0	·19	0	·02	29
30		X		0	0	·12	0	·02	0	·71	0	0	30
31		X		X		X	0		X	·23	X	·06	31
Total	·73	3·63	2·65	1·06	2·44	·97	1·71	2·19	1·20	3·89	2·58	2·60	YEAR'S TOTAL 25·65
Rain Days.	11	20	20	12	17	14	14	14	11	24	15	18	190

W. 8,000. X. 15.

1·81
15

2279

FORM A.
BRITISH RAINFALL.
2. JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Worfield School
in the County of Salop
by Frank Turner.

Lat. 52.33'.20" Long. 2°.21.10"
Time of Observation 9 a.m.
Nearest Railway Station Bridgnorth G.W.Ry.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

ate.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0		·10	·10	0	·26		·94	·06		·04	·05	1
2	0			·11	0	·09		·04	·28		·16	·20	2
3	0	·0		·27	0			·08		·25	·02	·04	3
4	·06	·07	·20	0	0			·02		·64			4
5	·33		·15	·18	0					·12	·08		5
6	·02		·07	0	0	·15			·06	·09	·21	·02	6
7	·30		·12	0	0					·05	·04	·04	7
8	·32		·02	·12	0	0	·04	·42		·38	·13	·15	8
9	0		·20	·14	·12			·25		·15	·28		9
10	·32		·35	·09	·19			·01	·04		·03		10
11	·15		·10	·12	·06			·09	·04	·15	·03		11
12	·02		0	·10	·26			·14		·20	·02		12
13	0		·02	0				·10	·03				13
14	·07		·11	0				·03	·04	·02		·04	14
15	·07			0	·11		·90	·04		·02		·08	15
16	0	·09		·11	0	·19	·17	·03				·20	16
17	0		·03	·10	·28	·03	·40	·01	·21	·05			17
18	·03	·02		·06	·05	[illegible]	·33	·04	·40	·02			18
19	·03	·30		0	·08	·18		·05	·02				19
20		·17	·55	0	·40	·20	·11	·35	·14		·07		20
21		·03	·30	·02	·07	·16		·01	·0	·05	·06		21
22		0	·03	0	0	·10		·02	·04	·08			22
23		·32	·02	0	·16	0		·09		·05		·03	23
24		0	0	0		·63		·01		·50	·04	·02	24
25		·08	·13	0		0		·03		·10	·05		25
26				0		·14		·02	·06	·02	·15		26
27				0	1·55	·16	·45	·29					27
28			·04	0		·02		·66		·04		·03	28
29				0			·03	·13		·36		·24	29
30		×				·03	·02	·04		·04		·01	30
31		×	·06	×	·02	×		·29	×		×	·01	31
Total	1·64	1·08	2·60	1·52	3·35	2·34	2·45	4·29	1·72	3·38	1·41	1·16	YEAR'S TOTAL 26·97
Rain Days.	12	8	19	13	13	14	9	28	13	22	16	15	182

W. 8,000, VIII. 16

29

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Worfield School
in the County of Salop.
by Frank Turner

Lat. 52° 33′ 20″ Long. 2° 21′ 10″
Time of Observation 9 a.m
Nearest Railway Station Bridgnorth G.W.Ry
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·05		·08	·03			·01	·01	·02	·45	0	1
2		·05						·16	·01	·01	·01	·10	2
3		·04	·02		·25			·12	·60	·01	·05	0	3
4	·02	·03		·07	0			·04	·50	·14	·39	·38	4
5		·01	·02	·08	·23	·02		·11	·16	·14	0		5
6		·11	·62	·17	·01	·11		·01	·03	·14	0	·02	6
7		·06		·07	·10	·12		—	·20	·08	·15		7
8	·02	·07		0				—	·07	·09			8
9		·50		·09		·12	·10	—	·28	·30	~~·03~~	·01	9
10	·06	·04		·12			·50	—	·04	·11	·05	·08	10
11		·02	·04		·17		·20	—	·31	·0[illegible]	·02	·05	11
12		·02	·19		·13		·17	—	·01	·02			12
13				·01	·11	·03		—	·18	·08			13
14	·30					·08	·16	—	·15	·02		·14	14
15	·35			·13	·01	·02	·24	—	·15	·04		·20	15
16	·10			·43		·12	·10	·01	·49	0		·06	16
17	·49			·01	·03	·05	·08	·02	·12	·14		·11	17
18	·30					·15	·06	—	·58	·01		·21	18
19	·05	·02	·25	·03		0	·05	—	·01	·04		·12	19
20	·12	·04		·36		·06		—	·20			·30	20
21	·06			·60	·32		·07	—	·13			·11	21
22	·01			·01	2·54	·01	·10	·01	·05	·12		·23	22
23					·60	·02	·15	—	·07		·03	·03	23
24		·13					·11	·10	·06		·13	·03	24
25					·02	·11	·20	·68	0		·05		25
26							·62	·12	·08	·01	·03	·07	26
27		·04	·03					·30	·16		·13	·04	27
28		·11	·28					—	0		·13	·10	28
29			·13					—	·65		·01	·05	29
30		X	·25					·03	·02		·30	·14	30
31		X	·14	X		X		·01	X		X		31
Total	1·88	1·34	1·40	2·25	4·55	1·02	2·94	1·73	5·32	1·52	1·83	2·58	YEAR'S TOTAL 28·36
Rain Days.	12	17	11	15	14	14	16	15	28	19	15	22	198

W. 8,000, IX. 17.

2·58

2088

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919.

Kept at Worfield.
in the County of Salop.
by Frank Turner

Lat. 52° 33' 20" Long. 2° 21' 10"
Time of Observation 9 a.m.
Nearest Railway Station Bridgnorth G.W.Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22	0	·04		·07		·20		·04	·11	·04	·28	1
2	·12	·02	·12		0		·33		·38		·15		2
3	·12		·05	·03	·03	·02	·22		·07		·10	·02	3
4	0	·01	·19			·04	·18	·10	·16		·01	·25	4
5	·01	·22	0		·23				·06		·03	·06	5
6	·08	·05	·09		·10						·05	·15	6
7	·28		·12	·05							·01		7
8	·10		·05	·03							·01	·02	8
9	·12		0	·09					·01		·03	·	9
10	·02		·45	·02						·05	[illegible]	·14	10
11	0		·85		·02		·23			·03		·04	11
12	·02		·62	·02		·32			·10	·17	·04	·02	12
13	·04			·11			·02		·16	·29		·02	13
14	·25		0	·17			·07		·03	·07		·03	14
15	·24	·10		·25	·02					·04		·27	15
16	·05	·50		·03				·03			·08		16
17	·02	·54				·09					·07		17
18	·00	·17	·55	·01			·03	·46			·07	·06	18
19	·05	·22	·66	0		·12	·70	·56	·11		·04		19
20	·18	·04	·17			·03	·03		·02		·18	·10	20
21	·10	·24	·01				·30		·04			·17	21
22	0	·18	·02				·01		31			·45	22
23	0					·14		·04		·80	·02	·05	23
24	·02			·10	·06					·64	·10	·11	24
25	·08			·05	·10	·04		·40		·02	·03	·08	25
26	·10		·09	·04		·02		·05	·08		·04	·20	26
27	0		·05	·40		·01		·54	·02		·03	0	27
28	·07		·02					·38			·08	·29	28
29	·04		·01	·14		·04		·03		·38	·08	·15	29
30	0	X		·10		·06		·07		·03	·10	·05	30
31	·03	X		X		X		·01	X	·03	X	·10	31
Total	2·36	2·29	4·16	1·64	·63	·96	2·32	2·64	1·59	2·64	1·33	3·09	YEAR'S TOTAL 25·71
Rain Days.	24	12	19	17	8	12	12	12	15	13	23	24	191

W. 8,000, IX. 17. 229

Cox 9n L

2085

8 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Worfield.
in the County of Salop
by Frank Turner

Lat 52° 33′ 20″ Long 2° 21′ 10″
Time of Observation 9 a.m
Nearest Railway Station Bridgnorth G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ „ „ „ Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·08	·19		·10			·06		·29	1
2			·02	·09	·01		·09		·10	·09		·10	2
3	·08	·07		·16	0	·03	62 ·62		·05	·27		·01	3
4			·05	·09	0		·03	·23	·03	·39			4
5		·01	·05	0	·06		·25	·10		·23			5
6			·19	·04	·04		·13			·98		·04	6
7			·05	·07	0		·12						7
8	·40	·07	·04	·40	·19		·15	·07					8
9	·35	·03		·50			·07	·12				·02	9
10	·25	·07	·06	·08		·05	·25				·04		10
11	·07	·02	·11	·16	·34	·33	·04				·02	·02	11
12	·15	·02	·06	·16		·69	·03	·09			·12	·15	12
13	·05	·05	·09	·28					·08		·03		13
14	·02		·60	·14		·05			·26	·13	·15		14
15			·38	·44		·33	·05		·36	·68	·04		15
16		·08		·06	·39	·05	·11		·03	·47			16
17			·02	·02	·09			·02	·35	·05			17
18	·19			0	·09	·01	·05	·05	·20				18
19	·01	·62		·08	·02	·08			·04				19
20	·02	·40		·37		·17	·01					·04	20
21	·02			·02			·26					·08	21
22	·02			·09			·04	·05					22
23		·02	·04	·02			·14	·06				·42	23
24	·02		·17	·03							·01	·15	24
25	·02	·06	·11	·06	·02		·38						25
26	·18		·13	·02			·05				·04	·04	26
27	·18	·02	·08	·10	1·93	·16	·02					·40	27
28	·46		·19	·06	·31	·04						·07	28
29	·60		·14	0	·25	·02	·04		·02		·08	·46	29
30	·02	✕	·03	·17	·06	·04	·10		·23	·04	·06	·08	30
31	·04	✕	·03	✕	·02	✕	·03	·05	✕	·45	✕	·01	31
TOTAL	3·15	1·54	2·67	3·79	4·04	2·35	3·16	·84	1·75	3·84	·59	2·38	YEAR'S TOTAL 29·80
Days with ·01 in. or more	21	14	22	27	16	14	25	10	12	12	10	17	200

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

13 8 18 22 12 11 20 20 9 9 12 7 13 154